

Co-evolution of robots

Christian Faccio

February 17, 2026



- ① Introduction
- ② Game definition
- ③ Evolutionary architecture
- ④ Results
- ⑤ Conclusion


1 Introduction

2 Game definition

3 Evolutionary architecture

4 Results

5 Conclusion



A **Robot Duel** is a game where two controlled robots fight in an arena under certain rules and conditions. In this scenario:


- The robots are controlled by neural networks;
- Robots have a default energy, which is reduced by actions and attacks;
- Energy points give boost of energy;
- If robots collide the one with higher energy wins;
- There is a time limit.

- 1 Introduction
- 2 Game definition**
- 3 Evolutionary architecture
- 4 Results
- 5 Conclusion


The robot

The robot has 5 sensors that track information regarding the position of the opponent and the nearest energy points. The sensors are split in the 2π and each is responsible for $\frac{2\pi}{5}$ degrees of the space. To move the robot, three actions are available:

- rotate left;
- rotate right;
- move forward.




Robot controller



For each state $\mathbf{s}$ of the game, the robot controller has to choose an action $\mathbf{a}$ to perform. The state is composed of the radar information, the distance to the wall the robot is facing and the energy difference with the opponent.

The duel



- 600x600 arena;
- 7 fixed energy points;
- no default energy;
- 500 boost of energy for each energy point;
- energy loss depends on forward distance and rotation angle;
- 750 time steps limit.

- ① Introduction
- ② Game definition
- ③ Evolutionary architecture**
- ④ Results
- ⑤ Conclusion

NEAT





Figure 1: A NEAT genotype to phenotype mapping example [Stanley and Miikkulainen, 2004].

NEAT config

```
1 [NEAT]
2 fitness_criterion      = max
3 fitness_threshold      = 50
4 pop_size               = 512
5
6 [DefaultGenome]
7 activation_default     = sigmoid
8
9 conn_add_prob           = 0.1
10 conn_delete_prob       = 0.0
11
12 feed_forward           = False
13 initial_connection     = full
14
15 num_hidden             = 0
16 num_inputs             = 12
17 num_outputs            = 3
18
19 ...
```

Co-evolution setup



Training

I trained the system for 100 generations locally on my machine (Apple M3, 16GB RAM), taking around 7.5 hours to complete.

- 2 populations;
- 512 individuals each;
- parasite sample size of 12 (4 highest species champions, 8 random hall of fame of all generations' champions);
- 144 games for each starting position to determine the generation champion and for the dominance tournament;
- 2 extra energies for each of the 144 games for robustness.

- ① Introduction
- ② Game definition
- ③ Evolutionary architecture
- ④ Results**
- ⑤ Conclusion

```
1 Gen 13 | ... | Total: 273.2s
2 Generation champion beats dominant strategy #1 with score 288 vs 0
3 Generation champion beats dominant strategy #2 with score 146 vs 120
4 Generation champion beats dominant strategy #3 with score 147 vs 131
5 Generation champion beats dominant strategy #4 with score 277 vs 11
6 *** NEW DOMINANT STRATEGY #5 ***
```

```
1 Gen 75 | ... | Total: 282.2s
2 Generation champion beats dominant strategy #1 with score 288 vs 0
3 Generation champion beats dominant strategy #2 with score 50 vs 0
4 Generation champion beats dominant strategy #3 with score 223 vs 24
5 Generation champion beats dominant strategy #4 with score 220 vs 0
6 Generation champion beats dominant strategy #5 with score 62 vs 0
7 *** NEW DOMINANT STRATEGY #6 ***
```

Demo time!

- 1 Introduction
- 2 Game definition
- 3 Evolutionary architecture
- 4 Results
- 5 Conclusion**

Conclusion and future work

This project demonstrates the potential of co-evolutionary algorithms in developing competitive strategies for robot duels.

- NEAT effectively evolves neural network controllers for the robots;
- Co-evolution promotes the emergence of increasingly sophisticated strategies as each population adapts to the other;
- Future work could explore more complex robot designs, additional sensors, and more fine-tuning of the NEAT parameters to further enhance performance.

Thank you for listening !

References I

[Stanley and Miikkulainen, 2004] Stanley, K. O. and Miikkulainen, R. (2004).
Competitive coevolution through evolutionary complexification.
Journal of artificial intelligence research, 21:63–100.