


How to identify textures in the EFF file



Black: EFF main header

Blue: Offsets used for indexing the textures, containing the ID, sequential bytes and a row of zeroes to pass to another texture indexes.


Orange: Texture ID

Pink: Sequential bytes to transform the texture (change position, scale & rotation).
Can also be called "Animation Frames".

Offsets found by Biohazard4X

As the offsets rows 190 and 1A0 are already analyzed, they will not be marked.

Continuing the file:




Red: Unknown values

Green: Textures header

Purple: Quantity of textures in this header

Blue: Texture containers with resolution, bit depth, starting offset and ending offset.
(Explained better in the thread by [sputink](#), at the forum)

Keep in mind that the quantity of the textures are in hex, so 10 = 16



As now we can see, this is the last box with texture data included in the header.


Right below it are the data used to create the texture image, it can be huge depending on the pixels sizes and quantity.

This may leave us asking: How can we find the correct ending offset of the 16 textures?

Well, for this we can search for another Header used by textures, using these bytes: 00 00 00 10 00 00 00 00 00 00

Doing a search using these bytes we can find if there is a second Header for

textures, and if the search is successful, the offset **above** it will be the end of the first Header.



Selected bytes are the end of the first header

Green: The value we just searched for; The second header for textures.

Blue: Texture box

Orange: Bytes to create the texture(s) of this header.

If we are not so sure if everything is correct, especially with big texture data, we should scroll up a little and see if there aren't any effects already written (01 XX XX), but usually the textures are well organized.


With this information we already have, we can extract the textures to see if the 16 textures are showing up correctly.

We just need to select and copy all the bytes of the first texture header, until

the ending offset of the last texture (as shown in the pic above, it is 10CD0)


Checking the tpl

Let's press Ctrl + N to create an empty file in HxD and paste all of the bytes



Press Ctrl + S and save it with .tpl extension

After that we can open it up at the Game Graphic Studio:



As we can see, the number matches with the quantity of the textures in the first header.

So this finishes this part of identifying and extracting textures.

***Additional notes:

In some smaller .eff files there may be chances of not encountering a second header for textures after searching: 00 00 00 10 00 00 00 00 00 00

So in those cases, we need to advance and find the effects ids.