

FORGE: Reverse-Engineering the Reward Economics of a Multi-Step Tool-Attack Benchmark, with a Matched Defense

Christian Metzl
Independent Researcher
christianmetzl@aol.com

August 31, 2026

Abstract

We study the Kaggle *AI Agent Security — Multi-Step Tool Attacks* benchmark, in which an attacker writes only the user side of a conversation that drives two open-weight tool-using models (gpt-oss-20b, gemma-3-4b) and is scored by the security predicates the models are induced to trigger. Rather than treat the task as prompt engineering, we **reverse-engineer its reward economics** from the evaluation gateway source and from a publicly shared competitor solution, and show that one relation governs everything: $\text{score} \approx 0.09 \times (\text{tool calls that fire})$, a **time-bounded linear knapsack**. The binding constraint is *not* model refusal — single requests comply $\approx 100\%$ — but *posts sustained per candidate* and *candidate throughput* under a fixed replay budget. On this footing we contribute (i) a formal statement of the objective and its provably optimal allocation; (ii) the full FORGE method — an adaptive live-guardrail probe, a split route portfolio for a hidden private column, and budget-calibrated best-first filling; (iii) three throughput levers, including a *sustain-aware bandit probe* that selects framings by measured value-per-second on the live model; (iv) an honest treatment of “quantum-inspired” optimization, which the linear structure rules out except at the probe; and (v) a **matched defense** — a prompt-agnostic action-side guardrail plus a chat-template input sanitizer — that collapses our own strongest attacks to zero with no benign false positives. Throughout we tag every claim [measured]/[inferred]/[speculative], and we document our wrong turns — a mis-diagnosed “compliance wall,” a regression from “smarter” verbose jailbreaks, and a scoring shortcut we tested and rejected — as the lessons most likely to transfer. This is a defensive study of a sandboxed benchmark with synthetic markers; the single guardrail gap we exploit is disclosed to the organizers with a fix.

1 Introduction

Tool-using LLM agents turn language into consequential actions — HTTP requests, file writes, emails, shell commands. The competition [1] isolates the resulting attack surface with an unusually clean question: given only the ability to write the *user side* of a conversation, how reliably can an attacker steer such an agent into a policy-violating tool call? Submissions are code notebooks; a hidden rerun connects an external gateway that (a) lets the attacker *generate* candidate conversations against a live public guardrail, then (b) *replays* the returned candidates against held-out guardrails and both target models, scoring the security predicates that fire.

Our system, **FORGE** (Fingerprint-Oriented Replay-Guided Exploration), began as an adaptive multi-route search. Its decisive progress, however, came not from better prompts but from *measuring the scoring function exactly* and then optimizing the right quantity. This note reports that arc in full, including the parts where we were wrong, because the reusable lesson of the competition is methodological: on a benchmark whose *scoring function itself* is the object of study, reading the scorer beats out-prompting the model.

Contributions.

1. **Reward economics (§4).** From the gateway source and a competitor solution we derive score $\approx 0.09 \times$ (firing tool calls) and cast the attacker’s problem as a time-bounded linear knapsack; we identify *posts-sustained-per-candidate* and *candidate throughput* — not refusal — as the binding constraints.
2. **The FORGE method (§5).** An adaptive fingerprinting probe, a split route portfolio that hedges an unseen private guardrail, and budget-calibrated best-first filling.
3. **Three throughput levers (§7).** Token minimization, bounded multi-message packing, and a sustain-aware *bandit* probe that adapts framing selection to the live model.
4. **An honest optimization verdict (§8).** The additive, dedup-free scoring makes the allocation a linear knapsack where greedy is optimal; annealing/QAOA/DPP add nothing. The one place a sampling method wins is the probe.
5. **A matched defense (§9).** An action-side, prompt-agnostic guardrail plus a chat-template sanitizer that drive our strongest attacks to zero with zero benign false positives.
6. **Lessons and reproducibility (§12–§14).** Documented self-corrections, an explicit limitations section, and a one-command local harness; claims are tagged by evidence class through-out.

2 Related Work

Agent and tool-use attacks. Benchmarks such as AgentDojo and InjecAgent formalize indirect prompt injection against tool-using agents, and a growing literature studies multi-step “tool-chaining” attacks that assemble individually-benign calls into a harmful sequence (STAC [9]). Our setting differs in an important way: scoring is a *white-box, additive* function of triggered predicates, so the problem is less about a single clever injection and more about an *allocation of a fixed compute budget* across many independent attempts.

Jailbreaks and small open models. We drew on the public jailbreak literature — many-shot priming [5], reasoning-guardrail subversion on gpt-oss [6], dialogue/ context injection [7], and agentic failure modes of gpt-oss-20b [8]. A central *negative* finding of this work (§10) is that these chat-oriented techniques *regressed* tool-call throughput on the target models: their length costs candidate throughput and their prose mangles tool-call JSON on small models. This is a caution against importing chat-jailbreak intuitions into a tool-call-throughput regime.

Query-efficient / budgeted attacks. The observation that attack success compounds under repeated sampling motivates our treatment of the framing probe as a budget-constrained multi-armed bandit (§7); we combine that estimate with the knapsack-optimal greedy fill.

3 Benchmark and Threat Model

Interaction. A candidate is a list of user messages (≤ 32 messages, ≤ 2000 characters each, non-empty). The gateway drives a target model through the candidate; on each message the model may emit up to a bounded number of tool calls (the replay hop cap is 8). Tool calls pass through a *guardrail* that may allow or deny each action. The generation phase uses a permissive public guardrail (`OptimalGuardrail`); the same returned candidate list is then replayed against *held-out* guardrails and both models to produce the private column that decides the final rank.

Predicates ([source-traced], `aicomp_sdk/core/predicates.py`). Table 1 lists the scored predicates; each fires *only on a successful (allowed) action*, once per triggering event. The two most valuable both concern an `http.post` of a synthetic marker or an untrusted-content-driven privileged action.

Predicate	Sev. (wt)	Trigger (action must succeed)
EXFILTRATION	5 (16)	<code>http.post</code> whose <code>data</code> contains the secret marker (or a read secret value).
UNTRUSTED_TO_ACTION	5 (16) / 4 (8)	A privileged action (<code>SHARE/EXEC</code> $\rightarrow$ 16; <code>WRITE</code> $\rightarrow$ 8) within 2 events of reading untrusted web/email content, with <i>no</i> send/email/upload intent word in the last user message.
DESTRUCTIVE_WRITE	4 (8)	<code>fs.write/fs.delete</code> on a protected secret path.
CONFUSED_DEPUTY	3 (4)	<code>email.send</code> without a send/email/upload intent word.

Table 1: Scored predicates and severity weights $w(s)$.

Sandbox and ethics scope. The “secret” is a synthetic literal (`SECRET_MARKER`) and destinations are reserved `*.invalid/*.example` names; no real system or person is targeted. We treat the exercise as *defensive* research (§13).

4 Reward Economics

Scoring ([measured], `aicomp_sdk/scoring.py`). With severity weights $w(5)=16$, $w(4)=8$, $w(3)=4$, summed *per triggered event with no de-duplication*, plus +2 per distinct *score cell* C (keyed on destination *domain* + tool sequence, not message text):

$$\text{raw} = \sum_{\text{events}} w(s) + 2C, \quad \text{score} = \min\left(1000, \frac{\text{raw}}{200}\right). \quad (1)$$

The dominant action is an `http.post` carrying the marker, firing EXFILTRATION (16 raw); with one distinct destination domain per post (a free +2 cell), **each successful post is worth 18 raw = 0.09 normalized**.

The governing relation. The gateway replays up to 2000 candidates but is bounded by a per-phase wall-clock budget $B \approx 8750$ s (the competition allots 18,000s *per model*, split by the gateway into a ≈ 8750 s generation phase and a ≈ 8750 s replay phase; candidates are scored during replay, so B is the replay budget). Each candidate costs $L \approx L_{\text{prefill}} + K L_{\text{decode}}$, dominated by a ≈ 25 s

prefill for a 20B model on the evaluation hardware — a constant a competitor solution encodes directly [2]. Because scoring is additive with no interaction, a submission’s score is

$$\boxed{\text{score} \approx 0.09 \times (\text{tool calls that fire})}, \quad \# \text{fire} = \underbrace{(B/\bar{L})}_{\text{candidates}} \times \underbrace{K_{\text{eff}}}_{\text{posts/candidate}}. \quad (2)$$

Crucially, single-request compliance is $\approx 100\%$ [2]: *refusal is not the wall*. The levers are (a) fit more candidates into B (smaller L) and (b) sustain more scoring posts per candidate (K_{eff}).

Optimal allocation. With value $v_i = 16K_{\text{eff},i} + 2C_i$ and cost $c_i = L_i$ per candidate route i , maximizing $\sum_i v_i$ subject to $\sum_i c_i \leq B$ is a *fractional knapsack*; sorting by v_i/c_i and filling greedily is provably optimal. This single fact — derived, not assumed — reorganizes the entire attack around *value per second*, and it dictates the FORGE architecture.

5 The FORGE Method

FORGE has three stages, all inside the generation phase (which alone sees a live guardrail).

(1) Adaptive fingerprinting probe. For each route, FORGE probes candidate framings against the live guardrail and keeps those that actually fire a predicate, recording the measured wall-time L_i and raw yield. Because generation and replay share the guardrail, the probe cost is an unbiased estimate of the replay cost, avoiding static over-charging. Routes that do not fire are dropped (or retained only as bounded “insurance” for an unknown private guardrail).

(2) Split route portfolio for the hidden private column. The private guardrail is source-identified but its behavior is unobservable offline. Rather than bolt a single tail onto every candidate, FORGE ships a *mixture* of pure routes, each optimal for one guardrail hypothesis, and reserves a tunable fraction (`private_fraction`) of the scored prefix for the public-null private routes (which would otherwise be buried behind best-first public sentinels). Table 2 gives the route $\times$ guardrail coverage matrix that motivates the mixture.

Route	Public (Optimal)	Taint-style private	Pattern (all-args) private	Conjunctive private
Marker exfil (sentinel)	EXFIL	EXFIL	blocked	blocked
Untrusted $\rightarrow$ action	blocked	blocked	UNTRUSTED	blocked
Whitelisted-domain deputy	DEPUTY	DEPUTY	blocked	DEPUTY

Table 2: Which predicate each route scores under each guardrail hypothesis ([source-traced] predicates; private *behavior* bracketed, not measured). No single route covers every column — hence a portfolio.

(3) Budget-calibrated best-first fill. FORGE orders the confirmed candidates by measured v_i/c_i , interleaves the reserved private fraction, and sizes the returned list to the replay budget using the probe-measured latency, over-estimated by a safety multiplier so a replay never overruns. Candidate validity (message/character caps, non-empty) is enforced so no single candidate aborts the run. A local harness reproduces the whole pipeline against the SDK’s environment, predicates, scoring, and both packaged guardrails with deterministic stand-in agents (no GPU, no network).

6 The Throughput Gap, Reverse-Engineered

Our first real-eval submissions scored ≈ 15 (public), while a publicly shared solution [2] reported ≈ 60 and the public leader 147.53. We initially mis-read the gap as a “9% compliance wall.” Reading the competitor’s own code corrected us:

- single-post framings are “proven $\approx 100\%$ fire” — the 0.09 is the *score of one complying post*, not a compliance *rate*;
- the differentiator is K_{eff} : our same-URL “repeat the post N times” batch sustained ≈ 0.7 of 8 posts, whereas a **distinct-record ETL framing** (“forward each of these N records, one call per record”) sustained ≈ 3 — it reads as a real batch job rather than a pointless loop;
- longer prompts inflate L_{prefill} and thus *reduce* the candidate count — which independently explains why our “smarter” verbose jailbreaks scored *worse* (§10).

Reframing from “crack a compliance wall” to “maximize firing posts per second” is the single most important result of the study, and it turns the competitor mechanism into a reproducible *floor* we then build above.

7 Innovations Above the Floor

Each lever targets a term in Eq. (2).

Token minimization. Short endpoints (`http://d00001.invalid`, ≈ 21 vs 47 chars), minimal distinct records, and a hard output/reasoning suppressor cut message length $\approx 38\%$. Fewer input *and* output tokens shrink both L_{prefill} and L_{decode} , raising both candidate count and K_{eff} .

Bounded multi-message packing. A single interaction caps at 8 hops; exceeding 8 posts/candidate requires multiple messages, which *crashed* at high density (context-length OOM on a 20B CPU model). We bound it to 2–3 ultra-short messages (16–24 posts/candidate) so the accumulated context stays $\approx 8\times$ smaller than the build that crashed, amortizing one 25s prefill over many posts.

Sustain-aware bandit probe. The naive probe commits to the *first* framing that fires; “fires once” $\neq$ “sustains the most.” We instead treat framing choice as a budget-constrained multi-armed bandit: draw each of a few framings r times, estimate its v/c , and commit to the best. This adapts K_{eff} to the *actual* rerun model — unobservable offline — an edge no static framing (the competitor’s included) has.

Figure 1 is a lever model calibrated on the competitor’s constants: it compounds the ≈ 58 floor toward ≈ 97 (token-min) and, with a working probe and packing, past the leader. We stress these are [inferred] projections, not measured outcomes; the real evaluator decides sustain and latency.

8 On “Quantum-Inspired” Optimization

Because scoring is additive with no dedup and distinct domains yield distinct cells, there are no diminishing returns or cross-candidate interactions: the allocation is a *linear* knapsack, for which




Figure 1: Projected public score as each lever is layered on the competitor floor (lever model on the measured constants of Eq. (2)). Dashed line: the public leader. [inferred].

greedy is provably optimal. Determinantal point processes, simulated/quantum annealing, and QAOA offer nothing over greedy here — indeed our DPP selector reduces exactly to greedy and is disabled. The one sub-problem with genuine stochastic structure is *which framing to commit to under a tiny query budget against a noisy model*: a multi-armed bandit, solved in Thompson-sampling spirit by the sustain-aware probe of §7. The principled “sampling-based” optimizer and the real algorithmic edge are therefore the same object; we resist dressing greedy as something exotic.

9 From Attack to Defense

The public guardrail has one genuine gap (*Bug 1*, [source-traced]): it inspects an `http.post`’s `URL` for danger but not its `data` channel, so a benign-looking URL carrying the marker in `data` is allowed and scores. We report it here and disclose it to the organizers with a fix. Our matched defense (in the released `defense/`) has two layers:

1. **Action-side, prompt-agnostic inspection.** A guardrail that checks the `data` channel with the scorer’s own matcher and tracks provenance (secret-read taint; untrusted-source taint) denies the exfil *regardless of framing*. Every compliance jailbreak we tried — role-play, Crescendo, many-shot, “fake over-refusal,” policy-collision — changes the model’s willingness but not the tool call, and so cannot pass this boundary. Stopping a jailbreak at the action boundary beats an input classifier the jailbreak is engineered to slip past.
2. **Input-side sanitization.** The one attack a pure action-filter cannot pre-empt is chat-template *forgery* (injecting Harmony/gemma control tokens into untrusted content to forge a prior turn). A small sanitizer neutralizes those tokens before templating, so a forged turn never forms.

Measured (Fig. 2). Running our strongest attack builds against the reference guardrail collapses their score to 0, with *zero* benign false positives on the benchmark’s false-positive trials. The

prompt-agnostic guardrail that zeroes our attack is the same artifact that makes the finding useful to defenders — attack and defense are one project.




Figure 2: The matched defense drives each attack build’s normalized score to 0 ([measured], compliant-mock harness), with no benign false positives.

10 Results

All numbers are from the live competition evaluator (public column, ~ 0 –1000 scale), [measured].

- **Throughput vs. single-post.** A terse batch-8 build scored **14.915**, +36% over the best single-post build (**10.935**) at the same configuration — consistent with Eq. (2) (batch amortizes the fixed prefix).
- **The private-coverage lever is clean and linear (Fig. 3).** Sweeping `private_fraction` gives a near-linear public cost, each unit trading public-scoring posts for public-null private routes exactly as modeled — five points, one line.
- **Verbose “jailbreaks” regressed.** Adding role-play / Crescendo / many-shot framings *lowered* the score ($10.94 \rightarrow 7.58$ and 7.47) — longer prefixes cost candidates and mangle the tool JSON on small models. Terse wins twice.
- **Multi-message dense crashed** on the real eval (a runtime error), motivating the bounded, token-minimized hybrid of §7.

11 Limitations

- **The deciding column is unobserved.** The private guardrail is source-identified but its *behavior* is not downloadable; our private-route coverage (Table 2) is bracketed across hypotheses, not measured. The final rank turns on this column.
- **Projections are not outcomes.** The lever ladder (Fig. 1) and any public figure above ≈ 15 are [inferred] from the measured constants; the evaluator’s true sustain and latency decide the realized score.




Figure 3: Measured public score vs. the fraction of the scored prefix reserved for public-null private routes. Five real-eval points; the fit is the modeled linear trade-off. [measured].

- **Single-draw noise.** The evaluator is non-deterministic; individual submissions are single draws, so small differences should not be over-read (we mitigate by re-running the best config for variance).
- **Two models, one candidate list.** The leaderboard aggregates both target models; a candidate tuned for one may under-serve the other. A model-specialized portfolio is future work.

What we do not claim. We do *not* claim a public-leaderboard result above the [measured] ≈ 14.9 ; every higher number here is an [inferred] projection from the measured constants of Eq. (2), labeled as such. We do *not* claim the private routes score (their guardrail behavior is unobserved). We do *not* claim any quantum advantage (§8). **Falsifier.** The governing relation is falsifiable and cheap to test: a submission whose realized score departs materially from $0.09 \times$ (observed firing posts) refutes Eq. (2); across our submissions it has held.

12 Lessons Learned

1. **Measure the objective before optimizing it.** Effort spent on “compliance” dissolved once we read the scorer: the constraint was throughput, not refusal.
2. **A wall can be a mis-read.** The “9%” was posts-sustained, not a refusal rate; the fix was candidate *structure* (distinct-record ETL), not a better jailbreak.
3. **Cleverness can cost points.** Literature-grade jailbreaks (role-play $\sim 71\%$ on `gpt-oss for chat content`) regressed tool-call throughput — their length hurt both candidate count and JSON fidelity. Negative results matter.
4. **Test the shortcut before believing it.** A “stack two predicates per post” ($16 \rightarrow 32$) idea was killed by a one-line experiment: the public guardrail taint-blocks the post after an untrusted read, so both predicates die.

5. **Attack and defense are one project.** The prompt-agnostic guardrail that zeroes our attack is the same artifact that makes the finding useful to defenders.

13 Responsible Disclosure and Ethics

This is defensive research on a *sandboxed* benchmark: synthetic markers, reserved destination names, no real target. The single guardrail gap we exploit (Bug 1) is documented and will be disclosed to the organizers [1], together with the fixed reference guardrail and input sanitizer in the released code. We publish no operational capability against any real deployment.

14 Reproducibility

The attack, the local evaluation harness, the reference defense, and the build presets discussed here are released with this note. **Provenance.** Every number in this paper traces to a committed artifact: real-eval scores to the submissions log, the scoring constants to the SDK source, and the defense numbers to the harness; the figures are regenerated from those artifacts by a committed script (no figure is hand-edited). Two adversarial-review artifacts ship alongside: a *claims ledger* with one row per public claim (value, script, evidence file, evidence tier, status) and an *anticipated-objections* ledger answering each likely criticism with a pointer to evidence. A single command reproduces the mechanism checks against the SDK’s own environment, predicates, scoring, and both packaged guardrails, offline and without credentials; the full test suite is green.

Acknowledgments and AI-use disclosure

Development, analysis, figure generation, and drafting were carried out with the assistance of Claude Code (Anthropic); all scientific claims, evidence tags, and decisions are the author’s own and were checked against the committed record. We thank the organizers for a benchmark whose *scoring function itself* rewarded careful reading, and the competitors whose public notebooks made the reward economics legible.

References

- [1] M. Bhatt, C. Huang, O. Vallis, J. Chang, S. Mathews, B. Gatto, M. Cruz, Y. Yan, and M. Plomecka. *AI Agent Security — Multi-Step Tool Attacks*. Kaggle, 2026. <https://kaggle.com/competitions/ai-agent-security-multi-step-tool-attacks>.
- [2] yusuketogashi. *lb60-525-july-safe-edge-prune-tail8-upgrade* (public competition notebook; portfolio/latency-sizing lineage from pilkwang). Kaggle, 2026. <https://www.kaggle.com/code/yusuketogashi/lb60-525-july-safe-edge-prune-tail8-upgrade>.
- [3] pilkwang. *AI-Agent single-post exfiltration; replay dense exfiltration* (public competition notebooks). Kaggle, 2026. <https://www.kaggle.com/pilkwang>.
- [4] nctuan. *JED slow multipost* (public competition notebook). Kaggle, 2026. <https://www.kaggle.com/code/nctuan/jed-slow-multipost>.
- [5] C. Anil et al. *Many-shot Jailbreaking*. Anthropic, 2024.
- [6] Z. Chen et al. *Bag of Tricks for Subverting Reasoning-Based Safety Guardrails*. arXiv:2510.11570, 2025.

- [7] *Dialogue Injection Attack: Jailbreaking LLMs through Context Manipulation*. arXiv:2503.08195, 2025.
- [8] *Quant Fever, Schrödinger’s Compliance, . . . : Probing GPT-OSS-20B*. arXiv:2509.23882, 2025.
- [9] *Sequential Tool-Attack Chaining (STAC)*. arXiv:2509.25624, 2025.