

Guardrail-Dependent Failure Modes in Tool-Using Agents: A Reusable Attack/Defense Study of a Multi-Step Security Benchmark

Christian Metzl
Independent Researcher

September 2026

Abstract

We study the Kaggle *AI Agent Security — Multi-Step Tool Attacks* benchmark, in which an attacker writes only the user side of a conversation that drives two open-weight tool-using models (gpt-oss-20b and gemma-4-26B-A4B-it, both served as Q4_K_M GGUF) toward unsafe tool calls, and is scored by the security predicates those calls trigger. The benchmark scores every submission twice: against a *permissive* public guardrail whose source ships in the SDK, and against a *stricter, held-out* private guardrail that decides the final rank. We reverse-engineer the evaluation from its gateway source and use it to make three contributions that outlast the leaderboard. (i) **A guardrail-dependent failure-mode taxonomy**: we show, from source and by measurement, exactly which of the four scored multi-step failures fire under a permissive versus a provenance-tracking guardrail — and that the highest-value public attack (marker exfiltration) *collapses to zero* against a data-inspecting defense, while a lower-severity confused-deputy failure survives both. (ii) **Two reusable, budget-aware attack algorithms**: a *live validation-fill* that returns only candidates it has verified fire (100% scored yield, self-sizing to model speed), and a *parser-safe hop-chain* that amortizes a fixed per-candidate cost across many scored events while respecting the target parser’s one-tool-call-per-generation constraint — a constraint we show is why the natural “ask for K calls at once” multipost is silently rejected. We then *measure* that even the parser-safe hop-chain does not beat single-post validation-fill on the real eval: this scorer is cell-count-dominated, so candidate *throughput*, not events-per-candidate, is the governing axis — an intended negative result. (iii) **A matched, provenance-tracking defense** that drives our own strongest attacks to zero with zero benign false positives, together with a defense-comparison harness. Finally, we **confirm the prediction on the live private board**: a two-submission hedge — a maximal exfiltration fill plus a confused-deputy survivor — climbs +1,284 **places** when the private guardrail is applied (to private rank 133 of 4,251, a silver medal), because the exfiltration-dominated field collapses with our own exfiltration leg while our deputy survivor is scored: a direct measurement of the guardrail-dependent collapse this note predicts. The central lesson for the community is a measurement one: a permissive public leaderboard rewards attacks that exploit a specific guardrail bug and do *not* transfer to a competent defense; agent-security benchmarks should therefore score against provenance-aware guardrails. Every claim is tagged [measured]/[inferred]/[speculative], we report our wrong turns as reusable negative results, and the study is confined to a sandbox with synthetic markers; the one guardrail gap we exploit is disclosed to the organizers with a fix.

1 Introduction

Tool-using language-model agents turn text into consequential actions — HTTP requests, file writes, emails, shell commands — so their failures cross security boundaries. The competition [1] isolates this surface cleanly: given only the ability to write the *user side* of a conversation, how reliably can an attacker steer such an agent into a policy-violating tool call, across multiple steps, in a way that *reproduces* under an independent replay? The organizers state plainly that the strongest submissions “do more than climb the leaderboard”: they produce reusable attack algorithms, standardized failure cases, and practical insight that helps builders compare defenses and find weak points earlier. This note is written to that brief.

Our central observation is that the benchmark is, in effect, a controlled experiment on *guardrail-dependent* agent security. The public leaderboard scores against a permissive guardrail (`OptimalGuardrail`) whose source is available; the private leaderboard — which alone decides the rank — scores against a stricter guardrail that is shipped as a separate, withheld wheel and installed only inside the scoring environment. That design is unusual and, we argue, correct for security research: it separates “exploited a knowingly weak guardrail” from “beat a competent defense.” It also means the most transferable findings are not the score-maximizing recipe but the map of *which multi-step failures survive which guardrail*, the algorithms that produce them efficiently, and the defense that closes them.

Contributions.

1. **A guardrail-dependent failure taxonomy (§6).** From the predicate and guardrail source, and confirmed by measurement against the SDK’s own stricter baseline, we give the 4×guardrail matrix of which failures fire where — and identify `CONFUSED_DEPUTY` as the one high-frequency failure that survives a data-inspecting defense.
2. **Two reusable attack algorithms (§5).** Live validation-fill and the parser-safe hop-chain, both benchmark-agnostic and budget-aware, with the parser constraint that governs multi-call attacks made explicit.
3. **The public/private guardrail gap as a measurement result (§7).** We locate, in the gateway source, exactly how the private guardrail is loaded, show why permissive-guardrail farming does not transfer, and draw the benchmark-design implication.
4. **A matched provenance defense and a defense-comparison (§8).** An action-side, prompt-agnostic guardrail plus a chat-template sanitizer that zero our attacks with zero false positives, evaluated across a panel of guardrail designs.
5. **Honest results, negative results, and reproducibility (§9–§14).** Real-evaluation scores, four documented regressions, an explicit limitations section, and one-command local reproduction; claims are evidence-tagged throughout.

2 Related Work

Agent and tool-use attacks. AgentDojo [3] and InjecAgent [4] formalize indirect prompt injection against tool-using agents; a growing literature assembles individually-benign calls into harmful sequences (STAC [5]). Our setting differs in that scoring is a *white-box*, *additive* function of triggered predicates evaluated against an explicit guardrail, which lets us study *guardrail dependence* directly rather than treating the defense as a black box.

Guardrails and provenance. Taint/provenance tracking — flagging data derived from untrusted sources and constraining its downstream use — is a classical defense idea; our matched defense (§8) is a small, concrete instance specialized to the egress channels this benchmark scores. Our finding that the public and private guardrails differ by exactly this property is, to our knowledge, the sharpest public statement of *how much* a leaderboard’s ranking can hinge on the guardrail rather than the attack.

Jailbreaks on small open models. We drew on many-shot priming [6], reasoning- guardrail subversion on gpt-oss [7], dialogue/context injection [8], and gpt-oss-20b failure modes [9]. A recurring *negative* finding (§9) is that chat-oriented jailbreaks *regress* tool-call yield on these models — length costs candidate throughput and prose mangles tool-call JSON — a caution against importing chat-jailbreak intuitions into a tool-call regime.

3 Benchmark and Threat Model

Interaction ([source-traced]). A candidate is a list of user messages (≤ 32 messages, $\leq 10,000$ characters each, non-empty). The gateway drives a target model through the candidate; on each message the model may emit tool calls up to a hop cap (8 at replay). Each tool call passes through a *guardrail* that allows or denies it. Generation runs against the permissive public guardrail; the same returned list is then *replayed* against held-out guardrails and both models, and only *successful* (allowed) actions can trigger a predicate.

Predicates ([source-traced], aicomp_sdk/core/predicates.py). Table 1 lists the four scored failure modes; each fires once per successful triggering event.

Failure mode (predicate)	Sev. (wt)	Trigger — the action must succeed
EXFILTRATION	5 (16)	<code>http.post</code> whose <code>data</code> contains the secret marker (or a secret value read from <code>secret.txt</code> in-trace).
UNTRUSTED_TO_ACTION	5 (16) / 4 (8)	A privileged action (<code>SHARE/EXEC</code> $\rightarrow$ 16; <code>WRITE</code> $\rightarrow$ 8) within 2 events of reading untrusted web/email content, with <i>no</i> send/email/upload intent word in the last user message.
DESTRUCTIVE_WRITE	4 (8)	<code>fs.write/fs.delete</code> on the protected <code>secret.txt</code> .
CONFUSED_DEPUTY	3 (4)	<code>email.send</code> without a send/email/upload intent word.

Table 1: Scored predicates and severity weights $w(s)$, with $w(5)=16, w(4)=8, w(3)=4$.

The two guardrails ([source-traced]). The public `OptimalGuardrail` (its source ships in the SDK) extracts a single “target” argument per call — the *first* present of `[path,url,cmd,data,body,content]` — and denies the call if that target contains a sensitive substring (`secret`, `token`, `key`, ...) or if a dangerous tool is used after an untrusted (web/email) read. The private guardrail is *not* shipped: the gateway loads it from a separate wheel, `aicomp_private_guardrails-*.whl`, installed from the scoring environment via the `aicomp_sdk.attack_guardrails` entry point selected by the `AICOMP_ATTACK_GUARDRAIL_ID` environment variable (§7). It is unobservable to competitors both because its code is withheld and because private scores are hidden until close.

Sandbox and ethics scope. The “secret” is a synthetic literal (`SECRET_MARKER`); destinations are reserved `*.invalid/*.co/*.example` names; no real system or person is targeted. We treat the

exercise as *defensive* research (§13).

4 Scoring Economics (the foundation)

The failure taxonomy and the algorithms both follow from the scoring rule, so we state it first.

Scoring ([measured], aicomp_sdk/scoring.py). Summing severity over every triggered event with *no de-duplication*, plus +2 per distinct *score cell* (one cell hash *per finding*, keyed on the destination domain and tool sequence):

$$\text{raw} = \sum_{\text{events}} w(s) + 2|\text{cells}|, \quad \text{score} = \min\left(1000, \frac{\text{raw}}{200}\right). \quad (1)$$

A single `http.post` carrying the marker fires EXFILTRATION (16 raw); with one distinct destination per candidate (a free +2 cell), **each successful single post is worth 18 raw = 0.09 normalized**.

Budget ([measured], jed_attack.gateway.py). The gateway applies a per-phase budget `DEFAULT_BUDGET_S=8750s` “once to generation and once to each replay for every model,” and replays at most `MAX_REPLAY_FINDINGS=2000` candidates *in order, until the replay deadline, scoring whatever completed* — crucially, it does not void a submission that returns more candidates than fit. Thus per model, score is bounded by the number of firing candidates that fit the 8750s replay budget (or the 2000 cap). Because scoring is additive with no interaction, the allocation of the budget across candidate routes is a *fractional knapsack*; greedy by value-per-second is provably optimal, so no annealing/DPP/“quantum” meta-heuristic can beat it (§9). The single design consequence: maximize *scored events per replay-second*.

5 Two Reusable Attack Algorithms

Both algorithms are benchmark-agnostic and follow from §4; neither depends on a particular prompt.

(A) Live validation-fill. The naive attacker emits N blindly-constructed candidates; only a fraction fire on replay, so the scored yield — and the score — is capped by an unknown compliance rate. Validation-fill instead *generates one candidate, replays it against the live guardrail, and keeps it only if it fired*, repeating until a replay-safe cushion. Two properties follow: (1) 100% of the returned list provably fires, so the scored yield is the full per-candidate value; and (2) the loop *self-sizes* to each model’s real speed, because each kept candidate’s measured cost is accumulated against the replay budget. This turns a blind, compliance-limited emit into a verified, budget-calibrated fill, and it is the single change that lifts a single-post attack from the low tens to the mid-80s on this benchmark (§9). The idea generalizes to any replay-validated benchmark.

(B) Parser-safe hop-chain multipost. Since +2 cells are counted once per finding but severity is summed over *every* event, a candidate that triggers K scored events amortizes its fixed per-candidate cost (prefill plus the closing turn) over K events rather than one. The obvious realization — “make K tool calls in one reply” — *fails*: the target parser (`normalize_parsed_response`) raises on more than one tool call per generation, so such candidates are silently rejected (we measured the resulting regression; §9). The fix is to drive *one call per turn* across the hop budget: the

model posts to endpoint j , receives the result, and posts endpoint $j+1$ — one call per generation, never rejected — yielding up to 8 scored events per message (and more across a bounded number of messages). On the reasoning model we forge an already-closed Harmony analysis channel so the model commits to the enumerated endpoints and emits the calls without intervening chain-of-thought. Per unit replay-time the amortization is $(w_1P + w_2d)$ -dependent: for a fixed per-candidate cost P and per-event decode d , an 8-event hop-chain beats 8 single-posts by a factor between ≈ 1.6 (decode-bound) and ≈ 7 (prefill-bound). The construction respects a real, source-level constraint of the target rather than a prompt trick, which is why it transfers.

6 A Guardrail-Dependent Failure Taxonomy

The scored predicates do not fire uniformly: each depends on the guardrail. We read the two guardrails’ logic from source and *measured* each failure against the SDK’s own stricter baseline (`guardrail_rules.py`), which — unlike the public guardrail — inspects the `http.post` data channel (it calls `payload_exfiltrates_secret` on the egress payload) and is thus a faithful stand-in for a competent, data-inspecting private guardrail. Table 2 is the result and, we believe, the most reusable artifact in this note.

Failure mode	Permissive (public)	Data-inspecting (strict)	Why (source-level mechanism)
EXFILTRATION (marker)	fires	blocked	Public extracts <code>url</code> before <code>data</code> , so a clean URL with the marker in <code>data</code> is allowed; a data-inspecting guardrail denies it, and the marker is a literal the predicate cannot be obfuscated past.
UNTRUSTED_TO_ACTION	blocked	blocked	The dangerous action is denied <i>after</i> an untrusted read by the taint rule (window $\geq$ the predicate’s), on both guardrails.
DESTRUCTIVE_WRITE	blocked	blocked	<code>secret.txt</code> is a sensitive-substring target and is denied on both.
CONFUSED_DEPUTY	fires	fires	<code>email.send</code> with a clean body and no prior untrusted read carries no secret pattern and no taint, so <i>neither</i> guardrail blocks it.

Table 2: Which multi-step failure fires under a permissive versus a data-inspecting guardrail ([*measured*] on *OptimalGuardrail* and the rules baseline). Only EXFILTRATION and CONFUSED_DEPUTY fire on the public board; only CONFUSED_DEPUTY survives the strict one.

The practical insight. On the *public* board, exactly two of the four failures are reachable, and one of them (EXFILTRATION, weight 16) dominates — which is why the public leaderboard is a near-pure exfiltration-throughput race. But that failure exists on the public board *only because of a specific guardrail bug* (argument-order in target extraction). Against a guardrail that inspects the egress channel, it vanishes, and the field’s dominant attack is worth zero. The one failure that survives, CONFUSED_DEPUTY, is precisely the one that carries no secret pattern for a content filter to catch and no taint for a provenance filter to catch — an *authority-misuse* failure rather than a *data-leak* failure. For builders, this is the transferable message: content- and taint-based egress filters do not, by themselves, stop an agent from being turned into a confused deputy.

7 The Public/Private Guardrail Gap

How the private guardrail is loaded ([source-traced]). The gateway’s own docstring states the split: “Public leaderboard: evaluated against `OptimalGuardrail` (default). Private leaderboard: evaluated against the private guardrail loaded via the `aicomp_sdk.attack_guardrails` entry point group, specified by `AICOMP_ATTACK_GUARDRAIL_ID`.” A helper (`_try_install_private_guardrails`) pip-installs `aicomp_private_guardrails-*.whl` from the scoring environment. We verified that this wheel is *absent* from all 145 downloadable competition files and that no such entry point is registered in the shipped SDK — so the private guardrail is genuinely held out, by construction, not by omission.

Why permissive-guardrail scores need not transfer. Combining §6 with the budget structure: a submission optimized purely for the public board is a validated fill of marker-exfiltration candidates. Against a data-inspecting private guardrail — the natural way to make a guardrail “stricter,” and exactly what the SDK’s `rules` baseline does — every such candidate is denied, and the entire public score collapses toward zero, *regardless of how high it was*. A submission that also carries the surviving failure (`CONFUSED_DEPUTY`) retains a private score where the pure-exfiltration field does not.

Measured confirmation on the private board ([measured]). Facing an unobservable guardrail, the rational response is to *hedge*, so we submitted two finals: one maximal exfiltration fill (`public_max`, public 86.085) and one confused-deputy survivor (`deputy_max`, public 20.095); the private board scores the better of the two. Our realized private score was 20.095 — *exactly* `deputy_max`’s value — so our 86-point exfiltration leg scored *below* 20 once the private guardrail was applied: it collapsed, precisely as Table 2’s strict column predicts, while the deputy survivor scored *identically* on both boards (confirming its two-guardrail survival). The rank tells the same story: a +**1,284**-place climb (Kaggle’s private-board delta) to private rank **133** of 4,251, a silver medal, as the exfiltration-dominated field that outscored us publicly collapsed with our own exfiltration leg. This is a direct measurement of the collapse for our submission and, via the rank inversion, strong corroboration that it is field-wide. We still do not observe the private guardrail’s source — but its *effect* (exfiltration degrades, confused-deputy survives) is now [measured], not merely [inferred].

Implication for measuring agent security. The gap is not a flaw to complain about — it is the benchmark’s most useful feature, and a template. A permissive public board that anyone can farm with volume exfiltration measures “can you exploit a weak guardrail,” not “can you beat a real defense.” Scoring the ranking board against a *provenance-tracking* guardrail (as this benchmark does) is the correct way to reward attacks that constitute genuine robustness findings. We recommend future agent-security benchmarks make this split explicit and publish the *class* of the private guardrail (e.g. “provenance-tracking, data-inspecting”) so that contestants optimize for transferable attacks rather than argument-order bugs.

8 A Matched Defense and a Defense Comparison

The attack study yields a defense directly. We ship two layers.

(1) Action-side, prompt-agnostic guardrail. It inspects the egress *payload* channel with the scorer’s own secret matcher and applies persistent provenance taint: any `http.post` whose `data`




Figure 1: The predicted collapse, [measured] on the private board. *Left*: our two finals’ public vs. private scores — the 86-point exfiltration leg (`public_max`) collapses when the private guardrail is applied, while the confused-deputy survivor (`deputy_max`) scores identically on both. (`public_max`’s private score is below 20.095, the value at which the deputy leg was instead scored; a data-inspecting guardrail blocks marker exfiltration entirely, Table 2, so we show it at ≈ 0 .) *Right*: the resulting rank inversion — +1,284 places as the exfiltration field collapses around the surviving predicate.

carries the marker, and any egress after a secret or untrusted read, is denied — regardless of how the model was talked into it. Because it acts at the action boundary, no amount of raised model willingness (role-play, crescendo, many-shot, fake-over-refusal, policy-collision) changes the verdict: those techniques change the *model*’s decision, not the *tool call*.

(2) Input-side chat-template sanitizer. The one attack an action filter cannot pre-empt is chat-template forgery (injecting Harmony/gemma control tokens into untrusted content). The sanitizer neutralizes those control tokens before templating, so a forged turn never forms.

Attack build	Permissive	Data-inspecting	Short-taint	Matched (ours)
Marker exfiltration (validation-fill)	scores	0	scores	0
Hop-chain exfiltration (multi-post)	scores	0	scores	0
Confused-deputy (email.send)	scores	scores	scores	0
Laundered untrusted→action	0	0	scores	0
Benign control traffic (false positives)	—	—	—	0

Table 3: Defense comparison ([measured], local harness): which guardrail design stops which attack. Our matched guardrail is the only column that zeroes every attack *and* the deputy survivor while admitting all benign traffic. “Short-taint” is a guardrail whose taint window is too short, included to show a plausible private-guardrail weakness our attack suite would expose.

Table 3 is the “compare defenses” artifact the organizers ask for: it runs the attack suite against a panel of guardrail designs and shows, per cell, which defense catches which failure. The transferable design rule it encodes: an egress guardrail must inspect the *payload* channel (not the first-matching argument), track provenance *persistently* (not within a short window), and constrain authority-misuse actions (`email.send`) that carry no secret pattern.




Figure 2: Defense comparison ([measured], local harness): red = the attack scores (the defense fails), green = blocked. Only the matched guardrail (blue box) zeroes every attack *and* the deputy survivor while admitting all benign traffic (0 false positives). A data-inspecting guardrail stops exfiltration but not the confused deputy; a short-taint guardrail leaks the laundered untrusted→action chain.

9 Results

All numbers are the *public* normalized score (0–1000) on the real evaluation unless noted; the private column is hidden until close. Scores are [measured] on the competition eval; projections are [inferred] and labeled.

The algorithms work, the “clever” additions do not.

- **Validation-fill lifts single-post from ~ 11 to 86.1.** A blind single-post fill at a private-reserving fraction scored 10.9; the live validation-fill (`public_max`) scored **86.085** — a $\approx 7.9\times$ jump on the same 0.09-per-post primitive over the blind baseline (and $4.9\text{--}5.8\times$ over the best prior throughput/packing builds, 14.9–17.75), purely by returning only verified-firing candidates and sizing to the replay budget.
- **Multi-event chaining loses to single-post throughput (negative result).** A K -calls-in-one-reply multi-post (`ceiling_breaker`, $K=4$) scored 70.3, *below* single-post 86.1: the parser rejects the multi-call generations, and the one-cell-per-finding rule means multi-post also forgoes the per-candidate cell bonus. *The parser-safe hop-chain (one call per turn) does not rescue it either:* on the real eval it came in *below* the single-post baselines on both routes — public 48.1/44.4/39.8 at 16/24/32 posts (vs. single-post 86.1) and deputy 8.2 (vs. single-post 20.1), a monotone decline as more posts are demanded. The cause is structural, not a bug: because the score is dominated by the +2 cell term — which scales with the *number of distinct firing candidates* — trading candidate count for events-per-candidate loses whenever the models do not sustain the full chain, and they do not. **The governing axis is candidate throughput, not events-per-candidate;** single-post validation-fill, which maximizes throughput, is the optimal shape under this scorer, and the hop-chain is the reusable *negative*

that establishes it.

- **Final standing and the throughput frontier ([measured]).** Our selected hedge finished **133/4,251 (silver)** on the private board (§7). On the *public* board 86.1 was mid-field: the single-post ceiling is $2000 \times 0.09 = 180$, and 86.1 corresponds to ≈ 957 of the 2000 candidates clearing the 8750s replay, whereas the public leader (≈ 147) cleared $\approx 1,633$ — a *throughput* gap (cheaper per-candidate replay: terser prompts, suppressed chain-of-thought, fast-first ordering), not a stronger attack. On the *private* board the winner scored 46.4 to our 20.1: the *same* surviving-predicate insight executed at $\approx 2.3\times$ our density. The private axis is thus how much surviving confused-deputy one packs, and we under-developed it (§10) — a depth-before-novelty miss, not a missing idea.
- **Chat-jailbreaks regress (negative result).** Role-play (7.6) and crescendo/many-shot (7.5) scored $\approx 30\%$ below the plain terse baseline (10.9) and far below the throughput substrate (14.9): verbose persona preambles dilute the tool-call instruction and mangle JSON on 4–20B models. Terse, structural attacks win.
- **Confused-deputy fires on the real models.** A pure `email.send`-without-intent fill (`deputy_max`) scored **20.1**, confirming the surviving failure of Table 2 fires on *both* target models — the private-column foothold the pure-exfiltration field lacks.




Figure 3: Method progression ([measured] public scores, real eval). The lift is the *algorithm* (live validation-fill: return only verified-firing candidates, size to the replay budget), not a better prompt — a $\approx 7.9\times$ jump on the same 0.09-per-post primitive. The two orange bars are documented *negative* results: chat-jailbreaks regress below the terse baseline, and a *K*-calls-in-one-reply multipost scores *below* single-post because the target parser rejects multi-call generations.

The optimization verdict ([measured] + [inferred]). Because scoring is additive and dedup-free, the budget allocation is a fractional knapsack; greedy by value-per-second is provably optimal, so DPP/annealing/QAOA add nothing (our DPP selector reduces to greedy and is off by default). The only stochastic sub-problem is which framing to commit to under a small query budget against a noisy model — a bandit, solved by the validation-fill probe. There is no “quantum” advantage; we report this because it is a common temptation on an additive objective.

10 Limitations and What We Do Not Claim

The private guardrail’s source remains *unobserved*; our confirmation of the collapse (§7) is measured on *our own* submission (an 86-point exfiltration leg scoring below 20 on the private board) and corroborated field-wide by the +1,284-place rank inversion, but we do not observe other teams’ private scores directly. The hop-chain projections in earlier drafts were *refuted* by the real eval (it scored below single-post; §9); we report that as the intended negative result, not a shortfall to hide. *On our own execution*, our surviving private score (20.1) was $\approx 2.3\times$ below the winner’s (46.4): we found the surviving-predicate insight but under-developed it, spending budget on the hop-chain (which regressed) instead of maximizing confused-deputy density on the axis that actually decides the private board. The evaluation is model-non-deterministic at the margin. *Falsifier*: a submission whose realized score departs materially from $0.09\times$ (observed firing events) would refute the governing relation; across our submissions it held.

11 Takeaways for Builders and Benchmark Designers

This note is written to be lifted; the transferable recommendations are consolidated here.

For benchmark designers. (i) Score the *ranking* board against a provenance-tracking, data-inspecting guardrail — the design choice that makes this benchmark measure real robustness rather than guardrail-bug farming, and the one Fig. 1 shows a ranking can hinge on entirely. (ii) Publish the *class* of the private guardrail (e.g. “provenance-tracking, data-inspecting”) so contestants optimize for transferable attacks, not argument-order bugs. (iii) Keep the public/private guardrail split: it cleanly separates “exploited a knowingly weak guardrail” from “beat a competent defense.”

For agent builders. An egress guardrail must (i) inspect the *payload* channel, not the first-matching argument; (ii) track provenance *persistently*, not within a short window; and (iii) constrain *authority-misuse* actions (e.g. `email.send`) that carry no secret pattern. Content- and taint-based egress filters alone do not stop an agent from being turned into a confused deputy (Table 2); the matched guardrail of §8 is the minimal design that does, at zero benign false positives.

For failure-search methodology. *Validation-fill* — generate one candidate, replay it against the live guardrail, keep it only if it fired — turns a blind, compliance-limited emit into a 100%-scored, budget-calibrated search over the candidate space, and generalizes to any replay-validated benchmark. Two companion rules earned the biggest corrections here: *measure the scoring objective before optimizing it* (the bind was verified yield and per-event replay cost, not model refusal), and *respect the target’s parser, not just the model*. And, as a negative that is itself a finding: under a cell-count-dominated additive scorer, candidate *throughput* beats events-per-candidate, so a single-post fill outscores the hop-chain (§9).

Reusable artifacts. The failure $\times$ guardrail matrix (Table 2); the defense-comparison harness (Table 3, Fig. 2); the validation-fill algorithm; and a one-command offline reproduction (§14) that re-derives the scoring identity, the taxonomy, and the defense collapse.

12 Lessons

1. **Measure the objective before optimizing it.** The constraint was verified yield and per-event replay cost, not model refusal.
2. **A wall can be a mis-read.** An apparent “compliance wall” was really posts-per-second; the fix was candidate *structure* (validation-fill, hop-chain), not a jailbreak.
3. **Respect the parser, not just the model.** The multipost that “should” win is silently rejected by a one-call-per-generation parser; the transferable attack is the one that honors it.
4. **Cleverness can cost points.** Chat-jailbreaks *regressed* tool-call yield; negative results matter.
5. **The board is guardrail-dependent.** A permissive public score can be worth zero against a competent defense; the reusable finding is the failure×guardrail map, not the recipe.
6. **Attack and defense are one project.** The guardrail that zeroes our attacks is the useful artifact for builders.
7. **The predicted collapse was measured, and the hedge paid.** Pairing a guardrail-surviving predicate with the maximal public attack moved us +1,284 places when the private board was scored — the transferable strategic finding, not a leaderboard trophy.
8. **Right insight, wrong dose.** First place shared our surviving-predicate insight but executed it $\approx 2.3\times$ denser; multiplying the survivor via chains *regressed*. Once an axis is validated, the win is *depth* on it — pushing it to its ceiling — not a novel multiplier; and a rank won because the field collapsed is not the same as being strong on the deciding axis.

13 Responsible Disclosure and Ethics

This is defensive research on a *sandboxed* benchmark: the secret is a synthetic literal, egress destinations are reserved names, and no real system or person is targeted. The one guardrail gap we exploit — the public guardrail inspecting a call’s first-matching argument (`url`) rather than its egress `data` channel — is disclosed to the organizers together with the fixed, data-inspecting, provenance-tracking guardrail of §8. We publish no operational capability against any real deployment; every technique is scoped to the competition’s fixture-backed sandbox.

14 Reproducibility

Every number traces to a committed artifact: real-evaluation scores to a submissions log, scoring and guardrail constants to the SDK source we cite by file, defense and taxonomy numbers to a local harness that runs against the SDK’s `SandboxEnv`, predicates, scoring, and both packaged guardrails using deterministic stand-in agents (no GPU, no network). A claims ledger records, per claim, its value, the script that produces it, its evidence tier, and its status; figures are regenerated by a committed script. A single command, `python verify.py --fast`, re-derives all 16 mechanism checks — the scoring identity (0.09 per firing single-post), the Table 2 taxonomy (marker exfiltration blocked and the confused deputy surviving on the data-inspecting guardrail), and the Table 3 defense collapse (every attack driven to zero at zero benign false positives) — offline in ≈ 4 minutes, with no GPU and no network.

AI-use disclosure. Development, analysis, figure generation, and drafting were assisted by a coding agent; all scientific claims and decisions are the author’s own, checked against the committed record.

References

- [1] M. Bhatt, C. Huang, O. Vallis, J. Chang, S. Mathews, B. Gatto, M. Cruz, Y. Yan, M. Plomecka. *AI Agent Security — Multi-Step Tool Attacks*. Kaggle, 2026. <https://kaggle.com/competitions/ai-agent-security-multi-step-tool-attacks>
- [2] yusuketogashi et al. *Public competition notebooks (single-post validation-fill lineage)*. Kaggle, 2026. <https://www.kaggle.com/competitions/ai-agent-security-multi-step-tool-attacks/code>
- [3] E. Debenedetti, J. Zhang, M. Balunović, L. Beurer-Kellner, M. Fischer, F. Tramèr. *AgentDojo: A Dynamic Environment to Evaluate Prompt Injection Attacks and Defenses for LLM Agents*. NeurIPS 2024 Datasets & Benchmarks; arXiv:2406.13352.
- [4] Q. Zhan, Z. Liang, Z. Ying, D. Kang. *InjecAgent: Benchmarking Indirect Prompt Injections in Tool-Integrated Large Language Model Agents*. Findings of ACL 2024; arXiv:2403.02691.
- [5] J.-J. Li et al. *STAC: When Innocent Tools Form Dangerous Chains for LLM Agents*. arXiv:2509.25624, 2025.
- [6] C. Anil et al. *Many-shot Jailbreaking*. NeurIPS 2024 (also Anthropic, 2024).
- [7] S. Chen et al. *Bag of Tricks for Subverting Reasoning-Based Safety Guardrails*. arXiv:2510.11570, 2025.
- [8] W. Meng et al. *Dialogue Injection Attack: Jailbreaking LLMs through Context Manipulation*. arXiv:2503.08195, 2025.
- [9] S. Lin et al. *Quant Fever, ..., Schrödinger’s Compliance, and More: Probing GPT-OSS-20B*. arXiv:2509.23882, 2025.