Pioneering Hybrid Provenance: Embedding XMP Metadata in AI-Assisted Visual Assets

Author: Chris Montgomery
ORCID: 0009-0009-5364-249X
Framework: Anonymo AI / TCF-TFB
Date: March 2026

Executive Summary

As the integration of Artificial Intelligence in creative and technical workflows accelerates, the distinction between purely human-made and AI-generated content has become increasingly ambiguous. The industry is currently grappling with the challenge of establishing clear, verifiable authorship and provenance for digital assets.

This document outlines a pioneering approach developed within the **Anonymo AI Framework (24×24)** and the **TCF/TFB (Theory of Fundamental Belief)** conceptual foundation: the use of embedded **XMP (Extensible Metadata Platform)** to establish a verifiable "Hybrid Provenance" layer directly within visual assets. By embedding cryptographic hashes, DOI records, and custom namespace declarations into the binary structure of images, this method anticipates and addresses the growing demand for transparency in human-AI collaborative workflows.

The Challenge of Hybrid Authorship

Traditional copyright and authorship frameworks were designed for a binary world: content was either created by a human or it was not. However, modern workflows are inherently hybrid. A human author may conceptualize a framework, design its architecture, and guide an AI agent through iterative prompts to generate a final visual representation.

In such scenarios, claiming pure human authorship is inaccurate, while attributing the work solely to AI ignores the human intellectual property and direction that made the output possible. The challenge lies in creating a standardized, machine-readable, and tamper-evident method to declare this hybrid relationship.

The XMP Solution: Self-Contained Provenance

To solve this, the Anonymo AI Framework utilizes **XMP (ISO 16684-1)**, a standard originally created by Adobe, to embed structured RDF/XML metadata directly into the image file (e.g., JPEG, PNG). Unlike external JSON manifests or detached documentation, XMP metadata travels with the file. The asset becomes its own proof of existence.

Custom Namespace Integration

While standard XMP covers basic Dublin Core (`dc:`) and IPTC fields, the true innovation lies in the creation of a custom namespace (`anonymo:`). This allows for the precise declaration of the hybrid workflow parameters:

XMP Field	Purpose	Example Value
`anonymo:OriginalAuthorship`	Declares the primary source of intellectual property	`Human`
`anonymo:CreationType`	Specifies the nature of the workflow	`Human-AI Hybrid`
`anonymo:IntellectualFramework`	Links the asset to its governing theory	`TCF/TFB`
`anonymo:IntegrityHash`	Cryptographic proof of the original visual content	`SHA-256 Hash`
`anonymo:RecordLink`	Points to an immutable public record	`DOI: 10.5281/zenodo.19193152`

Workflow and Cryptographic Integrity

The process of embedding this metadata is designed to ensure cryptographic integrity:

1. **Asset Generation:** The visual asset is generated through the human-AI hybrid workflow.
2. **Hash Calculation:** A SHA-256 hash of the raw image binary is calculated *before* any metadata is injected. This ensures the hash represents the pure visual data.
3. **Metadata Injection:** The XMP block, containing the calculated hash, author ORCID, and DOI links, is injected into the image's APP1 marker.
4. **Public Verification:** The asset is published alongside a public repository (e.g., GitHub) or an academic registry (e.g., Zenodo), allowing third parties to extract the XMP, read the hash, and verify the asset's origin and integrity.

Industry Context and Future Outlook

Major technology companies and standard bodies (such as the C2PA - Coalition for Content Provenance and Authenticity) are only now beginning to implement widespread content credentials. The approach developed within the Anonymo AI Framework positions this work at the forefront of this movement.

By explicitly defining "Human-AI Hybrid" as a distinct, verifiable category of creation, and by tying it to a rigorous epistemological framework (TCF/TFB) and public DOI records, this methodology provides a robust, future-proof solution for digital provenance. It ensures that as AI tools become ubiquitous, the human intellectual contribution remains clearly documented, respected, and cryptographically secure.

Appendix: Anonymo AI Framework 24x24 v2.0

The following diagram illustrates the architecture of the Anonymo AI Framework 24x24 v2.0, including the I-HATR integration layer. This image itself serves as a practical example of the hybrid provenance methodology, containing embedded XMP metadata that verifies its origin, cryptographic hash, and associated DOI record.


Anonymo AI Framework 24×24 — v2.0
Anonymo AI Framework 24×24
TCF/TFB — Theory of Fundamental Belief
LAYER -1 — Transparency & Governed Entry
I-HATR active
A0 — Triage & Initial Assessment
I-HATR active
Layer A1 — Governed Interaction I
Layer A2 — Governed Interaction II
Layer A3 — Governed Interaction III
Layer A4 — Governed Interaction IV
transversal integration
I-HATR MODULE
Trust Calibration
Uncertainty Disclosure
Behavioral Governance
OPERATIONAL LAYER
Validation checks · Communication standards · Dynamic trust adjustment · Disclosure phrases
GOVERNANCE LAYER
Risk mitigation · Ethical transparency · Responsibility · Output calibration
Author: Chris Montgomery · ORCID: 0009-0009-5364-249X · DOI: 10.5281/zenodo.19193152 · © 2025–2026