
SMART Health Cards &


Privacy-Friendly QR codes for Identity

Christian Paquin










About me



- Studied quantum cryptography 25+ years ago at University of Montreal
- Worked in the industry as a cryptographic engineer
- Now with the MSR Security & Crypto team, working on
 - Privacy-preserving identity (anonymous credentials)
 - Searchable encryption
 - Post-Quantum Cryptography
- Helped with the development of the SMART Health Card Framework




Université m de Montréal



SMART Health Cards (SHC)

- SMART Health Cards are the tamper-resistant, electronic equivalent of CDC Covid-19 cards
 - Available as a file or a QR code








QR code is *not* a URL, it contains all the card info!





1. Encode the immunization info as a FHIR bundle

FHIR = Fast Health
Interoperability
Resources

```
FHIR encoding:
  "resourceType": "Bundle",
  "type": "collection",
  "entry": [
    { "fullUrl": "resource:0", "resource": {
        "resourceType": "Patient",
        "name": [{"family": "Smith", "given": ["Jane"]}],
        "birthDate": "1945-11-29"}
      "fullUrl": "resource:1", "resource": {
        "resourceType": "Immunization",
        "status": "completed",
        "vaccineCode": {"coding": [{"system":"http://hl7.org/fhir/sid/cvx",
                        "code": "208"}]},
        "patient": {"reference": "resource:0"},
        "occurrenceDateTime": "2021-03-29",
        "lotNumber": "EP7530".
        "performer": [{"actor": {"display": "Contoso Pharmacy"}}]}
      "fullUrl": "resource:2", "resource": {
        "resourceType": "Immunization",
        "status": "completed",
        "vaccineCode": {"coding": [{"system":"http://hl7.org/fhir/sid/cvx",
                        "code": "208"}]},
        "patient": {"reference": "resource:0"},
        "occurrenceDateTime": "2021-04-19",
        "lotNumber": "EW016",
        "performer": [{"actor": {"display": "Contoso Pharmacy"}}]}
```

2. Encode the FHIR bundle into a JSON Web Signature (JWS) payload


Payload follows a Verifiable Credential format 4. Encode the JWS header with compression alg ID (DEF), signature alg ID (ES256), and issuer key ID

[&]quot;kid": "d630duSMWmVfmOtrMKZX6izJfcampjK1h0D4jrXxJwU"



3. Minimize, compress, and base64url the JWS payload





eyJ6aXAiOiJERUYiLCJhbGciOiJFUzI1NiIsImtpZCI6ImQ2MzBkdVNNV21WZm1PdHJNS1pYNml6SmZjYW1waksxaDBENGpyWHhKd1UifQ.

3VJNj9MwEPOraLgmTZx2-5ETonCAA6q0CxxQD44zbYz8Edl02rLKf2ectguI3R44Ivky9pvn997MI0jvoYQmhNaXWeYld6FBrkIzEdzVPsMj161CnxGwQwcJmMpByeZslc-XxXyRL_IEegHlI7wRlgQ8Bii_PTEeDofJYTqxbp8VOVtmwmGNJkiufNYz2CYQTi3Gji_o5E7ySuH6CUPfvSjt9blIY3ETJ7XujPzBg7TmJlDYXtZsFUX9knnfVd9RhOhv10hHKn3kKWE2ySeM-OLt287UCiPGobedE_gwuoLLw9UlCKsUsZ2V0AfuRNaJuVPqs1MEuPaXOQGuxTPEG7JD_XEeXOOZhGupiA_utQwNvexljyZG-5Ebh01AvipJnt_xECnYanaXMpYWKxiG5FkR7LaID38m6wMPnR9dxp0JGofScyGkwbWtbwZha2n2o15_8gH1ZftoII1ajHsSA828rDPRH4lAjJ1Q5EsYtkMC7cX5KGeHDk3U9ntwBLJCdG58imYfpD5TFCZNp9FwAsqGT52uaKVLeL9Z3Elj4C26nXU6XpJALoJ18Z9a-lbxGO2aNtx6-2rTcKe5OFFy25fCK_7D8GYp-yu8rzmb_3t2dIbhJw.lpd USQlfJwOhwZnsg0vL_c3zu8ScI12YLxZk-Su7MRK1EIeREOkov831duM1FkmORMiucbMozw0IVZK0OmR1A

Compact JWS = base64url of <header>.<payload>.<sig>

5. Sign the JWS header and payload with the issuer private key, encode the signature in the JWS

The issuer is identified by the "iss" URL in the payload, from where the validation public key can be retrieved

[&]quot;zip":"DEF",

[&]quot;alg":"ES256",

eyJ6aXAiOiJERUYiLCJhbGciOiJFUzI1NiIsImtpZCI6ImQ2MzBkdVNNV21WZm1PdHJNS1pYNml6SmZjYW1waksxaDBENGpyWHhKd1UifQ.

3VJNj9MwEP0raLgmTZx2-5ETonCAA6q0CxxQD44zbYz8Edl02rLKf2ectguI3R44Ivky9pvn997MI0jvoYQmhNaXWeYld6FBrkIzEdzVPsMj161CnxGwQwcJmMpByeZslc-XxXyRL_IEegHlI7wRlgQ8Bii_PTEeDofJYTqxbp8VOVtmwmGNJkiufNYz2CYQTi3Gji_o5E7ySuH6CUPfvSjt9blIY3ETJ7XujPzBg7TmJlDYXtZsFUX9knnfVd9RhOhv10hHKn3kKWE2ySeM-OLt287UCiPGobedE_gwuoLLw9UlCKSUSZ2V0AfuRNaJuVPqs1MEuPaXOQGuxTPEG7JD_XEeXOOZhGupiA_utQwNvexljyZG-5Ebh01AvipJnt_xECnYanaXMpYWKxiG5FkR7LaID38m6wMPnR9dxp0JGofScyGkwbWtRwZha2n2o15_8gH1ZftoII1ajHsSA828rDPRH41AjJ1Q5EsYtkMC7cX5KGeHDk3U9ntwBLJCdG58imYfpD5TFCzNp9FwAsqGT52uaKVLeL9Z3E1j4C26nXU6XpJALoJ18Z9a-lbxGO2aNtx6-2rTcKe50FFy25fCK_7D8GYp-yu8rzmb_3t2dIbhJw.lpd_USQlfJwOhwZnsg0vL_c3zu8ScI12YLxZk-Su7MRK1EIeREOkov831duM1FkmORMiucbMozw0IVZK0OmR1A

6. Encode the JWS as a numeric QR



shc:/5676290952432060346029243740446031222959532654603460292540772804336028702864716745222809286

7. Create the QR code image





SMART Health Cards Framework

- Defines how authenticated and immutable clinical facts are encoded in a QR Code
 - Payload data includes immunization, lab results, etc.
 - Not an ID document, must be presented with one!
 - Not a "green checkmark" credential!
- Worked started before the pandemic, but accelerated and focused on Covid-19
- Open specifications
- Large ecosystem support
 - Major Electronic Health Records vendors
 - Native support in iOS and Android
 - Many jurisdiction apps (e.g., VaxiCode)

https://smarthealth.cards/

https://demo-portals.smarthealth.cards/











SHC Worldwide Adoption




- Aruba
- Canada
- Cayman Islands
- Cyprus
- Hong Kong
- Israel
- Japan
- North Macedonia
- Qatar
- Rwanda
- Senegal
- Singapore
- United Arab Emirates
- United Kingdom
- United States

Source: https://vci.org/

SHC workflow

1. Generate keys



- Issuer generates key pair and publishes public JWK set
- 2. Issuer creates a SHC for the user (paper or electronic QR code)
- 3. User presents SHC to verifier, which then:
 - Scans the QR code
 - Retrieves the issuer's public key (lookup VCI trusted issuer directory)
 - Validates the SHC sig
 - Decodes the payload

VCI

- Vaccination Credential Initiative → Verifiable Clinical Information
- Oversees the development of SMART Health Cards
- 900+ members
- Created a trust framework for SHC issuers
 - 500+ trusted issuers (public health, pharmacies, health orgs)
 - Includes the Canadian provinces and territories
 - Each issuer is vetted, tested, and audited







































SHC Revocation

- Issuer revocation is built-in: simply remove compromised keys from the public key set, invalidating all issued SHCs
- Reported fraud led to the need of a per-SHC revocation feature
- Issuers can publish a card revocation list (CRL) containing the identifiers of revoked cards. Verifiers check the presence of a CRL and if supported, make sure the SHC's revocation identifier (RID) is not listed
- One method for legacy (pre-v1.2.0), one for new SHCs
 - Legacy: RID is derived from the card's content (hash of FHIR bundle)
 - New: RID is explicitly added to the card
- RID can be timestamped in the CRL to allow re-use of identifiers

VCI directory audit and snapshot

- Daily scripts for the VCI directory
 - Audit script reports TLS config issues, key/name duplications, additions/deletions, errors
 - https://github.com/the-commons-project/vci-directory/blob/main/logs/daily_audit.json
 - Snapshot script creates a signed snapshot of keys and CRLs of trusted issuers, allowing offline validation
 - https://github.com/the-commons-project/vci-directory/blob/main/logs/vci_snapshot.json
- Integrated in VCI's daily github action runs
- Detected many issues and increases trust in the directory

General Claim QR


Generalized case: Claim QR

- Presenting claims as a QR code is an interesting paradigm
 - Low friction, easy to deploy
 - Inclusive tech spectrum: paper to smart wallets
 - Fills a gap between paper and online-only credentials
- Claim QR: explores encoding general claims as QR code
 - Reuses many components from the SHC framework
 - Generic JSON Web Token (JWT) payload
 - Removes some underused SHC designs (QR chunking, no VC)

https://github.com/microsoft/claimqr

Adding selective disclosure

- One drawback of SHC (and any conventional credential) is that they only support all-or-nothing disclosure
 - For Covid-19 SHC, you always have to disclosure full name and DoB, along with immunization history
- We can add subset claim disclosure by encoding salted hash digests into the credentials, and disclosing a subset of the salts & claim values



```
JWT to encode:
                                                           Selectively-disclosable claims:
  "iss": "https://example.org/cqr",
                                                              "given name": "Christian",
  "nbf": 1648226603,
                                                              "middle name": "",
  "cqv": "0.1"
                                                              "family name": "Paquin",
                                                              "birthdate": "2020-11-01"
                                                                                              Random salt
  "iss": "https://example.org/cgr",
                                         Hash(s,v)
  "nbf": 1648226603,
                                                           Claim data
  "cqv": "0.1",
  "claimDigests": {
                                                              "given_name": { "s": "cXqehHqWI9Y", "v": " Christian" },
    "given name": "HhpbopKFyKFoi8clJmp9HQ",
                                                              "middle name": { "s": "6mQkh0F9p9s", "v": "" },
    "middle_name": "WvVAGKAcBB3uyzQGAw-5hQ",
                                                              "family_name": { "s": "1dGp7SxHLuo", "v": " Paquin" },
    "family_name": "FGPg5BX2Hx4-qS_KJ_yuw",
                                                              " birthdate": { "s": "2ajyIsdYJUQ", "v": " 2020-11-01" }
    "birthdate": "rXTbQvY0bOWThHx4jIfLuA"
```

eyJhbGciOiJFUzI1NiIsInppcCl6lkRFRiIsImtpZCl6InRybXlyWHBxWEtCWk5kMTF1T2M1LThWMW0za0otSlRwTXhsd19ac3pCWVUifQ

.bc69DolwFlbhezmzAiKiskEMoJgo0fgzEagFalooFBA03rt1cHM-z_vlvIAIARbkTcOFpaq4jxmnWCnrTEVVDSMokhSsiWksdN00takyN0 eAqk42mjKRd0RjwlYkw6KRQy_ISIeLqIgZlsTPeVLywB0CtyQLRDeML_1QVozcbhT_2Lk72V5gl8eZtsMz9OzHeJZ_WRozQocfc719Nn Muuu 1xrg6RMEmGtqHZH- b0VTMInVl2MSdlct2Z2Pud8b93W6bW14vz8

.en_ISi57_dfkpaWwGSF2HALGOPS90JEq1P4LY14-aQC38CCQY9JKBnQPO5NNmK4HSjWB3JoW7RLgwKvFrjiNVQ

.Vc2xDoIwGATgd_InYtVB0z4AgsGBGKNMpqGVVltaaCEQwruLigPr5bu7AQrZ8vJeUs2BDOCAQH6ruIiqa4wzCKCdklDWzsMYgJaMKb7Q052-xDrEFrtZn77owx9US9Uv-IYd7P7cRUIjZp7Q37bw3jqCEO-otoqvTF2gvHHe6H93S5997Fh2vKRzt6WqmZ7GNw



```
Claim data
```

```
"given_name": { "s": "cXqehHqWI9Y", "v": " Christian" },
"middle_name": { "s": "6mQkh0F9p9s", "v": "" },
"family_name": { "s": "1dGp7SxHLuo", "v": " Paquin" },
" birthdate": { "s": "2ajyIsdYJUQ", "v": " 2020-11-01" }
```

```
"iss": "https://example.org/cqr",
"nbf": 1648226603,
"cqv": "0.1",
"claimDigests": {
    "given_name": "HhpbopKFyKFoi8clJmp9HQ",
    "middle_name": "WvVAGKAcBB3uyzQGAw-5hQ",
    "family_name": "FGPg5BX2Hx4-qS_KJ_yuw",
    " birthdate": "rXTbQvY0bOWThHx4jIfLuA"
},
```





eyJhbGciOiJFUzl1NilsInppcCl6lkRFRilsImtpZCl6lnRybXlyWHBxWEtCWk5kMTF1T2M1LThWMW0za0otSlRwTXhsd19ac3pCWVUifQ

.bc69DolwFlbhezmzAiKiskEMoJgo0fgzEagFalooFBA03rt1cHM-z_vlvIAIARbkTcOFpaq4jxmnWCnrTEVVDSMokhSsiWksdN00takyN0 eAqk42mjKRd0RjwlYkw6KRQy_ISIeLqIgZlsTPeVLywB0CtyQLRDeML_1QVozcbhT_2Lk72V5gl8eZtsMz9OzHeJZ_WRozQocfc719Nn Muuu 1xrg6RMEmGtqHZH- b0VTMInVl2MSdlct2Z2Pud8b93W6bW14vz8

.en_ISi57_dfkpaWwGSF2HALGOPS90JEq1P4LY14-aQC38CCQY9JKBnQPO5NNmK4HSjWB3JoW7RLgwKvFrjiNVQ



```
Claim data
```

```
"iss": "https://example.org/cqr",
"nbf": 1648226603,
"cqv": "0.1",
"claimDigests": {
    "given_name": "HhpbopKFyKFoi8clJmp9HQ",
    "middle_name": "WvVAGKAcBB3uyzQGAw-5hQ",
    "family_name": "FGPg5BX2Hx4-qS_KJ_yuw",
    " birthdate": "rXTbQvY0bOWThHx4jIfLuA"
},
```





```
eyJhbGciOiJFUzl1NilsInppcCl6lkRFRilsImtpZCl6InRybXlyWHBxWEtCWk5kMTF1T2M1LThWMW0za0otSlRwTXhsd19ac3pCWVUifQ
.bc69DoIwFlbhezmzAiKiskEMoJgo0fgzEagFalooFBA03rt1cHM-z_vlvIAIARbkTcOFpaq4jxmnWCnrTEVVDSMokhSsiWksdN00takyN0
eAqk42mjKRd0RjwlYkw6KRQy ISIeLqIgZlsTPeVLywB0CtyQLRDeML 1QVozcbhT 2Lk72V5gl8eZtsMz9OzHeJZ WRozQocfc719Nn
Muuu 1xrg6RMEmGtqHZH- b0VTMInVl2MSdlct2Z2Pud8b93W6bW14vz8
.en ISi57 dfkpaWwGSF2HALGOPS90JEq1P4LY14-aQC38CCQY9JKBnQPO5NNmK4HSjWB3JoW7RLgwKvFrjiNVQ
. 9Ew-k-tlavhsYvrVgUrT8XzC5wtVNtdDQV9X3ypeYUP-7bhw3fQcU0l8G ntX863ZEtrnd2OQvwQBoR9MveMmw2PggzgZCrglyKZWj
eSjLxjv0REKXXziLEi-7wPuetsu4cGRD--dr27r n29cp5IOsWFFeH7Aw
                                            "HhpbopKFyKFoi8clJmp9HQ" = Hash("cXqehHqWI9Y", "Christian")
 "iss": "https://example.org/cqr",
 "nbf": 1648226603,
                                                                  Claim data
 "cqv": "0.1",
 "claimDigests": {
                                                                    "given_name": { "s": "cXqehHqWI9Y", "v": "Christian" },
   "given_name": "HhpbopKFyKFoi8clJmp9HQ",
   "middle_name": "WvVAGKAcBB3uyzQGAw-5hQ",
   "family name": "FGPg5BX2Hx4-qS KJ yuw",
                                                                    " birthdate": { "s": "2ajyIsdYJUQ", "v": " 2020-11-01" }
   "birthdate": "rXTbQvY0bOWThHx4jIfLuA"
```

Demo

https://github.com/microsoft/ClaimQR/tree/main/sample



Road ahead for digital ID

- Long-lived credentials with selective disclosure are coming
 - Mobile Driver License (ISO/IEC 18013-5:2021)
- More privacy features are needed
 - Unlinkability between issuance and presentation
 - Derived claims (e.g., date of birth → over-21)
- Explored in advanced identity systems
 - U-Prove (https://microsoft.com/uprove)
- Making its way in upcoming identity standards
 - Verifiable Credentials
 https://www.w3.org/TR/vc-data-model

cpaquin@microsoft.com

@chpaquin