

# DevOps

## Table of Contents

Introduction .....	1
Nexus .....	1
1. Introduction .....	1
2. Nexus Repository OSS .....	1
2.1. Installation .....	2
2.1.1. Windows .....	2
2.2. Accessing the User Interface .....	2
Package Management Systems .....	3
Introduction .....	3
NuGet .....	3
Introduction .....	3
1. Command line tools .....	3

## Introduction

## Nexus

Doc Writer <[christian.popescu@outlook.com](mailto:christian.popescu@outlook.com)> v 1.0, 2020-06-24 :sectnums: :toc: :toclevels: 5

### 1. Introduction

This article is about Nexus. It manages binaries and build artifacts across your software supply chain.

There are two versions

- Commercial - Nexus Repository Pro
- Free - Nexus Repository OSS

### 2. Nexus Repository OSS

The free artifact repository with universal format support.

[Official Site](#)

## 2.1. Installation

### Installation Methods

#### 2.1.1. Windows

- Download package
- Unzip package to a chosen folder Example: F:\Applications\nexus-3.24.0-02-win64
- Tree structure

Example:

```
/f/Applications/nexus-3.24.0-02-win64
$ tree -L 2
.
|-- nexus-3.24.0-02
|   |-- NOTICE.txt
|   |-- OSS-LICENSE.txt
|   |-- PRO-LICENSE.txt
|   |-- bin
|   |-- deploy
|   |-- etc
|   |-- jre
|   |-- lib
|   |-- public
|   `-- system
`-- sonatype-work
```

- The Nexus Repository Manager executable nexus.exe can be found inside the bin directory
- It could be run with the following command. When run like this Nexus is started in shell window.

```
nexus.exe /run
```

- The application can be accessed once the log shows the message "Started Sonatype Nexus". The running application can be stopped using CTRL+C at the appropriate console.
- The nexus.exe executable can be used to manage the repository manager as a service with the /start, /stop, /restart, /force-reload and /status commands.

## 2.2. Accessing the User Interface

- Once the repository manager is started, the application is listening on the configured IP address range and port. By default any IP address and port 8081 are used.

URL `http://<server_host>:<port>` e.g. `http://localhost:8081/`

- The repository manager installation includes an administrative user with full access. Its username is **admin** and the initial password can be found in an **admin.password** file in the **\$data-dir** directory. You can sign in with the button on the top right corner of the user interface.

# Package Management Systems

Doc Writer <[christian.popescu@outlook.com](mailto:christian.popescu@outlook.com)> v 1.0, 2020-06-24

## Introduction

### NuGet

Doc Writer <[christian.popescu@outlook.com](mailto:christian.popescu@outlook.com)> v 1.0, 2020-06-24

## Introduction

NuGet is the package manager for .NET. The NuGet client tools provide the ability to produce and consume packages.

### 1. Command line tools

- dotnet.exe CLI

The .NET Core CLI, dotnet.exe, works on all platforms (Windows, Mac, and Linux) and provides core NuGet features such as installing, restoring, and publishing packages. dotnet provides direct integration with .NET Core project files (such as .csproj), which is helpful in most scenarios. dotnet is also built directly for each platform and does not require you to install Mono.

- nuget.exe CLI

The nuget.exe CLI, nuget.exe, is the command-line utility for Windows that provides all NuGet capabilities.