

Treatment Mapping

Load Libraries

```
library(tidyverse)
library(here)
library(arrow)
library(sf)
library(urbanmapr)
library(naniar)
library(janitor)
library(ggiraph)
options(scipen = 99)
```

Today's Data

The data we will analyze today is SAMHSA's TEDS-D Dataset. The metadata can be found [here](#)

Reading in feather files with `arrow`

```
teds_d <- read_parquet(here("data/teds_d_lecture.parquet"))
```

Clean names

```
teds_d <- teds_d %>%
  clean_names()
```

Selecting for relevant columns for today's class

- State
- Frequency of use at discharge
- Treatment Service
- Length of Stay
- Reason for Discharge

```
teds_d_select <- teds_d %>%  
  select(freq1_d, stfips, services_d, los, reason)
```

```
write_parquet(teds_d_select, here("data/teds_d_lecture.parquet"))
```

```
teds_d_select <- read_parquet(here("data/teds_d_lecture.parquet"))
```

NA Analysis

How does the documentation label missing data?

```
teds_d_select[teds_d_select == "-9"] <- NA
```

```
miss_var_summary(teds_d_select)
```

```
# A tibble: 5 x 3  
  variable    n_miss pct_miss  
  <chr>      <int>    <num>  
1 freq1_d   7263891  51.8  
2 services_d 4715728  33.6  
3 reason      140  0.000997  
4 los         18  0.000128  
5 stfips        0  0
```

Variable Re-coding

Frequency of Use at Discharge

```

teds_d_select$freq1_d <- as.character(teds_d_select$freq1_d)

teds_d_select$freq1_d[teds_d_select$freq1_d == "1"] <- "no use"

teds_d_select$freq1_d[teds_d_select$freq1_d == "2"] <- "some use"

teds_d_select$freq1_d[teds_d_select$freq1_d == "3"] <- "daily use"

teds_d_select$freq1_d[is.na(teds_d_select$freq1_d)] <- "unknown"

```

Services

```

teds_d_select$services_d <- as.character(teds_d_select$services_d)

teds_d_select$services_d[teds_d_select$services_d == "1"] <- "Detox, 24-hour, hospital inpatient"

teds_d_select$services_d[teds_d_select$services_d == "2"] <- "Detox, 24-hour, free-standing"

teds_d_select$services_d[teds_d_select$services_d == "3"] <- "Rehab/residential, hospital (non-detox)"

teds_d_select$services_d[teds_d_select$services_d == "4"] <- "Rehab/residential, short term"

teds_d_select$services_d[teds_d_select$services_d == "5"] <- "Rehab/residential, long term (non-detox)"

teds_d_select$services_d[teds_d_select$services_d == "6"] <- "Ambulatory, intensive outpatient"

teds_d_select$services_d[teds_d_select$services_d == "7"] <- "Ambulatory, non-intensive outpatient"

teds_d_select$services_d[teds_d_select$services_d == "8"] <- "Ambulatory, detoxification"

teds_d_select$services_d[is.na(teds_d_select$services_d)] <- "unknown"

```

Reason

```

teds_d_select$reason <- as.character(teds_d_select$reason)

teds_d_select$reason[teds_d_select$reason == "1"] <- "completed"

teds_d_select$reason[teds_d_select$reason == "2"] <- "dropped out"

```

```

teds_d_select$reason[teds_d_select$reason == "3"] <- "terminated by facility"
teds_d_select$reason[teds_d_select$reason == "4"] <- "transferred"
teds_d_select$reason[teds_d_select$reason == "5"] <- "incarcerated"
teds_d_select$reason[teds_d_select$reason == "6"] <- "death"
teds_d_select$reason[teds_d_select$reason == "7"] <- "other"

```

Mapping

We want to map the percentage of complete treatments by state

First, let's calculate the percentage of completed treatments by state

```

percent_completed_by_state <- teds_d_select %>%
  group_by(stfips) %>%
  summarize(
    total_cases = n(),
    completed_cases = sum(reason == "completed", na.rm = TRUE)
  ) %>%
  mutate(percentage_completed = (completed_cases / total_cases) * 100)

```

Next, let's bring in some mapping data

```

states_map <- get_urban_map(map = "states", sf = TRUE)

```

What do we notice that's different between the teds-d stfips column and the states_map stfips column?

```

percent_completed_by_state$stfips_recode <- sprintf('%02d', percent_completed_by_state$stfips)

```

```

colnames(percent_completed_by_state)[colnames(percent_completed_by_state) == "stfips_recode"]

```

Joining data

```


percent_completed_by_state_map <- full_join(percent_completed_by_state,
                                             states_map,
                                             by = "state_fips")

```

old-style crs object detected; please recreate object with a recent `sf::st_crs()`

Plotting Map

```
ggplot(percent_completed_by_state_map) +  
  geom_sf(percent_completed_by_state_map,  
    mapping = aes(geometry = geometry, fill = percentage_completed),  
    color = "#ffffff", size = 0.25) +  
  labs(fill = "% of Completed Treatment Episodes") +  
  coord_sf(datum = NA)+  
  theme_minimal()
```



Making interactive with ggiprah

```
interactive_completed_treatment_map <- ggplot(percent_completed_by_state_map) +  
  geom_sf_interactive(  
    mapping = aes(  
      geometry = geometry,  
      fill = percentage_completed,  
      tooltip = paste("State FIPS:", stfips, "State Name:", state_name, "<br>Completed:", per  
    ),  
    color = "#ffffff",  
    size = 0.25
```

```

) +
labs(fill = "% of Completed Treatment Episodes") +
coord_sf(datum = NA) +
theme_minimal()

# Use `girafe` to render the interactive plot
#girafe(ggobj = interactive_completed_treatment_map)

```

Round & Add state name to tooltip

Adding color bins


```

percent_completed_by_state_map <- percent_completed_by_state_map %>%
  mutate(percentage_bin = cut(percentage_completed, breaks=c(0, 10,20,30,40,50, 60, 70, 80)))

ggplot(percent_completed_by_state_map) +
  geom_sf(mapping = aes(geometry = geometry, fill = percentage_bin),
    color = "#ffffff", size = 0.25) +
  labs(fill = "% of CompletedTreatment Episodes",
    title = "Completed Treatment Episodes by State",
    subtitle = "TEDS-D Dataset (SAMHSA)") +
  scale_fill_viridis_d(option = "D") +
  coord_sf(datum = NA) +
  theme_minimal() +
  theme(
    panel.background = element_blank(),
    axis.ticks = element_blank(),
    axis.text.x = element_blank(),
    axis.text.y = element_blank(),
    legend.text = element_text(size = 4),
    legend.title = element_text(size = 5),
    strip.text = element_text(size = 4)
  )

```

Completed Treatment Episodes by State TEDS-D Dataset (SAMHSA)



Assignment

1. Make an interactive map with **ggiraph** showing the percentage of completed treatments that end with no use at discharge (`freq1_d`)
1. How does the percentage of treatments being completed & percentage of treatments ending with no use vary by the service (`completed_cases`) and length of stay. (`services_d`)
Create at least 3 visualizations to try and answer this question