



ICT Asset Management Guideline

Version: 2.0

Valid From Date: 19.08.2026

Last Review Date: 14.08.2026

Notes: This written rule uses gender-neutral and inclusive language. Whenever possible, the generic masculine is avoided and all employees of any gender identity (m/f/d) are addressed.

Content changes compared to the previous document version are highlighted in color.

Content

1. Purpose, Objectives and Basis	3
1.1. Purpose and Objectives	3
1.2. Basis of this Guideline	3
2. Functional Scope and Target Groups	4
2.1. Functional Scope of applicability	4
2.2. Target groups	4
2.3. Transition period	5
3. Definitions	6
3.1. Requirements	6
3.2. Explanation of requirements and key definitions	7
3.3. Asset Matrix	8
4. Requirements	12
4.1. Requirements	12
5. Roles and Responsibilities	20
5.1. Creator	20
5.2. Guideline Owner	20
6. Appendix	21
6.1. Contact Information	21
6.2. Document History	21
6.3. Related Written Rules	21
6.4. Abbreviations	22

1. Purpose, Objectives and Basis

1.1. Purpose and Objectives

The ICT Asset Management Guideline (hereinafter “Guideline”) establishes control requirements for DBAG and/or adopting Legal Entities within DBG (refers only to Legal Entities that have ratified the Guideline at hand) and provides criteria for fulfilling the control requirements.

The purpose of the Guideline is to effectuate the below listed Minimum Requirements, stipulated in the ICT Risk Management Policy (structured into Core Functions), acting as objectives to the Guideline and the control requirements at hand:

Core Function	Minimum Requirement	ICT Risk Management Policy chapter
Govern	2. Allocate roles and responsibilities as detailed in chapter 5 in the ICT Risk Management Policy.	4.1
Govern	6. Have in place a mechanism to define and document responsibilities for implementing control requirements both within and outside IT and IS (e.g. HR). This can be documented e.g. as part of the ICT Control Framework (former Mandatory Control Framework (MCF)) .	4.1
Identify	2. Identify and record assets (e.g. data, hardware, software, systems, facilities, services, people) including respective interdependencies and classify these assets with their relative importance to organizational objectives (including security objectives) and the organizations’ risk strategy.	4.2
Identify	3. Develop and implement an appropriate set of procedures for information labelling in line with the classification scheme adopted from ICT risk-related guidelines.	4.2

Table 1: Minimum Requirements

Note: The full list of Core Functions and Minimum Requirements is stipulated in the ICT Risk Management Policy.

1.2. Basis of this Guideline

The basis for this guideline is the **thematically linked** ICT Risk Management Policy.

2. Functional Scope and Target Groups

2.1. Functional Scope of applicability

Entity	DBAG or adopting LE within DBG
Area	DBAG CIO / COO Division; Chief Risk Officer Area; or any other area that manages or owns ICT Asset Management topic

Table 2: Scope

2.2. Target groups

Within the scope of the current ICT Asset Management Guideline below is addressed the list of applicable target groups and operation areas¹:

Target group	Key message
ICT Risk Oversight	To oversee the ICT Asset Management guideline and practices. To provide analysis and reports on the adequacy and effectiveness of ICT Asset Management (including internal control).
ICT Operational Management	To implement and maintain appropriate structures, processes, measures, and controls for the effective ICT Asset Management (including internal control).
Business Management	Leads and directs actions and application of resources to achieve the objectives of the organization. To be accountable for the management of ICT asset related risks affecting their business function or process. To decide on risk treatment (accept, transfer, avoid or mitigate the risk).
Management Body	To ensure the awareness of the importance of ICT Asset Management for strategic decision-making.

Table 3: Target groups

¹ For LE Guidelines adoption process the target groups should be adjusted according to organizational structure of the LE.

2.3. Transition period

The grace period for new requirements commences from the “valid from” date stated on the cover page. The compliance dates for control requirements defined in this version of the Guideline are defined as follows:

- For unchanged control requirements and new DORA requirements the compliance date equals the “valid from” date.
- For new and changed control requirements that are more stringent than before and are not subject to DORA, the compliance date is generally 90 calendar days after the “valid from” date unless otherwise stated in brackets after the control requirements. These control requirements are marked with ●.
- For Legal Entities that have not previously approved the IT-related requirements and are therefore addressing these requirements for the first time, a grace period of 90 days may be granted at the discretion of the Legal Entity. DORA requirements are exempt from this grace period.

For a **compliance date** exceeding a 180 calendar days implementation timeline, a Board approval is required.

3. Definitions

3.1. Requirements

Control requirement

The control requirements define the organizational, process or technical controls to be implemented by the control owner to achieve compliance with this Guideline.

Criteria

Criteria define the measures that 'must' or 'should' be taken to fulfill the control requirement.

Level of obligation

With respect to requirements and criteria, the following terms are used to define the level of obligation, provided for the implementation of a particular requirement or criteria:

- **“must”**: Mandatory control requirements / criteria derived directly from law, regulations, or internal specifications that the legal entity must comply with. Incompliance could result in consequences with external regulators and Internal Audit.
- **“should”**: Non-mandatory control requirements / criteria derived from best-practice frameworks or equivalent sources that the legal entity does not have to necessarily comply with. Under specific circumstances there may exist valid reasons to ignore a particular control requirement, but the full implications must be understood and carefully weighed.

Independent of the level of obligation of a given requirement or criteria, it is allowed to deviate from single requirements or criteria in individual cases. However, a control requirement deviation always requires the conduction of a risk assessment and risk management including adequate risk acceptance and/or mitigation.

Any deviation from the Guideline denotes an exemption. The respective Information Owner makes decisions on such exemptions. Information Owners can only decide on risks with impact exclusively in their area of responsibility.

Responsibilities

The responsibility for fulfilling control requirements may be distributed across the organization, e.g., multiple Sections, Units, or Departments. In some cases, one Unit may be responsible for both the design and implementation of measures. In other cases, one Unit may be responsible for the design of measures, and another Unit may be responsible for the implementation of the measures. In addition, multiple Units may be responsible to collectively fulfill one requirement.

The precise responsibilities are to be defined in the underlying Procedure documents (e.g. via RACI matrices).

The ICS, among its various functionalities, registers Process Operators (PO) and Risk Representatives (RRs) mapped to the corresponding processes, controls, and risks which the RRs and/or POs are responsible for managing on behalf of the part of the organization that utilize their services (e.g. Asset Owners). For more information on ICS, please refer to the DBG ICS Guideline.

3.2. Explanation of requirements and key definitions

Control requirements are defined in a standardized format and are structured into the following components:

<Specify ID: xx (version x)>	<Name of control requirement (e.g. Access to production data)>
1	<Description of the control requirement>
1.1 1.1.1	<Lists the criteria applying to the control requirement> <Lists the sub-criteria applying to the control requirement> Asset-Types: <Lists asset types applicable to the control requirement> Key references: <Lists key regulatory references and industry best practice requirements affecting this control requirement (e.g., ISO/IEC 27001:2022 A.5.10, A.8.1)>

The terms in this document are defined in the overall ICT Risk Glossary, which is provided on the Intranet website.

3.3. Asset Matrix

#	Asset Type	Description	Examples	Asset Category			
				Level 4	Level 3	Level 2	Level 1
1	Information	Data in context (with a meaning), which can be processed by ICT Systems as well as human interpretable information, e.g. in the form of spoken words and all types of physical documentation.	Customer Data, Transaction Data	Information	Information	Information Asset	Primary Asset
2	Business Process	A business process is a series of interrelated tasks that culminate in the delivery of a service or product to the customer. A sequence of activities and tasks that result in the achievement of a business goal is also defined as a business process.	Trading, Clearing, Settlement, Accounting, HR, IT	Process	Process	Process Asset	Primary Asset
3	Self-developed Application	Software is a collection of data or computer instructions that tell the computer how to work. Self-developed software is software where the legal entity is responsible for the development. The software development process is managed within the legal entity.	T7	IT Application	IT Application	IT Asset / ICT System	Secondary Asset
4	Third-party-developed Application	A third-party-developed company application is a software application made by someone other than the manufacturer (service provider for software development). For instance, this is software that was ordered by the legal entity from a software development company. The software development process is managed outside the company.	B7	IT Application	IT Application	IT Asset / ICT System	Secondary Asset
5	Commercial-off-the-Shelf Solution	Commercial-off-the-Shelf-Solution (COTS) is software that can be mass-produced and used without customization. All solutions that have no individual customizations or modifications and are purchased "off the shelf" are COTS solutions.	SAP CRM, Zoom	IT Application	IT Application	IT Asset / ICT System	Secondary Asset
6	Software Appliance	A software environment that includes the operating system and application. It is designed for installation in standard hardware that will be dedicated to running that single application. A software appliance can also be packaged in a virtual machine format as a virtual appliance, allowing it to be run within a virtual machine container. In a schematic: Application + OS = Software Appliance	VMware, Virtual Box	IT Application	IT Application	IT Asset / ICT System	Secondary Asset
7	Underlying Software/Technology	Underlying software/technology is for instance a technology platform like an application server (middleware), which operates as a server to execute application programs.	Apache, Jboss Application Server	IT Application	IT Application	IT Asset / ICT System	Secondary Asset
8	SaaS	Software as a Service is a service model of cloud computing. The SaaS model is based on the principle that the software and IT infrastructure are operated by an external IT service provider and used by the customer as a service.	Concur, Ariba, SuccessFactors	IT Application	IT Application	IT Asset / ICT System	Secondary Asset
9	Desktop Application	A desktop application is any software that can be installed on a single computer (laptop or desktop) and used to perform specific tasks.	MS Word, MS Excel	IT Application	IT Application	IT Asset / ICT System	Secondary Asset
10	Tool	The asset type "Tool" is a piece of supporting software to process system-related tasks which are used for instance to configure network settings.	Network Management Tools	IT Application	IT Application	IT Asset / ICT System	Secondary Asset
11	No-Code/Low-Code Application	Applications developed on approved application platforms using no-code and/or low-code capabilities that provide shared, persistent functionality to both support and automate organizational activities and are operated under defined governance	PowerApps, Power Automate, Power BI	No-Code/Low-Code Application	No-Code/Low-Code Application	Other IT Asset / other ICT System	Secondary Asset

12	Database	A database is an organized collection of structured information, or data, typically stored electronically in a computer system.	Databases created under the different DBMS	Database	IT Application	IT Asset / ICT System	Secondary Asset
13	Database Management System (DBMS)	A Database Management System (DBMS) is a software that enables users to define, create, maintain, and control access to databases.	Oracle, Sybase, SQL	Database	IT Application	IT Asset / ICT System	Secondary Asset
14	Operating System	An operating system, also called OS, is a set of computer programs that manages the system resources of a computer such as memory, hard disks, input and output devices and makes these available to application programs.	Unix, Linux, Windows, zOS	Platform	Infrastructure	IT Asset / ICT System	Secondary Asset
15	AI Agent	An artificial intelligence (AI) agent is an autonomous or semi-autonomous software entity that utilizes AI to perceive its environment, make decisions, and take action to achieve defined goals. AI Agent runs on dedicated runtime environment, performs complex tasks on behalf of a user or another system by intelligently designing workflows and interacting with their digital or physical surroundings, which often involves calling on external tools and APIs.	Submission letter generator on GCP, DAISY Agent	AI Agent	AI Agent	Other IT Asset / other ICT System	Secondary Asset
16	AI Model	An AI model is a computational artifact that implements one or more algorithms capable of inferring patterns, relationships, or decision rules from data, and using these to generate predictions, classifications, recommendations, content, or decisions with a degree of autonomy.	Gemini 5.2, GPT 5.4, Claude Opus 4.8, Mistral Medium 3	AI Model	AI Model	Other IT Asset / other ICT System	Secondary Asset
17	Cloud Appliance	A software appliance running on cloud infrastructure in a dedicated container or dedicated virtual compute node. In a schematic: (Cloud Container or Compute Node) + (Application + OS = Software Appliance) = Cloud Appliance	Amazon EC2, SAP Cloud Platform	Platform	Infrastructure	IT Asset / ICT System	Secondary Asset
18	Cloud IaaS / Virtual Machines	Practice of delivering a full compute stack - including servers, storage, networking and operating software - as an abstract, virtualized construct. Like other service-based offerings (Software as a Service, Platform as a Service), it allows users to consume only what they need while offloading complex and expensive management tasks to the provider.	GCP, MS Azure, on-premises virtual machines	Platform	Infrastructure	IT Asset / ICT System	Secondary Asset
19	Cloud PaaS	Platform as a Service (PaaS) is a service model of cloud computing and builds on Infrastructure as a Service (IaaS) and adds additional features to the concept of providing hardware. These include a development environment that is usually directly accessible to PaaS users.	SAP Cloud Platform, Azure Cosmos DB, GCP Cloud Functions	Platform	Infrastructure	IT Asset / ICT System	Secondary Asset
20	Virtualization Platform	Virtualized platform refers to the technology for simulating hardware functions to provide software-based IT services such as applications, servers, storage and networks.	VM ESXi, HyperV	Platform	Infrastructure	IT Asset / ICT System	Secondary Asset
21	Container	A container enables to combine a single application together with all its dependencies such as libraries, utilities and static data in an image file, but without including a complete operating system.	Docker	Platform	Infrastructure	IT Asset / ICT System	Secondary Asset
22	End User Device	An end-user device is a personal computer (desktop or laptop) that can store information.	Laptop, Computer	Device	Infrastructure	IT Asset / ICT System	Secondary Asset
23	Mobile Device	A mobile device is e.g. a personal digital assistant (PDA) or smartphone that can store information.	Tablet, Smartphone	Device	Infrastructure	IT Asset / ICT System	Secondary Asset
24	Processing Peripheral	A peripheral is a device that is used to put information into or get information out (e.g. monitors, printers, etc.)	Printer, Scanner, VC	Device	Infrastructure	IT Asset / ICT System	Secondary Asset
25	Storage Media	A storage media is a customer device e.g. USB flash drive, memory card, external hard drive, recordable CD or DVD that can store information.	USB-Stick, CD, DVD, back-up cartridge	Device	Infrastructure	IT Asset / ICT System	Secondary Asset
26	Other Device	The group of other devices contains systems/devices which are used for data/information processing which are operating stand-alone.	Fax, Phone, interactive Whiteboards, IoT	Device	Infrastructure	IT Asset / ICT System	Secondary Asset

27	Storage	Storage describes solutions consisting of technical components and permanent storage media for storing digital data. A storage device independently manages the storage capacities made available to it. A storage is for instance a self-contained server hardware, which may include network cards, RAID controllers and hard drives.	Harddisk, SAN, NAS, Backup Solution, disk snapshots, storage buckets (in cloud)	Device	Infrastructure	IT Asset / ICT System	Secondary Asset
28	Server & Host Hardware	Server & Host Hardware includes computers embedded in a computer network with an associated operating system that serves clients or hosts servers (i.e. provides services).	HPE ProLiant, Host, Mainframe, ...	Device	Infrastructure	IT Asset / ICT System	Secondary Asset
29	Hardware Appliance	Hardware Appliances refers to a software appliance that is packaged together with an industry-standard hardware e.g. server, physical compute nodes. In a schematic: Hardware + (Application + OS = Software Appliance) + BIOS = Hardware Appliance	PBX, KVM Switch, Access Control Device, Network Camera	Network	Infrastructure	IT Asset / ICT System	Secondary Asset
30	Network Component	A network component is a hardware or software piece that plays a specific role in connecting devices and ensuring data flow within a network.	Router, Switch, Appliances, Firewall, Proxy, VPN End Point	Network	Infrastructure	IT Asset / ICT System	Secondary Asset
31	Network Connection	A network connection is the link between two or more IT Assets that allows them to communicate data electronically.	Connections through WIFI	Network	Infrastructure	IT Asset / ICT System	Secondary Asset
32	Network Security Zones	A network zone (or network security zone) is a group of IT Assets with specific security controls to address and mitigate risks consisting of one or more network segments.	R_PRD – Production, R_SVC – Basis Services, B_Test – Test Non-Sensitive	Network	Infrastructure	IT Asset / ICT System	Secondary Asset
33	Individual Data Processing	Form of data processing, for which end users as users of an ICT System, or application, define and execute a work activity. IDP includes changes to data and content, processing of data used as input for other operational processes, management board and supervisory board reporting and external reporting. This is achieved by employing individually defined functionalities on the basis of standard software, typically office desktop applications, at the employees work desk and under individual responsibility of the employee, i.e. independent of the standard processes for Regular Applications (e.g. for development, testing, approval and implementation) and tailored to the individual needs of the employee or department.	Excel Files	IDP	IDP	Other IT Asset / other ICT System	Secondary Asset
34	Partner Service Interface	A Partner Service Interface is defined as a technical interface facilitating the exchange of data or integration of service(s) with an external ICT system that is owned, operated, and maintained outside the governance, operational control, and accountability of the Legal Entity.	BaFin data exchange tool (ShareFile), data exchange tool of statutory audit (PwC Connect), third party e-invoicing portals (Ivalua), EU Union Registry	Partner Services	Partner Services	Other IT Asset / other ICT System	Secondary Asset
35	Certificate	A digital representation of information which should at least (1) identify the certification authority issuing it, (2) name or identify its subscriber, (3) contain the subscribers public key, (4) identify its operational period, and (5) should be digitally signed by the certification authority issuing it.	Certificates used in IT processes	Certificate	Certificate	Other IT Asset / other ICT System	Secondary Asset
36	People	Persons who are internal employees or perform internal work on behalf of the legal entity.	Manager, Developer, Tester, System Administrator	People	People	Non-IT Asset	Secondary Asset
37	Supplier	Suppliers which may access company's assets, process company information or have physical access to company's buildings.	PwC, Calypso, Microsoft, Amazon	Supplier	Supplier	Non-IT Asset	Secondary Asset
38	Other medium	The group of "Other Mediums" are assets-types, which contains information/data that are not digital e.g. on paper documents.	Spoken word, paper based documents	Other medium	Other Non-IT Assets	Non-IT Asset	Secondary Asset
39	Building	A building is a construction that includes rooms, can be entered and is used for the residence of people or the storage of things. Buildings which are used by the legal entity and can be uniquely identified by street name and number.	The Cube	Building	Location	Non-IT Asset	Secondary Asset

40	Room	A Room is a space in a Building that is used by the legal entity and can be uniquely identified by a room number. Usually a room is a demarcated area/ space.	EB.04.301	Building	Location	Non-IT Asset	Secondary Asset
41	Datacenter	Data center refers both to the building or premises in which the central computer technology of one or more companies or organizations is located and the organization itself, which takes care of these computers. Data centers can be uniquely identified by street name and number.	Main datacenters, datacenters	Datacenter	Location	Non-IT Asset	Secondary Asset

4. Requirements

4.1. Requirements

ID: 1 version 2.0 (version 2.0)	ICT Asset Management Procedure
1 DOR.ICT.ASM.PRO.001	It must be ensured that ICT Asset Management procedures are in place that manage IT Assets and non-IT Assets throughout their entire lifecycle.
1.1 DOR.ICT.ASM.PRO.002	ICT Asset Management procedures must be in place to manage all IT Assets and, where applicable, non-IT Assets. Asset-Types: Business Process Key References: DORA RTS RMF A.4.1
1.2 DOR.ICT.ASM.PRO.003	The procedures must ensure complete and accurate management of IT Assets and, where applicable, non-IT Assets. Asset-Types: Business Process Key References: DORA RTS RMF A1, A4, A5
1.3 DOR.ICT.ASM.PRO.004	It must be ensured that the IT Assets fulfil all required technical prerequisites (e.g. safety requirements and procedures, CE marking etc.). Asset-Types: Business Process Key References: DORA RTS RMF A1, A4, A5
1.4 DOR.ICT.ASM.PRO.005	Each Legal Entity using an IT Asset and, where applicable, non-IT Asset must define protection needs of this asset from the Legal Entities perspective. Asset-Types: Business Process Key References: DORA RTS RMF A1, A4, A5

ID: 2 (version 2.0)	Roles and Responsibilities
2 DOR.ICT.ASM.RAR.001	It must be ensured that roles and responsibilities during the ICT Asset Management process are clearly defined.
2.1 DOR.ICT.ASM.RAR.002	It must be ensured that responsibilities during the ICT Asset Lifecycle are clearly defined, and the required resources are made available. Asset-Types: Business-process Key References: DORA RTS RMF A1, A4, A5
2.2 DOR.ICT.ASM.RAR.003	Segregation of Duties must be applied to reduce opportunities for unauthorized or unintentional modification or misuse of IT Assets. Asset-Types: Information, Business-process Key References: ISO 27001:2022 Cor 202203 C.5.3

ID: 3 (version 2.0)	Asset Ownership
3 DOR.ICT.ASM.OWN.001	It must be ensured that Asset Owner and Information Owner are in place for all Primary and Secondary Assets.
3.1 DOR.ICT.ASM.OWN.002	All Primary and Secondary Assets must have a dedicated Asset Owner. Asset-Types: Information, Business Process Key References: DORA RTS RMF A1, A4, A5
3.2 DOR.ICT.ASM.OWN.003	Ownership for Primary and Secondary Assets must be assigned when an asset is created or when assets are acquired or transferred to a legal entity. Asset-Types: Information, Business Process Key References: ISO 27001:2022 Cor 202203 A.5.9
3.3 DOR.ICT.ASM.OWN.004	Asset ownership must be reassigned as necessary when current Asset Owners or Information Owners leave or change job roles. Asset-Types: Information, Business Process Key References: ISO 27001:2022 Cor 202203 A.5.9
3.4 DOR.ICT.ASM.OWN.006	An Information Owner must be nominated to perform the tasks outlined in this Guideline for the respective legal entity. Asset-Types: Information, Business Process Key References: ISO 27001:2022 Cor 202203 A.5.9
3.5 DOR.ICT.ASM.OWN.007	The Information Owner for information assets and the Asset Owner for all assets must be accountable for the proper management of an asset over the whole asset lifecycle, including: – Ensuring that assets within their scope are appropriately identified, classified, maintained, and updated annually or in case of changes – Ensuring that assets within their scope are appropriately handled and protected across the asset lifecycle in accordance with the defined requirements in all valid ICT Risk Guidelines – Ensuring that their missing, stolen, or compromised assets (including non-IT assets where applicable) are reported immediately, in accordance with the relevant procedures. Asset-Types: Business Process Key References: ISO 27001:2022 Cor 202203 A.5.9

ID: 4 (version 2.0)	Asset Inventory
4 DOR.ICT.ASM.INV.001	It must be ensured that an accurate and up-to-date asset Inventory is in place, covering all relevant information.
4.1 DOR.ICT.ASM.INV.002	All Primary Assets and Secondary Assets must be inventoried in a dedicated inventory. Asset-Types: Information, Business-process, Self-developed Application, Third-party-developed Application, Commercial-off-the-Shelf Solution, Underlying Software/Technology, SaaS, Desktop Application, Tool, Database Certificate, Software Appliance, Hardware Appliance, Cloud Appliance, Operating System, Cloud IaaS / Virtual Machines, Cloud PaaS, Virtualization Platform, Database Management System (DBMS), Container, End User Device, Mobile Device, Processing Peripheral, Storage

	Media, Other Device, Storage, Server & Host Hardware, Network Component, Network Connection, Network Security Zones, Supplier, Building, Room, Datacenter, Other medium Key References: DORA RTS RMF A.8.4, A.8.6
4.2 DOR.ICT.ASM.INV.003	The asset inventory must be kept complete, accurate, up to date, consistent and aligned with other relevant inventories. Asset-Types: Information, Business-process, Self-developed Application, Third-party-developed Application, Commercial-off-the-Shelf Solution, Underlying Software/Technology, SaaS, Desktop Application, Tool, Database Certificate, Software Appliance, Hardware Appliance, Cloud Appliance, Operating System, Cloud IaaS / Virtual Machines, Cloud PaaS, Virtualization Platform, Database Management System (DBMS), Container, End User Device, Mobile Device, Processing Peripheral, Storage Media, Other Device, Storage, Server & Host Hardware, Network Component, Network Connection, Network Security Zones, Supplier, Building, Room, Datacenter, Other medium Key References: DORA RTS RMF A.8.4, A.8.6
4.3 DOR.ICT.ASM.INV.004	The asset inventory must be reviewed for updates at defined intervals or in case of significant changes. Asset-Types: Information, Business-process, Self-developed Application, Third-party-developed Application, Commercial-off-the-Shelf Solution, Underlying Software/Technology, SaaS, Desktop Application, Tool, Database Certificate, Software Appliance, Hardware Appliance, Cloud Appliance, Operating System, Cloud IaaS / Virtual Machines, Cloud PaaS, Virtualization Platform, Database Management System (DBMS), Container, End User Device, Mobile Device, Processing Peripheral, Storage Media, Other Device, Storage, Server & Host Hardware, Network Component, Network Connection, Network Security Zones, Supplier, Building, Room, Datacenter, Other medium Key References: DORA RTS RMF A.8.4, A.8.6
4.4 DOR.ICT.ASM.INV.005	Where applicable, appropriate scanning methods for IT Assets must be in place to ensure the completeness of the asset inventory. Asset-Types: Business-process, Self-developed Application, Third-party-developed Application, Commercial-off-the-Shelf Solution, Underlying Software/Technology, SaaS, Desktop Application, Tool, Database Certificate, Software Appliance, Hardware Appliance, Cloud Appliance, Operating System, Cloud IaaS / Virtual Machines, Cloud PaaS, Virtualization Platform, Database Management System (DBMS), Container, End User Device, Mobile Device, Processing Peripheral, Other Device, Storage, Server & Host Hardware, Network Component, Network Connection, Network Security Zones Key References: DORA RTS RMF A.8.4, A.8.6
4.5 DOR.ICT.ASM.INV.006	For Primary Assets and Secondary Assets, the asset inventory must include, at a minimum, the following information for each asset: – Unique Asset ID – Asset Type – Asset Owner and, where applicable, Information Owner – Supported business functions or services – Links and interdependencies between assets and the business functions utilizing them – Legal Entity owning and using the asset – Asset Classification – Comprehensive asset lifecycle history, including change logs (user, timestamp) and review cycles – Tagging of KRITIS-relevant assets – Tag if asset is CIF / DORA-relevant – Where applicable, Information on physical location

	Where applicable, documented warranty and support contract details, including end dates Asset-Types: Information, Business-process, Self-developed Application, Third-party-developed Application, Commercial-off-the-Shelf Solution, Underlying Software/Technology, SaaS, Desktop Application, Tool, Database Certificate, Software Appliance, Hardware Appliance, Cloud Appliance, Operating System, Cloud IaaS / Virtual Machines, Cloud PaaS, Virtualization Platform, Database Management System (DBMS), Container, End User Device, Mobile Device, Partner Services, Processing Peripheral, Storage Media, Other Device, Storage, Server & Host Hardware, Network Component, Network Connection, Network Security Zones, Supplier, Building, Room, Datacenter Key References: DORA RTS RMF A.8.4, A.8.6
4.6 DOR.ICT.ASM.INV.007	Additionally for IT Assets the asset inventory must further include, at a minimum, the following information for each asset: - Network exposure details (if IT asset can be or is exposed to external networks, including the internet) - ICT business continuity requirements (RTO and RPO) - Asset configuration - Software technology and version (e.g. Windows Server, OracleDB) - Information on physical or logical location (including information on network addresses (IP, VIP) where applicable) - Tagging of legacy ICT Systems - End dates of the ICT third-party regular, extended, and custom support services after which those ICT assets are no longer supported - Tagging of AI usage Asset-Types: Business-process, Self-developed Application, Third-party-developed Application, Commercial-off-the-Shelf Solution, Underlying Software/Technology, SaaS, Desktop Application, Tool, Database Certificate, Software Appliance, Hardware Appliance, Cloud Appliance, Operating System, Cloud IaaS / Virtual Machines, Cloud PaaS, Virtualization Platform, Database Management System (DBMS), Container, End User Device, Mobile Device, Processing Peripheral, Storage Media, Other Device, Storage, Server & Host Hardware, Network Component, Network Connection, Network Security Zones Key References: DORA RTS RMF A.8.4, A.8.6
4.7 DOR.ICT.ASM.INV.008	The inclusion of additional relevant tags for assets in the Asset Inventory should be considered in the procedures (e.g. tagging of cloud components). Asset-Types: Business-process Key References: DORA RTS RMF A.8.4, A.8.6
4.8 DOR.ICT.ASM.INV.009	The asset inventory must be available for review and audit by the organization according to business needs. Asset-Types: Information, Business-process Key References: DORA RTS RMF A.8.4, A.8.6
4.9 DOR.ICT.ASM.INV.010	For AI Models, AI Agents and AI Systems: additional attributes must be maintained as defined in ICT Risk AI Guideline. Asset-Types: Information, Business-process Key References: DORA RTS RMF A.8.4, A.8.6

5 DOR.ICT.ASM.CRA.001	It must be ensured that the criticality of all IT Assets and, where applicable, non-IT Assets is assessed .
5.1 DOR.ICT.ASM.CRA.002	A process must be established to assess the criticality of IT Assets and, where applicable, non-IT Assets that support business functions by the LEs owning the Information Assets that are processed by the Secondary Assets. Asset-Types: Business-process Key References: DORA RTS RMF A.5.2
5.2 DOR.ICT.ASM.CRA.003	Dependencies between the IT Assets or, where applicable, non-IT Assets and other IT Assets, non-IT Assets or Information Assets must be considered when assessing the criticality. Asset-Types: Information, Business-process, Self-developed Application, Third-party-developed Application, Commercial-off-the-Shelf Solution, Underlying Software/Technology, SaaS, Desktop Application, Tool, Database Certificate, Software Appliance, Hardware Appliance, Cloud Appliance, Operating System, Cloud IaaS / Virtual Machines, Cloud PaaS, Virtualization Platform, Database Management System (DBMS), Container, End User Device, Mobile Device, Partner Services, Processing Peripheral, Storage Media, Other Device, Storage, Server & Host Hardware, Network Component, Network Connection, Network Security Zones, Supplier, Building, Room, Datacenter, Other medium Key References: DORA RTS RMF A.5.2.a)
5.3 DOR.ICT.ASM.CRA.004	The criticality assessment must consider the ICT risk of the IT Asset or non-IT Asset and supported business functions. Asset-Types: Information, Business-process, Self-developed Application, Third-party-developed Application, Commercial-off-the-Shelf Solution, Underlying Software/Technology, SaaS, Desktop Application, Tool, Database Certificate, Software Appliance, Hardware Appliance, Cloud Appliance, Operating System, Cloud IaaS / Virtual Machines, Cloud PaaS, Virtualization Platform, Database Management System (DBMS), Container, End User Device, Mobile Device, Partner Services, Processing Peripheral, Storage Media, Other Device, Storage, Server & Host Hardware, Network Component, Network Connection, Network Security Zones, Supplier, Building, Room, Datacenter, Other medium Key References: DORA RTS RMF A.5.2.a)
5.4 DOR.ICT.ASM.CRA.005	During the criticality assessment, it must be considered how the loss of confidentiality, integrity, authenticity, and availability of these IT Assets would impact business processes and activities of legal entities. Asset-Types: Information, Business-process, Self-developed Application, Third-party-developed Application, Commercial-off-the-Shelf Solution, Underlying Software/Technology, SaaS, Desktop Application, Tool, Database Certificate, Software Appliance, Hardware Appliance, Cloud Appliance, Operating System, Cloud IaaS / Virtual Machines, Cloud PaaS, Virtualization Platform, Database Management System (DBMS), Container, End User Device, Mobile Device, Partner Services, Processing Peripheral, Storage Media, Other Device, Storage, Server & Host Hardware, Network Component, Network Connection, Network Security Zones, Supplier, Building, Room, Datacenter, Other medium Key References: DORA RTS RMF A.5.2.b)
5.5 DOR.ICT.ASM.CRA.006	The criticality assessments of IT Assets must be reviewed at least annually or in case of Significant Changes, Major ICT-related Incidents, Major Control Requirement Deviation, or Major changes in supported business functions. Asset-Types: Business-process Key References: DORA 2022/2554 A.8.6

ID: 6 (version 2.0)	ICT System Management
6 DOR.ICT.ASM.SYS.001	It must be ensured that ICT Systems are procured, developed, and maintained in a secure, compliant, and resilient manner.
6.1 DOR.ICT.ASM.SYS.002	Procedures including security practices and methods for the development, maintenance and, where feasible, procurement of ICT Systems must be established. Asset-Types: Business Process Key References: DORA RTS RMF A.16.1.a), A.16.1b)
6.2 DOR.ICT.ASM.SYS.003	These procedures must include requirements for the procurement, development and maintenance of ICT Systems, with a focus on ICT security and the approval process by the relevant business function or Asset Owner for which internal governance regulations must be complied with. Asset-Types: Business Process Key References: DORA RTS RMF A.16.1.a), A.16.1b)
6.3 DOR.ICT.ASM.SYS.004	The procedures must specify technical specifications for the procurement, development and maintenance of ICT Systems. Asset-Types: Business Process Key References: DORA RTS RMF A.16.1.a), A.16.1b)

ID7 (version 2.0)	Asset Removal
7	It must be ensured that the removal or disposal of Secondary Assets is managed.
7.1	The removal or disposal of Secondary Assets must be carried out under consideration of regulatory or service relevant dependencies underlying the asset or the related Primary Asset. ² Asset-Types: Information, Business Process, End User Device, Mobile Device, Processing Peripheral, Storage Media, Other Device, Storage, Server & Host Hardware Key References: ISO 27001:2022 Cor 202203 A.7.14
7.2	The removal and disposal of Secondary Assets must be logged. Asset-Types: Business Process, End User Device, Mobile Device, Processing Peripheral, Storage Media, Other Device, Storage, Server & Host Hardware Key References: ISO 27001:2022 Cor 202203 A.7.14

² Further details regarding removal and disposal (especially for destruction) of assets can be found in the Data **Security Governance** Guideline.

ID: 8 (version 2.0)	Asset Documentation
8 DOR.ICT.ASM.DOC.001	It must be ensured that IT Assets are documented throughout their lifecycle.
8.1 DOR.ICT.ASM.DOC.002	It must be ensured that all IT Assets are appropriately documented, and asset records include the minimum information as defined in this Guideline. Asset-Types: Information, Business Process, Commercial-off-the-Shelf Solution, Underlying Software/Technology, SaaS, Desktop Application, Tool, Certificate, Software Appliance, Hardware Appliance, Cloud Appliance, Operating System, Cloud PaaS, Container, End User Device, Mobile Device, Processing Peripheral, Storage Media, Other Device, Storage, Server & Host Hardware, Network Connection Key References: DORA RTS RMF A1, A4, A5

ID: 9 (version 2.0)	Asset Reporting
9 DOR.ICT.ASM.REP.001	It must be ensured that relevant information about Secondary Assets is reported to the stakeholders.
9.1 DOR.ICT.ASM.REP.002	It must be ensured that reports regarding the performance and compliance of IT Assets are generated and cover predefined KPIs and metrics. Asset-Types: Business-process Key References: DORA RTS RMF A9

ID: 10 (version 2.0)	Configuration Management
10 DOR.ICT.ASM.REP.001	It must be ensured that configuration items (CI), a subset of IT Assets under configuration control, are managed.
10.1 DOR.ICT.ASM.REP.002	Additions and removals of configurations items (CI) of IT Assets must be recorded. Asset-Types: Business Process, Commercial-off-the-Shelf Solution, Underlying Software/Technology, SaaS, Desktop Application, Tool, Certificate, Software Appliance, Hardware Appliance, Cloud Appliance, Operating System, Cloud PaaS, Container, End User Device, Mobile Device, Processing Peripheral, Storage Media, Other Device, Storage, Server & Host Hardware, Network Connection Key References: ICT Risk Framework 1.0
10.2 DOR.ICT.ASM.REP.003	Changes to existing CIs and CI information must be recorded. Asset-Types: Business Process, Commercial-off-the-Shelf Solution, Underlying Software/Technology, SaaS, Desktop Application, Tool, Certificate, Software Appliance, Hardware Appliance, Cloud Appliance, Operating System, Cloud PaaS, Container, End User Device, Mobile Device, Processing Peripheral, Storage Media, Other Device, Storage, Server & Host Hardware, Network Connection Key References: ICT Risk Framework 1.0

ID: 11 (version 2.0)	Software License Management
11 DOR.ICT.ASM.SLM.001	It must be ensured that software licenses are managed.
11.1 DOR.ICT.ASM.SLM.002	All software licenses ('free and open' and non-free) must be managed in line with business requirements. Software license requirements and limitations have to be actively managed by the business owner. Asset-Types: Business-process Key References: ICT Risk Framework 1.0

5. Roles and Responsibilities

5.1. Creator

The creator of the ICT Asset Management Guideline is the **ICT Risk Governance & Advisory Unit (Specialist)**.

The creator of ICT Asset Management Guideline has the responsibility to issue clear, precise, and appropriate written rules to give guidance for implementation to the target group. It is important to ensure that all required information is accurate, up to date and complete.

5.2. Guideline Owner

The owner of the ICT Asset Management Guideline is Head of **ICT Risk Governance & Advisory Unit**.

The most important tasks (not an exhaustive list) within the scope of responsibility are:

- Ensure completeness of Guideline within functional area of responsibility
- Ensure correctness of content and the Guideline is up to date
- Define and conduct adherence oversight measures for Guidelines on a regular basis
- Assess impact on the Guideline with major focus on requirements as well as roles and responsibilities in the event of organizational changes, new products etc.

The Guideline Owner has at least an Expert or Head of Unit level.

The Guideline Owner is responsible for publishing and updating the ICT Asset Management Guideline according to established procedures within the organization.

6. Appendix

6.1. Contact Information

Written Rule Owner = Head of ICT Risk Governance & Advisory Unit

Please contact ICT Risk Governance & Advisory Unit in case of any questions related to this Guideline.

6.2. Document History

Document History

Version	Date	Changes & Background
1.0	17.01.2025	Initial set-up of this Guideline
1.1	15.08.2025	Minor Update Guideline
2.0	19.08.2026	Annual update with material changes

Coordination before publication

Version	Date	Task	Name
2.0	07.08.2026	Creator	ICT Risk Governance & Advisory Unit (Specialist)
	07.08.2026	Content Review	LE CISOs TISOs IT Ameli project
	07.08.2026	Content Confirmation	Head of ICT Risk Governance & Advisory Unit and LE CISOs

Approvals

Version	Date	Task	Name
2.0	13.08.2026	Approval	DBAG Chief Risk Officer

6.3. Related Written Rules

Superordinated Written Rules	ICT Risk Management Policy
------------------------------	--

6.4. Abbreviations

The abbreviations in this document are defined in the overall ICT Risk Glossary, which is provided on the Intranet website.

***** END OF DOCUMENT *****
