





PSU DIAGRAM

Aijahnae , Christina , Auree-Lynn , Charles , Yasmeen

PSU Battery Info.

- Model – Dell
- AC Input - (50-60Hz) , 100-240 V
- DC Output - +12V
- Max Output Power – 180W



Back Panel of the PSU

- This is the back panel of a small form factor (SFF) desktop computer chassis, specifically showing the rear I/O and power supply area (commonly found on business desktops like a Dell OptiPlex).
- **Power Supply Unit (PSU) Inlet:** The 3-pin C14 connector at the bottom (oriented horizontally/upside down here) where you plug in a standard AC power cord. Next to it is a small green LED diagnostic indicator light.
- **Rear I/O Ports:** Above the expansion slots, you can see USB ports (USB 3.0 blue ports, USB 2.0 black ports) and an RJ-45 Ethernet network port.
- **PCIe Expansion Slot Covers:** The mesh metal covers in the middle section protect expansion slot openings for adding low-profile expansion cards (like extra graphics or network cards).



CPU Power Connector.

- 1. 4-Pin CPU Power Connector (Held in Hand)
 - **Technical Name:** 4-Pin ATX12V Power Connector (or 4-Pin CPU Power Connector)
 - **Wiring Breakdown:**
Yellow Wires: +12V DC power
Black Wires: Ground (GND)
 - **Function:** Delivers dedicated +12-volt direct current power directly to the processor (CPU) socket on the motherboard through a VRM (Voltage Regulator Module).
 - **Key Feature:** Plastic locking tab on the side prevents accidental disconnects and ensures correct orientation during installation.

