Experiment Summary

Experiment Name: Experiment New Metrics Test

Experiment Status: Complete

Experiment Directory: D:\Users\CentralLibraryGuest\Christina\Experiments\Random Forest Sample Code\Experiment New Metrics Test

Results Directory: D:\Users\CentralLibraryGuest\Christina\Experiments\Random Forest Sample Code\Experiment New Metrics Test [2024-11-18_13.28.59]

Start Time: Nov 18, 2024 13:28:59

End Time: Nov 18, 2024 14:33:08

Elapsed Time: 01:04:09

Experiment Materials

Computation Environment Summary

MATLAB Version: 9.7.0.1190202 (R2019b)

Operating System: Microsoft Windows 10 Pro

Windows Version: Version 10.0 (Build 19045)

Computer Name: BAINESWS02

User: CentralLibraryGuest

Code Library Summary

CentralLibrary-2019b-dev

Path: D:\Users\CentralLibraryCode\CentralLibrary-2019b-dev

Not under Git source control

ExperimentDataManagement

Path: D:\Users\CentralLibraryGuest\Christina\Experiments\Random Forest Sample Code\ExperimentDataManagement

Not under Git source control

Data Paths Summary

1. Loading Experiment Assets

1.1. Summary

Start Time: Nov 18, 2024 13:29:08

End Time: Nov 18, 2024 13:29:10

Elapsed Time: 00:00:02

1.2. Journal

2. Bootstrapped Iterations

2.1. Summary

Start Time: Nov 18, 2024 13:29:10

End Time: Nov 18, 2024 14:32:59

Elapsed Time: 01:03:48

2.2. Journal

3. Performance

3.1. Summary

Start Time: Nov 18, 2024 14:32:59

End Time: Nov 18, 2024 14:33:00

Elapsed Time: 00:00:01

3.2. Journal

False Negative Rate: 0.63636

False Negative Rate: 0.63636

False Positive Rate: 0.1875

Misclassification Rate: 0.44737

False Negative Rate: 0.19355

False Negative Rate: 0.19355

False Positive Rate: 0.36364

Misclassification Rate: 0.26415

False Negative Rate: 0.2

False Negative Rate: 0.2

False Positive Rate: 0.39286

Misclassification Rate: 0.36364

False Negative Rate: 0.058824

False Negative Rate: 0.058824

False Positive Rate: 0.46667

Misclassification Rate: 0.18367

False Negative Rate: 0.36667

False Negative Rate: 0.36667

False Positive Rate: 0.38889

Misclassification Rate: 0.375

False Negative Rate: 0.38235

False Negative Rate: 0.38235

False Positive Rate: 0.42857

Misclassification Rate: 0.39583

False Negative Rate: 0

False Negative Rate: 0

False Positive Rate: 0.31579

Misclassification Rate: 0.15

False Negative Rate: 0.29032

False Negative Rate: 0.29032

False Positive Rate: 0.33333

Misclassification Rate: 0.30612

False Negative Rate: 0.14286

False Negative Rate: 0.14286

False Positive Rate: 0.18182

Misclassification Rate: 0.16667

False Negative Rate: 0

False Negative Rate: 0

False Positive Rate: 0.066667

Misclassification Rate: 0.064516

False Negative Rate: 0.16129

False Negative Rate: 0.16129

False Positive Rate: 0.36

Misclassification Rate: 0.25

False Negative Rate: 0.33333

False Negative Rate: 0.33333

False Positive Rate: 0.27778

Misclassification Rate: 0.31373

False Negative Rate: 0.4

False Negative Rate: 0.4

False Positive Rate: 0.36364

Misclassification Rate: 0.38889

False Negative Rate: 0.32143

False Negative Rate: 0.32143

False Positive Rate: 0.125

Misclassification Rate: 0.27778

False Negative Rate: 0.42857

False Negative Rate: 0.42857

False Positive Rate: 0.23529

Misclassification Rate: 0.32258

False Negative Rate: 0.125

False Negative Rate: 0.125

False Positive Rate: 0.46429

Misclassification Rate: 0.34091

False Negative Rate: 0.33333

False Negative Rate: 0.33333

False Positive Rate: 0.26667

Misclassification Rate: 0.30952

False Negative Rate: 0.5

False Negative Rate: 0.5

False Positive Rate: 0.055556

Misclassification Rate: 0.26471

False Negative Rate: 0.44444

False Negative Rate: 0.44444

False Positive Rate: 0.25

Misclassification Rate: 0.38462

False Negative Rate: 0.44444

False Negative Rate: 0.44444

False Positive Rate: 0.5

Misclassification Rate: 0.45

AUC:

Mean: 0.70769

Median: 0.71838

St. Dev.: 0.1278

AUC 0.632:

Mean: 0.81417

Median: 0.82093

St. Dev.: 0.080771

AUC 0.632+:

Mean: 0.7615

Median: 0.77512

St. Dev.: 0.11114


Other Error Metrics:

Threshold: 0.54915

False Negative Rate: 0.28814

False Positive Rate: 0.3012

Classification Rate: 0.30098



03 Performance\AUC Histogram.fig