



BOXING 4 HEALTH



Exercise Intensity: Key Takeaways

Why High-Intensity Exercise is Non-Negotiable for Parkinson's



THIS IS NON-NEGOTIABLE



High-intensity exercise is **MEDICINE** for
Parkinson's disease



The Science in Numbers

9/10

Participants showed brain improvement

80-85%

Target max heart rate

6 months

To see neurological changes

3x/week

Minimum frequency needed



Reverses Brain Damage

Yale University research (2024) showed high-intensity exercise can **reverse neurodegeneration** and increase dopamine-producing neurons—not just slow decline, but actually restore brain health.



Intensity Matters Most

It's not just about moving—it's about **how hard you work**. High-intensity exercise (80-85% max heart rate) triggers neuroprotection that moderate exercise doesn't achieve.



Grows Brain Cells

High-intensity exercise increases **BDNF (Brain-Derived Neurotrophic Factor)**—like fertilizer for your brain cells—promoting survival, growth, and new neural connections.



No Drug Can Do This

Current medications only treat symptoms. High-intensity exercise is the **only intervention** proven to potentially slow, stop, or reverse disease progression at the cellular level.



Inactivity Makes It Worse

Animal studies show that **immobilization worsens** Parkinson's deficits. Not exercising at high intensity means missing the chance to fight back neurologically.



The "Talk Test"

You should be able to speak in **short sentences** but not sing a song. That's your target intensity—challenging but sustainable for short periods.

"The medications we have available are only for symptomatic treatment. They do not change the disease course. But exercise seems to go one step beyond and protect the brain at the neuronal level."

— Dr. Sule Tinaz, Associate Professor of Neurology, Yale School of Medicine

Your Next Step

Don't wait. Start the conversation about high-intensity exercise TODAY.

Contact Christine at Boxing 4 Health

What This Means for You:

- **Exercise is treatment**, not optional activity
- **Intensity is the key**—moderate exercise isn't enough
- **Work with your team** to safely reach target heart rates
- **Consistency matters**—3x per week minimum
- **You have the power** to fight back at the cellular level

References

[1] Yale School of Medicine. (2024). *High-intensity Exercise May Reverse Neurodegeneration in Parkinson's Disease*.

[View Research](#)

[2] Ahlskog, J. E. (2011). Does vigorous exercise have a neuroprotective effect in Parkinson disease?. *Neurology*, 77(3), 288–294.

[View Study](#)

Boxing 4 Health | Parkinsons Pathway Program
Evidence-based exercise for living well with Parkinson's
christine@boxing4health.com