Thesis outline

Christophe Rouleau-Desrochers

May 20, 2025

4 Introduction

5 Climate change impacts on tree phenology

- Climate change impacts on biological systems and how phenological trends are already shifting with
 warming temperatures.
- 1. Warmer temperature led to earlier spring events for amphibians, birds, butterflies and wild plants (Walther, 2002)
- 2. Autumn phenological events are delayed, but the trend is not as clear as spring's. Description of mechanistic drivers of autumn phenology vs spring
- 3. Long-term trends suggest that the pace of spring events advancement is slowing down. Counterinteraction of warmer winters that delays spring phenology because of non-met chilling requirements, which increase forcing requirements –; later budburst
 - 4. Photoperiod perception interaction with warming requirements (Zohner 2016)
 - 5. Potential impacts of spring frost on growth. Explain how the strategy to rely on photoperiodic cues can decrease spring frost risks
- 6. Overall, earlier spring and delayed autumn lead to a longer phenological growing season (Korner, 2023 for pheno GS definition)
 - 7. Drought events are increasing in frequency and severity, which influences tree growth
- 8. Pros and cons of early Start of Season:

Pros:

15

16

17

22

23

24

25

27

31

32

- Potential competitive ability of carbon uptake at the individual and stand level (increased productivity) (Estiarte, 2015);
- More days to reach fruit maturity.

Cons:

- Trophic mismatch (though limited support) (Loughnan 2024)
- Incre ased summer drought-induced stress
- Increased pest and disease pressure
- Soil nutrient depletion (e.g. Reich 2006)
- 9. Pros and cons of delayed End of Season:

Pros:

- Photosynthesis can occur for longer, increasing carbon sequestration (Keenan, 2014)
- May increase nutrient resorption efficiency (Richardson 2010)
 - May delay frost exposure (Gunderson, 2012)

Cons:

33

34

35

37

53

- Delayed leaf senescence could kill leaves (cold spell) before nutrient resorption (Estiarte, 2015; Augspurger, 2013)
- Phenological mismatches
 - Disruption of dormancy cycles –chilling requirements not met(Korner, 2010)
 - Extension of pest life cycles (Ayres, 2000)

Tree rings measurements as a proxy for growth

- Analyze tree rings to investigate the relationship between phenology and growth
- 1. Tree ring images allow for a more detailed assessment of the climate influence on tree growth than diameter and height measurements
- 2. Cambial phenology. Growth onset and duration vary because of inter-annual differences in weather, with cambium reactivation in spring being highly dependent on temperature.
- 48 3. Radial growth increased by temperature, depends on **when** it is warmer.
- 49 4. Growth rate has a more direct influence on tree growth than the growing season length.

\mathbf{N} Nature of the problem

- 1. Past phenological trends don't predict future phenological changes. Highlights the importance of understanding the drivers that control phenology and growth,
 - 2. The assumption that longer seasons lead to increased growth is called into question
- 3. Impacts on carbon source-sink projections

55 Research questions

- 56 1. **Fuelinex**: How do extended growing seasons affect tree growth across different species, both immediately (in the same year as the extended season) and in subsequent years?
 - 2. CookieSpotters: How phenological traits regulate tree growth in urban ecosystems?

59 Hypothesis

- 1. **Fuelinex**: Growing season extension modifies a tree's capacity to fill carbon and nitrogen storage pools and this could lead to increased growth in the following season.
- 2. Fuelinex: Species capable of accumulating nutrients after growth cessation while going through leaf senescence might exhibit growth increment in the following growing season
- 3. **CookieSpotters**: The magnitude of the growth response to longer seasons will differ between juvenile and mature trees.

66 Objectives and outreach

- 1. **Fuelinex**: Assess tree species' potential to prolong or stretch their activity schedule.
- ⁶⁸ 2. **Fuelinex**: Determine whether trees can absorb nutrients beyond their theoretical growing season.
- 3. **Fuelinex**: Examine if increased carbon pools translate into greater growth increment in the following growing season.
- 4. CookieSpotters: Investigate how the timing of phenological events affects growth across
 years for juvenile and mature trees

$_{74}$ Methods

75 Fuelinex

- 1. Full factorial design (Figure 1. Experimental design)
- 2. 2-year experiment
- 78 3. Nutrient addition
- ⁷⁹ 4. Data: phenology, shoot elongation, diameter, height, biomass, tree rings
- 5. Analysis: TBD

81 Wildchrokie

- 1. Common garden from 2015 to 2023 (Table I. Species studied, and number of trees/species)
- 2. Data: phenology, height, tree rings
- 3. Analysis: Hierarchical model to understand how tree ring width relates to GDD

85 Treespotters

- 1. Citizen science project from 2015 to today (Table II. Species studied, and number of trees/species)
- 2. Tree coring
- 3. Data: phenology, tree rings
- 4. Analysis: Hierarchical model to understand how tree ring width relates to GDD

90 Timeline

Figure 2. Master's thesis timeline.