

# Proposed Research Outline

Christophe Rouleau-Desrochers

August 8, 2025

## 1 Context

1. In temperate and boreal forests, temperature plays a crucial role in setting the physiological activity boundaries for trees (ref)
2. Growing season extension in the past decades<sup>1,2</sup>
3. Trends of spring and autumn phenological events and their drivers<sup>3</sup>
4. Mechanisms that could limit growth despite having a longer growing season: heat waves, drought<sup>4,5,6,7,8,9</sup>, spring frosts<sup>10,11</sup>
5. How these shifts translate into effects on trees/forests are not totally clear<sup>12,13,14,15,16</sup>
6. Global growing season shifts consequences on forest ecosystems and services (ref)
7. I conducted an experiment on growing season extension and will leverage tree ring data and will conduct a follow-up experiment on environmental stressors on tree growth, will use high-resolution drone imagery and conduct a meta-analysis to test this hypothesis
8. Significance of proposed research: importance of young trees on forest recruitment and increasing the precision of projections of carbon sequestration under future climate change (ref)
9. \*\* Question: which limits a tree to benefit from longer growing seasons? Internal limits or environmental stressors?

## Chapter 1: extended growing season experiment (Fuelinex) continuation

1. **Hypothesis:** Growing season extension modifies a tree's capacity to sequester carbon and nitrogen, and this could lead to increased growth in the following season<sup>17,18,19,20,21</sup>
2. **Objectives:** Assess tree species' potential to prolong or stretch their activity schedule and if tree ring can help answer this question
3. **Methods:** to investigate the impact of manipulated spring and fall temperatures on phenological responses, I successfully conducted experiments in 2024 and 2025.
  - Year 1 of award tenure
  - 2-year experiment over 2024-2025 using 7 species
  - Full factorial design of spring and fall warming with two levels each (control/warmed)= four treatments plus an additional two treatments to test fall nutrient effects, 15 replicates each for a total of 630 individual trees.
  - Biomass increment assessment across the different treatments
  - Tree ring analysis, including cell count and their characteristics, to infer a relationship between these criteria and the different treatments

## Chapter 2: drought and spring frost experiment

1. **Hypothesis:** the timing of spring frosts and drought events<sup>22,23,24,25,26</sup> will modify trees' growth response
2. **Objectives:** understand how the timing of spring and drought events affects trees' growth across 10 species.
3. **Methods:** Fuelinex explored the impact of extended seasons on growth, whereas this experiment will investigate how and if environmental stressors are responsible for the unexpected absence of growth response to longer seasons.
  - Year 2 and 3 of award tenure
  - 10 species, 15 replicates/species
  - Treatments: 3 drought (late spring, summer solstice and late summer, 2 spring frost (at budburst and after leaf out) and 1 control.
  - Micro-dendrometer to get high-resolution data on primary growth response of trees.
  - Phenological monitoring
  - Shoot elongation for secondary growth response
  - Biomass increment assessment across the different treatments

## Chapter3 : cambial phenology X drone imagery phenological observations

1. **Hypothesis:** synchrony between growth onset and leaf phenological phases will vary across species and sites.
2. **Objectives:** Understand how species-specific leaf and wood phenology relate using drone imagery and deep learning methods
3. **Methods:** Satellites lack spatial and temporal resolution, where UAVs equipped with RGB and multi-spectral sensors can get high resolution of mature stands. UAV imagery can estimate SOS and EOS<sup>27,28</sup>
  - Year 1, 2 and 3 of award tenure
  - High-resolution drone imagery will be used to monitor forest phenology across 2 growing seasons at the Station biologique des Laurentides (St-Hypolyte (Qc)), following previous work from my current lab at this location and collaboration with the Plant Functional Ecology Laboratory
  - Seven deciduous tree species will be used
  - Soil temperature, water content will be continuously measured using soil moisture and temperature sensors
  - 200 DC3 Perimeter Dendrometer to infer a relationship between growth seasonality and leaf phenology

## 2 References

### References

1. Körner, C. & Basler, D. Phenology Under Global Warming. *Science* **327**, 1461–1462 (2010).
2. Menzel, A. & Fabian, P. Growing season extended in Europe. *Nature* **397**, 659–659 (1999). Number: 6721 Publisher: Nature Publishing Group.

3. Walther, G.-R. *et al.* Ecological responses to recent climate change. *Nature* **416**, 389–395 (2002).  
Publisher: Nature Publishing Group.
4. Tyree, M. T. & Zimmermann, M. H. *Xylem Structure and the Ascent of Sap*. Springer Series in Wood Science (Springer Berlin Heidelberg, Berlin, Heidelberg, 2002).
5. Choat, B. *et al.* Triggers of tree mortality under drought. *Nature* **558**, 531–539 (2018).
6. Li, Y. *et al.* Widespread spring phenology effects on drought recovery of Northern Hemisphere ecosystems. *Nature Climate Change* **13**, 182–188 (2023).
7. Trenberth, K. E. *et al.* Global warming and changes in drought. *Nature Climate Change* **4**, 17–22 (2014).
8. Change, I. P. O. C. Detection and Attribution of Climate Change: from Global to Regional. In *Climate Change 2013 – The Physical Science Basis*, 867–952 (Cambridge University Press, 2014), 1 edn.
9. Chiang, F., Mazdiasni, O. & AghaKouchak, A. Evidence of anthropogenic impacts on global drought frequency, duration, and intensity. *Nature Communications* **12**, 2754 (2021).
10. Polgar, C. A. & Primack, R. B. Leaf-out phenology of temperate woody plants: from trees to ecosystems. *New Phytologist* **191**, 926–941 (2011).
11. Reinmann, A. B., Bowers, J. T., Kaur, P. & Kohler, C. Compensatory responses of leaf physiology reduce effects of spring frost defoliation on temperate forest tree carbon uptake. *Frontiers in Forests and Global Change* **6**, 988233 (2023).
12. Estiarte, M. & Peñuelas, J. Alteration of the phenology of leaf senescence and fall in winter deciduous species by climate change: effects on nutrient proficiency. *Global Change Biology* **21**, 1005–1017 (2015).
13. Keenan, T. F. *et al.* Net carbon uptake has increased through warming-induced changes in temperate forest phenology. *Nature Climate Change* **4**, 598–604 (2014). Number: 7 Publisher: Nature Publishing Group.
14. Gunderson, C. A. *et al.* Forest phenology and a warmer climate – growing season extension in relation to climatic provenance. *Global Change Biology* **18**, 2008–2025 (2012).
15. Piao, S. *et al.* Plant phenology and global climate change: Current progresses and challenges. *Global Change Biology* **25**, 1922–1940 (2019). eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1111/gcb.14619>.
16. Dow, C. *et al.* Warm springs alter timing but not total growth of temperate deciduous trees. *Nature* **608**, 552–557 (2022).
17. Chapin, F. S., Schulze, E. & Mooney, H. A. The Ecology and Economics of Storage in Plants. *Annual Review of Ecology and Systematics* **21**, 423–447 (1990).
18. Landhäusser, S. M., Pinno, B. D., Lieffers, V. J. & Chow, P. S. Partitioning of carbon allocation to reserves or growth determines future performance of aspen seedlings. *Forest Ecology and Management* **275**, 43–51 (2012).
19. Lawrence, B. T. & Melgar, J. C. Variable Fall Climate Influences Nutrient Resorption and Reserve Storage in Young Peach Trees. *Frontiers in Plant Science* **9** (2018).
20. Martens, L. A., Landhäusser, S. M. & Lieffers, V. J. First-year growth response of cold-stored, nursery-grown aspen planting stock. *New Forests* **33**, 281–295 (2007).
21. Schott, K. M., Pinno, B. D. & Landhäusser, S. M. Premature shoot growth termination allows nutrient loading of seedlings with an indeterminate growth strategy. *New Forests* **44**, 635–647 (2013).
22. Babst, F. *et al.* Twentieth century redistribution in climatic drivers of global tree growth. *Science Advances* **5**, eaat4313 (2019).

- 117 23. Buermann, W. *et al.* Widespread seasonal compensation effects of spring warming on northern plant  
118 productivity. *Nature* **562**, 110–114 (2018).
- 119 24. D’Orangeville, L. *et al.* Drought timing and local climate determine the sensitivity of eastern temperate  
120 forests to drought. *Global Change Biology* **24**, 2339–2351 (2018).
- 121 25. Helcoski, R. *et al.* Growing season moisture drives interannual variation in woody productivity of a  
122 temperate deciduous forest. *New Phytologist* **223**, 1204–1216 (2019).
- 123 26. McMahon, S. M. & Parker, G. G. A general model of intra-annual tree growth using dendrometer bands.  
124 *Ecology and Evolution* **5**, 243–254 (2015).
- 125 27. Berra, E. F., Gaulton, R. & Barr, S. Assessing spring phenology of a temperate woodland: A multiscale  
126 comparison of ground, unmanned aerial vehicle and Landsat satellite observations. *Remote Sensing of*  
127 *Environment* **223**, 229–242 (2019).
- 128 28. Fawcett, D., Bennie, J. & Anderson, K. Monitoring spring phenology of individual tree crowns using  
129 drone-acquired NDVI data. *Remote Sensing in Ecology and Conservation* **7**, 227–244 (2021).