
Saronic Interview Project 2

Requirements Decomposition Supplemental Diagram


This slideshow and its contents are exclusively intended for Saronic use.

Requirement Diagram Example




*: Refine and satisfy have been omitted for clarity purposes.
**: Project Document may take on L0, L1, or L2 for clarity purposes.

BASE command I/O and processing order




Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.

BASE state model and tick semantics




Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.

BASE init, get_state, and response formats




Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.

BASE set_destination error handling




Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.

BASE set_destination behavior and travel times




Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.

BASE portability




Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.

FLW1 cargo and dock inventory




Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.

FLW1 cargo_manifest interface




Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.

FLW1 docking




Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.

FLW1 undocking and planned-command overrides




Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.

FLW1 load




Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.

FLW1 unload




Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.

FLW1 swap




Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.

FLW1 dock throughput



Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.

FLW2 historical state queries



Arrows show Derive relationships only; refine and satisfy have been omitted for clarity purposes.
Project Document may take on L0, L1, or L2 for clarity purposes.