

Software Requirements Specification

Online Food Order (Delivery)

Pastry And Delicious Aliments

Ομάδα 15

Μπαρκάς Απόστολος 23390211

Δαγρές Ανδρέας 23390032

Λώλας Ιωάννης 22390127

Χριστόφορος Κομνηνός 20390108

Δημήτρης Σμυρνάκης 18390243

Table of Contents

1.0. Introduction	
1.1. Purpose	
1.2. Overview of Document	
1.3. Operating Environment	
2.0 Use Cases	
2.1 Customer	
2.2 Admin	
2.3 Store Manager	
3.0. Requirements Specification	
3.1 Functional Requirements	
3.1.1.0 Store Recommendation	
3.1.1.1 Star rating	
3.1.1.2 Comments	
3.1.2.0 Browse Stores	
3.1.2.1 Select Store	
3.1.2.2 Add item(s) to cart	
3.1.2.3 Check Validation	
3.1.2.4 Order Confirmation	
3.1.2.5 Customer Details	
3.1.2.5.1 Discount	
3.1.3.0 Update Order	
3.1.3.1 Cancel	
3.1.3.2 Update Information	
3.1.4.0 Create Store Manager	
3.1.4.1 Store Manager Confirmation	
3.1.5.0 Show Reports	
3.1.5.1 Select Report	
3.1.6.0 Show Customer Profile	
3.1.6.1 Select Profile	
3.1.6.1.1 Show Customer Profile	
3.1.6.1.2 Ban Customer	
3.1.7.0 Show Store Managers	
3.1.7.1 Select Profile	
3.1.7.1.1 Ban	
3.1.7.1.2 Update	
3.1.7.1.3 Show	
3.1.7.1.4 Remove	
3.1.8.0 Update Store Page	
3.1.8.1 Items	
3.1.8.2 Store Status	
3.1.8.3 item Price	
3.1.8.1.1 Create	
3.1.8.1.2 Toggle	
3.1.8.1.3 Remove	
3.1.8.1.1.1 Item Details	
3.1.8.1.1.2 Items Availability	
3.1.9.0 Remove Store Page	

- 3.1.10.0 Validate Order
- 3.1.10.1 Validate Order [Reject]
- 3.1.10.2 Validate Order [Report]
- 3.1.10.3 Validate Order [Accept]
- 3.1.11.0 Update Order
- 3.1.11.1 Order [Update Information]
- 3.1.11.2 Update Order [Cancel]

3.2 Non-Functional Requirements

- 3.2.1 Performance Requirements
- 3.2.2 Safety Requirements
- 3.2.3 Security
- 3.2.4 Software Quality Attributes
- 3.2.5 Business Rules

1.0 Introduction

1.1 Purpose


This document outlines the requirements for developing an online food ordering and delivery platform, which allows users to browse the menus of partner establishments and place orders based on their preferences.

1.2 Overview of Document

The document includes the general description of the system, the functional and non-functional requirements, the data description, and the user documentation. Each section provides detailed specifications for the implementation of the platform.

1.3 Operating Environment

General User Diagram




The P.A.D.A. (Pastry And Delicious Aliments) system has three active roles (actors) that connect to the platform as regular users. The Customer, the Order Manager, and the Admin. The interaction of all three roles with the central service (P.A.D.A. Service) requires authentication (Log in / Log out) in order to gain access to the corresponding management or shopping environment.

2.0 Use Cases


2.1 Customer

Customer Use Case Diagram




2.2 Admin

Admin Use Case Diagram



2.3 Store Manager

Store Manager Use Case Diagram



3.0 Requirements Specification

3.1 Functional Requirements

Customer Use Cases

3.1.1.0 Store Recommendation

Use Case Name	Store Recommendation
Actor	Customer
Trigger	Customer chooses to see recommended stores on the home page
Precondition	Customer has opened the website
Basic Path	1. Customer navigates to the suggestions section 2. The Customer chooses the store according to his preferences
Alternative Paths	1. The Customer can rate the stores 2. Customer can write comment/review about the store
Postcondition	The Customer sees the suggested stores on their screen
Exceptions Paths	Proposal Failure to Load

3.1.1.1 Star rating

Use Case Name	Star rating
Actor	Customer
Trigger	Customer wants to rate a store
Precondition	The store has reviews
Basic Path	1. The Customer enters the rating system 2. Customer choose stars for rating 3. Confirms the evaluation
Alternative Paths	-
Postcondition	The score is successfully displayed on the screen

Exceptions Paths	Failure to evaluate
-------------------------	---------------------

3.1.1.2 Comments

Use Case Name	Comments
Actor	Customer
Trigger	Customer wants to leave a review for a store
Precondition	The store has reviews
Basic Path	1. The Customer enters the rating system 2. The Customer writes their review 3. Confirms the evaluation
Alternative Paths	-
Postcondition	The comment is successfully displayed on the screen
Exceptions Paths	Failure to evaluate

3.1.2.0 Browse Stores

Use Case Name	Browse stores
Actor	Customer
Trigger	The Customer chooses to browse the available stores
Precondition	The Customer has logged in to the application
Basic Path	1. Customer navigates the app 2. The system displays the list of all available stores
Alternative Paths	Customer selects a specific store from the list
Postcondition	The list of stores is displayed
Exceptions Paths	Failed to load list of stores

3.1.2.1 Select Store

Use Case Name	Select Store
Actor	Customer
Trigger	The Customer chooses the store of their choice
Precondition	The Customer is browsing the list of stores
Basic Path	1. The Customer chooses a store 2. The system displays the menu of the specific store
Alternative Paths	The Customer decides to add products to their cart
Postcondition	The store menu is displayed
Exceptions Paths	Failed to load store menu

3.1.2.2 Add item(s) to cart

Use Case Name	Add item(s) to cart
Actor	Customer
Trigger	Customer chooses to buy a product
Precondition	The Customer has chosen the store for his purchases
Basic Path	1. The Customer chooses the product he wants 2. Choose quantity 3. Selects "add to cart" 4. The system updates the temporary shopping cart
Alternative Paths	The Customer proceeds to check the validity of the order
Postcondition	Product has been added to cart
Exceptions Paths	Failed to add product to cart

3.1.2.3 Check Validation

Use Case Name	Check Validation
Actor	Customer
Trigger	The Customer has completed their order
Precondition	The Customer has added products to his cart

Basic Path	1. The Customer completes their order 2. The system checks the availability of products in the store 3. The system confirms that the data is valid 4. The system displays a relevant confirmation message
Alternative Paths	Finalizing an order
Postcondition	The order is in the process of being completed
Exceptions Paths	If a product is out of stock, the system displays a message and removes the product from the cart

3.1.2.4 Order Confirmation

Use Case Name	Order Confirmation
Actor	Customer
Trigger	Customer wants to complete the order
Precondition	Confirming details
Basic Path	1. The system displays the overall summary of the order 2. Customer confirms the order 3. The system saves the order in the database and sends a notification to the store
Alternative Paths	-
Postcondition	A success message is displayed for the order
Exceptions Paths	No success message is displayed for the order

3.1.2.5 Customer Details

Use Case Name	Customer Details
Actor	Customer
Trigger	Customer wants to view or edit their details
Precondition	Purchase confirmed
Basic Path	1. The system asks the Customer to fill in or confirm their details 2. Customer enters/confirmes the details
Alternative Paths	If the Customer has a discount code, they enter it

Postcondition	A confirmation message is displayed
Exceptions Paths	Error in filling in data

3.1.2.5.1 Discount

Use Case Name	Discount
Actor	Customer
Trigger	Customer chooses to use a discount
Precondition	Order ready
Basic Path	1. Customer enters the discount coupon code 2. The system checks the validity of the code 3. The discount on the final amount is applied
Alternative Paths	-
Postcondition	A discount has been applied to the final amount
Exceptions Paths	Incorrect or expired code

3.1.3.0 Update Order

Use Case Name	Update order
Actor	Customer
Trigger	Customer chooses to modify an active order
Precondition	There is already a registered order that has not started to be prepared
Basic Path	1. Customer selects their current order 2. The system displays the available change options
Alternative Paths	1. Cancel the order 2. Change of items or products
Postcondition	Complete Order Modification
Exceptions Paths	Failing changes and displaying a relevant message

3.1.3.1 Cancel

Use Case Name	Cancel
Actor	Customer
Trigger	The Customer wants to cancel the order
Precondition	Processing a registered order
Basic Path	1. The Customer cancels the order 2. The system changes the status of the order and cancels it
Alternative Paths	-
Postcondition	The order is canceled and the products are released
Exceptions Paths	The order cannot be canceled

3.1.3.2 Update Information

Use Case Name	Update Information
Actor	Customer
Trigger	Customer wants to change order details
Precondition	Edit a placed order
Basic Path	1. Customer modifies the order details 2. The system checks if the change is possible and saves the new details
Alternative Paths	-
Postcondition	Order details have been changed
Exceptions Paths	Changes failed

Admin Use Cases

3.1.4.0 Create Store Manager

Use Case Name	Create Store Manager
Actor	Admin
Xref	-

Trigger	Admin selects the option to create a new Store Manager account.
Precondition	The Admin is authenticated and has access to the StoreManager management module.
Basic Path	1. Admin selects the Create Store Manager option. 2. System displays the Store Manager creation form. 3. Admin enters the required Store Manager information. 4. Admin submits the form. 5. System validates the entered information. 6. System creates the Store Manager account. 7. System displays a success message and proceeds to Store Manager confirmation.
Alternative Paths	1. If validation fails, the system highlights invalid or missing fields. 2. Admin corrects the information and resubmits the form.
Exceptions Paths	The Admin may cancel the creation process at any time.

3.1.4.1 Store Manager Confirmation

Use Case Name	Store Manager Confirmation
Actor	Admin
Xref	Use Case 4.0 — Create Store Manager
Trigger	The system successfully creates a Store Manager account
Precondition	A Store Manager account has been successfully created.
Basic Path	1. System displays the newly created Store Manager information. 2. System displays a confirmation message indicating successful account creation. 3. Admin reviews the displayed information. 4. Admin proceeds to store assignment or Store Details. 5. Admin Confirms and Saves the Store Details .
Alternative Paths	-
Exceptions Paths	If the Store Manager account cannot be confirmed, the system displays an error message and returns the Admin to the Create Store Manager form.

3.1.5.0 Show Reports

Use Case Name	Show Reports
Actor	Admin
Xref	-
Trigger	Admin accesses the Reports menu.
Precondition	The Admin navigates to the Reports menu and system displays all available reports sorted alphabetically or by creation date.
Basic Path	1. Admin opens the Reports menu. 2. System displays all available reports. 3. Admin may apply filters or search criteria to narrow the displayed reports. 4. System refreshes and displays the filtered list of reports. 5. Admin may modify the filters, returning to Step 3.
Alternative Paths	-
Exceptions Paths	The Admin may cancel the creation process at any time.

3.1.5.1 Select Report

Use Case Name	Select Report
Actor	Admin
Xref	Use Case 5.0 — Show Reports
Trigger	Admin selects a report from the Reports list.
Precondition	The system displays all or a filtered section of reports.
Basic Path	1. Admin selects a report. 2. System displays the selected report summary. 3. Admin chooses to view the report details(Include Data 5.2 — Report Details).
Alternative Paths	-
Exceptions Paths	The Admin may cancel the process at any time, returning to the Show Reports menu (Use Case 5.0 — Show Reports).

3.1.6.0 Show Customer Profile

Use Case Name	Show Customer Profile
Actor	Admin
Xref	-
Trigger	Admin accesses the Customer Profiles menu.
Precondition	The Admin navigates to the Customer Profiles menu and system displays all customer profiles sorted alphabetically
Basic Path	1. Admin opens the Customer Profiles menu. 2. System displays all customer profiles sorted alphabetically. 3. Admin may apply one or more filters to narrow the displayed results. 4. System refreshes and displays the filtered list of customer profiles. 5. Admin may modify the filters, returning to Step 3.
Alternative Paths	-
Exceptions Paths	The Admin may abandon the search process at any time.

3.1.6.1 Select Profile

Use Case Name	Select Profile
Actor	Admin
Xref	Use Case 6.0 — Show Customer Profiles
Trigger	Admin accesses the Customer Profiles menu.
Precondition	The system displays all or a filtered section of customer profiles.
Basic Path	1. Admin selects a customer profile. 2. System displays the available actions for the selected customer profile. 3. Available actions include Show and Ban.
Alternative Paths	-
Exceptions Paths	The Admin may cancel the process at any time, returning to the Show Customer Profiles menu (Use Case 6.0 — Show Customer Profiles).

3.1.6.1.1 Show Customer Profile

Use Case Name	Show Customer Profile
Actor	Admin
Xref	Use Case 6.1 — Select Profile
Trigger	Admin selects the Show option for a customer profile.
Precondition	A customer profile has been selected.
Basic Path	1. Admin selects the Show option. 2. System displays the complete customer profile information. 3. Admin reviews the displayed information.
Alternative Paths	-
Exceptions Paths	The Admin may exit the details view at any time, returning to the Select Profile menu (Use Case 6.1 — Select Profile).

3.1.6.1.2 Ban Customer

Use Case Name	Ban Customer
Actor	Admin
Xref	Use Case 6.1 — Select Profile
Trigger	Admin selects the Ban option for a customer profile.
Precondition	A customer profile has been selected.
Basic Path	1. System requests ban details. 2. Admin gives a description, ban duration and ban type. 3. System displays a confirmation request. 4. Admin confirms the ban. 5. System applies the ban and displays a success message.
Alternative Paths	1. Admin may select a temporary or permanent ban duration. 2. Admin may revoke an existing ban by following the same process and selecting a duration value of 0.
Exceptions Paths	The Admin may cancel the process at any time, returning to the Select Profile menu (Use Case 6.1 - Select Profile).

3.1.7.0 Show Store Managers

Use Case Name	Show Store Managers
Actor	Admin
Xref	-
Trigger	Admin accesses Store Manager Menu
Precondition	The Admin navigates to the Store Manager menu and the system displays all Store Managers sorted alphabetically.
Basic Path	1. Admin opens the Store Manager Menu by default it shows all Store Managers Sorted alphabetically. 2. (Optional) Admin may apply one or more filters to narrow the displayed results. 3. (Required by step 2) System refreshes and displays the filtered list of Store Managers. 4. (Optional) Admin may modify the filters, returning to Step 3.
Alternative Paths	-
Exceptions Paths	The Admin may abandon the search process at any time.

3.1.7.1 Select Profile

Use Case Name	Select Profile
Actor	Admin
Xref	Use Case 7.0 — Show Store Managers
Trigger	Admin selects a Store Manager from the Store Managers list.
Precondition	The system displays all or a filtered section of Store Managers.
Basic Path	1. Admin selects a Store Manager profile. 2. System displays the available actions for the selected Store Manager. 3. Available actions include Ban, Update, Show, and Remove.
Alternative Paths	-
Exceptions Paths	The Admin may cancel the process at any time, returning to the Show Store Managers menu (Use Case 7.0 — Show Store Managers).

3.1.7.1.1 Ban

Use Case Name	Ban
Actor	Admin
Xref	Use Case 7.1 — Select Profile
Trigger	Admin selects the Ban option for a Store Manager profile
Precondition	A Store Manager profile has been selected.
Basic Path	1. System requests ban details. 2. Admin gives a description, ban duration and ban type. 3. System displays a confirmation request. 4. Admin confirms the ban. 5. System applies the ban and displays a success message.
Alternative Paths	1. Admin may select a temporary or permanent ban duration. 2. Admin may revoke an existing ban by following the same process and selecting a duration value of 0.
Exceptions Paths	The Admin may cancel the process at any time, returning to the Select Profile menu (Use Case 7.1 - Select Profile).

3.1.7.1.2 Update

Use Case Name	Update
Actor	Admin
Xref	Use Case 7.1 — Select Profile
Trigger	Admin selects the Update option for a Store Manager profile.
Precondition	A Store Manager profile has been selected.
Basic Path	1. System displays the selected Store Manager's current information. 2. Admin modifies one or more profile fields. 3. System validates the entered information. 4. System displays a confirmation request 5. Admin confirms the update. 6. System saves the updated Store Manager information and displays a success message.

Alternative Paths	1. If validation fails, the system highlights invalid or missing fields. 2. Admin corrects the information and resubmits the update.
Exceptions Paths	The Admin may cancel the update process at any time, returning to the Select Profile menu (Use Case 7.1 - Select Profile).

3.1.7.1.3 Show

Use Case Name	Show
Actor	Admin
Xref	Use Case 7.1 — Select Profile
Trigger	Admin selects the Show option for a Store Manager profile.
Precondition	A Store Manager profile has been selected.
Basic Path	1. Admin selects the Show option. 2. System displays the complete Store Manager profile information. 3. Admin reviews the displayed information.
Alternative Paths	-
Exceptions Paths	The Admin may exit the details view at any time, returnig to the Select Profile menu (Use Case 7.1 - Select Profile)

3.1.7.1.4 Remove

Use Case Name	Remove
Actor	Admin
Xref	Use Case 7.1 — Select Profile
Trigger	Admin selects the Remove option for a Store Manager profile.
Precondition	A Store Manager profile has been selected.
Basic Path	1. System displays a confirmation request for the removal action. 2. Admin confirms the removal request. 3. System removes the selected Store Manager profile. 4. System displays a success message and refreshes the 5. - Store Managers list

Alternative Paths	-
Exceptions Paths	The Admin may cancel the process at any time, returning to the Select Profile menu (Use Case 7.1 - Select Profile).

Store Manager Use Cases

3.1.8.0 Update Store Page

Use Case Name	Update store page
Actor	Store Manager
Trigger	The Store Manager decides to update the data, status or items of the store page.
Precondition	1. The Store Manager has successfully logged in to the system. 2. The store already exists in the system.
Basic Path	1. Store Manager selects the "Update store page" action. 2. The system displays the current store page information. 3. The Store Manager chooses what he wants to update: items, store status, item price. 4. The Store Manager makes the changes. 5. The system checks the validity of the data after the change. 7. The system saves the changes and updates the database 8. A successful update message is displayed.
Alternative Paths	-
Postcondition	1. Changes to the store page, products, prices or status are permanently stored in the system. 2. The store page is updated immediately and is visible to customers with the new information.
Exceptions Paths	1. Data Validation Failure: If some item elements are incorrect or empty the system displays an error message and the changes are not saved. 2. If the Store Manager does not have permissions, i.e. unsuccessful login, a relevant message appears, e.g. "Access Denied".

3.1.8.1 Items

Use Case Name	Items (Product Management)
Actor	Store Manager
Trigger	The Store Manager selects the product section.
Precondition	1. Store Manager is connected to the system. 2. Store Manager is located in the store management environment.
Basic Path	1. The Store Manager selects the Items menu. 2. The system retrieves from the database and displays the list of all registered products in the store. 3. For each product, basic information (Name, price, availability) is displayed. 4. Store Manager checks the information. 5. The system displays the available options. 6. The Store Manager chooses whether to make a change. 7. The system updates the items list. 8. A relevant message appears.
Alternative Paths	-
Postcondition	The store's product catalog is updated in the database (new additions, availability changes, or deletions).
Exceptions Paths	1. If some fields are empty or invalid, the system displays an error message and the item is not saved during create. 2. If saving a change to the database fails then the system displays a message and the changes are not completed.

3.1.8.2 Store Status

Use Case Name	Store Status
Actor	Store Manager
Trigger	The Store Manager wants to change the status of the store
Precondition	1. Store Manager is logged in. 2. The store exists in the system.
Basic Path	1. The Store Manager opens the store page. 2. Select Store Status. 3. The system displays the current status. 4. The Store Manager selects a new status, i.e. closed or open. 5. The system saves the change. 6. A relevant message appears.

Alternative Paths	In step 4, the Store Manager temporarily sets the store as unavailable, i.e. that it temporarily does not accept orders.
Postcondition	Store status has been updated.
Exceptions Paths	If the system does not save the change, an error message is displayed and the status remains the same.

3.1.8.3 item Price

Use Case Name	Item Price
Actor	Store Manager
Trigger	The Store Manager chooses to change the price of an item.
Precondition	1. Store Manager is logged in. 2. The item exists in the system.
Basic Path	1. The Store Manager opens the items list. 2. Selects an item. 3. Selects the value field and enters the new value. 4. The system saves the change and updates the database. 5. A relevant message appears.
Alternative Paths	Store Manager enters a discounted price for a quote.
Postcondition	The price of the item has been updated and customers see the new price.
Exceptions Paths	If the value is negative or empty, an error message is displayed and the change does not occur.

3.1.8.1.1 Create

Use Case Name	Create
Actor	Store Manager
Trigger	The Store Manager wants to add a brand new product to the store's catalog.
Precondition	The Store Manager is already at the point of product management (8.1 Items).
Basic Path	1. Store Manager selects Create Item 2. Store Manager fills in: Name, price, availability. 3. Presses save. 4. The system stores the item. 5. A relevant message appears.

Alternative Paths	In step 3, the Store Manager finally clicks cancel and the item is not created.
Postcondition	The new item has been added to the items list.
Exceptions Paths	If items are missing, an error message is displayed and the item is not saved.

3.1.8.1.2 Toggle

Use Case Name	Toggle (Change Product Status)
Actor	Store Manager
Trigger	The manager wants to hide or show a product.
Precondition	1. The item exists in the system. 2. The Store Manager is already at the point of product management (8.1 Items).
Basic Path	1. The Store Manager selects an item. 2. Selects Toggle Availability. 3. The system changes the state and saves the change. 4. A relevant message appears.
Alternative Paths	In step 1, the Store Manager changes availability to more than one item.
Postcondition	The availability of the item has been updated.
Exceptions Paths	If there is a storage problem, an error message is displayed

3.1.8.1.3 Remove

Use Case Name	Remove
Actor	Store Manager
Trigger	The Store Manager chooses to remove a product.
Precondition	1. The item exists in the system. 2. The Store Manager is already at the point of product management (8.1 Items).
Basic Path	1. Store Manager selects item. 2. Select Remove item. 3. The system asks for confirmation. 4. Store Manager confirms. 5. The system deletes the item. 6. A relevant message appears.

Alternative Paths	Store Manager cancels the deletion and the item remains in the list.
Postcondition	The item has been removed from the list.
Exceptions Paths	If there is a deletion problem, an error message is displayed.

3.1.8.1.1.1 Item Details

Use Case Name	Item Details
Actor	Store Manager
Trigger	Store Manager imports or edits item items.
Precondition	The manager has opened the Create form.
Basic Path	1. Store Manager opens the item form. 2. Fills in: Name, price, availability. 3. Presses save. 4. The system stores the data. 5. A relevant message appears.
Alternative Paths	-
Postcondition	The items of the item have been saved.
Exceptions Paths	If items are missing, an error message is displayed.

3.1.8.1.1.2 Items Availability

Use Case Name	Items Availability
Actor	Store Manager
Trigger	The Store Manager toggles an item to change its status.
Precondition	The item exists or is created.
Basic Path	1. Store Manager opens the item form. 2. Select availability. 3. Presses save. 4. The system saves the status. 5. A relevant message appears.
Alternative Paths	-
Postcondition	The item's availability status has been updated.

Exceptions Paths	If there is a storage problem, an error message is displayed
-------------------------	--

3.1.9.0 Remove Store Page

Use Case Name	Remove Store Page
Actor	Store Manager
Trigger	Store Manager chooses to remove the store page.
Precondition	1. Store Manager is logged in. 2. The store page exists.
Basic Path	1. Store Manager opens the store page. 2. Select Remove Store Page. 3. The system asks for confirmation. 4. Store Manager confirms. 5. The system deletes the store page. 6. A relevant message appears.
Alternative Paths	Store Manager cancels the deletion.
Postcondition	The store page has been removed from the system.
Exceptions Paths	If there is a deletion problem, an error message is displayed.

3.1.10.0 Validate Order

Use Case Name	Validate Order
Actor	Store Manager
Trigger	The customer submitted an order with the instructions field filled out, and the system flagged it.
Precondition	-
Basic Path	1. The system sends the flagged order to the Store Manager. 2. The order appears as an option in the Store Manager Panel. 3. The Store Manager clicks on the order box. 4. The system displays the order details. 5. The Store Manager reviews whether it is valid or not. 6. The Store Manager rejects it. 7. The Store Manager reports it. 8. The Store Manager accepts it.
Alternative Paths	1. The system sends the flagged order to the Store Manager.

	2. The order appears as an option in the Store Manager Panel. 3. The Store Manager has the automated review feature enabled. 4. The automated system rejects it. 5. The automated system reports it. 6. The automated system accepts it
Postcondition	The order has been Accepted / Rejected / Reported to the website.
Exceptions Paths	The system cancels the order after 1 minute if no Store Manager is available.

3.1.10.1 Validate Order [Reject]

Use Case Name	Validate Order [Reject]
Actor	Store Manager
Trigger	The Store Manager clicked "Reject"
Precondition	An order is selected.
Basic Path	1. The system does not send the order to the store. 2. The system displays on the customer's screen that their order was not accepted. 3. The order is removed from the Store Manager Menu. 4. A message appears on the customer's screen regarding the cancellation of their order. 5. A message appears on the Store Manager Panel confirming that the cancellation was successful.
Alternative Paths	1. The system does not send the order to the store. 2. The system displays on the customer's screen that their order was not accepted. 3. The system refunds the money to the customer who paid by card. 4. The order is removed from the Store Manager Menu. 5. A message appears on the customer's screen regarding the cancellation of their order. 6. A message appears on the Store Manager Panel confirming that the cancellation was successful.
Postcondition	The order does not proceed to the store, and the customer has received their refund.
Exceptions Paths	The Store Manager might not click the "Reject" button.

3.1.10.2 Validate Order [Report]

Use Case Name	Validate Order [Report]
----------------------	-------------------------

Actor	Store Manager
Trigger	The Store Manager clicked "Report".
Precondition	An order is selected.
Basic Path	1. The system does not send the order to the store. 2. The system displays on the customer's screen that their order has been reported to the Admins. 3. The order is removed from the Store Manager Menu. 4. A message appears on the customer's screen stating that their order has been reported to the Admins. 5. A message appears on the Store Manager Panel confirming that the report was successful.
Alternative Paths	1. The system does not send the order to the store. 2. The system displays on the customer's screen that their order has been reported to the Admins. 3. The system refunds the money to the customer who paid by card. 4. The order is removed from the Store Manager Menu. 5. A message appears on the customer's screen stating that their order has been reported to the Admins. 6. A message appears on the Store Manager Panel confirming that the report was successful.
Postcondition	The order does not proceed to the store, the customer has received their refund, and an Admin must review the reported order and account.
Exceptions Paths	The Store Manager might not click the "Report" button.

3.1.10.3 Validate Order [Accept]

Use Case Name	Validate Order [Accept]
Actor	Store Manager
Trigger	The Store Manager clicked "Accept".
Precondition	An order is selected.
Basic Path	1. The system sends the order to the store. 2. The system displays the estimated pickup/delivery time. 3. The order is removed from the Store Manager Menu. 4. A message appears on the customer's screen regarding the acceptance of the order. 5. A message appears on the Store Manager Panel confirming that the acceptance was successful.
Alternative Paths	-

Postcondition	The order does not proceed to the store, the customer has received their refund, and an Admin must review the reported order and account.
Exceptions Paths	The Store Manager might not click the "Accept" button.

3.1.11.0 Update Order

Use Case Name	Update Order
Actor	Store Manager
Trigger	The customer submitted an order modification request.
Precondition	The referenced order exists.
Basic Path	1. The system sends the request to the Store Manager and displays it in the Store Manager Menu. 2. The Store Manager reviews the modifications. 3. The Store Manager performs "Update Information". 4. The Store Manager performs "Cancel".
Alternative Paths	1. The Store Manager enables the automated review feature. 2. The automated system performs "Update Information". 3. The automated system performs "Cancel".
Postcondition	The order has either been updated or cancelled.
Exceptions Paths	The order is updated or cancelled automatically without review if no Store Manager is available for 2 minutes.

3.1.11.1 Order [Update Information]

Use Case Name	Order [Update Information]
Actor	Store Manager
Trigger	The customer submitted an order modification request.
Precondition	The referenced order exists.
Basic Path	1. Modification of the order data based on the provided information. 2. Notification to the store regarding the order modification. 3. Display on the customer's screen confirming the successful update of the order.
Alternative Paths	-
Postcondition	The order has been updated.

Exceptions Paths	The Store Manager might not click the "Update Information" button.
-------------------------	--

3.1.11.2 Update Order [Cancel]

Use Case Name	Update Order [Cancel]
Actor	Store Manager
Trigger	The customer submitted an order modification request.
Precondition	The referenced order exists.
Basic Path	1. The system notifies the store that the order has been cancelled. 2. The system notifies the customer that the cancellation was successful. 3. A message appears on the Store Manager Panel confirming that the cancellation was successful.
Alternative Paths	1. The system notifies the store that the order has been cancelled. 2. The system notifies the customer that the cancellation was successful. 3. The system refunds the money to the customer who paid by card. 4. A message appears on the Store Manager Panel confirming that the cancellation was successful.
Postcondition	The order has been successfully cancelled, and the customer's money has been refunded if they paid by card.
Exceptions Paths	The Store Manager might not click the "Cancel" button.

3.2 Non-Functional Requirements

3.2.1 Performance Requirements

The performance should be as fast and as responsive to the user's needs as possible. This means that delays should be non-existent, excluding 2 very specific scenarios: Sending an order with the instructions field filled and updating an order after it was submitted.

3.2.2 Safety Requirements

Regarding user data safety, ALL data will be backed up into a different database completely disconnected from the main one. Both of the databases will contain encrypted user data to protect user's privacy.

Regarding store safety, ALL stores will have at least 1 store manager to help moderate orders with instruction and all store manager will be able to directly communicate with admins.

3.2.3 Security

As stated above in the Safety Requirements, ALL user data will be encrypted and stored in 2 databases (1 normal and 1 back up).

Account data will be protected by a simple email and password log in with the ability to have 2FA if the user wants it.

3.2.4 Software Quality Attributes

The website should be online almost 99% of the time, with that 1% being for maintenace.

The website will be as lightweight as the user desires, having features that are resource intensive, like animations, be turned off, either automatically when the site detects a user with a lower end device, or manually by the user themselves.

3.2.5 Business Rules

NEVER sell user data.

User satisfaction is far more important.

User data MUST be protected at all costs

User privacy is TOP priority