



Lodging a complete job

A complete lodgement is the single biggest thing that speeds a job up. Guidance note 07 in the portal has the detail; this card is the checklist.

EVERY JOB, EVERY TIME

- ✓ **Site plan** — the whole lot, the new structure dimensioned to boundaries, north point, and existing buildings shown. (The #1 reason jobs bounce — see note 01.)
- ✓ **Elevations** — every relevant face, with heights and boundary relationships dimensioned. (Note 05.)
- ✓ **Engineering** — signed and dated structural certification matching the drawings, with the site wind class stated. (Note 02.)
- ✓ **PDFs only**, up to 40 MB per lodgement — bigger sets, email the office first.
- ✓ **Pick the structures on the form** — the description writes itself; saved engineering can be ticked from **My Documents**. Repeating a past job? **Lodge Similar** carries it across.

THEN ADD, BY JOB TYPE

Patio · carport (Class 10a)

- ✓ Connection details to the dwelling (if attached)
- ✓ Fire separation shown if within 900 mm of a boundary
- ✓ BAL rating evidence if bushfire prone — the form asks for it before lodgement

Shed · garage (Class 10a)

- ✓ Slab/footing detail
- ✓ Wind class on the engineering matching the site
- ✓ Boundary setbacks dimensioned (or on-boundary noted)
- ✓ New BAL report if bushfire prone and the house is 2016+ (older: exempt)

Pool · spa + barrier (Class 10b)

- ✓ Barrier line marked on the site plan
- ✓ Gate positions and swing direction
- ✓ Non-climbable zones achievable — fence heights shown
- ✓ Pool + barrier engineering/specification

Retaining wall (Class 10b)

- ✓ Levels both sides of the wall
- ✓ Drainage behind the wall shown
- ✓ Engineering for the retained height
- ✓ Distance to boundaries and structures (Note 04.)

BEFORE YOU PRESS LODGE

- Is the address exactly right — including lot number and suburb?
- Do the drawings, engineering and address all refer to the **same** job and revision?
- Bushfire prone? The form checks the map. A pre-2016 house is exempt; from 2016 a shed needs its own new report, a patio/carport the rating evidence — the form won't lodge without it. Reports come from an accredited bushfire assessor, not us.
- Strata? The form asks Yes or No — a Yes makes the strata plan a required upload.
- Does the design meet R-Codes setbacks, or do you have planning approval? A compliant certificate still stalls at the council if planning isn't settled.

Not sure something's needed? Lodge with a note in the "Notes for CFBA" box — it goes straight to the assessing surveyor — or message us on any job. Asking first is always faster than a bounced application.

