doi:xx.xxxx/xxxxx

Quarto Title for the APSR

AUTHOR ONE An Organization AUTHOR TWO Affiliation B AUTHOR THREE A Third Organization

his document is a template demonstrating the APSR format. Make sure it is long enough to work with the automatic dropcap. That means you need at least three lines worth of text. That is a lot of text for this example, but the APSR allows 150 words in the abstract at the time of writing this example.

Word Count: 733

INTRODUCTION

hanks for using Quarto to write your article. This Quarto template is unofficial and based on Overleaf's APSR template. Your introduction goes here! Do make sure the first paragraph here is at least three lines long, to accommodate the dropped-cap. Some examples of commonly used commands and features are listed below, to help you get started.

Since we are in Quarto, you can cite with an @ symbol, like Knuth and Bibby (1984). As seen Author One is PhD Candidate, ABC Department,

Affiliation A, 12345 NY. (a.1@example.edu)

Author Two is Assistant Professor, Faculty of Z, Affiliation B, 42813. Corresponding Author (a.2@acme.edu) Additional notes about Author Two. Author Three is . . .

This is a manuscript submitted for review.

below, you can mix markdown and Latex with each other, though it's likely best to mostly use markdown.

Use section (#) and subsection (##) commands to organize your document. LATEX and Quarto handle all the formatting and numbering automatically. Use the @ commands for cross-references.

WORD COUNT

This template uses a wordcount lua filter from https://github.com/christopherkenny/wordcount. To include the word count including references, set word-count: {{wordcountref}}. To remove references from the word count, set word-count: {{wordcount}}.

FIGURES AND TABLES

Beware: this template has a special first page style. Like many such templates, it behaves very poorly if it tries to place a figure on the first page of the outputted PDF. To avoid this problem, ensure that you have filled out at least some introductory paragraphs and the abstract before trying to render images immediately at the start of the paper. You may find the lorem R package useful for generating placeholder text if you are experiencing this issue at the start of writing.

Use the table and tabular commands for basic tables — see **?@tbl-widgets**, for example. TablesGenerator.com is a handy tool for designing tables and generating the LaTeX code, which you can copy and paste into your article here.


Table 1. An example table		
Item	Quantity	
Widgets	42	
Gadgets	13	
Note: This is a note for	this table.	

To include it in your document, use the graphicx package and the \includegraphics command as in the code for ?@fig-view.

You can also include figures using Quarto syntax. Finally, you can also create figures using R, like in Figure 3:

Image

Note: This is a note for this figure.



Notes can be added to the bottom of figures and tables using the \floatnote command.

Tables can also be made using common table-making packages, like kableExtra, as in Table 3. Though formatting may be more finicky. There is not currently a way to change the underlying environment to a table* environment within Quarto for these types of chunks.

For wide, double-column figures and tables, use

Speed (mph)	Driver	Car	Engine	Date
407.447	Craig Breedlove	Spirit of America	GE J47	8/5/63
413.199	Tom Green	Wingfoot Express	WE J46	10/2/64
434.22	Art Arfons	Green Monster	GE J79	10/5/64
468.719	Craig Breedlove	Spirit of America	GE J79	10/13/64
526.277	Craig Breedlove	Spirit of America	GE J79	10/15/65
536.712	Art Arfons	Green Monster	GE J79	10/27/65
555.127	Craig Breedlove	Spirit of America, Sonic 1	GE J79	11/2/65
576.553	Art Arfons	Green Monster	GE J79	11/7/65
600.601	Craig Breedlove	Spirit of America, Sonic 1	GE J79	11/15/65
622.407	Gary Gabelich	Blue Flame	Rocket	10/23/70
633.468	Richard Noble	Thrust 2	RR RG 146	10/4/83
763.035	Andy Green	Thrust SSC	RR Spey	10/15/97

Figure 3. Example figure from R.

factor(cyl)

4
5
6
8
8

Table 3. Example R table.						
	mpg	cyl	disp			
Mazda RX4	21.0	6	160			
Mazda RX4 Wag	21.0	6	160			
Datsun 710	22.8	4	108			
Hornet 4 Drive	21.4	6	258			
Hornet Sportabout	18.7	8	360			
Valiant	18.1	6	225			

the figure* (Figure ??) or table* (?@tbl-wide) starred environments. Landscaped figures and tables can be obtained using the sidewaysfigure and sidewaysfigure commands from the rotating package. Alternatively, you can use the landscape environment from the pdflscape package.

Multi-page tables can be created using the longtable and supertabular packages, though note that longtables cannot be used in two-column documents.¹

Currently table, table*, figure, figure*, longtable, supertabular, sidewaystable and sidewaysfigure will be automatically framed.

If you are using a custom figure or table

¹This is an example footnote.

environment from a package (e.g.~a MyFigure environment) and it's not getting framed, add \makeframedenv{MyFigure} in the preamble.

Lists and Quotations

You can make lists with automatic numbering . . .

- 1. Like this,
- 2. and like this.

... or bullet points ...

- Like this,
- and like this.

An example long quotation:

This is a sample quotation text. This is a sample quotation text. This is a sample quotation text.

CITATIONS

Quarto formats citations and references automatically using the bibliography records in your .bib file. For a citation in parentheses use (Greenwade 1993) and for a text citation: Greenwade (1993). Multiple citations can be given as (Greenwade

1993; Knuth and Bibby 1984). Drop the author like so (1993).

If your manuscript is accepted, the APSR production team will re-format the references for publication. It is not necessary to format the reference list yourself to mirror the final published form.

MATHEMATICS

Let X_1, X_2, \ldots, X_n be a sequence of independent and identically distributed random variables with $\mathrm{E}[X_i] = \mu$ and $\mathrm{Var}[X_i] = \sigma^2 < \infty$, and let

$$S_n = \frac{X_1 + X_2 + \dots + X_n}{n} = \frac{1}{n} \sum_{i=1}^{n} X_i \quad (1)$$

denote their mean. Then as n approaches infinity, the random variables $\sqrt{n}(S_n - \mu)$ converge in distribution to a normal $\mathcal{N}(0, \sigma^2)$.

WIDE FIGURES

To include the widest of figures, set the fig-env to figure* in a Quarto chunk, just as you would set the environment to figure* in LaTeX. For some figures, you may also need to tell it to have out-width: 100% if the figure is naturally smaller than the width of the page.





(Original size: 320×180 bp)

Finally, you can include tex tables from other files as usual.

Table 4. Panel Linear	Model of the	Full Sample	of Data to S	how Long Tables	S	
	Dependent variable: $log(DependentVariable_{t-1} + 1)$					
	(1)	(2)	(3)	(4)		
Variable q	-0.512	-0.674	-0.421 (0.517)	-0.374		
Variable 2	(0.510) 1.108***	(0.525) 0.798***	0.784***	(0.537) 0.703**		
Variable 3	(0.288) 0.200	(0.283) 0.202	(0.275) 0.304**	(0.288) 0.285**		
	(0.138)	(0.139)	(0.139)	(0.138)		
Variable 4		-0.766*** (0.254)	-1.036*** (0.255)	-0.982*** (0.251)		
Variable 5		0.120	0.232*	0.260*		
Variable 6		(0.127) 0.341***	(0.134) 0.395***	(0.138) 0.357***		
Variable 7		(0.071)	(0.072) 0.232***	(0.072) 0.189***		
Variable 8			(0.034) 0.253***	(0.036) 0.206***		
Variable 9			(0.037) 0.060***	(0.042) 0.051***		
variable 9			(0.008)	(0.009)		
Variable 10			-0.018*** (0.007)	-0.012*		
Variable 11			(0.007)	(0.007) 0.329***		
Variable 12				(0.125) -0.320***		
Variable 13				(0.062) -0.124***		
Variable 14				(0.031) -0.060		
Variable 15				(0.057) 0.340***		
Variable 16				(0.055) -0.123***		
Variable 17	0.0002	0.001	-0.001	(0.033) -0.0003		
	(0.001)	(0.001)	(0.001)	(0.001)		
Variable 18	0.006*** (0.001)	0.005*** (0.001)	0.012*** (0.001)	0.011*** (0.001)		
Variable 19	-0.129*** (0.032)	-0.123*** (0.032)	-0.039 (0.034)	-0.036 (0.036)		
Variable 20	0.629***	0.624***	0.598***	0.618***		
Constant	(0.010) 0.275***	(0.010) 0.946***	(0.010) -2.334***	(0.011) -1.017**		
Ohe	(0.056)	(0.298)	(0.439)	(0.475)		
Obs. Adj. R ²	32,658 0.371	32,658 0.374	32,658 0.389	28,200 0.429		
F Stat.	2,756.800***	1,949.369***	1,485.940***	1,058.683***		
Note:	*p<0.1; **p<0	0.05; ***p<0.01				

REFERENCES

Greenwade, George D. 1993. "The Comprehensive TeX Archive Network (CTAN)." *TUG-Boat* 14 (3): 342–51.

Knuth, Donald Ervin, and Duane Bibby. 1984. *The TeXbook*. Vol. 3. Addison-Wesley Reading.