doi:xx.xxxx/xxxxx

# Quarto Title for the APSR AUTHOR ONE An Organization AUTHOR TWO Affiliation B AUTHOR THREE A Third Organization

his document is a template demonstrating the APSR format. Make sure it is long enough to work with the automatic dropcap. That means you need at least three lines worth of text.

Word Count: 500

#### Introduction

hanks for using Quarto to write your article. This Quarto template is unofficial and based on Overleaf's APSR template. Your introduction goes here! Do make sure the first paragraph here is at least three lines long, to accommodate the dropped-cap. Some examples of commonly used commands and features are listed below, to help you get started.

Since we are in Quarto, you can cite with an @ symbol, like Knuth and Bibby (1984). As seen

Author One is PhD Candidate, ABC Department, Affiliation A, 12345 NY. (a.1@example.edu)

Author Two is Assistant Professor, Faculty of Z, Affiliation B, 42813. Corresponding Author (a.2@acme.edu) Additional notes about Author Two. Author Three is ...

This is a manuscript submitted for review.

below, you can mix markdown and Latex with each other, though it's likely best to mostly use markdown.

## SOME LATEX EXAMPLES

Use section and subsection commands to organize your document. LATEX handles all the formatting and numbering automatically. Use \ref and \label commands for cross-references.

# Figures and Tables


Beware: this template has a special first page style. Like many such templates, it behaves very poorly if it tries to place a figure on the first page of the outputted PDF. To avoid this problem, ensure that you have filled out at least some introductory paragraphs and the abstract before trying to render images immediately at the start

of the paper. You may find the lorem R package useful for generating placeholder text if you are experiencing this issue at the start of writing.

Use the table and tabular commands for basic tables — see Table 1, for example. TablesGenerator.com is a handy tool for designing tables and generating the LaTeX code, which you can copy and paste into your article here.

Table 1. An example table					
	ltem	Quantity			
	Widgets	42			
	Gadgets	13			
Note: This is	a note for	this table.			

To include it in your document, use the graphicx package and the \includegraphics command as in the code for Figure 1.



You can also include figures using Quarto syntax.

Image

Notes can be added to the bottom of figures and tables using the \floatnote command.

For wide, double-column figures and tables, use the figure\* (Figure ??) or table\* (Table 2) starred environments. Landscaped figures and tables can be obtained using the sidewaysfigure and sidewaysfigure commands from the rotating package. Alternatively, you can use the landscape environment from the pdflscape package.

Multi-page tables can be created using the longtable and supertabular packages, though note that longtables cannot be used in two-column documents.<sup>1</sup>

Currently table, table\*, figure, figure\*, longtable, supertabular, sidewaystable and sidewaysfigure will be automatically framed.

<sup>&</sup>lt;sup>1</sup>This is an example footnote.

Speed (mph)	Driver	Car	Engine	Date
407.447	Craig Breedlove	Spirit of America	GE J47	8/5/63
413.199	Tom Green	Wingfoot Express	WE J46	10/2/64
434.22	Art Arfons	Green Monster	GE J79	10/5/64
468.719	Craig Breedlove	Spirit of America	GE J79	10/13/64
526.277	Craig Breedlove	Spirit of America	GE J79	10/15/65
536.712	Art Arfons	Green Monster	GE J79	10/27/65
555.127	Craig Breedlove	Spirit of America, Sonic 1	GE J79	11/2/65
576.553	Art Arfons	Green Monster	GE J79	11/7/65
600.601	Craig Breedlove	Spirit of America, Sonic 1	GE J79	11/15/65
622.407	Gary Gabelich	Blue Flame	Rocket	10/23/70
633.468	Richard Noble	Thrust 2	RR RG 146	10/4/83
763.035	Andy Green	Thrust SSC	RR Spey	10/15/97

If you are using a custom figure or table environment from a package (e.g.~a MyFigure environment) and it's not getting framed, add \makeframedenv{MyFigure} in the preamble.

is a sample quotation text. This is a sample quotation text.

Lists and Quotations You can make lists with automatic numbering ...

- 1. Like this,
- 2. and like this.

...or bullet points ...

- Like this,
- and like this.

An example long quotation:

This is a sample quotation text. This

#### Citations

Quarto formats citations and references automatically using the bibliography records in your .bib file. For a citation in parentheses use (Greenwade 1993) and for a text citation: Greenwade (1993). Multiple citations can be given as (Greenwade 1993; Knuth and Bibby 1984). Drop the author like so (1993).

If your manuscript is accepted, the APSR production team will re-format the references for publication. *It is not necessary to format the reference list yourself to mirror the final published form.* 

### **Mathematics**

Let  $X_1,X_2,\ldots,X_n$  be a sequence of independent and identically distributed random variables with  $\mathrm{E}[X_i]=\mu$  and  $\mathrm{Var}[X_i]=\sigma^2<\infty$ , and let

$$S_n = \frac{X_1 + X_2 + \dots + X_n}{n} = \frac{1}{n} \sum_{i=1}^{n} X_i \quad (1)$$

denote their mean. Then as n approaches infinity, the random variables  $\sqrt{n}(S_n-\mu)$  converge in distribution to a normal  $\mathcal{N}(0,\sigma^2)$ .

# Wide Figures

To include the widest of figures, set the fig-env to figure\* in a Quarto chunk, just as you would set the environment to figure\* in LaTeX. For some figures, you may also need to tell it to have out-width: 100% if the figure is naturally smaller than the width of the page.

Finally, you can include tex tables from other files as usual.

Variable 2 Variable 3	(1) -0.512 (0.510) 1.108*** (0.288) 0.200 (0.138)	(2) -0.674 (0.525) 0.798*** (0.283) 0.202	(3) -0.421 (0.517) 0.784*** (0.275)	(4) -0.374 (0.537) 0.703**
Variable q Variable 2 Variable 3 Variable 4	(0.510) 1.108*** (0.288) 0.200	(0.525) 0.798*** (0.283)	(0.517) 0.784***	(0.537)
Variable 3	1.108*** (0.288) 0.200	0.798*** (0.283)	0.784***	
Variable 3	(0.288) 0.200	(0.283)		0.702**
	0.200	` ,	(0.275)	0.703
		0.202	(0.=.0)	(0.288)
Variable 4	(0.138)		0.304**	0.285**
Variable 4		(0.139)	(0.139)	(0.138)
		-0.766***	$-1.036^{***}$	-0.982***
		(0.254)	(0.255)	(0.251)
Variable 5		0.120	0.232*	0.260*
		(0.127)	(0.134)	(0.138)
Variable 6		0.341***	0.395***	0.357***
		(0.071)	(0.072)	(0.072)
Variable 7		( ' ' ' )	0.232***	0.189***
·			(0.034)	(0.036)
Variable 8			0.253***	0.206***
			(0.037)	(0.042)
Variable 9			0.060***	0.051***
			(0.008)	(0.009)
Variable 10			-0.018***	$-0.012^*$
variable 10			(0.007)	(0.007)
Variable 11			(0.001)	0.329***
Variable 11				(0.125)
Variable 12				-0.320***
Variable 12				(0.062)
Variable 13				-0.124***
variable 15				(0.031)
Variable 14				-0.060
Valiable 14				(0.057)
Variable 15				-0.340***
Valiable 15				
Variable 16				(0.055) 0.123***
variable 10				-0.123 (0.033)
Variable 17	0.0002	0.001	-0.001	-0.0003
variable 17	(0.001)	(0.001)	(0.001)	(0.001)
Variable 18	0.001)	0.001)	0.012***	0.001)
Variable 10	(0.001)	(0.001)	(0.001)	(0.001)
Variable 19	-0.129***	-0.123***	-0.039	-0.036
Variable 19	(0.032)		(0.034)	-0.030 (0.036)
Variable 20	(0.032) 0.629***	(0.032) 0.624***	(0.034) 0.598***	0.036)
Variable 20			(0.010)	
Constant	(0.010) 0.275***	(0.010) 0.946***	(0.010) —2.334***	$(0.011) \\ -1.017^{**}$
CONSTAIL				
	(0.056)	(0.298)	(0.439)	(0.475)
Obs.	32,658	32,658	32,658	28,200
Adj. $R^2$	0.371	0.374	0.389	0.429
F Stat.	2,756.800***	1,949.369***	1,485.940***	1,058.683***



 $16 \times 9$ 

(Original size: 320×180 bp)

# References

Greenwade, George D. 1993. "The Comprehensive TeX Archive Network (CTAN)." *TUG-Boat* 14 (3): 342–51.

Knuth, Donald Ervin, and Duane Bibby. 1984. *The TeXbook*. Vol. 3. Addison-Wesley Reading.