

INSPECTION REPORT

Sample Stormwater Inspection

FACILITY INFORMATION

Example Ready Mix Facility

Example facility address

Inspector

Kyle Woods

Date

August 31, 2026

STORMWATER PLAN ADMINISTRATION

- YES** The SWP Plan is current within SWP Permit timeframe?
- YES** The SWP Prevention Committee has meet within the last year?
- YES** The SWP Plan includes new engineered prevention methods?
- YES** The SWP Plan has been certified?

POTENTIAL POLLUTANTS SITES

- YES** Site Map is current and shows potential pollutants?
- YES** Site map includes outfall locations?
- YES** The stormwater plan includes outfalls and potential pollutants?
- YES** The stormwater plan includes significant materials exposed to rainwater?
- YES** The stormwater plan includes list of current industrial activities at the facility?
- YES** The stormwater plan includes list of releases and spills?
- YES** The stormwater plan includes mandatory sampling standards?

NON STORMWATER DISCHARGES

- YES** Non stormwater discharges are identified in the SWP Plan?
- YES** The Certificate of non direct water discharges is completed?

NON STRUCTURAL BEST MGMT PRACTICES

- YES** Containers are properly labeled? - BMP-01
- YES** Regular cleaning of facility includes spill removals? - BMP-02
- YES** Spills are addressed immediately to prevent spread on the facility? - BMP-03
- YES** Materials around the dumpsters are picked up and put in disposal? - BMP -04
- YES** The facility is restricting wastewater discharges? - BMP -05
- YES** Facility is recycling and reusing potential pollutants? - BMP -06

YES	Waste and recycled materials are stored in proper containers? - BMP-07
YES	Significant materials are being removed or limited from rainfall potential? - BMP - 08
YES	Equipment is being stored outside are keep maintained and cleaned? - BMP -09
YES	Containers are being stored in a designated area? - BMP - 10
YES	Parts on the ground (outside) are minimized? - BMP - 11
YES	Inspect vehicles and equipment for leaks? - BMP-12
YES	Vehicles and Equipment are cleaned with detergents inside or area where water is collected? - BMP-13
YES	Tanks, pipes and valves are in good condition and leaks are addressed? - BMP - 14
YES	Signs are posted to control litter in parking lot? - BMP - 15
YES	Employees are prohibited practices, improper discard of maintenance and service related to fluids? - BMP-16
YES	Old and damaged batteries are in a covered secondary containment area? - BMP-17
YES	Employees are washing parts in a self-contained solvent sinks/tubs inside? -BMP-18
YES	There are proper locations for recycling collection of used antifreeze, oil, grease, oil filters? -BMP-19
YES	Fueling operations use fuel dispense nozzles with automatic shutoffs? - BMP-20
YES	Store materials in an enclosed silo or building?
YES	Cover material storage pile with a tarp or awning?
YES	Confine storage to designated and labeled areas outside of drainage pathways and away from surface waters?
YES	Practice good stockpiling practices to limit run-on and to slow runoff?
YES	Practice good storing materials on concrete; surrounding stockpiles with diversion dikes or curbs?
YES	Install sediment basins, silt fence, vegetated filter strips, or other sediment removal measures downstream/downslope?
YES	Only store washed sand and gravel outdoors?

SPILL PREVENTION AND RESPONSE MEASURES

YES	Procedures have been established for preventing contamination of stormwater from spills?
YES	Preventative maintenance practices are in place includes cleaning of a facility equipment?
YES	Spill Cleanup kit are positioned near the fuel pumps or chemicals stored outside?
NO	Outfall Signage is posted at each outfall?

VISUAL MONITORING/SAMPLING

YES	Visual Monitoring is completed quarterly and documented?
YES	Visual Monitoring Special Inspection within 24 hours of an event that could damage integrity of controls?

YES Annual stormwater (Visual) monitoring is completed and documented?

YES Rainwater Sampling is identified in SWP Plan?

YES Rainwater Sampling is completed and below permit thresholds?

YES Results over the reportable thresholds are investigated and issues identified?

YES Monthly estimates of flow are recorded?

STRUCTURAL MEASURES

YES Fueling operations are covered by a canopy or proof to prevent direct contact with rainfall?

YES Filling pads for mobile equipment to prevent the run on of stormwater and collect any runoff are available?

YES Facility has containment berm for above ground storage tanks with an impervious floor?

YES Berm or containment is adequate capacity to contain 110 percent of the total tank volume?

YES Facility has horizontal coverage over materials, chemicals and pollutant sources from contact with stormwater?

YES Control devices (berms, walls, piping) are used to channel or reroute stormwater/non-stormwater run off?

YES Facility uses Treatment controls like infiltration devices oil/water separators, detention ponds?

YES Non-storm water discharges are directed to the sanitary sewer system?

YES Scrap metal storage has a cover to reduce releases with rainwater?

YES Dust collection systems (e.g., bag houses) are used to collect airborne particles generated as a result of handling operations?

YES Waste materials are promptly disposed from dust collection systems and other operations?

YES Spilled material and removed and settled dust from paved portions of the facility by shoveling and sweeping on a regular basis?

YES Clean material handling equipment and vehicles periodically to remove accumulated dust and residue?

YES Sediment basins, silt fence, vegetated filter strips, or other sediment are installed removal measures downstream/downslope?

YES Maintenance of dust collection system and baghouse are scheduled?

YES Regularly remove and recycle or dispose of collected dust to minimize exposure to precipitation?

EROSION CONTROL

YES Areas are identified where major erosion is expected?

YES Measures are in place to minimize erosion?

YES Erosion paths are made from equipment and vehicles?

EMPLOYEE TRAINING

YES Employees have received training annually?

YES Employees involved in material handling, material storage, and housekeeping of areas have received training?

YES Employees are familiar with procedures for spill prevention methods?

YES Employees are familiar with location of cleanup procedures?

YES Employees are familiar with spill cleanup techniques?

YES Employees are familiar with spill reporting procedures?

YES Employees are familiar with vehicle fueling BMPs?

RECORDKEEPING

YES Records of preventative maintenance of facility equipment and operational systems are available?

YES Records of inspections for releases, testing and cleaning of equipment are available?

YES Records of estimated volumes of solids removed from catch basins, and similar control structures are available?

YES Maintenance log for the structural controls are available?

YES Records of releases from spill containment are available?

YES Records of monthly inspections are available?

YES Records of employee training are available?

YES Discharge reports submitted to State are available?

POURING AND CURING PRE-CAST CONCRETE PRODUCT

NO Pour and cure precast products in a covered area?

YES Clean forms in a designated area designed to prevent the discharge of waste materials?

YES Clean forms before storing outdoors?

VEHICLE FUELING

YES Conduct fueling operations (including the transfer of fuel from tank trucks) on an impervious or contained pad?

YES Covering should extend beyond spill containment pad to prevent rain from entering?

YES Use drip pans where leaks or spills of fuel can occur and where making and breaking hose connections?

YES Use fueling hoses with check valves to prevent hose drainage after filling?

YES Use spill and overflow protection devices?

YES Keep spill cleanup materials readily available?

YES Clean up spills and leaks immediately?

YES Minimize/eliminate run-on into fueling areas with diversion dikes, berms, curbing, surface grading?

YES Collect stormwater runoff and provide treatment or recycling?

YES Use dry cleanup methods for fuel area rather than hosing down the fuel area?

YES Follow procedures for sweeping up absorbents as soon as spilled substances have been absorbed?

YES Provide curbing or posts around fuel pumps to prevent collisions from vehicles?

YES Discourage “topping off” of fuel tanks?

YES Regularly inspect and perform preventive maintenance on fuel storage tanks?

YES Inspect the fueling area for leaks and spills?

VEHICLE AND EQUIPMENT WASHING

YES Confine vehicle and equipment washing to designated areas outside of drainage pathways, away from surface waters?

YES Clean washwater residue from portions of the site that drain offsite?

YES Do all cleaning at a centralized station so the solvents stay in one area?

YES Perform all cleaning operations indoors or under covering when possible?

YES Conduct the cleaning operations in an area with a concrete floor with no floor drainage other than to sanitary sewers or treatment facilities?

VEHICLE AND EQUIPMENT MAINTENANC

YES Eliminate floor drains that are connected to the storm or sanitary sewer; install a sump that is pumped regularly?

YES Collected wastes should be properly treated or disposed of by a licensed waste hauler?

YES If parts are dipped in liquid, remove them slowly to avoid spills?

YES Use drip pans, drain boards, and drying racks to direct drips back into a fluid holding tank for reuse?

YES Drain all parts of fluids prior to disposal. Oil filters can be crushed and recycled?

YES Promptly transfer used fluids to the proper container; do not leave full drip pans or other open containers around the shop?

YES Drip pans and containers are empty and clean?

YES Clean up leaks, drips, and other spills using absorbents for dry cleanup whenever possible?

YES Prohibit the practice of hosing down an area where the practice would result in the discharge of pollutants?

YES Do not pour liquid waste into floor drains, sinks, outdoor storm drain inlets, or other storm drains or sewer connections?

YES Eliminate or reduce the number and amount of hazardous materials and waste by substituting nonhazardous or less hazardous materials?

YES Label and track the recycling of waste material (e.g., used oil, spent solvents, batteries)?

YES Store batteries and other significant materials indoors?

YES Dispose of greasy rags, oil filters, air filters, batteries, spent coolant, and degreasers in compliance with RCRA regulations?

YES If operations are uncovered, perform them on concrete pad that is impervious and contained?

YES Park vehicles and equipment indoors or under a roof whenever possible and maintain proper control of oil leaks/spills?

YES Check vehicles closely for leaks and use pans to collect fluid when leaks occur?

-
- | | |
|-----|---|
| YES | Use berms, curbs, grassed swales or other diversion measures to ensure that stormwater runoff from other parts of the facility? |
|-----|---|
-
- | | |
|-----|--|
| YES | Collect the stormwater runoff from the cleaning area and provide treatment or recycling? |
|-----|--|
-
- | | |
|-----|---|
| YES | DO NOT discharge washwater to a storm drain or surface water? |
|-----|---|
-

PERMIT REQUIREMENTS

- | | |
|-----|---|
| YES | The permit has the correct basin type identified? |
|-----|---|
-
- | | |
|-----|--|
| YES | The permit and plan match with chemical additives? |
|-----|--|
-
- | | |
|-----|---|
| YES | Approved permit is modified due to operational, facility, chemical additives are changed? |
|-----|---|
-
- | | |
|-----|--|
| YES | Distance of basin is over 100 feet from property line? |
|-----|--|
-
- | | |
|-----|--|
| YES | Non Discharging water is directed to berm/containment? |
|-----|--|
-
- | | |
|-----|--|
| YES | No exterior washing of trucks and equipment with detergents? |
|-----|--|
-
- | | |
|-----|---|
| YES | The sediment basin is maintained reducing releases? |
|-----|---|
-
- | | |
|-----|--|
| YES | An Employee has been designated responsible for environmental matters? |
|-----|--|
-
- | | |
|-----|--|
| YES | Minimize erosion from soil and stockpiles? |
|-----|--|
-
- | | |
|-----|---|
| YES | Minimize sediment from stormwater that runs off stockpiles using sediment controls? |
|-----|---|
-
- | | |
|-----|---|
| YES | Prevent stormwater flows from causing erosion of stockpiles, for example, by diverting flows around them? |
|-----|---|
-
- | | |
|-----|---|
| YES | Facility shall ensure materials are not discharged off-site or into a water of the state during a high water event? |
|-----|---|
-

NON OVERFLOWING WW FACILITIES

- | | |
|-----|--|
| YES | Basin receive wastewater containing cleaners, detegrents and/or additives? |
|-----|--|
-
- | | |
|-----|--|
| YES | Facilities uses a Single Cell Concrete Wash Basin? |
|-----|--|
-
- | | |
|-----|---|
| YES | Structure upgrade is scheduled for liners and groundwater protection? |
|-----|---|
-

DISCHARGING WASTEWATER FACILITIES

- | | |
|-----|--|
| YES | Facility uses a Settlement Structure - Four Cell Reclamation Center? |
|-----|--|
-
- | | |
|-----|---|
| YES | Direct the wash water into leak proof containers or pits? |
|-----|---|
-
- | | |
|-----|---|
| YES | Locate washout activities a miniumun of 50 feet from waters of the state, stormwater inlets and stormwater conveyances? |
|-----|---|
-
- | | |
|-----|---|
| YES | Washout facilities shall be cleaned must be constructed and ready for use once the washout structure is 75% full? |
|-----|---|
-
- | | |
|-----|---|
| YES | Ensure the outfall is free of weeds, brush or obstructive vegetation? |
|-----|---|
-
- | | |
|-----|---|
| YES | Ensure the outfall is above the high water mark of the waterbody? |
|-----|---|
-
- | | |
|-----|---|
| YES | Maintain the outfall so a sample of the discharge can be obtained at a point before the receiving waters? |
|-----|---|
-
- | | |
|-----|--|
| YES | The discharge shall not contain floating solids or visible foam? |
|-----|--|
-

YES	Before release water is examined for hydrocarbon odor or presence of sheen?
YES	Odor or sheen is found, water is not discharged without treatment and proper disposal?
YES	Interior and exterior of the secondary containment area/structure will be inspected monthly for signs of leaks, spills, cracks and unintentional releases?
YES	Area surrounding the secondary containment is free of signs of vegetative stress or petroleum discharge?
YES	Area below the drain must be maintained to minimize soil washout?

MONITORING REQUIREMENTS

YES	Facility has a sample kit available for next quarterly monitoring?
YES	Quarterly monitoring is scheduled and implemented?
YES	Facility samples and test the discharge based on permit?
YES	Laboratory samples are reviewed and reported to state on EDMR?
YES	Discharge reports are submitted, including negative reports?
YES	Records of monthly average flow on site and available?
YES	Assessments are documented and completed with at least a one-tenth inch rainfall?
YES	Assessment of a stormwater discharge is in a clean, colorless glass or plastic container?
YES	Assessment includes inspection for color, odor and clarity, oil sheen and foam?
YES	Assessment includes inspection for floating solids, settled solids, suspended solids?
YES	Documentation of assessment is with the SWPP?

POURING CURRING PRECAST CONCRETE MATERIALS

YES	Foam Oil containers have secondary containment?
-----	---

MINIMIZE THE GENERATION OF DUST

YES	Appropriate application of water and other dust suppression techniques to minimize amount of pollutants?
YES	Process wastewater may be recycled for dust suppression on site?
YES	Minimize trackout from the site and sediment transport onto roadways or raw, final, or waste materials?
YES	Restrict vehicle traffic to designated entrance/exit points?
YES	Use additional controls to remove sediment from vehicle and equipment?
YES	Remove sediment or debris that could be tracked past exit pad?
YES	Sediment or debris is not disposed of or washed into any stormwater conveyance, stormwater drain inlet or water of state?
YES	Stormwater inlets susceptible to receiving sediment shall curb inlet protection?
YES	Specific measures from wash site or separate pad to clean vehicles?

YES Minimize the accumulation of metals or aging equipment with visible rust in outdoor locations or exposed to stormwater?

YES Ensure metal equipment or scrap are stored indoors or in a covered container when possible?

YES Drainage area around secondary containmnet and the interior inspected monthly?

YES Solids, sludge and soluble debris is not allowed to accumulate in the secondary containment?

CORRECTIVE ACTION RECOMMENDATIONS

2 deficiencies identified · August 31, 2026

1 Outfall Signage is posted at each outfall?

Post Outfall Signage at each outfall

2 Pour and cure precast products in a covered area?

Pour and cure precast products in a covered area.
