

PROJECT PHASE 1
GROUP A – DATARUSH
CMPG 321

Group A Members (DataRush):

[50143956 – Christoph van Jaarsveld] – (Group Leader)

[46251960 – Luan du Plessis]

[49019767 – Pieta Hattingh]

[45926808 – Sune Muller]

[46036482 – Zoe du Plessis]

Table of Contents

1.Introduce members of the group 2
Names, surnames and student numbers 2
Contact information 2
Photos 2
Indicate group leader ..... **Error! Bookmark not defined.**
2.Area of Focus 5
Rider Purchasing Patterns & Payment Channel Preferences 5
3. RESEARCH QUESTIONS 6
RQ1 – Riders' Provincial Spending Patterns 6
RQ2 – Trip Distance Distribution 6
RQ3 – Distance and Spending 6
RQ4 – Tip Frequency 7
RQ5 – Payment Method Adoption 7
RQ6 – Payment Preferences 7
RQ7 – Payment Method and Trip Cancellations 7
RQ8 – Surge Pricing and Rider Spending 8
3.1 Alignment of Research Questions with the Focus Area 9
4 Dataset Description 10
4.1 Overview of the Uber Bolt dataset 10
4.2 sa_riders.csv 11
4.2.1 Relevant domains 11
4.3 trip_headers.csv 13
4.3.1 Relevant Domains 13
4.4 trip_fare_breakdown.csv 15
4.4.1 Numerical domains 16
4.5 pricing_surge_zones.csv 17
4.5.1 Numerical domains 19
4.6 trip_reviews.csv 22
4.6.1 Key Observations 23
4.7 Dataset Relationships 24

1.Introduce members of the group

Names, surnames and student numbers

- Christoph van Jaarsveld, 50143956
- Luan du Plessis, 46251960
- Pieta Hattingh, 49019767
- Sune Muller, 45926808
- Zoe du Plessis, 46036482

Contact information

- Christoph - 50143956@mynwu.ac.za , 076 142 2108
- Luan - 46251960@mynwu.ac.za , 064 656 6816
- Pieta Hattingh - 49019767@mynwu.ac.za , 060 321 5497
- Sune - 45926808@mynwu.ac.za , 065 820 1148
- Zoe - 46036482@mynwu.ac.za , 076 269 7148

Photos

- Christoph - A fun fact about him: He plays guitar in a band.



- Luan - A fun fact about him: He is very competitive and played 5 sports.



- Pieta – A fun fact about him: He has a somewhat mild obsession with tea.



- Sune - A fun fact about her: She toured 9 different countries in one year.



- Zoe - A fun fact about her: Her favourite colour is pink, favourite animal is a butterfly and preferred hobby is reading.



2.Area of Focus

Rider Purchasing Patterns & Payment Channel Preferences

Objective/Focus

The focus of this project is to analyse rider purchasing patterns and payment channel preferences within Uber and Bolt operations across major South African metropolitan areas.

The analysis will investigate how riders spend money on transport services by examining factors such as trip fares, trip distances, ride categories, tips and other fare-related costs. This will help identify differences in rider spending behaviour across cities, trip types and other relevant categories contained in the dataset.

A further objective is to investigate the payment methods preferred by riders when using Uber and Bolt services. The analysis will compare the adoption and usage of different payment channels and determine whether certain payment methods are associated with higher or lower rates of successful trip completion.

The project will also examine whether relationships exist between payment methods and unsuccessful transactions or trip cancellations. This may help identify payment channels that experience higher failure rates or that are associated with increased cancellations.

Rider tipping behaviour will also be analysed to determine how frequently riders provide tips and whether tip frequency or tip value differs according to trip distance, fare amount, location, ride category or other relevant factors.

The findings of this analysis can support business and operational decision making by helping Uber and Bolt better understand rider behaviour, preferred payment channels and spending patterns. These insights could assist the platforms in improving payment options, reducing payment-related friction, developing targeted promotions and improving the overall rider experience.

The primary datasets relevant to this focus area include sa_riders.csv, trip_headers.csv and trip_fare_breakdown.csv. Other related datasets may also be incorporated where necessary to provide additional context and support the analysis.

3. RESEARCH QUESTIONS

The following research questions were developed to support the selected focus area, which is the Rider Purchasing Patterns & Payment Channel Preferences. The results of these questions will be used for consumer and business insights that could help in making decisions regarding pricing, payment channels, and services. Each question is designed to be answerable using the provided urban transport dataset and can subsequently be investigated through SQL queries in Phase 2.

RQ1 – Riders' Provincial Spending Patterns

What is the average spend per rider per completed trip in each of the provinces of South Africa and how do they differ?

This question will identify differences in the riders' spending behaviors between the different provinces. With this analysis, the average amount spent on completed trips can be compared. This will determine whether the riders spend more or less per trip in the different provinces. From a business perspective, the research could help define valuable areas for the business and understand which locations rider spending is maximum.

RQ2 – Trip Distance Distribution

How do trip distance distributions for completed trips vary across South African provinces and ride categories?

This question will investigate whether riders in various provinces tend to make shorter or longer trips. The results could give insight into how riders use transport services in different places and cover the Budget, Standard, Comfort and Large Capacity ride types. From a business perspective, the results could give insights into the usage of different transport by riders in different provinces.

RQ3 – Distance and Spending

What is the relationship between the trip distance, the trip duration and the total fare paid by the riders across the different ride categories?

This question is focused on identifying a connection between characteristics of a ride, its cost and how much riders pay for it. The analysis will highlight the average distance and duration of trips in different categories and uncover the relationship between these characteristics and the

rider spending. From a business perspective, the insights could be useful for both consumers and businesses to understand factors affecting ride cost and rider spending.

RQ4 – Tip Frequency

How does tip frequency and average tip amount differ across South African provinces and ride categories?

This question investigates how much the tip frequency and the average tip amount differs in the different South African provinces. From a business perspective, the result could give insight into where most people tip, how often and how much the person will tip on average.

RQ5 – Payment Method Adoption

What are the most frequently used payment methods among riders, and how does the uptake of different payment methods vary between the provinces of South Africa?

This question investigates the different payment channels - how and where they are used. The comparison of Cash, Credit Card, Debit Card, EFT/Ozow and In-App Wallet payments will reveal if the riders from different provinces have a different payment behavior. From a business perspective, the results may be used for making decisions regarding the choice of payment channels, digital payments adoption, and other factors related to payment options that can be developed further.

RQ6 – Payment Preferences

To what extent is the rider's actual mode of payment different from their preferred mode of payment?

This question investigates whether riders generally use the payment method they identify as their preferred option or does their actual payment behavior differ from their stated preference. It will help to understand the rider's payment behavior in more detail by comparing their preferred payment method with the one they use in reality. From a business perspective, the results will be beneficial for the company when making decisions about which payment channel to develop further.

RQ7 – Payment Method and Trip Cancellations

Is there a relationship between the payment method and the likelihood of a rider-initiated or driver-initiated cancellation of a trip?

This question compares payment methods against trip outcomes to determine whether certain payment channels are associated with different cancellation patterns. Through the analysis, it will be possible to see whether there is any payment method that leads to more frequent trip cancellations. This could provide operational insight into potential patterns surrounding payment choice and unsuccessful trips. This allows the platform to identify the areas that will need further investigations.

RQ8 – Surge Pricing and Rider Spending

How does the surge pricing affect the riders spending across different ride categories and payment methods?

This question will investigate the effects of change in the value of the multiplier of surge prices in relation to the amount of money paid by the riders for their completed trips. The results will provide strategic business insight into the relationship between dynamic pricing and rider expenditure while also providing consumer insight into how surge conditions affect trip costs.

3.1 Alignment of Research Questions with the Focus Area

Question	Focus	Important data
RQ1	Spending	Province, city, total fare
RQ2	Distance distribution	Distance, province, category
RQ3	Spending determinants	Distance, duration, fare
RQ4	Tipping	Tips, province, category
RQ5	Payment adoption	Payment method, province
RQ6	Payment + spending	Payment method, fare
RQ7	Payment + cancellations	Payment method, trip status
RQ8	Surge + spending	Surge multiplier, fare, category, payment

Together, these questions address the key components of Rider Purchasing Patterns & Payment Channel Preferences. RQ1 to RQ4 focuses on the riders' purchasing behaviors by examining geographical spending, trip distances, trip characteristics and tipping. RQ5 to RQ7 investigates the payment method behavior by considering the payment adoption, preferred versus the actual payment methods and cancellation patterns. Lastly RQ8 studies the connection between the rider's purchasing behavior and the payment channel with the rising price.

The questions are structured so that they can later be translated into SQL queries involving join operations, filtering, grouping and aggregation. More advanced SQL techniques can be incorporated where appropriate during Phase 2.

4 Dataset Description

4.1 Overview of the Uber Bolt dataset

The provided urban transport dataset represents Uber Bolt activity in South Africa, consisting of the following structured CSV files.

- sa_riders.csv
- sa-drivers.csv
- vehicles.csv
- pricing_surge_zones.csv
- trip_headers.csv
- trip_fare_breakdown.csv
- trip_reviews.csv

The CSV files mentioned above contains information about riders, drivers, vehicles, pricing zones, trips, fares, and reviews.

For the project's selected area of focus, "**Rider Purchasing Patterns & Payment Channel Preferences**," the following CSV dataset files are identified as most relevant.

1. sa_riders.csv
2. trip_headers.csv
3. trip_fare_breakdown.csv
4. pricing_surge_zones.csv

trip_reviews.csv may also provide supporting information if required later during the analysis.

4.2 sa_riders.csv

The sa_riders.csv dataset contains information about 1200 riders with the following fields.

Field	Data Type	Description	Relevance
rider_id	String/Text	Unique rider identifier	Primary identifier for riders
First_name	String/Text	Rider's first name	Not required for analysis
last_name	String/Text	Rider's surname	Not required for analysis
mobile_number	String	Rider mobile number	Not required for analysis
home_city	String/Text	Rider's home city	Relevant for geographic analysis
province	String/Text	Rider's province	Highly relevant
preferred_payment	String/Text	Rider's preferred payment method	Highly relevant
account_created_date	Date/Text	Date the rider account was created	Potential supporting variable

4.2.1 Relevant domains

The home_city field contains the following cities:

- Cape Town
- Durban
- Gqebergha
- Johannesburg
- Potchefstroom
- Pretoria
- Vanderbijlpark

The province field contains:

- Eastern Cape
- Gauteng
- KwaZulu-Natal
- North West
- Western Cape

The preferred_payment field contains five payment methods:

- CASH
- CREDIT_CARD
- DEBIT_CARD
- EFT_OZOW
- IN_APP_WALLET

The rider_id field also serves an important role because it allows rider information to be connected to individual trips in trip_headers.csv.

4.3 trip_headers.csv

The trip_headers.csv dataset contains information about 50000 trip records and represents the core operational transaction information. The following fields are identified.

Field	Data Type	Description	Relevance
trip_id	String/Text	Unique trip identifier	Primary trip identifier
rider_id	String/Text	Identifier of the rider	Links trips to riders
driver_id	String/Text	Identifier of the driver	Supporting relationship
zone_id	String/Text	Identifier of the transport zone	Relevant to geographic/pricing analysis
ride_category	String/Text	Type of ride selected	Highly relevant
request_timestamp	Date/Time	Date and time the trip was requested	Relevant to temporal analysis
trip_status	String/Text	Outcome of the trip	Highly relevant
cancellation_reason	String/Text	Reason for cancellation	Relevant to cancellation analysis

4.3.1 Relevant Domains

The ride_category field contains the following categories:

- Budget (Uber Go/Bolt Go)
- Standard (UberX/Bolt)
- Comfort (Uber Comfort)
- Large Capacity (UberXL/Bolt XL)

The field strip_status consists of the following statuses:

- COMPLETED
- CANCELLED_BY_RIDER
- CANCELLED_BY_DRIVER

The cancellation_reason field contains the following cancellation reasons:

- CHANGED_MIND
- DRIVER_TOO_FAR
- PRICING_SURGE
- RIDER_NO_SHOW
- SAFETY_CONCERN
- TRAFFIC_DELAY

4.4 trip_fare_breakdown.csv

The trip_fare_breakdown.csv dataset contains the financial information associated with individual trips in the supplied South African Uber/Bolt Urban Transport dataset. It is one of the most relevant datasets for the selected focus area of Rider Purchasing Patterns and Payment Channel Preferences, because it contains information relating directly to rider expenses, trip distance, tipping and the payment channel used for each trip.

Each row represents a single record, and each column represents a specific data field. The first row contains the field names. The file contains 50,000 records and 11 fields, with each record representing the fare breakdown associated with one trip. The data contained in the file is a combination of identifier, numerical, monetary and categorical data.

Field	Data Type	Range / Domain	Description	Relevance to Area of Focus
trip_id	String/Text	50,000 unique trip identifiers	Unique identifier for each trip	Links fare information to the corresponding trip (trip_header)
distance_km	Decimal	0.00–48.00 km	Distance associated with the trip in kilometres	Highly relevant to trip-distance analysis
duration_minutes	Integer	0–182 minutes	Duration associated with the trip	Supporting trip characteristic
surge_multiplier	Decimal	1.0–2.4	Pricing multiplier applied to the trip	Relevant to differences in rider expenditure
base_fare_zar	Decimal	R20.00–R35.00	Starting fare associated with the trip	Relevant to trip pricing
tolls_zar	Decimal	R0.00–R42.00	Toll charges associated with the trip	Supporting component of rider expenditure
tip_zar	Decimal	R0.00–R50.00	Tip amount associated with the trip	Highly relevant to tip-frequency analysis
total_fare_zar	Decimal	R0.00–R1,988.22	Total fare associated with the trip	Highly relevant to rider spending analysis

platform_commission_zar	Decimal	R0.00–R494.59	Amount retained by the platform	Supporting financial variable
driver_payout_zar	Decimal	R0.00–R1,550.11	Amount allocated to the driver	Supporting financial variable
payment_method	String/Text	CASH, CREDIT_CARD, DEBIT_CARD, EFT_OZOW, IN_APP_WALLET	Payment channel used for the trip	Highly relevant to payment-channel preference analysis

4.4.1 Numerical domains

The trip_id field acts as the main identifier in the dataset. All 50,000 trip_id values are unique. Each fare record can be distinguished from every other record. The uniqueness of the field also makes it a suitable candidate to be used as a primary key when the is used in a relational database table.

The dataset contains no missing values across the eleven fields. But it does contain zero values within some numerical and monetary fields. A zero value should therefore not automatically be interpreted as missing data.

The distance_km field contains decimal values ranging from 0.00 km to 48.00 km. This fields aligns with the focus area, since the project requires the analysis of trip-distance distributions. It provides a measurable representation of the distance associated with each trip and can later be compared with spending, tipping and payment behaviour.

The duration_minutes field ranges from 0 to 182 minutes. It provides useful supporting information about the characteristics of each trip and may help to place differences in trip fares into context.

The dataset contains several monetary fields. base_fare_zar represents the starting fare and ranges from R20.00 to R35.00, while tolls_zar records additional toll-related costs and contains values between R0.00 and R42.00. These fields provide additional information about the different cost components contributing to a trip.

The total_fare_zar field ranges from R0.00 to R1,988.22 and is an important field for the selected area of focus. It represents the overall fare associated with an individual trip and provides the main monetary variable for examining rider spending habits.

The tip_zar field contains the values R0.00, R10.00, R15.00, R20.00 and R50.00. The presence of both zero and positive values makes the field suitable for investigating tip frequency as well as tip amounts. In later analysis, this field can be used to determine how often riders tip and whether tipping patterns vary between different categories of riders or trips.

The surge_multiplier field contains values ranging from 1.0 to 2.4. It provides additional pricing context because different multiplier values may contribute to differences in the total fare associated with otherwise similar trips.

The payment_method field is particularly important, its domain consists of five payment channels, CASH, CREDIT_CARD, DEBIT_CARD, EFT_OZOW, IN_APP_WALLET.

This means that the dataset contains both traditional cash transactions and several electronic payment mechanisms. The field identifies the payment method associated with each trip and can later be compared with fare values, trip distances, tips and trip outcomes.

The final two monetary fields, platform_commission_zar and driver_payout_zar, range from R0.00 to R494.59 and R0.00 to R1,550.11. These fields are less directly related to rider purchasing behaviour, but they provide additional detail regarding how the financial value associated with a trip is distributed.

Overall, trip_fare_breakdown.csv can be classified as a transaction-level financial dataset. The fields most relevant to the selected area of focus are distance_km, total_fare_zar, tip_zar and payment_method, while fields such as surge_multiplier, base_fare_zar, tolls_zar and duration_minutes provide supporting information that can help explain differences in rider expenditure and behaviour.

4.5 pricing_surge_zones.csv

The pricing_surge_zones dataset contains the geographical pricing information for the different urban transport zones represented in the supplied South African Uber/Bolt dataset. It provides information about where the pricing zones are located and the tariff associated with each zone. It therefore provides useful geographical and pricing context for the group's selected area of focus.

Each row represents one pricing zone and each column represents a specific characteristic of that zone. The file contains 9 records and 6 fields.

Unlike trip_fare_breakdown, which contains a separate record for individual trip transactions, pricing_surge_zones contains information that describes stable geographical pricing rules. The dataset can therefore be classified as reference or master data. It contains a combination of identifier data, categorical geographical data and monetary tariff data.

Field	Data Type	Range / Domain	Description	Relevance to Area of Focus
zone_id	String/Text	9 unique identifiers	Unique identifier for each pricing zone	Links pricing-zone data to trip information
zone_name	String/Text	9 zone names	Descriptive name of the geographical pricing zone	Provides geographical context
city	String/Text	7 South African cities	City in which the pricing zone is located	Relevant to geographical comparison
base_fare_zar	Decimal	R20.00–R35.00	Standard starting fare for the zone	Relevant to rider expenditure
per_km_rate_zar	Decimal	R8.00–R12.00 per km	Charge applied per kilometre travelled	Highly relevant to distance and pricing
per_min_rate_zar	Decimal	R1.00–R1.60 per minute	Charge applied per minute of travel	Relevant to pricing context

4.5.1 Numerical domains

The zone_id field uniquely identifies each of the nine pricing-zone records. All nine zone_id values are unique, and the field follows a text-based identifier format such as ZONE_JHB_CBD, ZONE_SANDTON and ZONE_POTCH_NWU. Because each value uniquely represents one pricing zone, zone_id is suitable for use as the primary key when the dataset is later implemented as a database table.

The zone_id field also occurs in trip_headers. This enables individual trips to be related to the geographical pricing zone associated with them. The relationship is important because the pricing data stored in this file does not describe a single individual trip. Instead, it provides the pricing context that can be associated with many trip records.

There are no missing values across the nine records and six fields in the dataset.

The city field has a domain consisting of seven South African cities; Johannesburg, Pretoria, Vanderbijlpark, Cape Town, Durban, Potchefstroom, Gqeberha, these cities correspond directly with the geographical areas specified for the Urban Transport dataset.

The nine individual pricing zones represented in the dataset are:

Zone Name	City	Base Fare	Per-km Rate	Per-minute Rate
Johannesburg CBD / Maboneng	Johannesburg	R25.00	R9.50	R1.20
Sandton Gautrain & Financial Core	Johannesburg	R28.00	R11.00	R1.50
Menlyn Maine & Hatfield	Pretoria	R24.00	R9.00	R1.10
Vanderbijlpark Vaal Mall & VUT Campus	Vanderbijlpark	R21.00	R8.50	R1.05
V&A Waterfront & Atlantic Seaboard	Cape Town	R30.00	R12.00	R1.60
Cape Town International Airport	Cape Town	R35.00	R11.50	R1.40
Umhlanga Rocks & Gateway	Durban	R26.00	R10.00	R1.30
NWU Campus & Bult Area	Potchefstroom	R20.00	R8.00	R1.00
Summerstrand & Airport	Gqeberha	R22.00	R8.50	R1.05

Johannesburg and Cape Town each contain two separate pricing zones, while Pretoria, Vanderbijlpark, Durban, Potchefstroom and Gqeberha each contain one.

The base_fare_zar field is associated with each pricing zone. Values range from R20.00 to R35.00. The lowest base fare is recorded for the NWU Campus & Bult Area in Potchefstroom, while the highest is recorded for Cape Town International Airport. The range demonstrates that the starting fare is not identical across all geographical locations.

The per_km_rate_zar field contains the distance-based component of the pricing structure. Values range from R8.00 to R12.00 per kilometre. The amount associated with travelling a given distance may differ depending on the geographical zone in which the trip takes place.

Although the file is named pricing_surge_zones, the dataset itself does not contain a field storing the surge multiplier applied to an individual trip. Instead, it contains the standard geographical pricing components of base fare, rate per kilometre and rate per minute. The actual trip-specific surge_multiplier is stored in trip_fare_breakdown. The geographical tariff structure and individual trip surge multiplier should therefore be treated as separate pieces of pricing information.

Overall, pricing_surge_zones.csv can be classified as a geographical pricing reference dataset. The most relevant fields for the group's focus are city, zone_name, base_fare_zar, per_km_rate_zar and per_min_rate_zar, because these fields provide the location and tariff information required to place rider spending and trip-distance patterns into geographical context.

4.6 trip_reviews.csv

The trip_reviews.csv dataset contains 25,055 records and holds the satisfaction layer of the urban transport data. Each record captures the rating exchanged between a rider and a driver after a trip, together with a comment.

Field	Data type	Format / Domain	Description and relevance
review_id	Text	Pattern REV_0000001 - REV_0049999	Primary key. Sequence is non-contiguous, as numbering follows the underlying trip.
trip_id	Text	Matches trip_headers. trip_id; unique within this file	Foreign key. The only join path to trip, fare and rider data.
rider_rating_of_driver	Integer	Ordinal, 1 - 5 (all five values present; mean 3.65)	Highly relevant. Permits satisfaction to be tested against tipping and payment channel.
driver_rating_of_rider	Integer	Ordinal, 3 - 5 only (mean 4.51; no 1 or 2 ratings occur)	Supporting. Rider side behaviour indicator, but with some limited variation.
feedback_comment	Text	Only 6 distinct values, 29 - 44 characters, no blanks	Supporting. Basically, a coded category, rather than free text.


4.6.1 Key Observations

- No missing values in any field.
- Both rating fields use ordinal integers, not continuous numbers. Averages have to be read against a fixed scale.
- feedback_comment is a data-quality issue. It is stored as text but draws from only six set sentences, each used about 4,100 times. So, it acts like a categorical variable, has no payment-related commentary, and is not useful for genuine text analysis.
- No rider or driver identifiers exist. trip_id is the only way to link these reviews to the rest of the dataset.
- Reviews only exist for completed trips. All 25,055 reviews match a completed trip. None of the 16,669 cancelled trips have a review..
- Of the 33,331 completed trips, 75.2% have a review, leaving 8,276 completed trips unreviewed.
- Any join from trips to reviews must be a LEFT OUTER JOIN. An inner join would drop cancelled trips and a quarter of completed ones, which would distort spending calculations.
- Every trip_id in this file does exist in the trip_headers table.
- This file has no monetary or payment fields, so it is a supporting dataset, not a primary one.
- It adds a satisfaction score that no other file provides. This lets the team test if rider ratings vary with tip behaviour, payment channel, or surge level.
- Early looks show only small differences. Average rider ratings fall between 3.62 and 3.66 across all five payment methods

4.7 Dataset Relationships

- The seven files connect through two identifiers: rider_id and trip_id.
- trip_headers.csv sits at the centre of the structure.
- It is the only file that holds rider, driver, and zone identifiers together.
- So, every analysis path has to go through this file.

File	Primary key	Foreign key	Relationship and relevance
sa_riders.csv	rider_id	None	1:M to trip_headers
Trip_headers.csv	trip_id	rider_id, driver_id, zone_id	1:M to sa_riders 1:M to sa_drivers 1:M to pricing_surge_zones
trip_fare_breakdown.csv	trip_id	trip_id	1:1 with trip_headers
pricing_surge_zones.csv	zone_id	none	1:M to trip_headers
trip_reviews.csv	review_id	trip_id	1:M to trip_headers
sa_drivers.csv	driver_id	None	1:M to trip_headers
vehicles.csv	vehicle_id	driver_id	1:1 with sa_drivers


sa_riders
rider_id PK
first_name
last_name
mobile_number
home_city
province
preferred_payment
account_created_date
1 200 rows
sa_drivers
driver_id PK
first_name
last_name
operating_city
platform_affiliation
platform_commission_pct
driver_rating
total_lifetime_trips
onboarding_date
800 rows
vehicles
vehicle_id PK
driver_id FK
make
model
year
license_plate
category_type
800 rows
trip_headers
trip_id PK
rider_id FK
driver_id FK
zone_id FK
ride_category
request_timestamp
trip_status
cancellation_reason
50 000 rows
pricing_surge_zones
zone_id PK
zone_name
city
base_fare_zar
per_km_rate_zar
per_min_rate_zar
9 rows
trip_fare_breakdown
trip_id PK, FK
distance_km
duration_minutes
surge_multiplier
base_fare_zar
tolls_zar
tip_zar
total_fare_zar
platform_commission_zar
driver_payout_zar
payment_method
50 000 rows
trip_reviews
review_id PK
trip_id FK
rider_rating_of_driver
driver_rating_of_rider
feedback_comment
25 055 rows