



Thesis

**NHL Stenden University of Applied Sciences**

In the department of:

**ICT & CT Information Technology Bachelor Emmen**

In association with:

**Q-ICT B.V.**

Written by:

**Christopher Sulistiyo (4850025)**

Submission:

**1-August-2024**

Work placement lecturer(s):

Company Supervisor:  
Weidijk Manuel  
Mark Kolk

# Summary

# Contents

<b>Glossary</b>	<b>5</b>
<b>Acronyms</b>	<b>6</b>
<b>1 Introduction</b>	<b>8</b>
1.1 Project Background . . . . .	8
1.2 The Company and the QaaS App . . . . .	8
1.2.1 Working Methodology . . . . .	8
1.2.2 Departments . . . . .	9
1.3 Problem Statement . . . . .	10
1.4 Project Objectives . . . . .	10
1.5 Reading Guide . . . . .	10
<b>2 Research Results</b>	<b>12</b>
2.1 Research Topic . . . . .	12
2.2 Research Methodology . . . . .	12
2.2.1 Method of Data Collection . . . . .	12
2.2.2 Selected Measuring Instruments . . . . .	13
2.2.3 Method of Data Analysis . . . . .	13
2.2.4 Reliability, Validity, and General Applicability . . . . .	13
2.2.5 Research Limitations . . . . .	14
2.3 Research Sub-Question #1 . . . . .	14
2.3.1 QaaS App Infrastructure . . . . .	14
2.3.2 Q-ICT Internal APIs . . . . .	15
2.4 Research Sub-Question #2 . . . . .	16
2.4.1 What is API Monitoring? . . . . .	16
2.4.2 How Does API Monitoring Work? . . . . .	16
2.5 Research Sub-Question #3 . . . . .	17
2.5.1 SentinelOne . . . . .	17
2.5.2 SentinelOne Console . . . . .	17
2.5.3 SentinelOne Ranger . . . . .	17
2.5.4 SentinelOne Sentinels . . . . .	17
2.5.5 SentinelOne Agent . . . . .	17
2.5.6 SentinelOne Incidents . . . . .	17
2.6 Research Sub-Question #4 . . . . .	17
<b>3 Realization</b>	<b>18</b>
<b>4 Conclusion and Recommendation</b>	<b>19</b>
<b>Bibliography</b>	<b>20</b>
<b>A Planning</b>	<b>21</b>
<b>B Project Plan</b>	<b>22</b>



## List of Figures

# Glossary

**API** is a software intermediary that allows two applications to talk to each other (Wikipedia, [n.d.-b](#)). In other words, an API is the messenger that delivers request to the provider that was requested from and then delivers the response back. (Wikipedia, [n.d.-b](#)) . 8

**CRM** is a technology for managing all your company's relationships and interactions with customers and potential customers. It provides a centralized DB or system for storing and organizing customer data, as well as tools for managing sales, marketing, customer service, and other aspects of customer relationships. A CRM system helps companies stay connected to customers, streamline processes, and improve profitability (Wikipedia, [n.d.-c](#)) . 16

**Pentest** A.K.A. ethical hacking, is a simulated cyberattack where professional ethical hackers break into corporate networks to find weaknesses (Wikipedia, [n.d.-f](#)) . 9

**RMM** is a software platform that helps MSPs remotely monitor and manage their clients' endpoints, networks, and computers (Wikipedia, [n.d.-g](#)).. 16

# Acronyms

**2FA** Two-Factor Authentication. 14

**A.K.A.** Also Known As. 5

**AI** Artificial Intelligence. 8, 16

**APA** American Psychological Association. 11

**API** Application Programming Interface. 5, 8, 10, 12–16

**B.V.** Besloten Vennootschap. 0, 8, 12

**BaaS** Back-end as a Service. 14

**CISO** Chief Information Security Officer. 9

**CRM** Customer Relationship Management. 5, 16

**CSF** Cybersecurity Framework. 8

**CT** Creative Technology. 0

**DB** Database. 5

**etc.,** et cetera. 14

**FCM** Firebase Cloud Messaging. 14

**FIPS** Federal Information Processing Standards. 8

**GCP** Google Cloud Platform. 14

**HTTP** Hypertext Transfer Protocol. 14–16

**HTTPS** Hypertext Transfer Protocol Secure. 14

**ICT** Information and Communication Technology. 0, 12

**ISO** International Organization for Standardization. 9

**IT** Information Technology. 8–10, 12, 16, 17

**ITIL** Information Technology Infrastructure Library. 9

**JS** JavaScript. 14

**JSON** JavaScript Object Notation. 12, 13

**KPI** Key Performance Indicator. 16

**MCDA** Multi-Criteria Decision Analysis. 13

**ML** Machine Learning. 15

**MS** Microsoft. 8, 9, 15

**MSP** Managed Service Provider. 5, 16

**NIST** National Institute of Standards and Technology. 8, 9

**OS** Operating System. 14

**OTP** One Time Password. 14

**Pentest** Penetration Testing. 5, 9

**Q-ICT** Quality ICT. 0, 8–10, 12–16

**QaaS** Quality as a Service. 10, 12–14

**QL** Query Language. 15

**REST** Representational State Transfer. 15

**RMM** Remote Monitoring and Management. 5, 16

**SIEM** Security Information and Event Management. 9

**SME** Small and Medium-sized Enterprises. 8, 15

**SOAP** Simple Object Access Protocol. 15

**SQL** Structured Query Language. 14

**SWOT** Strengths, Weaknesses, Opportunities, and Threats. 13

**TS** TypeScript. 14

**UI** User Interface. 14

**XML** Extensible Markup Language. 12, 13, 15



# Chapter 1

## Introduction

### 1.1 Project Background

In today's rapidly evolving digital landscape, cybersecurity remains a paramount concern for organizations across all industries. With the proliferation of sophisticated cyber threats and the increasing complexity of IT infrastructures, business are constantly seeking new and innovative ways to protect their digital assets and fortify their defences and safeguard sensitive data. In this pursuit, cybersecurity consultant firms have emerged as a critical ally for organizations, providing expert guidance and support in the development and implementation of robust cybersecurity strategies, playing a pivotal role in offering expertise and guidance to help organizations navigate the intricate realm of cybersecurity.

One of the key strategies employed by cybersecurity consultants is the integration of third-party security APIs into their arsenal of tools and technologies. These APIs provide invaluable functionalities, ranging from vulnerability assessment and security scans to device health monitoring and threat intelligence analysis by AI. By leveraging these APIs, cybersecurity consultants can enhance their capabilities and provide a more comprehensive and effective security solution to their clients, streamline their operations, provide clients with robust, proactive security measures, and improve their overall service delivery.

### 1.2 The Company and the QaaS App

Q-ICT B.V., is a small cybersecurity consultancy based in Emmen, northeast of the Netherlands. It recognizes the critical importance of proactive API monitoring in safeguarding its clients' digital assets. Their customers are SME companies with employees ranging from 1 to 100. Q-ICT is therefore asked to monitor their clients' devices and ensuring the overall security of their systems, IT infrastructure, and digital assets. They typi-

cally engage in various activities, including:

- **Continuous Monitoring and Maintenance:** implementing tools and processes for continuous monitoring of clients' systems, devices, networks, and systems to detect and respond to security threats in real-time and address emerging threats and vulnerabilities.
- **Vulnerability Assessment:** conducting regular vulnerability assessments and penetration testing to identify weaknesses in clients' systems and infrastructure
- **Incident Response:** developing and implementing plans and protocols for responding to and mitigating cybersecurity incidents effectively and efficiently.
- **Penetration Testing:** simulating cyberattacks to identify weaknesses in the client's defences and assess their ability to withstand and respond to real-world cyber threats.
- **Security Incident Investigation:** conducting thorough investigations into security incidents to identify the root cause and impact of the incident and develop strategies to prevent future occurrences.

Furthermore, the company also serves as a MS provider....

#### 1.2.1 Working Methodology

The company currently utilizes the five functions defined by NIST as part of its CSF as the framework to help the company manage and improve their cybersecurity risk management processes. These five functions are part of the FIPS 199. All functions serve as level categories for organizing cybersecurity activities within an organization and are as follows (NIST, 2023):

- **Identify:** develop the organizational understanding to manage cybersecurity risk to systems, assets, data, and capabilities. This includes the development of

an organizational understanding to manage cybersecurity risk to systems, assets, data, and capabilities. It also includes the development of a cybersecurity risk management strategy that is aligned with the organization's mission, goals, and objectives and the establishment of a governance structure to ensure that the strategy is effectively implemented and maintained.

- **Protect:** develop and implement the appropriate safeguards to ensure delivery of critical infrastructure services. It can help the company assist clients in implementing security controls, encryption mechanism, access controls, and other security measures to protect their systems and data from unauthorized access, disclosure, and alteration or modification.
- **Detect:** develop and implement the appropriate activities to identify and detect the occurrence of a cybersecurity event in timely manner to facilitate rapid response and mitigation efforts. This includes the development of a cybersecurity event detection capability that is integrated with the company's incident response and recovery capabilities. It will help the company to implement monitoring and detection mechanisms, such as intrusion detection systems, log analysis tools, and SIEM systems, to detect and identify to cybersecurity incidents promptly.
- **Respond:** develop and implement the appropriate activities to take action in responding regarding a detected cybersecurity event, containing the impact, and restoring normal operations. It involves activities such as developing incident response plans, conducting incident response drills and exercises, establishing communication channels with stakeholders, and implementing recovery strategies to minimize the impact of cybersecurity incidents on business operations and services.
- **Recover:** develop and implement the appropriate activities to maintain plans for resilience and to restore any capabilities or services that were impaired due to a cybersecurity incident and event, along with implementing improvements to prevent future incidents. In this activity, the company should be able to develop and implement recovery plans, conduct post-incident reviews and analysis, identify areas for improvement, and implement measures and improvements to enhance resilience and prevent future incidents.

Furthermore, the company also uses the ISO 27001 as the main standard for information security management and the NIST 800-53 as the main standard for security and privacy controls for federal information systems and organizations.

## 1.2.2 Departments

The company consists of multiple departments in its behalf, each with their own functions and responsibilities. Those departments are the following:

1. *Service Help Desk Department:* it serves as a frontline support function responsible for addressing client inquiries, troubleshooting technical issues, and providing guidance and support to clients in resolving their technical challenges. It contains 2 sub-departments, the first level help desk and the second level help desk. The First Level Help Desk is the first point of contact for clients seeking technical assistance and support, and it is responsible for managing and resolving client issues in a timely and efficient manner. The Second Level help desk is responsible for providing more advanced technical support and troubleshooting for complex technical issues and consists of Senior System Engineers. It has 2 services, mainly the indoor and outdoor customer services. With the indoor customer services, the company provides remote support to clients, while with the outdoor customer services, the company provides on-site support to clients.
2. *Cybersecurity Department:* it's responsible for implementing procedures that will be used throughout the company's system, especially in Help Desk Department, to ensure that the company's information technology infrastructure is secure. It also develops methodologies and best practices related to cybersecurity, as well as integrating ITIL principles and product management practices into the company's operations. Conducting regular security scans for clients' networks, systems, and applications to identify vulnerabilities and security risks, and performing Pentest that involves simulating cyberattacks to identify weaknesses in the client's defences and assess their ability to withstand and respond to real-world cyber threats. This department mainly consist of IT managers, Pentesters, CISOs, and cybersecurity specialists.
3. *Software Development Department:* it addresses Q-ICT clients needs by creating custom software solutions tailored to their specific requirements. It consists of software developers that work closely with clients to understand their unique cybersecurity challenges and design solutions that effectively address those concerns, while utilizing their expertise in programming languages, software frameworks, and cybersecurity principle to develop secure and reliable applications. This is the department where the author is currently working in his graduation work placement project. Mainly, this department uses Dart with Flutter as the main front-end development framework, and Node.js with TypeScript template as the main back-end development framework. Furthermore, it utilizes Google Firebase as the main cloud solution for the applications it develops as it works hand-in-hand with Flutter, but it expresses its desires to expand more into MS Azure in the future.
4. *Financial Department:* it is responsible for managing the financial aspects of the company to ensure

its financial health and stability. It includes Accountant and Financial Advisor, and they are responsible for analyzing financial data, identifying trends, and making strategic financial decisions to support the company's growth and objectives.

### 1.3 Problem Statement

The company currently manages numerous third-party APIs for the above-mentioned purposes. Currently, those APIs are managed manually and without a standardized implementation in their internal application, the QaaS app, which is a time-consuming and error-prone process. This has led to several problems, namely:

- Inefficient and fragmented approach to API management.
- Lack of user-friendliness, and slow and unclear navigation.
- Inconsistent integration of APIs into the application.
- Poses a significant challenge in error handling and debugging, as disparate error reporting mechanism across the APIs hinder efficient troubleshooting and resolution processes.
- Difficulty to maintain and update APIs.
- Lack of clear and concise documentation.
- Lack of a centralized API management system.
- Inadequate security measures, as the company risks inconsistent data retrieval and analysis across its APIs, potentially leading to incomplete insights into client IT systems and infrastructure.

Thus, the company has tasked the author with the development of a standardized API monitoring system within the QaaS app, with features such as error handling, connection status warranty, debugging, and the effective integration of the SentinelOne security threat platform for continuous cybersecurity monitoring within the QaaS app as the main topic of his graduation work placement project.

### 1.4 Project Objectives

In the end of this project which consist of 90-99 working days, the following objectives should be achieved:

1. Develop a standardized API monitoring system within the QaaS app, with incorporating features such as error handling and logging, connection status warranty, debugging, secure storage of API keys, handling of expired API keys, and external validation of API connections. Additionally, this function-

ality should also support displaying the respective status code of error connection from the APIs along with error messages, and conducting testing to these unsuccessful API calls to diagnose issues such as expired credentials, while also being able to inspect the payload for further analysis.

2. Furthermore, the QaaS app should be able to serve as a versatile template application for integration with further upcoming third-party APIs in the future for importing new data.
3. Effectively integrates and leverages the SentinelOne security threat platform for continuous cybersecurity monitoring within the QaaS app.
4. The QaaS app should have a way to visualize the data retrieved from the SentinelOne API in a user-friendly manner in order for the client users helpdesk support, financial department, cybersecurity department, software development department, and other employees within Q-ICT departments to see the data easier.
5. Ensure proper unit testing, code refactoring, commenting, and adherence to the overall code conventional guidelines and best practices in both the test and live environments of the QaaS app.

### 1.5 Reading Guide

This report is structured as follows:

- **Summary:** provides a brief and concise overview of the entire report, including the research questions, key findings, and conclusion. Its purpose is to provide readers with a quick and comprehensive understanding of the report.
- **Introduction:** provides an overview of the project background, the research topic the company, and the project objectives. It introduces the context of the research and outlines the structure of the report.
- **Research:** presents the research results, including the research methodology, the findings, and the analysis of the research questions. Firstly, it describes the methodologies employed during the research, and then it provides a detailed account of the research process and the outcomes of the research.
- **Realization:** provides a detailed description of the software end-product developed during this work placement project. It outlines insights into design, development, and implementation phases. It also highlights key features, functionalities, and technology specifications used in the project.
- **Conclusions and Recommendations:** the Conclusion summarizes the key findings and results achieved during the research and realization phases. The Recommendation section outlines the proposed next

steps and future research areas to further enhance the project and address any outstanding issues. It discusses potential areas for further exploration or refinement.

- **References:** lists all the sources cited in the report

following the appropriate to APA 7th edition citation style.

- **Appendices:** includes any additional supplementary information, data, or materials that are relevant to the report but not included in the main body of the report.

# Chapter 2

## Research Results

### 2.1 Research Topic

In a research, it is paramount to have the formulation of a clear research topic, research main question, and research sub-questions. The main question serves as the focal point around which the research revolves, encapsulating the primary objective or purpose of the study. The following main research question will be used throughout the research:

*"How can Quality ICT B.V. effectively enhance API monitoring within its internal application while integrating and leveraging SentinelOne security threat platform for continuous cybersecurity monitoring while still ensuring adherence to the highest security standards?"*

The research sub-questions are then used to function as a pathway that dissect the main question into smaller, more manageable components, which can then be addressed individually. This approach allows for a more comprehensive and in-depth analysis of the research topic, ensuring that all relevant aspects are covered and that the research is conducted in a systematic and organized manner. This research main question is therefore expanded in the following research sub-questions:

- What is the current situation of the QaaS app of Quality ICT B.V.?
- What functionalities should be prioritized in the development of monitoring and managing third-party APIs within the QaaS app while ensuring real-time monitoring, error detection, and insight generation regarding API connections?
- How can SentinelOne be integrated into the QaaS app environment, especially aligning with the API monitoring functionality, while still utilizing their key features and capabilities in context of cyber-threat detection and remote IT infrastructure management?
- What are the most suitable visualization techniques for displaying the data processed and received by the QaaS app in XML and JSON formats to ensure clear

and insightful representation of threats detected by SentinelOne and other relevant API connections?

### 2.2 Research Methodology

In this research, different research methods have been used to answer the research questions. This research will be based on the six ICT research methods defined by HBO-I (Vogel, 2023). A research method for each sub-question is then defined along with how the results are considered valid and reliable:

#### 2.2.1 Method of Data Collection

- Sub-question #1: desk research of Literature Study will be conducted, with the goal of creating infrastructure information that displays the structure of the QaaS app and all of its dependencies. Furthermore, Interview with key stakeholders involved in the development, maintenance, and usage of the QaaS app will be conducted to gain insights into the current situation of the app.
- Sub-question #2: Literature Study on various articles on the Internet, interviews, expert reviews, and requirement elicitation techniques such as use case analysis and user stories. Analysis on the current QaaS app and its API monitoring capabilities.
- Sub-question #3: technical evaluations of SentinelOne's capabilities and APIs will be conducted, the API documentation and integration guideline will be read and review with Literature Study method and case studies of similar integrations. Requirements from the cybersecurity experts from the Q-ICT department responsible for SentinelOne's technical support will be gathered and analyzed. Furthermore, Prototyping with proof-of-concept prototypes on a test environment will be conducted to test different integration scenarios, assess feasibility, identify potential challenges, refine the approach, and evaluate the performance of the integration.

- Sub-question #4: research into existing visualization techniques for XML and JSON data, especially the data coming from SentinelOne API through Literature Study. Analyze existing data visualization tools and platforms that are available in Flutter and Firebase. Gather requirements from project stakeholders regarding data visualization preferences and usability, and do data analysis and usability testing.

### 2.2.2 Selected Measuring Instruments

- Sub-question #1: structured interview guide, document report checklist analysis and review, observation, analysis tools for codebase and logs, and quite possibly supplemented by surveys or questionnaires.
- Sub-question #2: document analysis tools for literature review. Structured questionnaires for requirement interviews regarding functionality rating scale and compare the response against industry standards and best practices. Observation of existing API monitoring tools. Prioritize functionalities based on importance, feasibility, and impact on the QaaS app.
- Sub-question #3: technical assessments and requirement workshops will be conducted. Furthermore, API documentation review, document analysis tools, security impact risk assessment, and feasibility checklist assessment with the Company Supervisor will also be overseen.
- Sub-question #4: the selected measuring instruments for this sub-question will be through observation of existing data visualization tools, literature review through reading the studies of the best visualization suitability matrix techniques, structured questionnaires to end-user interviews, and usability testing heuristics.

### 2.2.3 Method of Data Analysis

- Sub-question #1: a qualitative thematic SWOT analysis of interview transcripts and documentation for operational insights to identify strengths, weaknesses, and areas for improvement in the current situation of the QaaS app.
- Sub-question #2: comparative analyze survey/interview responses using MCDA and compare against industry standards and best practices. Prioritize functionalities based on importance, feasibility, and impact on the QaaS app.
- Sub-question #3: evaluate the technical feasibility, compactibility, and alignment of SentinelOne's features with the QaaS app environment. Analyze potential integration challenges and mitigation strategies, and assess the performance of the integration through prototyping and testing. Technical analysis for the

API documentation and thematic analysis for interview data.

- Sub-question #4: technical tool analysis by reviewing and evaluating the suitability of different visualization techniques for representing the data processed and received by the QaaS app in XML and JSON formats from the API considering factors such as clarity, interpretability, and user engagement. Do a user-centered design and cognitive load analysis by analyzing feedback from company stakeholders, supervisor, and end-users.

### 2.2.4 Reliability, Validity, and General Applicability

- Sub-question #1: the reliability of the data can be ensured by triangulation of data from multiple sources and conducting interviews with stakeholders from different departments with structure questionnaires to ensure that the data is consistent and accurate. The validity of the data will be ensured by cross-referencing with the existing literature or industry best practices or other sources and through information obtained from interviews with the QaaS app developers to ensure that the data is accurate and reliable. The general applicability of the data will be ensured by ensuring that the information obtained is relevant and applicable to the research question and that it can be used to draw meaningful conclusions and make informed decisions, furthermore by comparing findings with industry standards and best practices or similar case studies or projects.
- Sub-question #2: ensure reliability through sampling techniques and representative stakeholder involvement, with comprehensive literature review and multiple sources of information. Validate priorities against real-world scenarios or case studies involving diverse expert panel, like the Company Supervisor. General applicability can be assessed by comparing prioritization with similar projects or frameworks, and considering scalability and adaptability of the integration with representative user samples.
- Sub-question #3: the validity of this sub-question will be through pilot integration unit testing or proof of concept documents, and ensuring alignment with cybersecurity standards and best practices. The reliability will be to consider future needs such as adaptability and scalability of the integration, and focus on Q-ICT user context and needs. General applicability can be assessed by comparing integration strategies with industry standards or expert opinions such as from the Company Supervisor.
- Sub-question #4: reliability can be defined by ensuring future adaptability with comprehensive literature review and multiple sources of information. Validity can be achieved through validating visualiza-



tion choices through data-driven approach in usability testing or prototyping, ensuring alignment with best practices in data visualization and involving the expert, like the Company Supervisor on the field. General applicability can be assessed by accessibility considerations by comparing proposed visualization techniques with similar applications or domains.

### 2.2.5 Research Limitations

The project and research in general will be limited on the API request methods, in which the author is allowed to do only GET requests. This is due to the fact that the author is not allowed to do any POST, PUT, DELETE, or any other HTTP request methods that could potentially change the state of the QaaS app or the API that is being requested. This limitation is because the author is not a full-time employee of Q-ICT and is not allowed to make any changes to the QaaS app or the API that is being requested. Therefore, the author is limited to do research in the best practices and possible answer for API monitoring and integration for the GET request method only.

Moreover, the author is also limited to the non-disclosure agreement signed within the initialization period of the graduation work placement. This means that any confidential information that the company deems as confidential will not be disclosed in this research. This includes any information that is not publicly available, such as any financial data or security data pertaining to the internal system or the QaaS app internal code.

## 2.3 Research Sub-Question #1

The QaaS app is a web application that is used by Q-ICT. It is made in Dart with Flutter as the front-end framework.

### 2.3.1 QaaS App Infrastructure

#### Flutter

Flutter is an open-source framework made by Google in 2017. It used as an UI toolkit for building natively compiled applications for mobile, web, and desktop (Windows, macOS, Linux) from a single codebase (Wikipedia, [n.d.-e](#)).

#### Cloud Solutions

##### Firebase

Firebase is a comprehensive platform for developing and managing web and mobile applications, created by Google and is party of GCP. It was originally an independent company founded by Firebase, Inc. in 2011. It

was then acquired by Google in 2014. Since then, it has become an integral part of Google's broader ecosystem of cloud services (Wikipedia, [n.d.-d](#)).

Firebase is a BaaS that provides developers with a variety of tools and services to help with both back-end infrastructure and front-end capabilities without worrying about managing servers or infrastructures. The services offered by Firebase including (Firebase, [n.d.](#))

- Databases:
  - Firestore Database: Firestore is a NoSQL database that is part of the Firebase platform. It is a flexible, scalable database for mobile, web, and server development. It keeps data in sync across client apps through real-time listeners and offers offline support for mobile and web, so the developers can build responsive apps that work regardless of network latency or Internet connectivity.
  - Real-time database:
- Authentication: is an easy-to-understand authentication services that support various authentication methods like email/password, phone number, with identity providers such as Google, Facebook, Twitter, Apple, GitHub, etc., along with utilizing 2FA authentication factors to enhance security by requiring additional factor, such as an OTP code that is sent to the user's phone or security key.
- Cloud Functions: often just called Functions in the Firebase console, it allows developers to run back-end code in response to events triggered by Firebase features and HTTPS requests. The code is stored in Google's cloud and runs in a managed environment. It is a serverless framework that allows developers to build and deploy serverless functions that automatically scale up and down based on demand. The available programming languages are Node.js (JS and TS), Python, Go, Java, and .NET (C#).
- Hosting: a service that allows developers to host static websites, dynamic web apps, mobile apps, and microservices on Firebase's infrastructure. The QaaS app is currently hosted on Firebase Hosting.
- Cloud Messaging/FCM: allows developers to send push notification and targeted messages to a client app that new email or other data is available to sync, or send notification messages to drive app interaction, adding more user re-engagement and retention. It is a cross-platform messaging solution that lets developers reliably deliver messages at no cost.
- Cloud Storage: offers a secure, scalable, and reliable file storage and sharing for Firebase apps. It is designed to help developers quickly and easily store and serve user-generated content, such as photos or videos.

- Remote Config: allows developers to dynamically control and the change behaviour and appearance of their apps without publishing app updates and requiring users to download them.
- Performance Monitoring
- Analytics: provides free and unlimited analytics solutions for understanding app usage, user engagement and user behaviour by tracking event logging, user demographics, and funnel analysis to gain valuable insights to improve the app.
- Crashlytics: is a lightweight, real-time crash and error reporter that helps developers track, prioritize, and fix stability issues that erode to the quality of the developer's app.
- Test Lab: enables automated testing of the developer's app on real devices in the Google data center.
- Dynamic Links: consist of deep links that dynamically route users to the content they are interested in, across platforms and devices. It helps developers create and share links that work the way they want, on the platform they want, and whether users have their apps installed.
- ML Kit: provides a set of ML APIs that can be easily integrated developer's app. This feature is still in beta testing.

## Algolia

Algolia is used for search functionality. It is a search-as-a-service platform that enables developers to integrate and build fast, relevant search functionality into their applications and websites (Wikipedia, [n.d.-a](#)). It provides a range of features and capabilities for building and managing search functionality, including full-text search, typo tolerance, and relevance tuning, as well as analytics and monitoring tools to help developers understand how users are interacting with their search functionality in real-time.

The reason as to why Q-ICT uses Algolia is that the nature of Firebase search engine is quite often proven to be inaccurate and slow.

## NoSQL Database

### 2.3.2 Q-ICT Internal APIs

#### What is an API?

#### Different Types of API By Audience

#### Different Types of API Protocols

##### SOAP API

SOAP APIs are strictly based on XML for the message structure and HTTP for the protocols. Sending a SOAP request is similar to using an envelope to send a message. SOAP APIs consume extra overhead and more bandwidth, and require more work on both the client and server ends. That being said, like envelopes, SOAP encloses more stringent security compared to REST.

Listing 2.1: Example of a SOAP request

```

1  <SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
2      xmlns:example="http://example.com">
3      <SOAP-ENV:Header/>
4      <SOAP-ENV:Body>
5          <example:GetUser>
6              <example:UserID>123</example:UserID>
7          </example:GetUser>
8      </SOAP-ENV:Body>
  </SOAP-ENV:Envelope>

```

## REST API

If SOAP is like an envelope, REST is like a more lightweight postcard. REST APIs are considered the gold standard for scalability and are highly compatible with microservice architecture.

REST APIs are high-performing (especially over HTTP2), time-tested, and support many data formats. They also decouple the client and server, making sure of independent evolution. However, building a true REST API is difficult because it requires a disciplined adherence to the Uniform Interface constraint (Hazaz, 2022). Many organizations trade off the long-term benefits of a truly REST API for other HTTP API protocols that have similar benefits but adhere to REST constraints more

liberally.

## GraphQL API

GraphQL APIs are contract-driven and come with introspection out-of-the-box. Building an API with GraphQL is very easy in comparison to true REST APIs, which require extensive knowledge of HTTP to build intelligently.

The downside is, however, that they do not scale well and require tight coupling between the client and the server. GraphQL queries get more expensive to parse and execute plans for as they get bigger and lack certain concepts native to HTTP, such as content and language negotiation. All three of the REST, SOAP, and



GraphQL use the HTTP protocol for communication therefore falls into HTTP APIs category. They are the commonly used for web services and allow applications to interact with each other over the internet.

## RPC API

## WebSocket

Those APIs are the following:

- **Resello:** is used for Q-ICT MS subscriptions owned by Pax8. It is a cloud marketplace that simplifies the way SMEs buy, sell, and manage cloud solutions through automation. It provides a single platform to manage the entire cloud customer lifecycle, from quote to cash to support, thus simplifying the process of buying, selling and managing cloud solutions.
- **SnelStart:** is used for Q-ICT automation of financial and accounting system software, such as managing invoices, etc., for SMEs. It offers a range of products and services to help businesses manage their finances, including accounting software, invoicing software, and financial management tools.
- **Bodyguard.io:** is used for security tab. It is a product from a Dutch company that filters and scrutinizes downloads from web browsers to detect and prevent malicious files with real-time download scanning capabilities.
- **N-Central:** is a product from N-Able and is used for monitoring clients' devices and ensuring the overall security of their systems, IT infrastructure, and digital assets. It is a RMM platform designed to help MSP and IT professionals to remotely monitor and manage their clients' devices and networks. It provides a comprehensive set of tools and features for monitoring, managing, and securing clients' devices and networks, including remote monitoring and management, patch management, antivirus, backup and disaster recovery, and network topology mapping.
- **PerfectView:** is a CRM application from a Dutch company designed to help manage, track, and store information related to Q-ICT's current and potential customers.

## 2.4 Research Sub-Question #2

### 2.4.1 What is API Monitoring?

API monitoring is the process of gathering, visualizing, tracking, analyzing, and alerting on the performance, availability, and the API telemetry data to ensure that API requests are handled as expected.

### 2.4.2 How Does API Monitoring Work?

API monitoring automatically checks API performance and availability at regular intervals, to ensure that the API runs appropriately. This can be done in a few different ways, depending on the type of the API being monitored 2.3.2.

For example, let's take Postman, a popular free API monitoring tools that allows developers to easily monitor, analyze, and debug their APIs. In this example, the system might look for common errors, such as 500-level responses or timeouts, when making requests to the API. It also checks for latency issues or sudden spikes in traffic that could indicate potential system problems. In addition, this monitoring system can be configured to track specific metrics such as total requests, response times, and other KPIs over time. This will then provide real-time insights into API performance and offers a range of features such as automated alerts, detailed analytics, and comprehensive reporting capabilities. Features that an API monitoring might have are listed in the following (Postman, 2024):

- **Endpoint Surveillance:** it begins by closely tracking the various endpoints of an API system. These endpoints represent specific functionalities or resources that the API provides.
- **Request-Response Analysis:** monitoring tools can simulate API requests by sending predefined inputs and parameters to specific endpoints, then analyzing the responses for relevant factors such as response time or data accuracy.
- **Performance Metrics Measurement:** KPIs, such as response time, latency, and error rates, are measured and tracked over time. This metrics offers insights into the overall health and efficiency of an API.
- **Error Detection and Logging:** actively identifying and log any errors or anomalies in API resources with an API monitoring program. This includes capturing HTTP error codes, unexpected data/file formats, and alerting of any deviations from expected behaviour.
- **Security Checks:** API monitoring assess API transactions for unauthorized access attempts, potential vulnerabilities, and adherence to security protocols.
- **Alerting and Notification System:** automated alerting systems can be configured with high levels of customization to notify relevant stakeholders when specific API performance thresholds are breached or exceeded or when abnormal behaviour is detected.
- **Usage Analysis Gathering:** collect usage analytics for insights into how a given API is being used. This data helps software organizations plan for scalability, optimize resource allocation, and understand user behaviour.

- **Logging for Auditing:** detailed logs of API interactions are maintained for auditing purposes. These API logs are valuable resources for post-incident analysis and tracking historical performance and behavioural trends.
- **Continuous Monitoring:** the tool is a constantly ongoing, real-time process that ensures that issues of any scope are identified and addressed promptly.

With those functionalities in mind, API monitoring tools can then automatically check API performance and availability at specified intervals of time to ensure that the monitored APIs run appropriately. The specific timing of those intervals is unique to each API product.

2.5

Research

Sub-Question

#3

2.5.1

SentinelOne

SentinelOne is a cybersecurity platform that provides endpoint protection, detection, and response capabili-

ties to help organizations defend against advanced cyber threats. It leverages Artificial Intelligence and machine learning to analyze and respond to security threats in real-time, providing organizations with comprehensive protection against malware, ransomware, and other cyber threats. It also provides visibility into clients’ IT systems and infrastructure, enabling organizations to gain insights into potential security risks and vulnerabilities and take proactive measures to address them.

2.5.2

SentinelOne Console

2.5.3

SentinelOne Ranger

2.5.4

SentinelOne Sentinels

2.5.5

SentinelOne Agent

2.5.6

SentinelOne Incidents

2.6

Research

Sub-Question

#4

## **Chapter 3**

# **Realization**

## **Chapter 4**

# **Conclusion and Recommendation**

# Bibliography

- Firebase. (n.d.). Firebase products - google. *GCP, Google Cloud Platform*. <https://firebase.google.com/products-build>
- Hazaz, Y. (2022). Understanding rest apis: Key principles and best practices explained. *Amplification*. <https://amplification.com/blog/rest-apis-what-why-and-how/>
- NIST. (2023). The five functions. *NIST Government*. <https://www.nist.gov/cyberframework/online-learning/five-functions>
- Postman. (2024). Monitor health and performance of your apis in postman. *Postman Learning Centre*. <https://learning.postman.com/docs/monitoring-your-api/intro-monitors/>
- Vogel, J. (2023). Ict research methods — methods pack for research in ict. *HBO-i, Amsterdam*. <https://ictresearchmethods.nl/>
- Wikipedia. (n.d.-a). Algolia. *Wikipedia, free encyclopedias*. <https://en.wikipedia.org/wiki/Algolia>
- Wikipedia. (n.d.-b). Api. *Wikipedia, free encyclopedia*. <https://en.wikipedia.org/wiki/API>
- Wikipedia. (n.d.-c). Customer relationship management. *Wikipedia, free encyclopedia*. [https://en.wikipedia.org/wiki/Customer\\_relationship\\_management](https://en.wikipedia.org/wiki/Customer_relationship_management)
- Wikipedia. (n.d.-d). Firebase. *Wikipedia, free encyclopedias*. <https://en.wikipedia.org/wiki/Firebase>
- Wikipedia. (n.d.-e). Flutter (software). *Wikipedia, free encyclopedia*. [https://en.wikipedia.org/wiki/Flutter\\_\(software\)](https://en.wikipedia.org/wiki/Flutter_(software))
- Wikipedia. (n.d.-f). Penetration test. *Wikipedia, free encyclopedia*. [https://en.wikipedia.org/wiki/Penetration\\_test](https://en.wikipedia.org/wiki/Penetration_test)
- Wikipedia. (n.d.-g). Remote monitoring and management. *Wikipedia, free encyclopedia*. [https://en.wikipedia.org/wiki/Remote\\_monitoring\\_and\\_management](https://en.wikipedia.org/wiki/Remote_monitoring_and_management)

## **Appendix A**

# **Planning**

## **Appendix B**

# **Project Plan**

## **Appendix C**

**FO (Functional Overview)/SRS(Software Requirements Specification)/PRS (Product Requirements Specification)**