



Usage Guideline

CBPRPlus- camt.057.001.06_NotificationToReceive

CBPRPlus SR2026 (Combined)

This document describes a usage guideline restricting the base message camt.057.001.06. You can also consult this [information online](#).

Published by Cross Border Payments and Reporting Plus (CBPR+) and generated by [MyStandards](#).

Version: SR2026

Status: Final

20 February 2026

Table of Content	2
Message Functionality	3
About this document	7
Usage Guideline	8
Rule Definitions	43
Legal Notices	52

Message Functionality

Collection Description

CBPRPlus SR2026 (Combined) ([link](#))

This is the Cross Border Payment and Reporting Collection for SR2026.

These are FINAL usage guidelines.

The usage guidelines are available on the CBPR+ SR2026 Readiness Portal for testing.

The Collection contains:

30 Usage Guidelines that will be live on the network as of November 2026.

Usage Guideline Description

CBPRPlus-camt.057.001.06_NotificationToReceive ([link](#))

Principles:

1A. AGENTS IDENTIFICATION - Textual Rules

-> If BICFI is present, then (Name & Postal Address) is NOT allowed (ClearingSystemMemberIdentification and LEI may complement) – However, in case of conflicting information, the BICFI will always take precedence.

-> If BICFI is absent, (Name & Postal Address) OR [(Name & Postal Address) and ClearingSystemMemberIdentification] must be present.

Exception: If BICFI is absent, whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

1B. DEBTOR - PARTY IDENTIFICATION - Textual Rules

-> If AnyBIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

-> If Name is present, it is recommended to use Postal Address.

2. Character Set:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related

Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

!#\$%&*='_{}~";<>@[\\]

< is replaced with <

> is replaced with >

3. CBPR_Agent_PointToPointOnSWIFT:

If the transaction is exchanged on the SWIFT network (ie if the instructing agent/sender and instruted agent/receiver of the message are on SWIFT), then BICFI is mandatory and other elements are optional, eg LEI

Outline

In the Collection CBPRPlus SR2026 (Combined), the message CBPRPlus-camt.057.001.06_NotificationToReceive is composed of a mandatory Business Application Header V02 (head.001.001.02) and a Document.

Business Application Header V02 (head.001.001.02)

The Business Application Header V02 (head.001.001.02) is composed of 15 elements.

a - Character Set

Contains the character set of the text-based elements used in the Business Message.

b - From

The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

c - To

The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

d - Business Message Identifier

Unambiguously identifies the Business Message to the MessagingEndpoint that has created

the Business Message.

e - Message Definition Identifier

Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

f - Business Service

Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

g - Market Practice

Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

h - Creation Date

Date and time when this Business Message (header) was created.

i - Business Processing Date

Processing date and time indicated by the sender for the receiver of the business message.

This date may be different from the date and time provided in the CreationDate.

Usage: Market practice or bilateral agreement should specify how this element should be used.

j - Copy Duplicate

Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

k - Possible Duplicate

Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level retransmission.

I - Priority

Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

m - Signature

Contains the digital signature of the Business Entity authorised to sign this Business Message.

n - Related

Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

o - CrossElementComplexRule : RelatedPresentWhenCopyDupl

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

Document - Notification To Receive V06 (camt.057.001.06)

The Document - Notification To Receive V06 (camt.057.001.06) is composed of 3 elements.

a - Group Header

Set of elements used to provide further details on the message.

b - Notification

Set of elements used to provide further details on the account notification.

c - Supplementary Data

Additional information that cannot be captured in the structured elements and/or any other specific block.

About this document

Legend

Abbreviation	Term	Description
X	Excluded	An optional field or element must not be populated.
I	Ignored	A field or element could be populated but is ignored by the receiver.
[x..y]	Multiplicity	A field or element multiplicity has changed.
FV	Fixed Value	A field or element must contain a given value.
T/C	Type / Code Change	A user-defined datatype replaces an existing simple datatype.
A	Element Added	A field or element has been added.

Header	Description
Index	Element reference
LvL	Element nesting in tree hierarchy
Name	Element name
XML Tag	Element XML tag
Mult	Element multiplicity
Type / Code	Element formatting
Rest	Restriction type
Additional details	Other restriction specifics

Type/Code Notation	Describes the Element	Examples
text{m,M}	minimum (m) and maximum (M) length	text{1,35}
text{L}	maximum (L) length, minimum length is 0	test{10}
m <= decimal <= M	minimum (m) and maximum (M) values	0.01 <= decimal <= 9999.99
fd = F, td = T	maximum fractional (F) and total (T) number of digits	fd = 2, td = 11
<<regular expression>>	regular expression pattern	[A-Z]{6,6}([A-Z0-9]{3,3}){0,1}

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	0	Full Message		[1..1]			Rules: R1
	1	Business Application Header V02 (head.001.001.02)	<AppHdr>	[1..1]			
	2	Character Set	<CharSet>	[0..1]	text		
	2	From	<Fr>	[1..1]	Choice		
	3	Financial Institution Identification	<FIId>	[1..1]			
	4	Financial Institution Identification	<FinInstnId>	[1..1]			
	5	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	5	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	6	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,5}		
	6	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!\?:(\)\.\,\' +]+
	5	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	2	To	<To>	[1..1]	Choice		
	3	Financial Institution Identification	<FIId>	[1..1]			
	4	Financial Institution Identification	<FinInstnId>	[1..1]			
	5	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	5	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	6	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-?:(\)\.,\'+]+
	5	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	2	Business Message Identifier	<BizMsgIdr>	[1..1]	text{1,35}	T/C	Rules: R1 ----- Type Changed: text{1,35} [0-9a-zA-Z/\-?:(\)\.,\'+]+
	2	Message Definition Identifier	<MsgDefIdr>	[1..1]	text{1,35}	FV	FixedValue: camt.057.001.06
	2	Business Service	<BizSvc>	[0..1]	text{1,35}	FV [1..1]	FixedValue: swift.cbprplus.04
	2	Market Practice	<MktPrctc>	[0..1]			
	3	Registry	<Regy>	[1..1]	text{1,350}		
	3	Identification	<Id>	[1..1]	text{1,2048}		
	2	Creation Date	<CreDt>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	2	Copy Duplicate	<CpyDplct>	[0..1]	text		
	3	Copy Duplicate			CODU		
	3	Copy			COPY		
	3	Duplicate			DUPL		
	2	Possible Duplicate	<PssblDplct>	[0..1]	boolean		
	2	Priority	<Prty>	[0..1]	text	T/C	Type Changed: One of the following code values must be used: HIGH (High) NORM (Normal)
	3	High			HIGH		
	3	Normal			NORM		
	2	Related	<Rltd>	[0..*]		[0..1]	Rules: R2
	3	Character Set	<CharSet>	[0..1]	text		
	3	From	<Fr>	[1..1]	Choice		
	4	Financial Institution Identification	<FIId>	[1..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	3	To	<To>	[1..1]	Choice		
	4	Financial Institution Identification	<FIId>	[1..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	3	Business Message Identifier	<BizMsgIdr>	[1..1]	text{1,35}	T/C	Rules: R3 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	3	Message Definition Identifier	<MsgDefIdr>	[1..1]	text{1,35}	T/C	Rules: R4 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	3	Business Service	<BizSvc>	[0..1]	text{1,35}	T/C	Rules: R5, R6 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	3	Creation Date	<CreDt>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	3	Copy Duplicate	<CpyDplct>	[0..1]	text		
	4	Copy Duplicate			CODU		
	4	Copy			COPY		
	4	Duplicate			DUPL		
	3	Priority	<Prty>	[0..1]	text	T/C	Type Changed: One of the following code values must be used: HIGH (High) NORM (Normal)
	4	High			HIGH		
	4	Normal			NORM		
	1	Document		[1..1]			
	2	Notification To Receive V06 (camt.057.001.06)	<NtfctnToRcv>				
	3	Group Header	<GrpHdr>	[1..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	4	Message Identification	<MsgId>	[1..1]	text{1,35}	T/C	Rules: R1 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'+]+
	4	Creation Date Time	<CreDtTm>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)(([0-9]) ([1[0-4]]):[0-5][0-9])
	4	Message Sender	<MsgSndr>	[0..1]	Choice		
	5	Party	<Pty>	[1..1]			Rules: R7, R8
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R7, R8 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\?:(\)\.,'+ !#\$%&!*^=_`\'/ }~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R7, R9
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?:(\)\.,'+ !#\$%&!*^=_`\'/ }~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?:(\)\.,'+ !#\$%&!*^=_`\'/ }~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?:(\)\.,'+ !#\$%&!*^=_`\'/ }~";<>@\ \\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\?:(\)\.,'+ !#\$%&!*^=_`\'/ }~";<>@\ \\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'+ !#\$%&!*^=_`\'/ }~";<>@\ \\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?:(\)\.,'+ !#\$%&!*^=_`\'/ }~";<>@\ \\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\?:(\)\.,'+ !#\$%&!*^=_`\'/ }~";<>@\ \\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?:(\)\.,'+ !#\$%&!*^=_`\'/ }~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	6	Identification	<Id>	[0..1]	Choice		
	7	Identification Organisation	<OrgId>	[1..1]			
	8	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		Rules: R8
	8	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	7	Private Identification	<PrvtId>	[1..1]			
	8	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
	9	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	9	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*=-^ \\\}\~";<>@\ \\]+
	9	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*=-^ \\\}\~";<>@\ \\]+
	9	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	6	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	5	Agent	<Agt>	[1..1]			Rules: R10, R11, R12
	6	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R13
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-?:\(\)\.,\'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R13 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R9, R13
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&\!*=^ _\'{}~";<>@\ \\]+
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&\!*=^ _\'{}~";<>@\ \\]+
	8	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&\!*=^ _\'{}~";<>@\ \\]+
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&\!*=^ _\'{}~";<>@\ \\]+
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&\!*=^ _\'{}~";<>@\ \\]+
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&\!*=^ _\'{}~";<>@\ \\]+
	3	Notification	<Ntfctn>	[1..1]			Rules: R14
	4	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+]+
	4	Account	<Acct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!?:\(\)\. ,\'+]([0-9a-zA-Z\-\!?:\(\)\. ,\'+]*([0-9a-zA-Z\-\!?:\(\)\. ,\'+])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	4	Account Owner	<AcctOwnr>	[0..1]	Choice		
	5	Party	<Pty>	[1..1]			Rules: R15, R16
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R15, R16 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R15, R9
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	6	Identification	<Id>	[0..1]	Choice		
	7	Identification Organisation	<OrgId>	[1..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		Rules: R16
	8	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	7	Private Identification	<PrvtId>	[1..1]			
	8	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
	9	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	9	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}		
	9	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}		
	9	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	5	Agent	<Agt>	[1..1]			Rules: R10, R11, R12
	6	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R17
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\:\(\)\.\,'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R17 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\:\(\)\.\,'+ !#\$%&!*='^ `\'~";<>@\ \\\]]+
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R9, R17
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.\,'+ !#\$%&!*='^ `\'~";<>@\ \\\]]+
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.\,'+ !#\$%&!*='^ `\'~";<>@\ \\\]]+
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.\,'+ !#\$%&!*='^ `\'~";<>@\ \\\]]+
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.\,'+ !#\$%&!*='^ `\'~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	8	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	4	Account Servicer	<AcctSvcr>	[0..1]			Rules: R10, R11, R12
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R18
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R18 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R9, R18
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	4	Related Account	<RltdAcct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!?:\(\)\. ,\'+]([0-9a-zA-Z\-\!?:\(\)\. ,\'+]*(/[0-9a-zA-Z\-\!?:\(\)\. ,\'+])?*))
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\ `\'{}~";<>@\ \\]+
	4	Total Amount	<TtlAmt>	[0..1]	0 <= decimal td = 18 fd = 5		Rules: R19
	5	Xml Attribute Currency	<Ccy>		text [A-Z]{3,3}		Rules: R19
	4	Expected Value Date	<XpctdValDt>	[0..1]	date	T/C	Rules: R14 ----- Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	4	Debtor	<Dbtr>	[0..1]	Choice		
	5	Party	<Pty>	[1..1]			Rules: R20, R21, R22
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R20, R22 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\ `\'{}~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R9, R22
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~";<>@\ \\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~";<>@\ \\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~";<>@\ \\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~";<>@\ \\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~";<>@\ \\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~";<>@\ \\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~";<>@\ \\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~";<>@\ \\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~";<>@\ \\]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~";<>@\ \\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	6	Identification	<Id>	[0..1]	Choice		
	7	Identification Organisation	<OrgId>	[1..1]			
	8	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		Rules: R20
	8	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	7	Private Identification	<PrvtId>	[1..1]			
	8	Birth Date And Place Of	<DtAndPlcOfBirth>	[0..1]			
	9	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	9	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}		
	9	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}		
	9	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	5	Agent	<Agt>	[1..1]			Rules: R10, R23, R24, R11, R12
	6	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R25
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R25 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^_`\'\/\}\~";<>@\ \\]+
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R25, R9
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^_`\'\/\}\~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	8	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	4	Debtor Agent	<DbtrAgt>	[0..1]			Rules: R12, R23, R10, R11
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R26
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\?:(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R26 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\?:(\)\.,\'+ !#\$%&!*='^ `\'~";<>@\ \\\]]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R26, R9
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?:(\)\.,\'+ !#\$%&!*='^ `\'~";<>@\ \\\]]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?:(\)\.,\'+ !#\$%&!*='^ `\'~";<>@\ \\\]]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?:(\)\.,\'+ !#\$%&!*='^ `\'~";<>@\ \\\]]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\?:(\)\.,\'+ !#\$%&!*='^ `\'~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	4	Intermediary Agent	<IntrmyAgt>	[0..1]			Rules: R11, R23, R10, R12
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R27
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R27 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	6	Postal Address	<PstAdr>	[0..1]			Rules: R9, R27
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \\\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]]+
	4	Item	<Itm>	[1..*]			
	5	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	End To End Identification	<EndToEndId>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	UETR	<UETR>	[0..1]	text [a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12}		
	5	Related Account	<RltdAcct>	[0..1]			
	6	Identification	<Id>	[1..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\?\:\(\)\.\,'+]([0-9a-zA-Z\-\?\:\(\)\.\,'+]*([0-9a-zA-Z\-\?\:\(\)\.\,'+])?*))
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\?\:\(\)\.\,'+]!#\$%&!*='^ \\\}\~";<>@\ \\]+
	5	Amount	<Amt>	[1..1]	0 <= decimal td = 18 fd = 5		Rules: R28

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Xml Attribute Currency	<Ccy>		text [A-Z]{3,3}		Rules: R28
	5	Expected Value Date	<XpctdValDt>	[0..1]	date	T/C	Rules: R14 ----- Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	5	Debtor	<Dbtr>	[0..1]	Choice		
	6	Party	<Pty>	[1..1]			Rules: R29, R30, R21
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R29, R30 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R9, R29
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	8	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]]+]
	7	Identification	<Id>	[0..1]	Choice		
	8	Identification Organisation	<OrgId>	[1..1]			
	9	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		Rules: R30
	9	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	9	Other	<Othr>	[0..*]		[0..2]	
	10	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	10	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	11	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	10	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	8	Private Identification	<PrvtId>	[1..1]			
	9	Date And Place Of Birth	<DtAndPlcOfBirt h>	[0..1]			
	10	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	10	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\]+
	10	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\]+
	10	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	9	Other	<Othr>	[0..*]		[0..2]	
	10	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	10	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	11	Code	<Cd>	[1..1]	text{1,4}		
	10	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	7	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	6	Agent	<Agt>	[1..1]			Rules: R23, R11, R24, R12, R10
	7	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R31
	8	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}		
	8	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Identification	Clearing System	<ClrSysId>	[0..1]	Choice	[1..1]
	10		Code	<Cd>	[1..1]	text{1,5}	
	9	Identification	Member	<Mmbld>	[1..1]	text{1,35}	T/C Type Changed: text{1,28} [0-9a-zA-Z/\-?:\(\)\.,\'+]+
	8		LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}	
	8		Name	<Nm>	[0..1]	text{1,140}	T/C Rules: R31 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+
	8		Postal Address	<PstlAdr>	[0..1]		Rules: R31, R9
	9		Department	<Dept>	[0..1]	text{1,70}	T/C Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+
	9		Sub Department	<SubDept>	[0..1]	text{1,70}	T/C Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+
	9		Street Name	<StrtNm>	[0..1]	text{1,70}	T/C Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+
	9		Building Number	<BldgNb>	[0..1]	text{1,16}	T/C Type Changed: text{1,16} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+
	9		Building Name	<BldgNm>	[0..1]	text{1,35}	T/C Type Changed: text{1,35} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+
	9		Floor	<Flr>	[0..1]	text{1,70}	T/C Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+
	9		Post Box	<PstBx>	[0..1]	text{1,16}	T/C Type Changed: text{1,16} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+
	9		Room	<Room>	[0..1]	text{1,70}	T/C Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\]]+`
	9	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\]]+`
	9	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\]]+`
	9	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\]]+`
	9	Division Country Sub	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\]]+`
	9	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	9	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\]]+`
	5	Debtor Agent	<DbtrAgt>	[0..1]			Rules: R23, R11, R12, R10
	6	Identification Financial Institution	<FinInstnId>	[1..1]			Rules: R32
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Identification Clearing System	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Identification Member	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!?:\(\)\. ,\'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R32 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]]+]
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R9, R32
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]]+]
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]]+]
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]]+]
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]]+]
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]]+]
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]]+]
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]]+]
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]]+]
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]]+]
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]]+]
	8	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]]+]

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	5	Intermediary Agent	<IntrmyAgt>	[0..1]			Rules: R10, R23, R12, R11
	6	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R33
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R33 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R9, R33
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+

Index	Lvl	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	5	Purpose	<Purp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!\?:\(\)\.\,'+]+

Rule Definitions

Index	Name	Description	Formal Rule Definition
R1	Rule "CBPR_BusinessMessageIdentifier_FormalRule"	The Business Message Identifier must match the Message Identification in the Group Header.	For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/BusinessMessageIdentifier] value must be equal to every occurrence of [Full Message/Document/NotificationToReceiveV06/GroupHeader/MessageIdentification] value
R2	Rule "CBPR_Related_Business_Application_Header_TextualRule"	If used, the Related BAH must transport the exact same information as in the BAH of the related message.	
R3	Rule "CBPR_Business_Message_Identifier_TextualRule"	The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system. Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this element must contain the unique identifier of the Business Message instance.	
R4	Rule "CBPR_Message_Definition_Identifier_TextualRule"	The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.	
R5	Rule "CBPR_Related_BAH_Business_Service_TextualRule"	If related BAH is present, it should transport the element Business Service.	

R6	Rule "CBPR_RelatedBAHB usinessService_Textu alRule"	If related BAH is present, then it is recommended to transport the element Business Service.	
R7	Rule "CBPR_Party_Name_ Postal_Address_Form alRule"	If Postal Address is present then Name is mandatory.	For each [Full Message/Document/NotificationToReceiveV06/GroupHea der/MessageSender/Party], if at least one occurrence of the following element(s) [Party/PostalAddress] is (are) present , then at least one occurrence of the following element(s) [Party/Name] must be present
R8	Rule "CBPR_Party_Name_ Any_BIC_FormalRule"	If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.	For each [Full Message/Document/NotificationToReceiveV06/GroupHea der/MessageSender/Party], if the following element(s) [Party/Identification/OrganisationIdentification/AnyBIC] is (are) absent , then at least one occurrence of the following element(s) [Party/Name] must be present
R9	Rule "CBPR_Duplication_P ostal_Address_Textua lRule"	Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.	
R10	Rule "CBPR_Agent_Option _2_TextualRule"	(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.	
R11	Rule "CBPR_Agent_Option _1_TextualRule"	BICFI, complemented optionally with a LEI (preferred option)	
R12	Rule "CBPR_Agent_Option _3_TextualRule"	Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.	

R13	Rule "CBPR_Agent_Name_Postal_Address_FormalRule"	Name and Address must always be present together.	For each [Full Message/Document/NotificationToReceiveV06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification], for each [FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and for each [FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R14	Rule "CBPR_Expected_Value_Date_FormalRule"	If Notification/ExpectedValueDate is absent, then item/ExpectedValueDate must be present.	For each [Full Message/Document/NotificationToReceiveV06/Notification], if the following element(s) [Notification/ExpectedValueDate] is (are) absent , then at least one occurrence of the following element(s) [Notification/Item/ExpectedValueDate] must be present
R15	Rule "CBPR_Party_Name_Postal_Address_FormalRule"	If Postal Address is present then Name is mandatory.	For each [Full Message/Document/NotificationToReceiveV06/Notification/AccountOwner/Party], if at least one occurrence of the following element(s) [Party/PostalAddress] is (are) present , then at least one occurrence of the following element(s) [Party/Name] must be present

R16	Rule "CBPR_Party_Name_Any_BIC_FormalRule"	If AnyBIC is absent, then Name is mandatory.	For each [Full Message/Document/NotificationToReceiveV06/Notification/AccountOwner/Party], if the following element(s) [Party/Identification/OrganisationIdentification/AnyBIC] is (are) absent, then at least one occurrence of the following element(s) [Party/Name] must be present
R17	Rule "CBPR_Agent_Name_Postal_Address_FormalRule"	Name and Address must always be present together.	For each [Full Message/Document/NotificationToReceiveV06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification], for each [FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and for each [FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R18	Rule "CBPR_Agent_Name_Postal_Address_FormalRule"	Name and Address must always be present together.	For each [Full Message/Document/NotificationToReceiveV06/Notification/AccountServicer/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R19	Rule "CBPR_Total_Amount_Currency_FormalRule"	The codes XAU, XAG, XPD and XPT are not allowed, as these are codes are only used for commodities.	For each [Full Message/Document/NotificationToReceiveV06/Notification/TotalAmount], every occurrence of [TotalAmount/Currency] must have value not included in the following list 'XAU' or 'XAG' or 'XPD' or 'XPT'
R20	Rule "CBPR_Party_Name_Any_BIC_FormalRule"	If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.	For each [Full Message/Document/NotificationToReceiveV06/Notification/Debtor/Party], if the following element(s) [Party/Identification/OrganisationIdentification/AnyBIC] is (are) absent, then at least one occurrence of the following element(s) [Party/Name] must be present
R21	Rule "CBPR_Debtor_BIC_Presence_TextualRule"	If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.	

R22	Rule "CBPR_Party_Name_Postal_Address_FormalRule"	If Postal Address is present then Name is mandatory.	For each [Full Message/Document/NotificationToReceiveV06/Notification/Debtor/Party], if at least one occurrence of the following element(s) [Party/PostalAddress] is (are) present , then at least one occurrence of the following element(s) [Party/Name] must be present
R23	Rule "CBPR_Agent_National_only_TextualRule"	Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.	
R24	Rule "CBPR_Agent_Point_To_Point_On_SWIFT_TextualRule"	If the transaction is exchanged on the SWIFT network (i.e. if the sender and receiver of the message are on SWIFT), then BIC is mandatory and other elements are optional, eg LEI	
R25	Rule "CBPR_Agent_Name_Postal_Address_FormalRule"	Name and Address must always be present together.	For each [Full Message/Document/NotificationToReceiveV06/Notification/Debtor/Agent/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R26	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/NotificationToReceiveV06/Notificatio n/DebtorAgent/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R27	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/NotificationToReceiveV06/Notificatio n/IntermediaryAgent/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R28	Rule "CBPR_Amount_Curr ency_FormaRule"	The codes XAU, XAG, XPD and XPT are not allowed, as these are codes are only used for commodities.	For each [Full Message/Document/NotificationToReceiveV06/Notificatio n/Item/Amount], every occurrence of [Amount/Currency] must have value not included in the following list 'XAU' or 'XAG' or 'XPD' or 'XPT'

R29	Rule "CBPR_Party_Name_Postal_Address_FormaRule"	If Postal Address is present then Name is mandatory.	For each [Full Message/Document/NotificationToReceiveV06/Notification/Item/Debtor/Party], if at least one occurrence of the following element(s) [Party/PostalAddress] is (are) present , then at least one occurrence of the following element(s) [Party/Name] must be present
R30	Rule "CBPR_Party_Name_Any_BIC_FormaRule"	If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.	For each [Full Message/Document/NotificationToReceiveV06/Notification/Item/Debtor/Party], if the following element(s) [Party/Identification/OrganisationIdentification/AnyBIC] is (are) absent , then at least one occurrence of the following element(s) [Party/Name] must be present
R31	Rule "CBPR_Agent_Name_Postal_Address_FormaRule"	Name and Address must always be present together.	For each [Full Message/Document/NotificationToReceiveV06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R32	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/NotificationToReceiveV06/Notificatio n/Item/DebtorAgent/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R33	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/NotificationToReceiveV06/Notificatio n/Item/IntermediaryAgent/FinancialInstitutionIdentification] , if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

Legal Notices

Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR.

Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.