



Usage Guideline

CBPRPlus- pacs.008.001.08_FIToFICustomer- CreditTransfer

CBPRPlus SR2026 (Combined)

This document describes a usage guideline restricting the base message **MX pacs.008.001.08**. You can also consult [this information online](#).

Published by Cross Border Payments and Reporting Plus (CBPR+) and generated by [MyStandards](#).

20 February 2026

Table of Contents

Message Functionality	3
1 Restriction summary	5
2 Structure	8
3 ISO 20022 Rules	12
4 Message Building Blocks	15
5 Message Components	28
6 Message Datatypes	314
Legal Notices	366

Message Functionality

This Usage Guideline is based on the pacs.008.001.08 message definition. In addition, Cross Border Payments and Reporting Plus (CBPR+) has defined usage of BusinessApplicationHeaderV02 as mandatory. The following section will be dealing with the pacs.008.001.08 only.

Overview

Principles:

1A. AGENTS IDENTIFICATION -Textual Rules

-> If BICFI is present, then (Name & Postal Address) is NOT allowed (ClearingSystemMemberIdentification and LEI may complement) - However, in case of conflicting information, the BICFI will always take precedence.

-> If BICFI is absent, (Name & Postal Address) OR [(Name & Postal Address) and ClearingSystemMemberIdentification] must be present.

Exception: If BICFI is absent, whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

Note: "Instructing/ Instructed Agents" must be identified with a BICFI - Clearing System Members Identification and LEI are optional.

1B. DEBTOR/CREDITOR - PARTY IDENTIFICATION - Textual Rules

-> If AnyBIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

-> If Name is present, it is recommended to use Postal Address.

2. Single transactions only are allowed.

3. Character Set:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

!#\$%&*='^_ '{|}~";<>@[\\

< is replaced with <

> is replaced with >

4. CBPR_Agent_PointToPointOnSWIFT:

If the transaction is exchanged on the SWIFT network (ie if the instructing agent/ sender and instructed agent/receiver of the message are on SWIFT), then BICFI is mandatory and other elements are optional, eg LEI

Collection Description

This is the Cross Border Payment and Reporting Collection for SR2026.

These are FINAL usage guidelines.

The usage guidelines are available on the CBPR+ SR2026 Readiness Portal for testing.

The Collection contains:

30 Usage Guidelines that will be live on the network as of November 2026.

Outline

The CBPRPlus SR2026 (Combined) / CBPRPlus-pacs.008.001.08_FIToFICustomerCreditTransfer message is composed of 3 building blocks

a. GroupHeader

Set of characteristics shared by all individual transactions included in the message.

b. CreditTransferTransactionInformation

Set of elements providing information specific to the individual credit transfer(s).

c. SupplementaryData

Additional information that cannot be captured in the structured elements and/or any other specific block.

1 Restriction summary

This Usage Guideline restricts the pacs.008.001.08 message. This also includes the BusinessApplicationHeaderV02.

Restriction Type	See page
Removed elements	14, 19, 20, 27, 36, 36, 37, 37, 37, 37, 37, 37, 37, 38, 38, 38, 38, 39, 39, 40, 43, 43, 44, 48, 49, 58, 58, 58, 58, 58, 58, 58, 58, 58, 58, 58, 58, 59, 59, 59, 59, 59, 59, 75, 75, 100, 101, 124, 124, 124, 124, 124, 124, 124, 124, 124, 124, 126, 126, 126, 127, 127, 127, 128, 128, 128, 128, 128, 128, 128, 128, 129, 129, 154, 155, 155, 155, 156, 157, 157, 159, 163, 164, 164, 164, 164, 164, 169, 170, 170, 170, 170, 171, 171, 171, 171, 171, 173, 174, 174, 174, 177, 177, 178, 178, 179, 179, 179, 179, 180, 180, 180, 180, 180, 180, 181, 181, 181, 181, 181, 182, 182, 182, 185, 185, 185, 185, 188, 192, 192, 192, 192, 205, 206, 206, 206, 206, 207, 207, 207, 207, 209, 209, 209, 209, 209, 209, 209, 209, 210, 210, 210, 210, 210, 210, 210, 210, 210, 210, 212, 212, 212, 213, 213, 213, 214, 214, 214, 214, 214, 214, 214, 214, 214, 214, 214, 214, 215, 215, 215, 215, 215, 215, 266, 272, 329, 360, 361
Make mandatory	18, 60, 60, 60, 61, 61, 61, 61, 61, 61, 61, 61, 61, 61, 62, 62, 62, 62, 62, 74, 76, 83, 83, 102, 125, 125, 125, 125, 126, 141, 141, 141, 141, 143, 144, 144, 145, 145, 148, 148, 148, 148, 150, 151, 151, 151, 152, 193, 195, 232, 232, 232, 232, 233, 233, 233, 233, 233, 233, 233, 233, 233, 233, 234, 234, 241, 241, 241, 242, 242, 242, 242, 242, 242, 242, 242, 242, 242, 242, 243, 243, 243, 243, 247, 247, 247, 247, 247, 248, 248, 248, 248, 248, 248, 248, 248, 248, 248
Reduce Multiplicity	21, 25, 98, 98, 100, 165, 166, 166, 166, 167, 168, 168, 168, 168, 198, 201, 201, 201, 202, 203, 204, 204, 204, 204, 243, 243, 243, 243, 243, 243, 244, 244, 244, 244, 244, 244, 244, 244, 244, 244, 244, 245, 245, 245, 262, 265
Ignore	n.a.
Text rules	21, 46, 47, 47, 56, 56, 57, 57, 73, 73, 76, 76, 77, 77, 78, 78, 78, 79, 79, 79, 79, 80, 80, 80, 80, 81, 81,

Restriction Type	See page
	82, 82, 84, 84, 84, 84, 85, 85, 85, 85, 87, 87, 87, 87, 88, 88, 88, 90, 90, 90, 90, 92, 92, 92, 92, 93, 93, 93, 94, 95, 95, 95, 95, 97, 97, 122, 122, 122, 122, 122, 123, 123, 123, 123, 123, 123, 123, 183, 184, 184, 184, 187, 190, 190, 190, 191, 194, 263, 272, 272, 273, 273, 273, 274, 274, 274, 275, 275, 276, 276, 276, 276, 276, 329
Conditional rules	n.a.
Formal rules	15, 15, 15, 16, 16, 22, 22, 22, 22, 25, 25, 26, 26, 26, 32, 32, 33, 33, 34, 34, 34, 35, 35, 36, 40, 73, 88, 89, 91, 91, 95, 95, 97, 193
Fixed values	18, 18, 154
Truncates	n.a.
Comments	n.a.
Annotations	n.a.
Changed datatypes	17, 19, 20, 29, 29, 29, 29, 29, 30, 30, 30, 30, 30, 30, 30, 30, 30, 43, 46, 47, 47, 48, 49, 51, 51, 51, 51, 51, 51, 51, 51, 51, 51, 51, 51, 52, 52, 53, 53, 53, 53, 53, 53, 53, 53, 53, 53, 53, 54, 54, 54, 55, 56, 62, 62, 62, 62, 62, 63, 63, 63, 63, 63, 63, 63, 63, 63, 63, 63, 63, 63, 64, 64, 73, 74, 76, 102, 103, 104, 106, 106, 106, 106, 106, 106, 106, 106, 106, 107, 107, 107, 107, 107, 107, 107, 107, 107, 108, 108, 108, 108, 108, 108, 108, 108, 108, 110, 110, 110, 110, 112, 112, 113, 113, 113, 113, 114, 115, 116, 117, 118, 120, 120, 120, 120, 120, 120, 121, 121, 121, 121, 121, 121, 131, 131, 132, 133, 134, 134, 134, 134, 134, 134, 134, 134, 135, 135, 135, 135, 135, 135, 135, 136, 136, 136, 136, 136, 136, 136, 136, 136, 136, 136, 136, 136, 137, 140, 140, 140, 140, 141, 141, 141, 141, 142, 143, 144, 144, 144, 144, 145, 145, 145, 145, 147, 147, 147, 147, 148, 148, 148, 148, 149, 150, 151, 151, 151, 151, 152, 152, 152, 152, 153, 154, 159, 160, 161, 162, 170, 170, 170, 170, 171, 171, 172, 172, 182, 182, 182, 182, 186, 189, 189, 189, 189, 193, 194, 194, 195, 206, 206, 206, 206, 207, 207, 208, 208, 215, 215, 215, 215, 215, 216, 216, 216, 216, 216, 216, 216, 216, 216, 216, 216, 216, 216, 217, 217, 217, 217, 217, 217, 217, 217, 217, 217, 218, 218, 218, 218, 218, 218, 218, 218, 218, 218, 218, 218, 218, 219, 219,

Restriction Type	See page
	219, 219, 219, 219, 219, 219, 219, 219, 219, 220, 220, 220, 220, 220, 220, 220, 220, 220, 220, 220, 220, 220, 221, 221, 221, 221, 221, 221, 221, 221, 221, 221, 222, 222, 222, 222, 222, 222, 222, 222, 222, 222, 222, 222, 222, 223, 223, 223, 223, 223, 223, 223, 223, 223, 223, 223, 224, 224, 224, 224, 224, 224, 224, 224, 224, 224, 224, 225, 225, 225, 225, 225, 225, 225, 225, 225, 225, 225, 225, 225, 226, 226, 226, 226, 226, 226, 226, 226, 226, 226, 227, 227, 227, 227, 227, 227, 227, 227, 227, 227, 227, 227, 227, 228, 228, 228, 228, 228, 228, 228, 228, 228, 228, 228, 229, 229, 229, 229, 229, 229, 229, 229, 229, 229, 229, 229, 229, 230, 230, 230, 230, 230, 230, 230, 230, 230, 230, 231, 231, 231, 231, 231, 231, 231, 231, 231, 231, 231, 231, 231, 232, 232, 232, 232, 232, 234, 234, 234, 234, 234, 234, 234, 234, 234, 234, 234, 235, 235, 235, 235, 235, 235, 235, 235, 235, 235, 235, 236, 236, 236, 236, 236, 236, 236, 236, 236, 236, 236, 236, 236, 237, 237, 237, 237, 237, 237, 237, 237, 237, 237, 238, 238, 238, 238, 238, 238, 238, 238, 238, 238, 238, 238, 238, 239, 239, 239, 239, 239, 239, 239, 239, 239, 239, 240, 240, 240, 240, 240, 240, 240, 240, 240, 240, 240, 240, 240, 241, 241, 241, 241, 241, 241, 241, 245, 245, 245, 245, 245, 245, 245, 245, 245, 245, 246, 246, 246, 246, 246, 246, 246, 246, 246, 246, 246, 246, 248, 248, 249, 249, 249, 249, 249, 249, 249, 249, 249, 249, 249, 249, 250, 250, 250, 250, 250, 251, 251, 251, 251, 251, 251, 251, 251, 251, 252, 253, 253, 254, 255, 256, 263, 264, 265, 267, 268, 268, 278, 278, 278, 279, 279, 280, 280, 280, 281, 285, 289, 290, 290, 291, 291, 291, 291, 293, 294, 294, 295, 300, 300, 300, 302, 302, 303, 303, 303, 303, 305, 305, 308, 309, 309, 310, 310, 310, 311, 312
Extensions	n.a.
Synonyms	56, 57, 194, 263, 271, 271, 273, 274, 275, 275, 276, 277, 329

2 Structure

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	<i>BusinessApplicationHeaderV02</i>	<AppHdr>		[1..1]		
	CharacterSet	<CharSet>		[0..1]		16
	From	<Fr>		[1..1]		16
	OrganisationIdentification	<OrgId>	{Or	[1..1]		177
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		178
	To	<To>		[1..1]		17
	OrganisationIdentification	<OrgId>	{Or	[1..1]		177
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		178
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		17
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		18
	BusinessService	<BizSvc>		[0..1]		18
	MarketPractice	<MktPrctc>		[0..1]		18
	Registry	<Regy>		[1..1]		158
	Identification	<Id>		[1..1]		158
	CreationDate	<CreDt>		[1..1]		19
	BusinessProcessingDate	<BizPrctgDt>		[0..1]		19
	CopyDuplicate	<CpyDplct>		[0..1]		19
	PossibleDuplicate	<PssblDplct>		[0..1]		20
	Priority	<Prty>		[0..1]		20
	Signature	<Sgntr>		[0..1]		20
	Related	<Rltd>		[0..*]	R[0..1]	20
	CharacterSet	<CharSet>		[0..1]		45
	From	<Fr>		[1..1]		45
	To	<To>		[1..1]		45
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		46
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		46
	BusinessService	<BizSvc>		[0..1]		47
	CreationDate	<CreDt>		[1..1]		47

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CopyDuplicate	<CpyDplct>		[0..1]		48
	PossibleDuplicate	<PssblDplct>		[0..1]		48
	Priority	<Prty>		[0..1]		48
	Signature	<Sgntr>		[0..1]		49
	<i>FIToFICustomerCreditTransferV08</i>	<FIToFICstmrCdtTrf>		[1..1]		22
	GroupHeader	<GrpHdr>		[1..1]		23
	MessageIdentification	<MsgId>		[1..1]		153
	CreationDateTime	<CreDtTm>		[1..1]		153
	BatchBooking	<BtchBookg>		[0..1]		154
	NumberOfTransactions	<NbOfTx>		[1..1]		154
	ControlSum	<CtrlSum>		[0..1]		154
	TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>		[0..1]		155
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		155
	SettlementInformation	<SttlmInf>		[1..1]		155
	PaymentTypeInformation	<PmtTpInf>		[0..1]		156
	InstructingAgent	<InstgAgt>		[0..1]		156
	InstructedAgent	<InstdAgt>		[0..1]		157
	CreditTransferTransactionInformation	<CdtTrfTxInf>		[1..*]	 R[1..1]	23
	PaymentIdentification	<PmtId>		[1..1]		72
	PaymentTypeInformation	<PmtTpInf>		[0..1]		72
	InterbankSettlementAmount	<IntrBkSttlmAmt>		[1..1]		73
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]	 	74
	SettlementPriority	<SttlmPrty>		[0..1]		74
	SettlementTimeIndication	<SttlmTmIndctn>		[0..1]		74
	SettlementTimeRequest	<SttlmTmReq>		[0..1]		75
	AcceptanceDateTime	<AccptncDtTm>		[0..1]		75
	PoolingAdjustmentDate	<PoolgAdjstmntDt>		[0..1]		75
	InstructedAmount	<InstdAmt>		[0..1]	 	76
	ExchangeRate	<XchgRate>		[0..1]		76
	ChargeBearer	<ChrgBr>		[1..1]		77
	ChargesInformation	<ChrgsInf>		[0..*]		77

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PreviousInstructingAgent1	<PrvsInstgAgt1>		[0..1]		78
	PreviousInstructingAgent1Account	<PrvsInstgAgt1Acct>		[0..1]		79
	PreviousInstructingAgent2	<PrvsInstgAgt2>		[0..1]		80
	PreviousInstructingAgent2Account	<PrvsInstgAgt2Acct>		[0..1]		81
	PreviousInstructingAgent3	<PrvsInstgAgt3>		[0..1]		81
	PreviousInstructingAgent3Account	<PrvsInstgAgt3Acct>		[0..1]		82
	InstructingAgent	<InstgAgt>		[0..1]		82
	InstructedAgent	<InstdAgt>		[0..1]		83
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]		83
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		84
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]		85
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		86
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]		86
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		87
	UltimateDebtor	<UltmtDbtr>		[0..1]		87
	InitiatingParty	<InitgPty>		[0..1]		89
	Debtor	<Dbtr>		[1..1]		89
	DebtorAccount	<DbtrAcct>		[0..1]		91
	DebtorAgent	<DbtrAgt>		[1..1]		92
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		92
	CreditorAgent	<CdtrAgt>		[1..1]		93
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		94
	Creditor	<Cdtr>		[1..1]		94
	CreditorAccount	<CdtrAcct>		[0..1]		96
	UltimateCreditor	<UltmtCdtr>		[0..1]		96
	InstructionForCreditorAgent	<InstrForCdtrAgt>		[0..*]	R[0..2]	97
	InstructionForNextAgent	<InstrForNxtAgt>		[0..*]	R[0..6]	98
	Purpose	<Purp>		[0..1]		98
	RegulatoryReporting	<RgltryRptg>		[0..10]		99
	Tax	<Tax>		[0..1]		99
	RelatedRemittanceInformation	<RltdRmtInf>		[0..10]	R[0..1]	100

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittanceInformation	<RmtInf>		[0..1]		100
	SupplementaryData	<SplmtryData>		[0..*]		101
	SupplementaryData	<SplmtryData>		[0..*]		26
	PlaceAndName	<PlcAndNm>		[0..1]		285
	Envelope	<Envlp>		[1..1]		285

3 ISO 20022 Rules

R3 **RelatedPresentWhenCopyDupl** ✓

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

Error handling:

- *Error severity:* Warning
- *Error Code:* H00001
- *Error Text:* Element Related is missing

R6 **InstructedAgentRule** ✓

If GroupHeader/InstructedAgent is present, then CreditTransferTransactionInformation/InstructedAgent is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00008
- *Error Text:* Invalid message content for instructed agent.

R7 **InstructingAgentRule** ✓

If GroupHeader/InstructingAgent is present, then CreditTransferTransactionInformation/InstructingAgent is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00007
- *Error Text:* Invalid message content for instructing agent.

R8 **TotalInterbankSettlementAmountRule** ✓

If GroupHeader/TotalInterbankSettlementAmount is present, then all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount must have the same currency as the currency of GroupHeader/TotalInterbankSettlementAmount.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00042
- *Error Text:* Invalid message content for the total interbank settlement amount and individual interbank settlement amount currencies.

R9 **TotalInterbankSettlementAmountAndSumRule**

If GroupHeader/TotalInterbankSettlementAmount is present, then it must equal the sum of all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00043
- *Error Text:* Invalid message content for the total interbank settlement amount and sum of individual interbank settlement amounts.

R10 GroupHeaderInterbankSettlementDateRule ✓

If GroupHeader/InterbankSettlementDate is present, then CreditTransferTransactionInformation/InterbankSettlementDate is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00045
- *Error Text:* Invalid message content for interbank settlement date.

R11 TransactionInterbankSettlementDateRule ✓

If GroupHeader/InterbankSettlementDate is not present, then CreditTransferTransactionInformation/InterbankSettlementDate must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00290
- *Error Text:* Invalid message content for interbank settlement date.

R12 PaymentTypeInfoInformationRule ✓

If GroupHeader/PaymentTypeInfoInformation is present, then CreditTransferTransactionInformation/PaymentTypeInfoInformation is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00009
- *Error Text:* Invalid message content for payment type information.

R13 NumberOfTransactionsAndCreditTransfersRule

GroupHeader/NumberOfTransactions must equal the number of occurrences of CreditTransferTransactionInformation.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00062
- *Error Text:* Invalid message content for number of transactions.

R14 SupplementaryDataRule

The SupplementaryData building block at message level must not be used to provide additional information about a transaction. The SupplementaryData element at transaction level should be used for that purpose.

Error handling: Undefined

Usage Guideline restrictions for this element

- **This rule(pacs.008.001.08/SupplementaryDataRule) is removed.**
-

4 Message Building Blocks

Note The following chapter identifies the building blocks of the CBPRPlus SR2026 (Combined) / CBPRPlus-pacs.008.001.08_FIToFICustomerCreditTransfer message definition.

Usage Guideline on Root Node

- on pacs.008.001.08/fullmessage

- CBPR_BusinessMessageIdentifier_FormalRule:

The Business Message Identifier must match the Message Identification in the Group Header.

For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/BusinessMessageIdentifier] value must be equal to every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/GroupHeader/MessageIdentification] value

- on pacs.008.001.08/fullmessage

- CBPR_To_Instructed_Agent_BIC_1_FormalRule:

BAH "To" BIC must match "Instructed Agent" BIC, except where BAH CopyDuplicate = COPY or = CODU

For each [Full Message], if
 every occurrence of [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] has value not included in the following list 'COPY' or 'CODU'
 , then
 every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must
 have the same value than every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]

- on pacs.008.001.08/fullmessage

- CBPR_To_Instructed_Agent_BIC_2_FormalRule:

BAH "To" BIC must match "Instructed Agent" BIC if CopyDuplicate is absent.

For each [Full Message], if
 the following element(s) [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] is (are) absent
 , then
 every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must
 have the same value than every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]

- on pacs.008.001.08/fullmessage

– **CBPR_Priority_Instruction_Priority_FormalRule:**

If "Priority" is used in the BAH for pacs messages, the value should be identical to the one in the "Payment Type Information/InstructionPriority" if present.

For each [Full Message], if
 at least one occurrence of the following element(s) [Full Message/BusinessApplicationHeaderV02/Priority] and [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority] is (are) present
 , then
 every occurrence of [Full Message/BusinessApplicationHeaderV02/Priority] must have the same value than every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority]

• **on pacs.008.001.08/fullmessage**

– **CBPR_From_Instructing_Agent_BIC_FormalRule:**

BAH "From" BIC must match "Instructing Agent" BIC

For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] value must be equal to every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/BICFI] value

4.1 Header Building Blocks

Note The following chapter identifies the building blocks of the BusinessApplicationHeaderV02 definition.

4.1.1 CharacterSet

XML Tag: CharSet

Presence: [0..1]

Definition: Contains the character set of the text-based elements used in the Business Message.

Datatype: ["UnicodeChartsCode" on page 364](#)

4.1.2 From

XML Tag: Fr

Presence: [1..1]

Definition: The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

The **Fr** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 177 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	177
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		178

4.1.3 To

XML Tag: To

Presence: [1..1]

Definition: The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

The **To** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 177 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	177
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		178

4.1.4 BusinessMessageIdentifier

XML Tag: BizMsgIdr

Presence: [1..1]

Definition: Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 325

Usage Guideline details

- on **pacs.008.001.08/.header/BusinessMessageIdentifier**
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 325

4.1.5 MessageDefinitionIdentifier

XML Tag: MsgDefldr

Presence: [1..1]

Definition: Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

Datatype: "Max35Text" on page 353

Usage Guideline details

- on pacs.008.001.08/header/MessageDefinitionIdentifier

Single value: pacs.008.001.08

4.1.6 BusinessService

XML Tag: BizSvc

Presence: [0..1]

Definition: Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

Datatype: "Max35Text" on page 353

Usage Guideline details

- on pacs.008.001.08/header/BusinessService

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/header/BusinessService

Single value: swift.cbprplus.04

4.1.7 MarketPractice

XML Tag: MktPrctc

Presence: [0..1]

Definition: Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

The **MktPrctc** block contains the following elements (see datatype "[ImplementationSpecification1](#)" on [page 157](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[[details](#)]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Registry	<Regy>		[1..1]		158
	Identification	<Id>		[1..1]		158

4.1.8 CreationDate

XML Tag: CreDt

Presence: [1..1]

Definition: Date and time when this Business Message (header) was created.

Datatype: "[CBPR_DateTime](#)" on [page 321](#)

Usage Guideline details

- on [pacs.008.001.08/.header/CreationDate](#)
Type changed to: [CBPR_DateTime](#) on [page 321](#)

4.1.9 BusinessProcessingDate

XML Tag: BizPrcgDt

Presence: [0..1]

Definition: Processing date and time indicated by the sender for the receiver of the business message. This date may be different from the date and time provided in the [CreationDate](#).

Usage: Market practice or bilateral agreement should specify how this element should be used.

Datatype: "[ISODatetime](#)" on [page 349](#)

Usage Guideline details

- This element([pacs.008.001.08/.header/BusinessProcessingDate](#)) is removed.

4.1.10 CopyDuplicate

XML Tag: CpyDplct

Presence: [0..1]

Definition: Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

Datatype: "[CopyDuplicate1Code](#)" on [page 331](#)

4.1.11 PossibleDuplicate

XML Tag: PssblDplct

Presence: [0..1]

Definition: Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level re-transmission.

Datatype: "YesNoIndicator" on page 365

4.1.12 Priority

XML Tag: Prty

Presence: [0..1]

Definition: Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

Datatype: "Priority2Code" on page 357

Usage Guideline details

- on **pacs.008.001.08/.header/Priority**
Type changed to: Priority2Code on page 357

4.1.13 Signature

XML Tag: Sgntr

Presence: [0..1]

Definition: Contains the digital signature of the Business Entity authorised to sign this Business Message.

Usage Guideline details

- This element(**pacs.008.001.08/.header/Signature**) is removed.

4.1.14 Related

XML Tag: Rltd

Presence: [0..*]

Definition: Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

The **Rltd** block contains the following elements (see datatype "BusinessApplicationHeader5__1" on page 44 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CharacterSet	<CharSet>		[0..1]		45
	From	<Fr>		[1..1]		45
	To	<To>		[1..1]		45
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		46
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		46
	BusinessService	<BizSvc>		[0..1]		47
	CreationDate	<CreDt>		[1..1]		47
	CopyDuplicate	<CpyDplct>		[0..1]		48
	PossibleDuplicate	<PssblDplct>		[0..1]		48
	Priority	<Prty>		[0..1]		48
	Signature	<Sgntr>		[0..1]		49

Usage Guideline details

- **on pacs.008.001.08/.header/Related**
This element has change repeatability, the maximum occurrence has been changed to : 1
- **on pacs.008.001.08/.header/Related**
 - **CBPR_Related_Business_Application_Header_TextualRule:**
 If used, the Related BAH must transport the exact same information as in the BAH of the related message.

4.2 Payload Building Blocks

Note The following chapter identifies the building blocks of the CBPRPlus SR2026 (Combined) / CBPRPlus-pacs.008.001.08_FIToFICustomerCreditTransfer payload definition.

Usage Guideline on Root Node

- on pacs.008.001.08/

- CBPR_Instruction_for_Creditor_Agent2_FormaRule:

The code "TELB" is not allowed if the code "PHOB" is present.

For each [Full Message/Document/FIToFICustomerCreditTransferV08], [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructionForCreditorAgent/Code/Telecom] cannot be present when at least one occurrence of [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructionForCreditorAgent/Code/PhoneBeneficiary] is present

- on pacs.008.001.08/

- CBPR_Instruction_for_Creditor_Agent1_FormaRule:

The code "HOLD" is not allowed if the code "CHQB" is present.

For each [Full Message/Document/FIToFICustomerCreditTransferV08], [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructionForCreditorAgent/Code/HoldCashForCreditor] cannot be present when at least one occurrence of [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructionForCreditorAgent/Code/PayCreditorByCheque] is present

- on pacs.008.001.08/

- CBPR_Agent_Name_Postal_Address_FormaRule:

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerCreditTransferV08],
 for each [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- on pacs.008.001.08/

- CBPR_GPI_ServiceLevel_Code_FormaRule:

The GPI ServiceLevel Code in pacs.008 must be 'G001'.

For each [Full Message/Document/FIToFICustomerCreditTransferV08], if
 at least one occurrence of the following element(s) [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel] is (are) present
 , then
 the value of every occurrence of [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel/Code] must not comply with the following XML pattern : '(G002|G003|G004|G005|G006|G007|G009)'

4.2.1 GroupHeader

XML Tag: GrpHdr

Presence: [1..1]

Definition: Set of characteristics shared by all individual transactions included in the message.

The **GrpHdr** block contains the following elements (see datatype "GroupHeader93__1" on page 152 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]		153
	CreationDateTime	<CreDtTm>		[1..1]		153
	BatchBooking	<BtchBookg>		[0..1]		154
	NumberOfTransactions	<NbOfTx>		[1..1]		154
	ControlSum	<CtrlSum>		[0..1]		154
	TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>		[0..1]		155
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		155
	SettlementInformation	<SttlmInf>		[1..1]		155
	PaymentTypeInformation	<PmtTpInf>		[0..1]		156
	InstructingAgent	<InstgAgt>		[0..1]		156
	InstructedAgent	<InstdAgt>		[0..1]		157

4.2.2 CreditTransferTransactionInformation

XML Tag: CdtTrfTxInf

Presence: [1..*]

Definition: Set of elements providing information specific to the individual credit transfer(s).

The **CdtTrfTxInf** block contains the following elements (see datatype "CreditTransferTransaction39__1" on page 66 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PaymentIdentification	<PmtId>		[1..1]		72
	PaymentTypeInfoInformation	<PmtTpInf>		[0..1]		72
	InterbankSettlementAmount	<IntrBkSttlmAmt>		[1..1]		73
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]	 	74
	SettlementPriority	<SttlmPrty>		[0..1]		74
	SettlementTimeIndication	<SttlmTmIndctn>		[0..1]		74
	SettlementTimeRequest	<SttlmTmReq>		[0..1]		75
	AcceptanceDateTime	<AcceptncDtTm>		[0..1]		75
	PoolingAdjustmentDate	<PoolgAdjstmntDt>		[0..1]		75
	InstructedAmount	<InstdAmt>		[0..1]	 	76
	ExchangeRate	<XchgRate>		[0..1]		76
	ChargeBearer	<ChrgBr>		[1..1]		77
	ChargesInformation	<ChrgsInf>		[0..*]		77
	PreviousInstructingAgent1	<PrvsInstgAgt1>		[0..1]		78
	PreviousInstructingAgent1Ac- count	<PrvsInstgAgt1Acct>		[0..1]		79
	PreviousInstructingAgent2	<PrvsInstgAgt2>		[0..1]		80
	PreviousInstructingAgent2Ac- count	<PrvsInstgAgt2Acct>		[0..1]		81
	PreviousInstructingAgent3	<PrvsInstgAgt3>		[0..1]		81
	PreviousInstructingAgent3Ac- count	<PrvsInstgAgt3Acct>		[0..1]		82
	InstructingAgent	<InstgAgt>		[0..1]		82
	InstructedAgent	<InstdAgt>		[0..1]		83
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]		83
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		84
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]		85
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		86
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]		86
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		87
	UltimateDebtor	<UltmtDbtr>		[0..1]		87
	InitiatingParty	<InitgPty>		[0..1]		89
	Debtor	<Dbtr>		[1..1]		89

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebtorAccount	<DbtrAcct>		[0..1]		91
	DebtorAgent	<DbtrAgt>		[1..1]	⚠	92
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		92
	CreditorAgent	<CdtrAgt>		[1..1]	⚠	93
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		94
	Creditor	<Cdtr>		[1..1]	⚠	94
	CreditorAccount	<CdtrAcct>		[0..1]		96
	UltimateCreditor	<UltmtCdtr>		[0..1]	⚠	96
	InstructionForCreditorAgent	<InstrForCdtrAgt>		[0..*]	R[0..2]	97
	InstructionForNextAgent	<InstrForNxtAgt>		[0..*]	R[0..6]	98
	Purpose	<Purp>		[0..1]		98
	RegulatoryReporting	<RgltryRptg>		[0..10]		99
	Tax	<Tax>		[0..1]	⊘	99
	RelatedRemittanceInformation	<RltdRmtInf>		[0..10]	R[0..1]	100
	RemittanceInformation	<RmtInf>		[0..1]		100
	SupplementaryData	<SplmtryData>		[0..*]	⊘	101

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation

This element has change repeatability, the maximum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation

- CBPR_DEBT_FormalRule:

If "Charge Bearer/DEBT" is present, then only one occurrence of "Charge Information" is allowed.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation], if
 at least one occurrence of the following element(s) [CreditTransferTransactionInformation/ChargeBearer/BorneByDebtor] is (are) present
 , then
 for each [CreditTransferTransactionInformation], there must be maximum '1'
 occurrences of [CreditTransferTransactionInformation/ChargesInformation]

- on pacs.008.001.08/CreditTransferTransactionInformation

- CBPR_Remittance_Mutually_Exclusive_FormalRule:

Either Structured or Unstructured Remittance can be present.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation], the following elements are mutually exclusive: [CreditTransferTransactionInformation/RemittanceInformation/Unstructured] , [CreditTransferTransactionInformation/RemittanceInformation/Structured] and all may be absent

- **on pacs.008.001.08/CreditTransferTransactionInformation**

- **CBPR_Instruction_For_Creditor_Presence_Code_FormalRule:**

Each code can only be used once for element Instruction For Creditor Agent.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation], if
 at least one occurrence of the following element(s) [CreditTransferTransactionInformation/InstructionForCreditorAgent/Code] is (are) present
 , then
 every occurrence of [CreditTransferTransactionInformation/InstructionForCreditorAgent/Code] must have the same value than between '1' and '1' occurrences of [CreditTransferTransactionInformation/InstructionForCreditorAgent/Code]

- **on pacs.008.001.08/CreditTransferTransactionInformation**

- **CBPR_CRED_FormalRule:**

Charge information is mandatory if CRED is present - if no charges are taken, Zero must be used in "Amount" (any agent in the payment chain).

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation], if
 every occurrence of [CreditTransferTransactionInformation/ChargeBearer] has value included in the following list 'CRED'
 , then
 at least one occurrence of the following element(s) [CreditTransferTransactionInformation/ChargesInformation] must be present

- **on pacs.008.001.08/CreditTransferTransactionInformation**

- **CBPR_Related_Remit_Info_Remit_Info_Mutually_Exclusive_FormalRule:**

In the interbank space, Related Remittance Information and Remittance Information are mutually exclusive and all may be absent.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation], the following elements are mutually exclusive: [CreditTransferTransactionInformation/RelatedRemittanceInformation] , [CreditTransferTransactionInformation/RemittanceInformation] and all may be absent

4.2.3 SupplementaryData

XML Tag: SplmtryData

Presence: [0..*]

Definition: Additional information that cannot be captured in the structured elements and/or any other specific block.

The **SplmtryData** block contains the following elements (see datatype "SupplementaryData1" on page 285 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🚫 Partial Ignored - ⚠ Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		285
	Envelope	<Envlp>		[1..1]		285

Usage Guideline details

- This element(pacs.008.001.08/SupplementaryData) is removed.

5 Message Components

Note The following chapter identifies the message components.

5.1 AccountIdentification4Choice__1

Definition: Specifies the unique identification of an account as assigned by the account servicer.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		28
	Other	<Othr>	Or}	[1..1]		28

Used in element(s)

"Identification" on page 49

5.1.1 IBAN

XML Tag: IBAN

Presence: [1..1]

Definition: International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

Datatype: "IBAN2007Identifier" on page 349

5.1.2 Other

XML Tag: Othr

Presence: [1..1]

Definition: Unique identification of an account, as assigned by the account servicer, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericAccountIdentification1__1](#)" on page 133 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		134
	SchemeName	<SchmeNm>		[0..1]		135
	Issuer	<Issr>		[0..1]		135

5.2 AccountSchemeName1Choice__1

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		29
	Proprietary	<Prtry>	Or}	[1..1]		29

Used in element(s)

"SchemeName" on page 135

5.2.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalAccountIdentification1Code" on page 336

5.2.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgentAccount/Identification/Other/SchemeName/Proprietary
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Identification/Other/SchemeName/Proprietary
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentAccount/Identification/Other/SchemeName/Proprietary
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAccount/Identification/Other/SchemeName/Proprietary
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Identification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Identification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Identification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Identification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgentAccount/Identification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

- on pacs.008.001.08/GroupHeader/SettlementInformation/SettlementAccount/Identification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Identification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Identification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Identification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAccount/Identification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

5.3 AddressType3Choice

Definition: Choice of formats for the type of address.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		31
	Proprietary	<Prtry>	Or}	[1..1]		31

Used in element(s)

["AddressType" on page 208](#), ["AddressType" on page 213](#)

5.3.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of address expressed as a code.

Datatype: ["AddressType2Code" on page 316](#)

5.3.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Type of address expressed as a proprietary code.

The **Prtry** block contains the following elements (see datatype ["GenericIdentification30" on page 138](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		138
	Issuer	<Issr>		[1..1]		138
	SchemeName	<SchmeNm>		[0..1]		138

5.4 BranchAndFinancialInstitutionIdentification6__1

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Used in element(s)

["Agent" on page 56](#), ["DebtorAgent" on page 92](#), ["InstructedReimbursementAgent" on page 274](#),
["InstructingReimbursementAgent" on page 272](#), ["IntermediaryAgent1" on page 83](#), ["IntermediaryAgent2" on page 85](#),
["IntermediaryAgent3" on page 86](#), ["PreviousInstructingAgent1" on page 78](#),
["PreviousInstructingAgent2" on page 80](#), ["PreviousInstructingAgent3" on page 81](#),
["ThirdReimbursementAgent" on page 275](#)

5.4.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18__1" on page 119 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		119
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		119
	LEI	<LEI>		[0..1]		120
	Name	<Nm>		[0..1]	⚠	120
	PostalAddress	<PstlAdr>		[0..1]	⚠	121
	Other	<Othr>		[0..1]	🚫	123

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification
 - CBPR_Agent_Name_Postal_Address_FormaRule:

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification],
 for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification
 - CBPR_Agent_Name_Postal_Address_FormaRule:

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation/DebtorAgent/FinancialInstitutionIdentification],
 if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification],
 for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification],
 if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then

at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification], if

at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then

at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if

at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then

at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification],

for each [FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then

at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and for each [FinancialInstitutionIdentification], if

at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then

at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification],

```

    for each [FinancialInstitutionIdentification], if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
        then
            at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
            and for each [FinancialInstitutionIdentification], if
                at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
                then
                    at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification],
    if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
        then
            at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
            and if
                at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
                then
                    at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification],
    for each [FinancialInstitutionIdentification], if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
        then
            at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
            and for each [FinancialInstitutionIdentification], if
                at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
                then
                    at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```
For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-
TransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentifica-
tion],
  if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] must be present
  and if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] must be present
```

5.4.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 41 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		41
	LEI	<LEI>		[0..1]		41
	Name	<Nm>		[0..1]		41
	PostalAddress	<PstlAdr>		[0..1]		41

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/BranchIdentification) is removed.
- This element(pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/BranchIdentification) is removed.

- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/BranchIdentification) is removed.
- This element(pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/BranchIdentification) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification) is removed.
- This element(pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/BranchIdentification) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/BranchIdentification) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/BranchIdentification) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/BranchIdentification) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/BranchIdentification) is removed.

5.5 BranchAndFinancialInstitutionIdentification6__2

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		37
	BranchIdentification	<BrnchId>		[0..1]	🚫	38

Used in element(s)

"FinancialInstitutionIdentification" on page 178, "InstructedAgent" on page 157, "InstructedAgent" on page 83, "InstructingAgent" on page 156, "InstructingAgent" on page 82

5.5.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18__2" on page 125 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		125
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		126
	LEI	<LEI>		[0..1]		126
	Name	<Nm>		[0..1]		126
	PostalAddress	<PstlAdr>		[0..1]		127
	Other	<Othr>		[0..1]		128

5.5.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "BranchData3" on page 41 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		41
	LEI	<LEI>		[0..1]		41
	Name	<Nm>		[0..1]		41
	PostalAddress	<PstlAdr>		[0..1]		41

Usage Guideline details

- This element(pacs.008.001.08/.header/To/FinancialInstitutionIdentification/BranchIdentification) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/InstructingAgent/BranchIdentification) is removed.
- This element(pacs.008.001.08/.header/Related/To/FinancialInstitutionIdentification/BranchIdentification) is removed.
- This element(pacs.008.001.08/.header/Related/From/FinancialInstitutionIdentification/BranchIdentification) is removed.

- This element([pacs.008.001.08/.header/From/FinancialInstitutionIdentification/BranchIdentification](#)) is removed.
- This element([pacs.008.001.08/CreditTransferTransactionInformation/InstructedAgent/BranchIdentification](#)) is removed.

5.6 BranchAndFinancialInstitutionIdentification6__3

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		39
	BranchIdentification	<BrnchId>		[0..1]		40

Used in element(s)

"CreditorAgent" on page 93

5.6.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "[FinancialInstitutionIdentification18__1](#)" on page 119 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		119
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		119
	LEI	<LEI>		[0..1]		120
	Name	<Nm>		[0..1]		120
	PostalAddress	<PstlAdr>		[0..1]		121
	Other	<Othr>		[0..1]		123

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification

- CBPR_Agent_Name_Postal_Address_FormalRule:

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification],
 if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

5.6.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "BranchData3__1" on page 42 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]	⚠	42
	LEI	<LEI>		[0..1]	🚫	43
	Name	<Nm>		[0..1]	🚫	43
	PostalAddress	<PstlAdr>		[0..1]	🚫	43

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification) is removed.

5.7 BranchData3

Definition: Information that locates and identifies a specific branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		41
	LEI	<LEI>		[0..1]		41
	Name	<Nm>		[0..1]		41
	PostalAddress	<PstlAdr>		[0..1]		41

Used in element(s)

["BranchIdentification" on page 36](#), ["BranchIdentification" on page 38](#)

5.7.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a branch of a financial institution.

Datatype: ["Max35Text" on page 353](#)

5.7.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification for the branch of the financial institution.

Datatype: ["LEIIdentifier" on page 351](#)

5.7.3 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: ["Max140Text" on page 352](#)

5.7.4 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype ["PostalAddress24" on page 208](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		208
	Department	<Dept>		[0..1]		209
	SubDepartment	<SubDept>		[0..1]		210
	StreetName	<StrtNm>		[0..1]		210
	BuildingNumber	<BldgNb>		[0..1]		210
	BuildingName	<BldgNm>		[0..1]		211
	Floor	<Flr>		[0..1]		211
	PostBox	<PstBx>		[0..1]		211
	Room	<Room>		[0..1]		211
	PostCode	<PstCd>		[0..1]		211
	TownName	<TwnNm>		[0..1]		211
	TownLocationName	<TwnLctnNm>		[0..1]		212
	DistrictName	<DstrctNm>		[0..1]		212
	CountrySubDivision	<CtrySubDvsn>		[0..1]		212
	Country	<Ctry>		[0..1]		212
	AddressLine	<AdrLine>		[0..7]		212

5.8 BranchData3__1

Definition: Information that locates and identifies a specific branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		42
	LEI	<LEI>		[0..1]		43
	Name	<Nm>		[0..1]		43
	PostalAddress	<PstlAdr>		[0..1]		43

Used in element(s)

"BranchIdentification" on page 40

5.8.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a branch of a financial institution.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 325](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/Identification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

5.8.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification for the branch of the financial institution.

Datatype: ["LEIIdentifier" on page 351](#)

Usage Guideline details

- This element([pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/LEI](#)) is removed.

5.8.3 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: ["Max140Text" on page 352](#)

Usage Guideline details

- This element([pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/Name](#)) is removed.

5.8.4 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype ["PostalAddress24" on page 208](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		208
	Department	<Dept>		[0..1]		209
	SubDepartment	<SubDept>		[0..1]		210
	StreetName	<StrtNm>		[0..1]		210
	BuildingNumber	<BldgNb>		[0..1]		210
	BuildingName	<BldgNm>		[0..1]		211
	Floor	<Flr>		[0..1]		211
	PostBox	<PstBx>		[0..1]		211
	Room	<Room>		[0..1]		211
	PostCode	<PstCd>		[0..1]		211
	TownName	<TwnNm>		[0..1]		211
	TownLocationName	<TwnLctnNm>		[0..1]		212
	DistrictName	<DstrctNm>		[0..1]		212
	CountrySubDivision	<CtrySubDvsn>		[0..1]		212
	Country	<Ctry>		[0..1]		212
	AddressLine	<AdrLine>		[0..7]		212

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/PostalAddress) is removed.

5.9 BusinessApplicationHeader5__1

Definition: Specifies the Business Application Header of the Business Message.

Can be used when replying to a query; can also be used when canceling or amending.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CharacterSet	<CharSet>		[0..1]		45
	From	<Fr>		[1..1]		45
	To	<To>		[1..1]		45

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]	⚠	46
	MessageDefinitionIdentifier	<MsgDefldr>		[1..1]	⚠	46
	BusinessService	<BizSvc>		[0..1]	⚠	47
	CreationDate	<CreDt>		[1..1]	⚠	47
	CopyDuplicate	<CpyDplct>		[0..1]		48
	PossibleDuplicate	<PssblDplct>		[0..1]	🚫	48
	Priority	<Prty>		[0..1]	⚠	48
	Signature	<Sgntr>		[0..1]	🚫	49

Used in element(s)

"Related" on page 20

5.9.1 CharacterSet

XML Tag: CharSet

Presence: [0..1]

Definition: Contains the character set of the text-based elements used in the Business Message.

Datatype: "UnicodeChartsCode" on page 364

5.9.2 From

XML Tag: Fr

Presence: [1..1]

Definition: The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

The **Fr** block contains the following elements (see datatype "Party44Choice__1" on page 177 for details)

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - ⚠ Partial Ignored - ⚠ Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	177
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		178

5.9.3 To

XML Tag: To

Presence: [1..1]

Definition: The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

The **To** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 177 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	177
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		178

5.9.4 BusinessMessageIdentifier

XML Tag: BizMsgIdr

Presence: [1..1]

Definition: Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 325

Usage Guideline details

- on [pacs.008.001.08/header/Related/BusinessMessageIdentifier](#)

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 325

- on [pacs.008.001.08/header/Related/BusinessMessageIdentifier](#)

– CBPR_Business_Message_Identifier_TextualRule:

The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system.

Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this element must contain the unique identifier of the Business Message instance.

5.9.5 MessageDefinitionIdentifier

XML Tag: MsgDefIdr

Presence: [1..1]

Definition: Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/.header/Related/MessageDefinitionIdentifier

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

- on pacs.008.001.08/.header/Related/MessageDefinitionIdentifier

– **CBPR_Message_Definition_Identifier_TextualRule:**

The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.

5.9.6 BusinessService

XML Tag: BizSvc

Presence: [0..1]

Definition: Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/.header/Related/BusinessService

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

- on pacs.008.001.08/.header/Related/BusinessService

– **CBPR_Related_BAH_Business_Service_TextualRule:**

If related BAH is present, it should transport the element Business Service.

5.9.7 CreationDate

XML Tag: CreDt

Presence: [1..1]

Definition: Date and time when this Business Message (header) was created.

Note Times must be normalized, using the "Z" annotation.

Datatype: ["CBPR_DateTime" on page 321](#)

Usage Guideline details

- on [pacs.008.001.08/.header/Related/CreationDate](#)

Type changed to: [CBPR_DateTime on page 321](#)

5.9.8 CopyDuplicate

XML Tag: CpyDplct

Presence: [0..1]

Definition: Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

Datatype: ["CopyDuplicate1Code" on page 331](#)

5.9.9 PossibleDuplicate

XML Tag: PssblDplct

Presence: [0..1]

Definition: Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level re-transmission.

Datatype: ["YesNoIndicator" on page 365](#)

Usage Guideline details

- This element([pacs.008.001.08/.header/Related/PossibleDuplicate](#)) is removed.

5.9.10 Priority

XML Tag: Prty

Presence: [0..1]

Definition: Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

Datatype: ["Priority2Code" on page 357](#)

Usage Guideline details

- on [pacs.008.001.08/.header/Related/Priority](#)
Type changed to: [Priority2Code on page 357](#)

5.9.11 Signature

XML Tag: Sgntr

Presence: [0..1]

Definition: Contains the digital signature of the Business Entity authorised to sign this Business Message.

Usage Guideline details

- This element([pacs.008.001.08/.header/Related/Signature](#)) is removed.

5.10 CashAccount38__1

Definition: Provides the details to identify an account.

❌ Removed -
 ⊖ Partial Removed -
 ◇ Ignored -
 ⬢ Partial Ignored -
 ⚠ Details below -
 M Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]	⚠	50
	Proxy	<Prxy>		[0..1]		52

Used in element(s)

["CreditorAccount" on page 96](#),
 ["CreditorAgentAccount" on page 94](#),
 ["DebtorAccount" on page 91](#),
 ["DebtorAgentAccount" on page 92](#),
 ["InstructedReimbursementAgentAccount" on page 275](#),
 ["InstructingReimbursementAgentAccount" on page 273](#),
 ["IntermediaryAgent1Account" on page 84](#),
 ["IntermediaryAgent2Account" on page 86](#),
 ["IntermediaryAgent3Account" on page 87](#),
 ["PreviousInstructingAgent1Account" on page 79](#),
 ["PreviousInstructingAgent2Account" on page 81](#),
 ["PreviousInstructingAgent3Account" on page 82](#),
 ["SettlementAccount" on page 271](#),
 ["ThirdReimbursementAgentAccount" on page 277](#)

5.10.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification for the account between the account owner and the account servicer.

The **Id** block contains the following elements (see datatype "[AccountIdentification4Choice__1](#)" on page 28 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		28
	Other	<Othr>	Or}	[1..1]		28

5.10.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the nature, or use of the account.

The **Tp** block contains the following elements (see datatype "[CashAccountType2Choice__1](#)" on page 52 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		52
	Proprietary	<Prtry>	Or}	[1..1]		52

5.10.3 Currency

XML Tag: Ccy

Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies

and the initiating party needs to identify which currency needs to be used for settlement on the account.

Datatype: "[ActiveOrHistoricCurrencyCode](#)" on page 316

5.10.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

Usage: The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 327](#)

Usage Guideline details

- **on pacs.008.001.08/GroupHeader/SettlementInformation/SettlementAccount/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 327](#)
- **on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAccount/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 327](#)
- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 327](#)
- **on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgentAccount/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 327](#)
- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 327](#)
- **on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAccount/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 327](#)
- **on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgentAccount/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 327](#)
- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 327](#)
- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 327](#)
- **on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 327](#)
- **on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentAccount/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 327](#)
- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Name
Type changed to: [CBPR_RestrictedFINXMax70Text on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Name
Type changed to: [CBPR_RestrictedFINXMax70Text on page 327](#)

5.10.5 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Specifies an alternate assumed name for the identification of the account.

The **Prxy** block contains the following elements (see datatype "[ProxyAccountIdentification1__1](#)" on page 246 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		247
	Identification	<Id>		[1..1]		248

5.11 CashAccountType2Choice__1

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		52
	Proprietary	<Prtry>	Or}	[1..1]		52

Used in element(s)

"Type" on page 50

5.11.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Account type, in a coded form.

Datatype: "[ExternalCashAccountType1Code](#)" on page 337

5.11.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Nature or use of the account in a proprietary form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgentAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgentAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/SettlementAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

5.12 CategoryPurpose1Choice

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		54
	Proprietary	<Prtry>	Or}	[1..1]		54

Used in element(s)

["CategoryPurpose" on page 197](#)

5.12.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Category purpose, as published in an external category purpose code list.

Datatype: ["ExternalCategoryPurpose1Code" on page 339](#)

5.12.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Category purpose, in a proprietary form.

Datatype: ["Max35Text" on page 353](#)

5.13 CategoryPurpose1Choice__1

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		55
	Proprietary	<Prtry>	Or}	[1..1]	⚠	55

Used in element(s)

"CategoryPurpose" on page 199

5.13.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Category purpose, as published in an external category purpose code list.

Datatype: "ExternalCategoryPurpose1Code" on page 339

5.13.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Category purpose, in a proprietary form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/PaymentTypeInformation/Category-Purpose/Proprietary
 Type changed to: CBPR_RestrictedFINXMax35Text on page 325

5.14 Charges7__1

Definition: Provides information on the charges related to the payment transaction.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]	⚠	56
	Agent	<Agt>		[1..1]	⚠	56

Used in element(s)"ChargesInformation" on page 77

5.14.1 Amount

XML Tag: Amt*Presence:* [1..1]*Definition:* Transaction charges to be paid by the charge bearer.*Datatype:* "CBPR_Amount__1" on page 320**Usage Guideline details**

- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Amount
Type changed to: CBPR_Amount on page 319
- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Amount
Synonym (Sender's Charges or Receiver's Charges): 71F or 71G

5.14.2 Agent

XML Tag: Agt*Presence:* [1..1]*Definition:* Agent that takes the transaction charges or to which the transaction charges are due.

The **Agt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 31 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)

- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent

Synonym (The party that has lifted charges (71F) or to which charges are due (71G) is implicit in the MT 103 and understood from the payment chain.): N/A

5.15 ClearingSystemIdentification2Choice

Definition: Choice of a clearing system identifier.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		57
	Proprietary	<Prtry>	Or}	[1..1]	🚫	57

Used in element(s)

"ClearingSystemIdentification" on page 60

5.15.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Identification of a clearing system, in a coded form as published in an external list.

Datatype: "ExternalClearingSystemIdentification1Code" on page 339

5.15.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Identification code for a clearing system, that has not yet been identified in the list of clearing systems.

Datatype: "Max35Text" on page 353

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/GroupHeader/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/GroupHeader/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.

- This element(pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.008.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.

5.16 ClearingSystemIdentification3Choice

Definition: Specifies the clearing system identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		59
	Proprietary	<Prtry>	Or}	[1..1]		59

Used in element(s)

"ClearingSystem" on page 271

5.16.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Infrastructure through which the payment instruction is processed, as published in an external clearing system identification code list.

Datatype: "ExternalCashClearingSystem1Code" on page 338

5.16.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Clearing system identification in a proprietary form.

Datatype: "Max35Text" on page 353

5.17 ClearingSystemMemberIdentification2__1

Definition: Unique identification, as assigned by a clearing system, to unambiguously identify a member of the clearing system.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]	M	60
	MemberIdentification	<Mmbld>		[1..1]	⚠	62

Used in element(s)

"ClearingSystemMemberIdentification" on page 119, "ClearingSystemMemberIdentification" on page 126

5.17.1 ClearingSystemIdentification

XML Tag: ClrSysId

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSysId** block contains the following elements (see datatype "ClearingSystemIdentification2Choice" on page 57 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		57
	Proprietary	<Prtry>	Or}	[1..1]	🚫	57

Usage Guideline details

- on pacs.008.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.008.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.008.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.008.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.008.001.08/GroupHeader/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.008.001.08/GroupHeader/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.008.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1

5.17.2 MemberIdentification

XML Tag: Mmbld

Presence: [1..1]

Definition: Identification of a member of a clearing system.

Datatype: ["CBPR_RestrictedFINXMax28Text" on page 324](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/GroupHeader/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)

- on pacs.008.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/GroupHeader/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)

- on pacs.008.001.08/header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification

Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification

Type changed to: [CBPR_RestrictedFINXMax28Text on page 324](#)

5.18 Contact4

Definition: Specifies the details of the contact person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		64
	Name	<Nm>		[0..1]		64
	PhoneNumber	<PhneNb>		[0..1]		65
	MobileNumber	<MobNb>		[0..1]		65
	FaxNumber	<FaxNb>		[0..1]		65
	EmailAddress	<EmailAdr>		[0..1]		65
	EmailPurpose	<EmailPurp>		[0..1]		65
	JobTitle	<JobTitl>		[0..1]		65
	Responsibility	<Rspnsblty>		[0..1]		66
	Department	<Dept>		[0..1]		66
	Other	<Othr>		[0..*]		66
	PreferredMethod	<PrefrdMtd>		[0..1]		66

Used in element(s)

["ContactDetails" on page 181](#),
 ["ContactDetails" on page 184](#),
 ["ContactDetails" on page 187](#),
 ["ContactDetails" on page 191](#)

5.18.1 NamePrefix

XML Tag: NmPrfx

Presence: [0..1]

Definition: Specifies the terms used to formally address a person.

Datatype: ["NamePrefix2Code" on page 354](#)

5.18.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: ["Max140Text" on page 352](#)

5.18.3 **PhoneNumber**

XML Tag: PhneNb

Presence: [0..1]

Definition: Collection of information that identifies a phone number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 356](#)

5.18.4 **MobileNumber**

XML Tag: MobNb

Presence: [0..1]

Definition: Collection of information that identifies a mobile phone number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 356](#)

5.18.5 **FaxNumber**

XML Tag: FaxNb

Presence: [0..1]

Definition: Collection of information that identifies a FAX number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 356](#)

5.18.6 **EmailAddress**

XML Tag: EmailAdr

Presence: [0..1]

Definition: Address for electronic mail (e-mail).

Datatype: ["Max2048Text" on page 353](#)

5.18.7 **EmailPurpose**

XML Tag: EmailPurp

Presence: [0..1]

Definition: Purpose for which an email address may be used.

Datatype: ["Max35Text" on page 353](#)

5.18.8 **JobTitle**

XML Tag: JobTitl

Presence: [0..1]

Definition: Title of the function.

Datatype: ["Max35Text" on page 353](#)

5.18.9 Responsibility

XML Tag: Rspnsblty

Presence: [0..1]

Definition: Role of a person in an organisation.

Datatype: ["Max35Text" on page 353](#)

5.18.10 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: ["Max70Text" on page 354](#)

5.18.11 Other

XML Tag: Othr

Presence: [0..*]

Definition: Contact details in another form.

The **Othr** block contains the following elements (see datatype ["OtherContact1" on page 172](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanlTp>		[1..1]		172
	Identification	<Id>		[0..1]		172

5.18.12 PreferredMethod

XML Tag: PrefrdMtd

Presence: [0..1]

Definition: Preferred method used to reach the contact.

Datatype: ["PreferredContactMethod1Code" on page 356](#)

5.19 CreditTransferTransaction39__1

Definition: Provides further details specific to the individual transaction(s) included in the message.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PaymentIdentification	<PmtId>		[1..1]		72
	PaymentTypeInfo	<PmtTpInf>		[0..1]		72
	InterbankSettlementAmount	<IntrBkSttlmAmt>		[1..1]		73
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		74
	SettlementPriority	<SttlmPrty>		[0..1]		74
	SettlementTimeIndication	<SttlmTmIndctn>		[0..1]		74
	SettlementTimeRequest	<SttlmTmReq>		[0..1]		75
	AcceptanceDateTime	<AccptncDtTm>		[0..1]		75
	PoolingAdjustmentDate	<PoolgAdjstmntDt>		[0..1]		75
	InstructedAmount	<InstdAmt>		[0..1]		76
	ExchangeRate	<XchgRate>		[0..1]		76
	ChargeBearer	<ChrgBr>		[1..1]		77
	ChargesInformation	<ChrgsInf>		[0..*]		77
	PreviousInstructingAgent1	<PrvsInstgAgt1>		[0..1]		78
	PreviousInstructingAgent1Account	<PrvsInstgAgt1Acct>		[0..1]		79
	PreviousInstructingAgent2	<PrvsInstgAgt2>		[0..1]		80
	PreviousInstructingAgent2Account	<PrvsInstgAgt2Acct>		[0..1]		81
	PreviousInstructingAgent3	<PrvsInstgAgt3>		[0..1]		81
	PreviousInstructingAgent3Account	<PrvsInstgAgt3Acct>		[0..1]		82
	InstructingAgent	<InstgAgt>		[0..1]		82
	InstructedAgent	<InstdAgt>		[0..1]		83
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]		83
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		84
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]		85
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		86
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]		86
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		87
	UltimateDebtor	<UltmtDbtr>		[0..1]		87
	InitiatingParty	<InitgPty>		[0..1]		89

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Debtor	<Dbtr>		[1..1]		89
	DebtorAccount	<DbtrAcct>		[0..1]		91
	DebtorAgent	<DbtrAgt>		[1..1]		92
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		92
	CreditorAgent	<CdtrAgt>		[1..1]		93
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		94
	Creditor	<Cdtr>		[1..1]		94
	CreditorAccount	<CdtrAcct>		[0..1]		96
	UltimateCreditor	<UltmtCdtr>		[0..1]		96
	InstructionForCreditorAgent	<InstrForCdtrAgt>		[0..*]	R[0..2]	97
	InstructionForNextAgent	<InstrForNxtAgt>		[0..*]	R[0..6]	98
	Purpose	<Purp>		[0..1]		98
	RegulatoryReporting	<RgltryRptg>		[0..10]		99
	Tax	<Tax>		[0..1]		99
	RelatedRemittanceInformation	<RltdRmtInf>		[0..10]	R[0..1]	100
	RemittanceInformation	<RmtInf>		[0..1]		100
	SupplementaryData	<SplmtryData>		[0..*]		101

Rules

R32 InstructedAmountAndExchangeRate1Rule ✓

If InstructedAmount is present and the currency is different from the currency in InterbankSettlementAmount, then ExchangeRate must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00049
- *Error Text:* Invalid message content for exchange rate when instructed amount is present.

R33 InstructedAmountAndExchangeRate2Rule ✓

If InstructedAmount is present and the currency is the same as the currency in InterbankSettlementAmount, then ExchangeRate is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00050

- *Error Text:* Invalid message content for exchange rate when instructed amount is not present.

R34 ChargesInformationAndInstructedAmountRule ✓

If ChargesInformation is present, then InstructedAmount must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00048
- *Error Text:* Invalid message content for instructed amount when charges information is present.

R35 ChargeBearerAndChargesInformationRule ✓

If ChargeBearer contains DEBT, then ChargesInformation may be present to communicate charges that have been added for (the) InstructedAgent(s).

If ChargeBearer contains CRED, then at least one occurrence of ChargesInformation must be present to communicate charges that have been deducted from the InstructedAmount by (the) InstructingAgent(s).

If ChargeBearer contains SHAR or SLEV, then ChargesInformation is optional.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00046
- *Error Text:* Invalid message content for charge bearer and charges information.

R36 InstructionForCreditorAgentRule ✓

If InstructionForCreditorAgent/Code contains CHQB (PayCreditorByCheque), then CreditorAccount is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00051
- *Error Text:* Invalid message content for PayCreditorByCheque instruction for creditor agent.

R37 IntermediaryAgent2Rule ✓

If IntermediaryAgent2 is present, then IntermediaryAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00056
- *Error Text:* Invalid message content for intermediary agent 2.

R38 IntermediaryAgent3Rule ✓

If IntermediaryAgent3 is present, then IntermediaryAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00057
- *Error Text:* Invalid message content for intermediary agent 3.

R39 IntermediaryAgent1AccountRule ✓

If IntermediaryAgent1Account is present, then IntermediaryAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00052
- *Error Text:* Invalid message content for intermediary agent 1 account.

R40 IntermediaryAgent2AccountRule ✓

If IntermediaryAgent2Account is present, then IntermediaryAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00053
- *Error Text:* Invalid message content for intermediary agent 2 account.

R41 IntermediaryAgent3AccountRule ✓

If IntermediaryAgent3Account is present, then IntermediaryAgent3 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00054
- *Error Text:* Invalid message content for intermediary agent 3 account.

R42 InstructedAmountAndExchangeRate3Rule ✓

If InstructedAmount is not present, then ExchangeRate is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00061
- *Error Text:* Invalid message content for exchange rate and instructed amount.

R43 PreviousInstructingAgent2AccountRule ✓

If PreviousInstructingAgent2Account is present, then PreviousInstructingAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00412

- *Error Text:* Invalid message content for previous instructing agent account.

R44 PreviousInstructingAgent3AccountRule ✓

If PreviousInstructingAgent3Account is present, then PreviousInstructingAgent3 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00413
- *Error Text:* Invalid message content for previous instructing agent account.

R45 PreviousInstructionAgent2Rule ✓

If PreviousInstructingAgent2 is present, then PreviousInstructingAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00415
- *Error Text:* Invalid message content for intermediary agent 1.

R46 PreviousInstructionAgent3Rule ✓

If PreviousInstructingAgent3 is present, then PreviousInstructingAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00416
- *Error Text:* Invalid message content for intermediary agent 1.

R47 PreviousInstructingAgent1AccountRule ✓

If PreviousInstructingAgent1Account is present, then PreviousInstructingAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00411
- *Error Text:* Invalid message content for previous instructing agent account.

Guidelines

1. ChargesInformationGuideline

The repetitive ChargesInformation should contain all information on charges amount and which party has taken the charges, separately for each agent along the payment chain.

2. UltimateDebtorGuideline

UltimateDebtor may only be present if different from Debtor.

3. UltimateCreditorGuideline

UltimateCreditor may only be present if different from Creditor.

4. ChargesAmountGuideline

If ChargesInformation is present, then the currency of ChargesInformation/ChargesAmount is recommended to be the same as the currency of InterbankSettlementAmount.

5. PreviousInstructingAgent1Guideline

It is recommended that, when present, PreviousInstructingAgent1 is the closest to the DebtorAgent in the payment chain.

Used in element(s)

"CreditTransferTransactionInformation" on page 23

5.19.1 PaymentIdentification

XML Tag: PmtId

Presence: [1..1]

Definition: Set of elements used to reference a payment instruction.

The **PmtId** block contains the following elements (see datatype "PaymentIdentification7__1" on page 192 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionIdentification	<InstrId>		[0..1]	M ⚠	193
	EndToEndIdentification	<EndToEndId>		[1..1]	⚠	193
	TransactionIdentification	<TxId>		[0..1]	⚠	194
	UETR	<UETR>		[0..1]	M	195
	ClearingSystemReference	<ClrSysRef>		[0..1]	⚠	195

5.19.2 PaymentTypeInformation

XML Tag: PmtTpInf

Presence: [0..1]

Definition: Set of elements used to further specify the type of transaction.

The **PmtTpInf** block contains the following elements (see datatype "PaymentTypeInformation28__1" on page 197 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		197
	ClearingChannel	<ClrChan>		[0..1]		198

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ServiceLevel	<SvcLv/ >		[0..*]	R[0..3]	198
	LocalInstrument	<LclInstrm>		[0..1]		198
	CategoryPurpose	<CtgyPurp>		[0..1]		199

5.19.3 InterbankSettlementAmount

XML Tag: IntrBkSttlmAmt

Presence: [1..1]

Definition: Amount of money moved between the instructing agent and the instructed agent.

Datatype: "CBPR_Amount__1" on page 320

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/InterbankSettlementAmount

Type changed to: CBPR_Amount on page 319

- on pacs.008.001.08/CreditTransferTransactionInformation/InterbankSettlementAmount

- **CBPR_DEBT_Rule_1_TextualRule:**

If Instructed amount and Interbank Settlement amount are expressed in the same currency:

If Charge Bearer/DEBT is used then charge information is only mandatory in case of prepaid charges (that is if interbank settlement amount is higher than instructed amount) and in that case zero amount is not allowed. Otherwise Charge information is optional (both Agent and currency always need to be provided).

This rule only applies when Interbank Settlement Amount and Instructed amount are expressed in the same currency.

- on pacs.008.001.08/CreditTransferTransactionInformation/InterbankSettlementAmount

- **CBPR_DEBT_Rule_2_TextualRule:**

If Instructed amount and Interbank Settlement amount are not expressed in the same currency:

If Charge Bearer/DEBT is used then charge information is only mandatory in case of prepaid charges (that is if interbank settlement amount is higher than instructed amount WHEN converted in the same currency) and in that case zero amount is not allowed.

Otherwise Charge information is optional (both Agent and currency always need to be provided).

- on pacs.008.001.08/CreditTransferTransactionInformation/InterbankSettlementAmount

- **CBPR_Interbank_Settlement_Currency_FormalRule:**

The codes XAU, XAG, XPD and XPT are not allowed, as these are codes are only used for commodities.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation/InterbankSettlementAmount], every occurrence of [InterbankSettlementAmount/Currency] must have value not included in the following list 'XAU' or 'XAG' or 'XPD' or 'XPT'

5.19.4 InterbankSettlementDate

XML Tag: IntrBkSttlmDt

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Datatype: "CBPR_Date" on page 321

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/InterbankSettlementDate
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/InterbankSettlementDate
Type changed to: CBPR_Date on page 321

5.19.5 SettlementPriority

XML Tag: SttlmPrty

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the settlement instruction.

Datatype: "Priority3Code" on page 358

5.19.6 SettlementTimeIndication

XML Tag: SttlmTmIndctn

Presence: [0..1]

Definition: Provides information on the occurred settlement time(s) of the payment transaction.

The **SttlmTmIndctn** block contains the following elements (see datatype "SettlementDateTimelIndication1__1" on page 267 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebitDateTime	<DbtDtTm>		[0..1]	⚠	268
	CreditDateTime	<CdtDtTm>		[0..1]	⚠	268

5.19.7 SettlementTimeRequest

XML Tag: SttlmTmReq

Presence: [0..1]

Definition: Provides information on the requested settlement time(s) of the payment instruction.

The **SttlmTmReq** block contains the following elements (see datatype "[SettlementTimeRequest2__1](#)" on page 277 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CLSTime	<CLSTm>		[0..1]		277
	TillTime	<TillTm>		[0..1]		278
	FromTime	<FrTm>		[0..1]		278
	RejectTime	<RjctTm>		[0..1]		278

5.19.8 AcceptanceDateTime

XML Tag: AccptncDtTm

Presence: [0..1]

Definition: Point in time when the payment order from the initiating party meets the processing conditions of the account servicing agent. This means that the account servicing agent has received the payment order and has applied checks such as authorisation, availability of funds.

Datatype: "[ISODatetime](#)" on page 349

Usage Guideline details

- This element([pacs.008.001.08/CreditTransferTransactionInformation/AcceptanceDateTime](#)) is removed.

5.19.9 PoolingAdjustmentDate

XML Tag: PoolgAdjstmntDt

Presence: [0..1]

Definition: Date used for the correction of the value date of a cash pool movement that has been posted with a different value date.

Datatype: "[ISODate](#)" on page 349

Usage Guideline details

- This element([pacs.008.001.08/CreditTransferTransactionInformation/PoolingAdjustmentDate](#)) is removed.

5.19.10 InstructedAmount

XML Tag: InstdAmt

Presence: [0..1]

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Usage: This amount has to be transported unchanged through the transaction chain.

Datatype: "CBPR_Amount__1" on page 320

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/InstructedAmount

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/InstructedAmount

Type changed to: CBPR_Amount on page 319

- on pacs.008.001.08/CreditTransferTransactionInformation/InstructedAmount

- CBPR_DEBT_Rule_1_TextualRule:

If Instructed amount and Interbank Settlement amount are expressed in the same currency:

If Charge Bearer/DEBT is used then charge information is only mandatory in case of prepaid charges (that is if interbank settlement amount is higher than instructed amount) and in that case zero amount is not allowed. Otherwise Charge information is optional (both Agent and currency always need to be provided).

This rule only applies when Interbank Settlement Amount and Instructed amount are expressed in the same currency.

- on pacs.008.001.08/CreditTransferTransactionInformation/InstructedAmount

- CBPR_DEBT_Rule_2_TextualRule:

If Instructed amount and Interbank Settlement amount are not expressed in the same currency:

If Charge Bearer/DEBT is used then charge information is only mandatory in case of prepaid charges (that is if interbank settlement amount is higher than instructed amount WHEN converted in the same currency) and in that case zero amount is not allowed.

Otherwise Charge information is optional (both Agent and currency always need to be provided).

5.19.11 ExchangeRate

XML Tag: XchgRate

Presence: [0..1]

Definition: Factor used to convert an amount from one currency into another. This reflects the price at which one currency was bought with another currency.

Datatype: ["BaseOneRate" on page 319](#)

5.19.12 ChargeBearer

XML Tag: ChrgBr

Presence: [1..1]

Definition: Specifies which party/parties will bear the charges associated with the processing of the payment transaction.

Datatype: ["ChargeBearerType1Code" on page 328](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/ChargeBearer](#)

- CBPR_DEBT_Rule_1 TextualRule:

If Instructed amount and Interbank Settlement amount are expressed in the same currency:

If Charge Bearer/DEBT is used then Charge Information is only mandatory in case of prepaid charges (that is if Interbank Settlement Amount is higher than instructed amount) and in that case zero amount is not allowed. Otherwise Charge Information is optional (both Agent and currency always need to be provided).

This rule only applies when Interbank Settlement Amount and Instructed Amount are expressed in the same currency.

- on [pacs.008.001.08/CreditTransferTransactionInformation/ChargeBearer](#)

- CBPR_DEBT_Rule_2 TextualRule:

If Instructed amount and Interbank Settlement amount are not expressed in the same currency:

If Charge Bearer/DEBT is used then charge information is only mandatory in case of prepaid charges (that is if interbank settlement amount is higher than instructed amount WHEN converted in the same currency) and in that case zero amount is not allowed.

Otherwise Charge information is optional (both Agent and currency always need to be provided).

5.19.13 ChargesInformation

XML Tag: ChrgsInf

Presence: [0..*]

Definition: Provides information on the charges to be paid by the charge bearer(s) related to the payment transaction.

The **ChrgsInf** block contains the following elements (see datatype ["Charges7__1" on page 55](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		56
	Agent	<Agt>		[1..1]		56

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation

- CBPR_DEBT_Rule_1 TextualRule:

If Instructed amount and Interbank Settlement amount are expressed in the same currency:

If Charge Bearer/DEBT is used then Charge Information is only mandatory in case of prepaid charges (that is if Interbank Settlement Amount is higher than instructed amount) and in that case zero amount is not allowed. Otherwise Charge Information is optional (both Agent and currency always need to be provided).

This rule only applies when Interbank Settlement Amount and Instructed Amount are expressed in the same currency.

- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation

- CBPR_SHAR_TextualRule:

If deduct taken then Charge Information is mandatory. It is optional for initiator (not taking deduct).

- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation

- CBPR_DEBT_Rule_2 TextualRule:

If Instructed amount and Interbank Settlement amount are not expressed in the same currency:

If Charge Bearer/DEBT is used then charge information is only mandatory in case of prepaid charges (that is if interbank settlement amount is higher than instructed amount WHEN converted in the same currency) and in that case zero amount is not allowed.

Otherwise Charge information is optional (both Agent and currency always need to be provided).

5.19.14 PreviousInstructingAgent1

XML Tag: PrvsInstgAgt1

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt1** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6_1" on page 31 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1

- CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1

- CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.19.15 PreviousInstructingAgent1Account

XML Tag: PrvsInstgAgt1Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt1Acct** block contains the following elements (see datatype "CashAccount38__1" on page 49 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]	⚠	50
	Proxy	<Prxy>		[0..1]		52

5.19.16 PreviousInstructingAgent2

XML Tag: PrvsInstgAgt2

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt2** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 31 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -

📌 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2

- CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2

- CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

5.19.17 PreviousInstructingAgent2Account

XML Tag: PrvsInstgAgt2Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt2Acct** block contains the following elements (see datatype "CashAccount38__1" on page 49 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]		50
	Proxy	<Prxy>		[0..1]		52

5.19.18 PreviousInstructingAgent3

XML Tag: PrvsInstgAgt3

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt3** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 31 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3
 - CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3

- CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

5.19.19 PreviousInstructingAgent3Account

XML Tag: PrvsInstgAgt3Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt3Acct** block contains the following elements (see datatype "CashAccount38__1" on page 49 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]		50
	Proxy	<Prxy>		[0..1]		52

5.19.20 InstructingAgent

XML Tag: InstgAgt

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

The **InstgAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 37 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		37
	BranchIdentification	<BrnchId>		[0..1]		38

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/InstructingAgent
This element is now mandatory, the minimum occurrence has been changed to : 1

5.19.21 InstructedAgent

XML Tag: InstdAgt

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

The **InstdAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 37 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		37
	BranchIdentification	<BrnchId>		[0..1]		38

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/InstructedAgent
This element is now mandatory, the minimum occurrence has been changed to : 1

5.19.22 IntermediaryAgent1

XML Tag: IntrmyAgt1

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If more than one intermediary agent is present, then IntermediaryAgent1 identifies the agent between the DebtorAgent and the IntermediaryAgent2.

The **IntrmyAgt1** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 31 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

5.19.23 IntermediaryAgent1Account

XML Tag: IntrmyAgt1Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 1 at its servicing agent in the payment chain.

The **IntrmyAgt1Acct** block contains the following elements (see datatype "CashAccount38__1" on page 49 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]		50
	Proxy	<Prxy>		[0..1]		52

5.19.24 IntermediaryAgent2

XML Tag: IntrmyAgt2

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If more than two intermediary agents are present, then IntermediaryAgent2 identifies the agent between the IntermediaryAgent1 and the IntermediaryAgent3.

The **IntrmyAgt2** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 31 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2
 - CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2
 - CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.19.25 IntermediaryAgent2Account

XML Tag: IntrmyAgt2Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 2 at its servicing agent in the payment chain.

The **IntrmyAgt2Acct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 49 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]	⚠	50
	Proxy	<Prxy>		[0..1]		52

5.19.26 IntermediaryAgent3

XML Tag: IntrmyAgt3

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If IntermediaryAgent3 is present, then it identifies the agent between the IntermediaryAgent 2 and the CreditorAgent.

The **IntrmyAgt3** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 31 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3

– **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)

• **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3**

– **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

• **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3**

– **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

• **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3**

– **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.19.27 IntermediaryAgent3Account

XML Tag: IntrmyAgt3Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 3 at its servicing agent in the payment chain.

The **IntrmyAgt3Acct** block contains the following elements (see datatype "CashAccount38__1" on page 49 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]	⚠	50
	Proxy	<Prxy>		[0..1]		52

5.19.28 UltimateDebtor

XML Tag: UltmtDbtr

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor.

The **UltmtDbtr** block contains the following elements (see datatype "[PartyIdentification135__1](#)" on [page 182](#) for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	182
	PostalAddress	<PstlAdr>		[0..1]	⚠	183
	Identification	<Id>		[0..1]		184
	CountryOfResidence	<CtryOfRes>		[0..1]		184
	ContactDetails	<CtctDtls>		[0..1]	🚫	184

Usage Guideline details

- on **pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor**

- **CBPR_UltimateDebtor_Option_3_Jurisdictions_only_TextualRule:**

For Jurisdictional transactions, Name and/or Identification (Private or Organisation) (that is within a country or for regions under same legislations - e.g. EEA)

Countries impacted by the Jurisdictional rule:

Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway.

Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.

- on **pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor**

- **CBPR_Ultimate_Debtor_Option_1_TextualRule:**

Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country - it is recommended to add Post code when available])

- on **pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor**

- **CBPR_Ultimate_Debtor_Option_2_TextualRule:**

Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country- it is recommended to add Post code when available] AND (Identification: Private or Organisation)

- on **pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor**

- **CBPR_Party_Name_Postal_Address_FormalRule:**

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation/UltimateDebtor], if
 at least one occurrence of the following element(s) [UltimateDebtor/Postal-Address] is (are) present
 , then
 at least one occurrence of the following element(s) [UltimateDebtor/Name]
 must be present

5.19.29 InitiatingParty

XML Tag: InitgPty

Presence: [0..1]

Definition: Party that initiates the payment.

Usage: This can be either the debtor or a party that initiates the credit transfer on behalf of the debtor.

The **InitgPty** block contains the following elements (see datatype "PartyIdentification135__1" on page 182 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	182
	PostalAddress	<PstlAdr>		[0..1]	⚠	183
	Identification	<Id>		[0..1]		184
	CountryOfResidence	<CtryOfRes>		[0..1]		184
	ContactDetails	<CtctDtls>		[0..1]	🚫	184

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty

- CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation/InitiatingParty], if
 at least one occurrence of the following element(s) [InitiatingParty/Postal-Address] is (are) present
 , then
 at least one occurrence of the following element(s) [InitiatingParty/Name]
 must be present

5.19.30 Debtor

XML Tag: Dbtr

Presence: [1..1]

Definition: Party that owes an amount of money to the (ultimate) creditor.

The **Dbtr** block contains the following elements (see datatype "PartyIdentification135_2" on page 185 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	186
	PostalAddress	<PstlAdr>		[0..1]	⚠	186
	Identification	<Id>		[0..1]		187
	CountryOfResidence	<CtryOfRes>		[0..1]		187
	ContactDetails	<CtctDtls>		[0..1]	🚫	187

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor

- CBPR_Debtor_Option_3_Jurisdictions_only_TextualRule:

For Jurisdictional transactions, Debtor/ Name is mandatory with either Debtor Account OR Debtor Identification (that is within a country or for regions under same legislations - e.g. EEA)

Countries impacted by the Jurisdictional rule:

Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway.

Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor

- CBPR_Debtor_BIC_Presence_TextualRule:

If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor

- CBPR_Debtor_Option_1_TextualRule:

Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor

- CBPR_Debtor_Option_2_TextualRule:

Name AND ([Structured Address with minimum Town Name & Country (+ recommended to add Post code when available)] OR [Hybrid postal address with minimum Town Name

and Country (+ recommended to add Post code when available)] AND (Account Number OR Identification: Private or Organisation)

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor

- CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation/Debtor], if
 at least one occurrence of the following element(s) [Debtor/PostalAddress]
 is (are) present
 , then
 at least one occurrence of the following element(s) [Debtor/Name] must be present

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor

- CBPR_Party_Name_Any_BIC_FormalRule:

If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation/Debtor], at least one occurrence of [Debtor/Name] must be present when [Debtor/Identification/OrganisationIdentification/AnyBIC] is absent

5.19.31 DebtorAccount

XML Tag: DbtrAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor to which a debit entry will be made as a result of the transaction.

The **DbtrAcct** block contains the following elements (see datatype "CashAccount38__1" on page 49 for details)

🚫 Removed - 🚫 Partial Removed - 💡 Ignored - 💡 Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]	⚠️	50
	Proxy	<Prxy>		[0..1]		52

5.19.32 DebtorAgent

XML Tag: DbtrAgt

Presence: [1..1]

Definition: Financial institution servicing an account for the debtor.

The **DbtrAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 31 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.19.33 DebtorAgentAccount

XML Tag: DbtrAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor agent at its servicing agent in the payment chain.

The **DbtrAgtAcct** block contains the following elements (see datatype "CashAccount38__1" on page 49 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]		50
	Proxy	<Prxy>		[0..1]		52

5.19.34 CreditorAgent

XML Tag: CdtrAgt

Presence: [1..1]

Definition: Financial institution servicing an account for the creditor.

The **CdtrAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__3" on page 39 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		39
	BranchIdentification	<BrnchId>		[0..1]		40

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent
 - CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.19.35 CreditorAgentAccount

XML Tag: CdtrAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor agent at its servicing agent to which a credit entry will be made as a result of the payment transaction.

The **CdtrAgtAcct** block contains the following elements (see datatype "CashAccount38__1" on page 49 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]	⚠	50
	Proxy	<Prxy>		[0..1]		52

5.19.36 Creditor

XML Tag: Cdtr

Presence: [1..1]

Definition: Party to which an amount of money is due.

The **Cdtr** block contains the following elements (see datatype "PartyIdentification135__1" on page 182 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	182
	PostalAddress	<PstlAdr>		[0..1]	⚠	183
	Identification	<Id>		[0..1]		184
	CountryOfResidence	<CtryOfRes>		[0..1]		184
	ContactDetails	<CtctDtls>		[0..1]	🚫	184

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor

- CBPR_Creditor_BIC_Presence_TextualRule:

If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor

- CBPR_Creditor_Option_1_TextualRule:

Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)

- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor

- CBPR_Creditor_Option_3_Jurisdictions_only_TextualRule:

For Jurisdictional transactions, Creditor/Name is mandatory with either Creditor Account OR Creditor Identification (that is within a country or for regions under same legislations - e.g. EEA)

Countries impacted by the Jurisdictional rule:

Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway.

Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.

- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor

- CBPR_Creditor_Option_2_TextualRule:

Name AND ([Structured Address with minimum Town Name & Country (+ recommended to add Post code when available)] OR [Hybrid postal address with minimum Town Name and Country (+ recommended to add Post code when available)]) AND (Account Number OR Identification: Private or Organisation)

- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor

- CBPR_Party_Name_Any_BIC_FormalRule:

If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation/Creditor], at least one occurrence of [Creditor/Name] must be present when [Creditor/Identification/OrganisationIdentification/Any-BIC] is absent

- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor

- CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation/Creditor], if
 at least one occurrence of the following element(s) [Creditor/PostalAddress]
 is (are) present
 , then
 at least one occurrence of the following element(s) [Creditor/Name] must be present

5.19.37 CreditorAccount

XML Tag: CdtrAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor to which a credit entry will be posted as a result of the payment transaction.

The **CdtrAcct** block contains the following elements (see datatype "CashAccount38__1" on page 49 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]	⚠	50
	Proxy	<Prxy>		[0..1]		52

5.19.38 UltimateCreditor

XML Tag: UltmtCdtr

Presence: [0..1]

Definition: Ultimate party to which an amount of money is due.

The **UltmtCdtr** block contains the following elements (see datatype "PartyIdentification135__1" on page 182 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	182
	PostalAddress	<PstlAdr>		[0..1]	⚠	183
	Identification	<Id>		[0..1]		184
	CountryOfResidence	<CtryOfRes>		[0..1]		184

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ContactDetails	<CtctDtls>		[0..1]		184

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor

- CBPR_UltimateCreditor_Option_2_Jurisdictions_only_TextualRule:

For Jurisdictional transactions, Name and/or Identification (Private or Organisation) (that is within a country or for regions under same legislations - e.g. EEA)

Countries impacted by the Jurisdictional rule:

Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden- Iceland, Liechtenstein, Norway.

Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor

- CBPR_Ultimate_Creditor_Option_1_TextualRule:

Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country - it is recommended to add Post code when available)]. Other elements are optional, eg Identification: Private or Organisation)

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor

- CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation/UltimateCreditor], if
 at least one occurrence of the following element(s) [UltimateCreditor/PostalAddress] is (are) present
 , then
 at least one occurrence of the following element(s) [UltimateCreditor/Name] must be present

5.19.39 InstructionForCreditorAgent

XML Tag: InstrForCdtrAgt

Presence: [0..*]

Definition: Further information related to the processing of the payment instruction, provided by the initiating party, and intended for the creditor agent.

The **InstrForCdtrAgt** block contains the following elements (see datatype "[InstructionForCreditorAgent1__1](#)" on [page 158](#) for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]		158
	InstructionInformation	<InstrInf>		[0..1]		159

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/InstructionForCreditorAgent
This element has change repeatability, the maximum occurrence has been changed to : 2

5.19.40 InstructionForNextAgent

XML Tag: InstrForNxtAg

Presence: [0..*]

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by the next agent.

Usage: The next agent may not be the creditor agent.

The instruction can relate to a level of service, can be an instruction that has to be executed by the agent, or can be information required by the next agent.

The **InstrForNxtAg** block contains the following elements (see datatype "InstructionForNextAgent1__1" on page 159 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]		159
	InstructionInformation	<InstrInf>		[0..1]		160

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/InstructionForNextAgent
This element has change repeatability, the maximum occurrence has been changed to : 6

5.19.41 Purpose

XML Tag: Purp

Presence: [0..1]

Definition: Underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, that is initiating party, (ultimate) debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by any of the agents involved in the payment chain.

The **Purp** block contains the following elements (see datatype "[Purpose2Choice__1](#)" on page 251 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		252
	Proprietary	<Prtry>	Or}	[1..1]	⚠	252

5.19.42 RegulatoryReporting

XML Tag: RgltryRptg

Presence: [0..10]

Definition: Information needed due to regulatory and statutory requirements.

The **RgltryRptg** block contains the following elements (see datatype "[RegulatoryReporting3__1](#)" on page 256 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebitCreditReportingIndicator	<DbtCdtRptgInd>		[0..1]		257
	Authority	<Authrty>		[0..1]		257
	Details	<Dtls>		[0..*]		257

5.19.43 Tax

XML Tag: Tax

Presence: [0..1]

Definition: Provides details on the tax.

The **Tax** block contains the following elements (see datatype "[TaxInformation8__1](#)" on page 295 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		296
	Debtor	<Dbtr>		[0..1]		296

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AdministrationZone	<AdmstnZone>		[0..1]		297
	ReferenceNumber	<RefNb>		[0..1]		297
	Method	<Mtd>		[0..1]		297
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		297
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		297
	Date	<Dt>		[0..1]		298
	SequenceNumber	<SeqNb>		[0..1]		298
	Record	<Rcrd>		[0..*]		298

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/Tax) is removed.

5.19.44 RelatedRemittanceInformation

XML Tag: RltdRmtInf

Presence: [0..10]

Definition: Provides information related to the handling of the remittance information by any of the agents in the transaction processing chain.

The **RltdRmtInf** block contains the following elements (see datatype "RemittanceLocation7__1" on page 263 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittanceIdentification	<RmtId>		[0..1]		264
	RemittanceLocationDetails	<RmtLctnDtls>		[0..*]	R[0..2]	264

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation
This element has change repeatability, the maximum occurrence has been changed to : 1

5.19.45 RemittanceInformation

XML Tag: RmtInf

Presence: [0..1]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, such as commercial invoices in an accounts' receivable system.

The **RmtInf** block contains the following elements (see datatype "[RemittanceInformation16__1](#)" on [page 262](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]	 R[0..1]	262
	Structured	<Strd>		[0..*]		263

5.19.46 SupplementaryData

XML Tag: SplmtryData

Presence: [0..*]

Definition: Additional information that cannot be captured in the structured elements and/or any other specific block.

The **SplmtryData** block contains the following elements (see datatype "[SupplementaryData1](#)" on [page 285](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		285
	Envelope	<Envlp>		[1..1]		285

Usage Guideline details

- This element([pacs.008.001.08/CreditTransferTransactionInformation/SupplementaryData](#)) is removed.

5.20 CreditorReferenceInformation2__1

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		102
	Reference	<Ref>		[0..1]	 	102

Used in element(s)

"CreditorReferenceInformation" on page 282

5.20.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of creditor reference.

The **Tp** block contains the following elements (see datatype "CreditorReferenceType2__1" on page 103 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		104
	Issuer	<Issr>		[0..1]		104

5.20.2 Reference

XML Tag: Ref

Presence: [0..1]

Definition: Unique reference, as assigned by the creditor, to unambiguously refer to the payment transaction.

Usage: If available, the initiating party should provide this reference in the structured remittance information, to enable reconciliation by the creditor upon receipt of the amount of money.

If the business context requires the use of a creditor reference or a payment remit identification, and only one identifier can be passed through the end-to-end chain, the creditor's reference or payment remittance identification should be quoted in the end-to-end transaction identification.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/CreditorReferenceInformation/Reference

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/CreditorReferenceInformation/Reference

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.21 CreditorReferenceType1Choice__1

Definition: Specifies the type of document referred by the creditor.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		103
	Proprietary	<Prtry>	Or}	[1..1]	⚠	103

Used in element(s)

"CodeOrProprietary" on page 104

5.21.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of creditor reference, in a coded form.

Datatype: "DocumentType3Code" on page 333

5.21.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Creditor reference type, in a proprietary form.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/CreditorReferenceInformation/Type/CodeOrProprietary/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.22 CreditorReferenceType2__1

Definition: Specifies the type of creditor reference.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		104
	Issuer	<Issr>		[0..1]	⚠	104

Used in element(s)

"Type" on page 102

5.22.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Coded or proprietary format creditor reference type.

The **CdOrPrtry** block contains the following elements (see datatype "CreditorReference-Type1Choice__1" on page 102 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		103
	Proprietary	<Prtry>	Or}	[1..1]	⚠	103

5.22.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the credit reference type.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/CreditorReferenceInformation/Type/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.23 DateAndPlaceOfBirth1

Definition: Date and place of birth of a person.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		105
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		105
	CityOfBirth	<CityOfBirth>		[1..1]		105
	CountryOfBirth	<CtryOfBirth>		[1..1]		105

Used in element(s)

["DateAndPlaceOfBirth" on page 199](#)

5.23.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: ["ISODate" on page 349](#)

5.23.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: ["Max35Text" on page 353](#)

5.23.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["Max35Text" on page 353](#)

5.23.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode" on page 332](#)

5.24 DateAndPlaceOfBirth1__1

Definition: Date and place of birth of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		106
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		107
	CityOfBirth	<CityOfBirth>		[1..1]		108
	CountryOfBirth	<CtryOfBirth>		[1..1]		108

Used in element(s)

["DateAndPlaceOfBirth" on page 200](#), ["DateAndPlaceOfBirth" on page 202](#), ["DateAndPlaceOfBirth" on page 203](#)

5.24.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: ["CBPR_Date" on page 321](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate](#)
Type changed to: [CBPR_Date on page 321](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate](#)
Type changed to: [CBPR_Date on page 321](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/Debtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate](#)
Type changed to: [CBPR_Date on page 321](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate](#)
Type changed to: [CBPR_Date on page 321](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate](#)
Type changed to: [CBPR_Date on page 321](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate](#)
Type changed to: [CBPR_Date on page 321](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate](#)
Type changed to: [CBPR_Date on page 321](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate](#)
Type changed to: [CBPR_Date on page 321](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate](#)

Type changed to: [CBPR_Date on page 321](#)

5.24.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 326](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/Debtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

5.24.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

5.24.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode" on page 332](#)

5.25 DatePeriod2

Definition: Range of time defined by a start date and an end date.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		109
	ToDate	<ToDt>		[1..1]		109

Used in element(s)

["FromToDate" on page 304](#)

5.25.1 FromDate

XML Tag: FrDt

Presence: [1..1]

Definition: Start date of the range.

Datatype: ["ISODate" on page 349](#)

5.25.2 ToDate

XML Tag: ToDt

Presence: [1..1]

Definition: End date of the range.

Datatype: ["ISODate" on page 349](#)

5.26 DatePeriod2__1

Definition: Range of time defined by a start date and an end date.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		110
	ToDate	<ToDt>		[1..1]		110

Used in element(s)

["FromDate" on page 305](#)

5.26.1 FromDate

XML Tag: FrDt

Presence: [1..1]

Definition: Start date of the range.

Datatype: ["CBPR_Date" on page 321](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/Period/FromDate/FromDate
Type changed to: [CBPR_Date on page 321](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/TaxAmount/Details/Period/FromDate/FromDate
Type changed to: [CBPR_Date on page 321](#)

5.26.2 ToDate

XML Tag: ToDt

Presence: [1..1]

Definition: End date of the range.

Datatype: ["CBPR_Date" on page 321](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/Period/FromDate/ToDate
Type changed to: [CBPR_Date on page 321](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/TaxAmount/Details/Period/FromDate/ToDate
Type changed to: [CBPR_Date on page 321](#)

5.27 DiscountAmountAndType1__1

Definition: Specifies the amount with a specific type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		111
	Amount	<Amt>		[1..1]		111

Used in element(s)

"DiscountAppliedAmount" on page 260, "DiscountAppliedAmount" on page 258

5.27.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "DiscountAmountType1Choice__1" on page 111 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		112
	Proprietary	<Prtry>	Or}	[1..1]		112

5.27.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 315

5.28 DiscountAmountType1Choice__1

Definition: Specifies the amount type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		112
	Proprietary	<Prtry>	Or}	[1..1]		112

Used in element(s)

"Type" on page 111

5.28.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: "ExternalDiscountAmountType1Code" on page 340

5.28.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentAmount/DiscountAppliedAmount/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/DiscountAppliedAmount/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.29 DocumentAdjustment1__1

Definition: Set of elements used to provide information on the amount and reason of the document adjustment.

🚫 Removed - 🚫 Partial Removed - 💠 Ignored - 💠 Partial Ignored - ⚠️ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		112
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		113
	Reason	<Rsn>		[0..1]	⚠️	113
	AdditionalInformation	<AddtlInf>		[0..1]	⚠️	113

Used in element(s)

"AdjustmentAmountAndReason" on page 261, "AdjustmentAmountAndReason" on page 259

5.29.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money of the document adjustment.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 315](#)

5.29.2 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [0..1]

Definition: Specifies whether the adjustment must be subtracted or added to the total amount.

Datatype: ["CreditDebitCode" on page 332](#)

5.29.3 Reason

XML Tag: Rsn

Presence: [0..1]

Definition: Specifies the reason for the adjustment.

Datatype: ["CBPR_RestrictedFINXMax4Text_Extended" on page 327](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/AdjustmentAmountAndReason/Reason](#)
Type changed to: [CBPR_RestrictedFINXMax4Text_Extended on page 327](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentAmount/AdjustmentAmountAndReason/Reason](#)
Type changed to: [CBPR_RestrictedFINXMax4Text_Extended on page 327](#)

5.29.4 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Provides further details on the document adjustment.

Datatype: ["CBPR_RestrictedFINXMax140Text_Extended" on page 323](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentAmount/AdjustmentAmountAndReason/AdditionalInformation](#)
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 323](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/AdjustmentAmountAndReason/AdditionalInformation](#)

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323

5.30 DocumentLineIdentification1__1

Definition: Identifies the documents referred to in the remittance information.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		114
	Number	<Nb>		[0..1]	⚠	114
	RelatedDate	<RltdDt>		[0..1]	⚠	115

Used in element(s)

"Identification" on page 115

5.30.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of referred document line identification.

The **Tp** block contains the following elements (see datatype "DocumentLineType1__1" on page 117 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		117
	Issuer	<Issr>		[0..1]	⚠	118

5.30.2 Number

XML Tag: Nb

Presence: [0..1]

Definition: Identification of the type specified for the referred document line.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/Number

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

5.30.3 RelatedDate

XML Tag: RltdDt

Presence: [0..1]

Definition: Date associated with the referred document line.

Datatype: ["CBPR_Date" on page 321](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/RelatedDate](#)

Type changed to: [CBPR_Date on page 321](#)

5.31 DocumentLineInformation1__1

Definition: Provides document line information.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..*]		115
	Description	<Desc>		[0..1]		116
	Amount	<Amt>		[0..1]		116

Used in element(s)

["LineDetails" on page 253](#)

5.31.1 Identification

XML Tag: Id

Presence: [1..*]

Definition: Provides identification of the document line.

The **Id** block contains the following elements (see datatype ["DocumentLineIdentification1__1" on page 114](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		114

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Number	<Nb>		[0..1]	⚠	114
	RelatedDate	<RltdDt>		[0..1]	⚠	115

5.31.2 Description

XML Tag: Desc

Presence: [0..1]

Definition: Description associated with the document line.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Description

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.31.3 Amount

XML Tag: Amt

Presence: [0..1]

Definition: Provides details on the amounts of the document line.

The **Amt** block contains the following elements (see datatype "RemittanceAmount3__1" on page 260 for details)

ⓧ Removed - ⓧ Partial Removed - ⬢ Ignored - ⬢ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		260
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		260
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		261
	TaxAmount	<TaxAmt>		[0..*]		261
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		261
	RemittedAmount	<RmtdAmt>		[0..1]		262

5.32 DocumentLineType1Choice__1

Definition: Specifies the type of the document line identification.

ⓧ Removed - ⓧ Partial Removed - ⬢ Ignored - ⬢ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		117
	Proprietary	<Prtry>	Or}	[1..1]		117

Used in element(s)

["CodeOrProprietary" on page 117](#)

5.32.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Line identification type in a coded form.

Datatype: ["ExternalDocumentLineType1Code" on page 341](#)

5.32.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of the remittance document.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 326](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/Type/CodeOrProprietary/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

5.33 DocumentLineType1__1

Definition: Specifies the type of the document line identification.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		117
	Issuer	<Issr>		[0..1]		118

Used in element(s)

["Type" on page 114](#)

5.33.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the referred document line identification.

The **CdOrPrtry** block contains the following elements (see datatype "[DocumentLineType1Choice__1](#)" on page 116 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		117
	Proprietary	<Prtry>	Or}	[1..1]		117

5.33.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the reference document line identificationtype.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on page 326

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/Type/Issuer](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326

5.34 FinancialIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		118
	Proprietary	<Prtry>	Or}	[1..1]		119

Used in element(s)

["SchemeName"](#) on page 137

5.34.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalFinancialInstitutionIdentification1Code" on page 341](#)

5.34.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text" on page 353](#)

5.35 FinancialInstitutionIdentification18__1

Definition: Specifies the details to identify a financial institution.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		119
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		119
	LEI	<LEI>		[0..1]		120
	Name	<Nm>		[0..1]	⚠	120
	PostalAddress	<PstlAdr>		[0..1]	⚠	121
	Other	<Othr>		[0..1]	⊘	123

Used in element(s)

["FinancialInstitutionIdentification" on page 32](#), ["FinancialInstitutionIdentification" on page 39](#)

5.35.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: ["BICFIDec2014Identifier" on page 318](#)

5.35.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype ["ClearingSystemMemberIdentification2__1" on page 60](#) for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]	M	60
	MemberIdentification	<MmbId>		[1..1]	A	62

5.35.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 351

5.35.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 323

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/Name**
 Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/Name**
 Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/Name**
 Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/Name**
 Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/Name**
 Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/Name**
 Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323

5.35.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 213 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		213
	Department	<Dept>		[0..1]		215
	SubDepartment	<SubDept>		[0..1]		217
	StreetName	<StrtNm>		[0..1]		219
	BuildingNumber	<BldgNb>		[0..1]		221
	BuildingName	<BldgNm>		[0..1]		223
	Floor	<Flr>		[0..1]		224
	PostBox	<PstBx>		[0..1]		226

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Room	<Room>		[0..1]		228
	PostCode	<PstCd>		[0..1]		230
	TownName	<TwnNm>		[0..1]	 	232
	TownLocationName	<TwnLctnNm>		[0..1]		235
	DistrictName	<DstrctNm>		[0..1]		237
	CountrySubDivision	<CtrySubDvsn>		[0..1]		239
	Country	<Ctry>		[0..1]		241
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2]	243

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress**
 - CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress**
 - CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress**
 - CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress**
 - CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress**
 - CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- **on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- **on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- **on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.35.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericFinancialIdentification1" on page 137 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		137
	SchemeName	<SchmeNm>		[0..1]		137
	Issuer	<Issr>		[0..1]		137

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/Other) is removed.

5.36 FinancialInstitutionIdentification18__2

Definition: Specifies the details to identify a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		125
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		126
	LEI	<LEI>		[0..1]		126
	Name	<Nm>		[0..1]		126
	PostalAddress	<PstlAdr>		[0..1]		127
	Other	<Othr>		[0..1]		128

Used in element(s)

"FinancialInstitutionIdentification" on page 37

5.36.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 318

Usage Guideline details

- on pacs.008.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI

This element is now mandatory, the minimum occurrence has been changed to : 1

5.36.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2__1" on page 60 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		60
	MemberIdentification	<Mmbld>		[1..1]		62

5.36.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 351

5.36.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 352

Usage Guideline details

- This element(pacs.008.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.008.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.

- This element(`pacs.008.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name`) is removed.
- This element(`pacs.008.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name`) is removed.
- This element(`pacs.008.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/Name`) is removed.

5.36.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 208 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		208
	Department	<Dept>		[0..1]		209
	SubDepartment	<SubDept>		[0..1]		210
	StreetName	<StrtNm>		[0..1]		210
	BuildingNumber	<BldgNb>		[0..1]		210
	BuildingName	<BldgNm>		[0..1]		211
	Floor	<Flr>		[0..1]		211
	PostBox	<PstBx>		[0..1]		211
	Room	<Room>		[0..1]		211
	PostCode	<PstCd>		[0..1]		211
	TownName	<TwnNm>		[0..1]		211
	TownLocationName	<TwnLctnNm>		[0..1]		212
	DistrictName	<DstrctNm>		[0..1]		212
	CountrySubDivision	<CtrySubDvsn>		[0..1]		212
	Country	<Ctry>		[0..1]		212
	AddressLine	<AdrLine>		[0..7]		212

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.008.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.008.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.008.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.008.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/PostalAddress) is removed.

5.36.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericFinancialIdentification1](#)" on page 137 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		137
	SchemeName	<SchmeNm>		[0..1]		137
	Issuer	<Issr>		[0..1]		137

Usage Guideline details

- This element(pacs.008.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.008.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/Other) is removed.

- This element(`pacs.008.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other`) is removed.
- This element(`pacs.008.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other`) is removed.

5.37 Garnishment3__1

Definition: Provides remittance information about a payment for garnishment-related purposes.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		129
	Garnishee	<Grnshee>		[0..1]		129
	GarnishmentAdministrator	<GrnshmtAdmstr>		[0..1]		130
	ReferenceNumber	<RefNb>		[0..1]		130
	Date	<Dt>		[0..1]		131
	RemittedAmount	<RmtdAmt>		[0..1]		131
	FamilyMedicalInsuranceIndicator	<FmlyMdclInsrncInd>		[0..1]		131
	EmployeeTerminationIndicator	<MplyeeTermntnInd>		[0..1]		131

Used in element(s)

"GarnishmentRemittance" on page 284

5.37.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specifies the type of garnishment.

The **Tp** block contains the following elements (see datatype "GarnishmentType1__1" on page 132 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		133
	Issuer	<Issr>		[0..1]		133

5.37.2 Garnishee

XML Tag: Grnshee

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor, in this case, to the garnisher.

The **Grnshee** block contains the following elements (see datatype "[PartyIdentification135__3](#)" on [page 188](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	189
	PostalAddress	<PstlAdr>		[0..1]	⚠	189
	Identification	<Id>		[0..1]		191
	CountryOfResidence	<CtryOfRes>		[0..1]		191
	ContactDetails	<CtctDtls>		[0..1]	🚫	191

5.37.3 GarnishmentAdministrator

XML Tag: GrnshmtAdmstr

Presence: [0..1]

Definition: Party on the credit side of the transaction who administers the garnishment on behalf of the ultimate beneficiary.

The **GrnshmtAdmstr** block contains the following elements (see datatype "[PartyIdentification135__3](#)" on [page 188](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	189
	PostalAddress	<PstlAdr>		[0..1]	⚠	189
	Identification	<Id>		[0..1]		191
	CountryOfResidence	<CtryOfRes>		[0..1]		191
	ContactDetails	<CtctDtls>		[0..1]	🚫	191

5.37.4 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Reference information that is specific to the agency receiving the garnishment.

Datatype: "[CBPR_RestrictedFINXMax140Text_Extended](#)" on [page 323](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/ReferenceNumber

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323

5.37.5 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date of payment which garnishment was taken from.

Datatype: "CBPR_Date" on page 321

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Date

Type changed to: CBPR_Date on page 321

5.37.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted for the referred document.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 315

5.37.7 FamilyMedicalInsuranceIndicator

XML Tag: FmlyMdclInsrncInd

Presence: [0..1]

Definition: Indicates if the person to whom the garnishment applies (that is, the ultimate debtor) has family medical insurance coverage available.

Datatype: "TrueFalseIndicator" on page 364

5.37.8 EmployeeTerminationIndicator

XML Tag: MplyeeTermntnInd

Presence: [0..1]

Definition: Indicates if the employment of the person to whom the garnishment applies (that is, the ultimate debtor) has been terminated.

Datatype: "TrueFalseIndicator" on page 364

5.38 GarnishmentType1Choice__1

Definition: Specifies the type of garnishment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		132
	Proprietary	<Prtry>	Or}	[1..1]		132

Used in element(s)

"CodeOrProprietary" on page 133

5.38.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Garnishment type in a coded form.

Would suggest this to be an External Code List to contain:

GNCS Garnishment from a third party payer for Child Support

GNDP Garnishment from a Direct Payer for Child Support

GTPP Garnishment from a third party payer to taxing agency.

Datatype: ["ExternalGarnishmentType1Code" on page 342](#)

5.38.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of garnishment.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 326](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Type/CodeOrProprietary/Proprietary](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

5.39 GarnishmentType1__1

Definition: Specifies the type of garnishment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		133
	Issuer	<Issr>		[0..1]		133

Used in element(s)

"Type" on page 129

5.39.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the garnishment.

The **CdOrPrtry** block contains the following elements (see datatype "[GarnishmentType1Choice__1](#)" on page 131 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or}	[1..1]		132
	Proprietary	<Prtry>	Or}	[1..1]		132

5.39.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the garnishment type.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on page 326

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Type/Issuer](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326

5.40 GenericAccountIdentification1__1

Definition: Information related to a generic account identification.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		134
	SchemeName	<SchmeNm>		[0..1]		135
	Issuer	<Issr>		[0..1]		135

Used in element(s)

"Other" on page 28

5.40.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax34Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/SettlementAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgentAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text on page 325](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text on page 325](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text on page 325](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text on page 325](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAccount/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text on page 325](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgentAccount/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text on page 325](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text on page 325](#)

5.40.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[AccountSchemeName1Choice_1](#)" on page 29 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		29
	Proprietary	<Prtry>	Or}	[1..1]		29

5.40.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/SettlementAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Identification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

- on [pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Identification/Other/Issuer](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

5.41 GenericFinancialIdentification1

Definition: Information related to an identification of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		137
	SchemeName	<SchmeNm>		[0..1]		137
	Issuer	<Issr>		[0..1]		137

Used in element(s)

["Other" on page 123](#), ["Other" on page 128](#)

5.41.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: ["Max35Text" on page 353](#)

5.41.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype ["FinancialIdentificationScheme-Name1Choice" on page 118](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		118
	Proprietary	<Prtry>	Or}	[1..1]		119

5.41.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: ["Max35Text" on page 353](#)

5.42 GenericIdentification30

Definition: Information related to an identification, for example, party identification or account identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		138
	Issuer	<Issr>		[1..1]		138
	SchemeName	<SchmeNm>		[0..1]		138

Used in element(s)

["Proprietary" on page 31](#)

5.42.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Proprietary information, often a code, issued by the data source scheme issuer.

Datatype: ["Exact4AlphaNumericText" on page 336](#)

5.42.2 Issuer

XML Tag: Issr

Presence: [1..1]

Definition: Entity that assigns the identification.

Datatype: ["Max35Text" on page 353](#)

5.42.3 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Short textual description of the scheme.

Datatype: ["Max35Text" on page 353](#)

5.43 GenericOrganisationIdentification1

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		139
	SchemeName	<SchmeNm>		[0..1]		139
	Issuer	<Issr>		[0..1]		139

Used in element(s)

"Other" on page 164

5.43.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "Max35Text" on page 353

5.43.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "OrganisationIdentificationSchemeName1Choice" on page 168 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		169
	Proprietary	<Prtry>	Or}	[1..1]		169

5.43.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 353

5.44 GenericOrganisationIdentification1__1

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		140
	SchemeName	<SchmeNm>		[0..1]		140
	Issuer	<Issr>		[0..1]		141

Used in element(s)

"Other" on page 165

5.44.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/OrganisationIdentification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/OrganisationIdentification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/OrganisationIdentification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/OrganisationIdentification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

5.44.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[OrganisationIdentificationSchemeName1Choice_1](#)" on page 169 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		169
	Proprietary	<Prtry>	Or}	[1..1]		170

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/Or-
ganisationIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/Organi-
sationIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/Organisa-
tionIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/Or-
ganisationIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.44.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/Or-
ganisationIdentification/Other/Issuer**
 Type changed to: CBPR_RestrictedFINXMax35Text on page 325
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/Organi-
sationIdentification/Other/Issuer**
 Type changed to: CBPR_RestrictedFINXMax35Text on page 325
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/Or-
ganisationIdentification/Other/Issuer**
 Type changed to: CBPR_RestrictedFINXMax35Text on page 325
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/Organisa-
tionIdentification/Other/Issuer**

Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

5.45 GenericOrganisationIdentification1__2

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		142
	SchemeName	<SchmeNm>		[0..1]		142
	Issuer	<Issr>		[0..1]		143

Used in element(s)

"Other" on page 166

5.45.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 325](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/Identification/OrganisationIdentification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

5.45.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype ["OrganisationIdentificationSchemeName1Choice" on page 168](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		169

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		169

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.45.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/Identification/OrganisationIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

5.46 GenericOrganisationIdentification1__3

Definition: Information related to an identification of an organisation.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		143
	SchemeName	<SchmeNm>		[0..1]		144
	Issuer	<Issr>		[0..1]		145

Used in element(s)

"Other" on page 168

5.46.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326

5.46.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[OrganisationIdentificationSchemeName1Choice_2](#)" on page 170 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		171
	Proprietary	<Prtry>	Or}	[1..1]	 	171

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.46.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.47 GenericPersonIdentification1

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		146
	SchemeName	<SchmeNm>		[0..1]		146

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Issuer	<Issr>		[0..1]		146

Used in element(s)

"Other" on page 200

5.47.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "Max35Text" on page 353

5.47.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "PersonIdentificationScheme-Name1Choice" on page 204 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		205
	Proprietary	<Prtry>	Or}	[1..1]		205

5.47.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 353

5.48 GenericPersonIdentification1__1

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		147

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SchemeName	<SchmeNm>		[0..1]	M	147
	Issuer	<Issr>		[0..1]	A	148

Used in element(s)

"Other" on page 201

5.48.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

5.48.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[PersonIdentificationScheme-Name1Choice__1](#)" on page 205 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		205

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]	 	206

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1

5.48.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

5.49 GenericPersonIdentification1__2

Definition: Information related to an identification of a person.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	149
	SchemeName	<SchmeNm>		[0..1]	M	149
	Issuer	<Issr>		[0..1]	⚠	150

Used in element(s)

"Other" on page 202

5.49.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/Identification/PrivateIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

5.49.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "PersonIdentificationScheme-Name1Choice" on page 204 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		205
	Proprietary	<Prtry>	Or}	[1..1]	🚫	205

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.49.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/Identification/PrivateIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

5.50 GenericPersonIdentification1__3

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		150
	SchemeName	<SchmeNm>		[0..1]		151
	Issuer	<Issr>		[0..1]		152

Used in element(s)

"Other" on page 204

5.50.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.50.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "PersonIdentificationSchemeName1Choice_2" on page 206 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		207
	Proprietary	<Prtry>	Or}	[1..1]	 	207

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.50.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.51 GroupHeader93__1

Definition: Set of characteristics shared by all individual transactions included in the message.

ⓧ Removed - ⓧ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]	⚠	153
	CreationDateTime	<CreDtTm>		[1..1]	⚠	153
	BatchBooking	<BtchBookg>		[0..1]	ⓧ	154
	NumberOfTransactions	<NbOfTx>		[1..1]	⚠	154

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ControlSum	<CtrlSum>		[0..1]		154
	TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>		[0..1]		155
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		155
	SettlementInformation	<SttlmInf>		[1..1]		155
	PaymentTypeInformation	<PmtTpInf>		[0..1]		156
	InstructingAgent	<InstgAgt>		[0..1]		156
	InstructedAgent	<InstdAgt>		[0..1]		157

Rules

R20 TotalInterbankSettlementAmountAndDateRule ✓

If TotalInterbankSettlementAmount is present, then InterbankSettlementDate must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00044
- *Error Text:* Invalid message content for group header interbank settlement date.

Used in element(s)

"GroupHeader" on page 23

5.51.1 MessageIdentification

XML Tag: MsgId

Presence: [1..1]

Definition: Point to point reference, as assigned by the instructing party, and sent to the next party in the chain to unambiguously identify the message.

Usage: The instructing party has to make sure that MessageIdentification is unique per instructed party for a pre-agreed period.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/GroupHeader/MessageIdentification
Type changed to: CBPR_RestrictedFINXMax35Text on page 325

5.51.2 CreationDateTime

XML Tag: CreDtTm

Presence: [1..1]

Definition: Date and time at which the message was created.

Datatype: ["CBPR_DateTime" on page 321](#)

Usage Guideline details

- **on pacs.008.001.08/GroupHeader/CreationDateTime**
Type changed to: [CBPR_DateTime on page 321](#)

5.51.3 BatchBooking

XML Tag: BtchBookg

Presence: [0..1]

Definition: Identifies whether a single entry per individual transaction or a batch entry for the sum of the amounts of all transactions within the group of a message is requested.

Usage: Batch booking is used to request and not order a possible batch booking.

Datatype: ["BatchBookingIndicator" on page 319](#)

Usage Guideline details

- **This element(pacs.008.001.08/GroupHeader/BatchBooking) is removed.**

5.51.4 NumberOfTransactions

XML Tag: NbOfTxS

Presence: [1..1]

Definition: Number of individual transactions contained in the message.

Datatype: ["Max15NumericText" on page 352](#)

Usage Guideline details

- **on pacs.008.001.08/GroupHeader/NumberOfTransactions**
Single value: 1

5.51.5 ControlSum

XML Tag: CtrlSum

Presence: [0..1]

Definition: Total of all individual amounts included in the message, irrespective of currencies.

Datatype: ["DecimalNumber" on page 333](#)

Usage Guideline details

- This element([pacs.008.001.08/GroupHeader/ControlSum](#)) is removed.

5.51.6 TotalInterbankSettlementAmount

XML Tag: TtlIntrBkSttlmAmt

Presence: [0..1]

Definition: Total amount of money moved between the instructing agent and the instructed agent.

Datatype: ["ActiveCurrencyAndAmount" on page 314](#)

Usage Guideline details

- This element([pacs.008.001.08/GroupHeader/TotalInterbankSettlementAmount](#)) is removed.

5.51.7 InterbankSettlementDate

XML Tag: IntrBkSttlmDt

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Datatype: ["ISODate" on page 349](#)

Usage Guideline details

- This element([pacs.008.001.08/GroupHeader/InterbankSettlementDate](#)) is removed.

5.51.8 SettlementInformation

XML Tag: SttlmInf

Presence: [1..1]

Definition: Specifies the details on how the settlement of the transaction(s) between the instructing agent and the instructed agent is completed.

The **SttlmInf** block contains the following elements (see datatype ["SettlementInstruction7__1" on page 268](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SettlementMethod	<SttlmMtd>		[1..1]		271
	SettlementAccount	<SttlmAcct>		[0..1]		271
	ClearingSystem	<ClrSys>		[0..1]		271

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructingReimbursementAgent	<InstgRmbrsmntAgt>		[0..1]		272
	InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>		[0..1]		273
	InstructedReimbursementAgent	<InstdRmbrsmntAgt>		[0..1]		274
	InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>		[0..1]		275
	ThirdReimbursementAgent	<ThrdRmbrsmntAgt>		[0..1]		275
	ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>		[0..1]		277

5.51.9 PaymentTypeInformation

XML Tag: PmtTpInf

Presence: [0..1]

Definition: Set of elements used to further specify the type of transaction.

The **PmtTpInf** block contains the following elements (see datatype "[PaymentTypeInformation28](#)" on page 195 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		196
	ClearingChannel	<ClrChanl>		[0..1]		196
	ServiceLevel	<SvcLvl>		[0..*]		196
	LocalInstrument	<LclInstrm>		[0..1]		196
	CategoryPurpose	<CtgyPurp>		[0..1]		197

Usage Guideline details

- This element(pacs.008.001.08/GroupHeader/PaymentTypeInformation) is removed.

5.51.10 InstructingAgent

XML Tag: InstgAgt

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

The **InstgAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_2](#)" on page 37 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		37
	BranchIdentification	<BrnchId>		[0..1]		38

Usage Guideline details

- This element(pacs.008.001.08/GroupHeader/InstructingAgent) is removed.

5.51.11 InstructedAgent

XML Tag: InstdAgt

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

The **InstdAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 37 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		37
	BranchIdentification	<BrnchId>		[0..1]		38

Usage Guideline details

- This element(pacs.008.001.08/GroupHeader/InstructedAgent) is removed.

5.52 ImplementationSpecification1

Definition: Identifies the implementation specification to which the ISO 20022 message conforms.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Registry	<Regy>		[1..1]		158
	Identification	<Id>		[1..1]		158

Used in element(s)

"MarketPractice" on page 18

5.52.1 Registry

XML Tag: Regy

Presence: [1..1]

Definition: Name of the implementation specification registry in which the implementation specification of the ISO 20022 message is maintained.

For example, "MyStandards".

Datatype: "Max350Text" on page 353

5.52.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identifier which unambiguously identifies, within the implementation specification registry, the implementation specification to which the ISO 20022 message is compliant. This can be done via a URN. It can also contain a version number or date.

For instance, "2018-01-01 - Version 2" or "urn:uuid:6e8bc430-9c3a-11d9-9669-0800200c9a66".

Datatype: "Max2048Text" on page 353

5.53 InstructionForCreditorAgent1__1

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by the creditor's agent. The instruction may relate to a level of service, or may be an instruction that has to be executed by the creditor's agent, or may be information required by the creditor's agent.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]		158
	InstructionInformation	<InstrInf>		[0..1]		159

Used in element(s)

"InstructionForCreditorAgent" on page 97

5.53.1 Code

XML Tag: Cd

Presence: [0..1]

Definition: Coded information related to the processing of the payment instruction, provided by the initiating party, and intended for the creditor's agent.

Datatype: ["Instruction3Code" on page 350](#)

5.53.2 InstructionInformation

XML Tag: InstrInf

Presence: [0..1]

Definition: Further information complementing the coded instruction or instruction to the creditor's agent that is bilaterally agreed or specific to a user community.

Datatype: ["CBPR_RestrictedFINXMax140Text" on page 322](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/InstructionForCreditorAgent/InstructionInformation](#)

Type changed to: [CBPR_RestrictedFINXMax140Text on page 322](#)

5.54 InstructionForNextAgent1__1

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by an other agent. The instruction may relate to a level of service, or may be an instruction that has to be executed by the creditor's agent, or may be information required by the other agent.

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - ⚠ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]	🚫	159
	InstructionInformation	<InstrInf>		[0..1]	⚠	160

Used in element(s)

["InstructionForNextAgent" on page 98](#)

5.54.1 Code

XML Tag: Cd

Presence: [0..1]

Definition: Coded information related to the processing of the payment instruction, provided by the initiating party, and intended for the next agent in the payment chain.

Datatype: ["Instruction4Code" on page 350](#)

Usage Guideline details

- This element([pacs.008.001.08/CreditTransferTransactionInformation/InstructionForNextAgent/Code](#)) is removed.

5.54.2 InstructionInformation

XML Tag: InstrInf

Presence: [0..1]

Definition: Further information complementing the coded instruction or instruction to the next agent that is bilaterally agreed or specific to a user community.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/InstructionForNextAgent/InstructionInformation

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

5.55 LocalInstrument2Choice

Definition: Set of elements that further identifies the type of local instruments being requested by the initiating party.

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		160
	Proprietary	<Prtry>	Or}	[1..1]		160

Used in element(s)

"LocalInstrument" on page 196

5.55.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the local instrument, as published in an external local instrument code list.

Datatype: "ExternalLocalInstrument1Code" on page 343

5.55.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the local instrument, as a proprietary code.

Datatype: "Max35Text" on page 353

5.56 LocalInstrument2Choice__1

Definition: Set of elements that further identifies the type of local instruments being requested by the initiating party.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		161
	Proprietary	<Prtry>	Or}	[1..1]	⚠	161

Used in element(s)

"LocalInstrument" on page 198

5.56.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the local instrument, as published in an external local instrument code list.

Datatype: "ExternalLocalInstrument1Code" on page 343

5.56.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the local instrument, as a proprietary code.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/PaymentTypeInformation/LocalInstrument/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

5.57 NameAndAddress16__1

Definition: Information that locates and identifies a party.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[1..1]	⚠	162
	Address	<Adr>		[1..1]		162

Used in element(s)

"PostalAddress" on page 265

5.57.1 Name

XML Tag: Nm

Presence: [1..1]

Definition: Name by which a party is known and is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 323

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Name

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323

5.57.2 Address

XML Tag: Adr

Presence: [1..1]

Definition: Postal address of a party.

The **Adr** block contains the following elements (see datatype "PostalAddress24_1" on page 213 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		213
	Department	<Dept>		[0..1]		215
	SubDepartment	<SubDept>		[0..1]		217
	StreetName	<StrtNm>		[0..1]		219
	BuildingNumber	<BldgNb>		[0..1]		221
	BuildingName	<BldgNm>		[0..1]		223
	Floor	<Flr>		[0..1]		224
	PostBox	<PstBx>		[0..1]		226
	Room	<Room>		[0..1]		228
	PostCode	<PstCd>		[0..1]		230
	TownName	<TwnNm>		[0..1]		232
	TownLocationName	<TwnLctnNm>		[0..1]		235

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DistrictName	<DstrctNm>		[0..1]	⚠	237
	CountrySubDivision	<CtrySubDvsn>		[0..1]	⚠	239
	Country	<Ctry>		[0..1]		241
	AddressLine	<AdrlLine>		[0..7]	⚠ R[0..3]	243

5.58 OrganisationIdentification29

Definition: Unique and unambiguous way to identify an organisation.

ⓧ Removed - ⓧ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]	ⓧ	163
	LEI	<LEI>		[0..1]	ⓧ	163
	Other	<Othr>		[0..*]	ⓧ	164

Used in element(s)

"OrganisationIdentification" on page 173

5.58.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "AnyBICDec2014Identifier" on page 318

Usage Guideline details

- This element(pacs.008.001.08/.header/To/OrganisationIdentification/Identification/OrganisationIdentification/AnyBIC) is removed.

5.58.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 351

Usage Guideline details

- This element(pacs.008.001.08/.header/To/OrganisationIdentification/Identification/OrganisationIdentification/LEI) is removed.

5.58.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericOrganisationIdentification1" on page 138 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		139
	SchemeName	<SchmeNm>		[0..1]		139
	Issuer	<Issr>		[0..1]		139

Usage Guideline details

- This element(pacs.008.001.08/.header/From/OrganisationIdentification/Identification/OrganisationIdentification/Other) is removed.
- This element(pacs.008.001.08/.header/Related/To/OrganisationIdentification/Identification/OrganisationIdentification/Other) is removed.
- This element(pacs.008.001.08/.header/To/OrganisationIdentification/Identification/OrganisationIdentification/Other) is removed.
- This element(pacs.008.001.08/.header/Related/From/OrganisationIdentification/Identification/OrganisationIdentification/Other) is removed.

5.59 OrganisationIdentification29__1

Definition: Unique and unambiguous way to identify an organisation.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		165
	LEI	<LEI>		[0..1]		165

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	140

Used in element(s)

"OrganisationIdentification" on page 174

5.59.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "AnyBICDec2014Identifier" on page 318

5.59.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 351

5.59.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericOrganisationIdentification1__1" on page 139 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		140
	SchemeName	<SchmeNm>		[0..1]		140
	Issuer	<Issr>		[0..1]		141

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2

5.60 OrganisationIdentification29__2

Definition: Unique and unambiguous way to identify an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		166
	LEI	<LEI>		[0..1]		166
	Other	<Othr>		[0..*]	R[0..2]	166

Used in element(s)

"OrganisationIdentification" on page 175

5.60.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "AnyBICDec2014Identifier" on page 318

5.60.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 351

5.60.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericOrganisationIdentification1__2](#)" on page 142 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	142
	SchemeName	<SchmeNm>		[0..1]	M	142
	Issuer	<Issr>		[0..1]	⚠	143

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/Debtor/Identification/OrganisationIdentification/Other](#)

This element has change repeatability, the maximum occurrence has been changed to : 2

5.61 OrganisationIdentification29__3

Definition: Unique and unambiguous way to identify an organisation.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		167
	LEI	<LEI>		[0..1]		167
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	168

Used in element(s)

"[OrganisationIdentification](#)" on page 176

5.61.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "[AnyBICDec2014Identifier](#)" on page 318

5.61.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 351

5.61.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericOrganisationIdentification1_3" on page 143 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		143
	SchemeName	<SchmeNm>		[0..1]		144
	Issuer	<Issr>		[0..1]		145

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2

5.62 OrganisationIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		169
	Proprietary	<Prtry>	Or}	[1..1]		169

Used in element(s)

"SchemeName" on page 139, "SchemeName" on page 142

5.62.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalOrganisationIdentification1Code" on page 344

5.62.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 353

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/Debtor/Identification/Other/SchemeName/Proprietary) is removed.

5.63 OrganisationIdentificationScheme-Name1Choice__1

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		169
	Proprietary	<Prtry>	Or}	[1..1]	 	170

Used in element(s)

"SchemeName" on page 140

5.63.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalOrganisationIdentification1Code" on page 344](#)

5.63.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 325](#)

Usage Guideline details

- This element([pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)) is removed.
- on [pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

5.64 OrganisationIdentificationScheme-Name1Choice__2

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		171
	Proprietary	<Prtry>	Or}	[1..1]	 	171

Used in element(s)

["SchemeName" on page 144](#)

5.64.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalOrganisationIdentification1Code" on page 344](#)

5.64.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 326](#)

Usage Guideline details

- This element([pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)) is removed.
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.65 OtherContact1

Definition: Communication device number or electronic address used for communication.

⊖ Removed - ⊖ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanTp>		[1..1]		172
	Identification	<Id>		[0..1]		172

Used in element(s)

"Other" on page 66

5.65.1 ChannelType

XML Tag: ChanTp

Presence: [1..1]

Definition: Method used to contact the financial institution's contact for the specific tax region.

Datatype: "Max4Text" on page 354

5.65.2 Identification

XML Tag: Id

Presence: [0..1]

Definition: Communication value such as phone number or email address.

Datatype: "Max128Text" on page 352

5.66 Party38Choice

Definition: Nature or use of the account.

⊖ Removed - ⊖ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		173
	PrivateIdentification	<PrvtId>	Or}	[1..1]		173

Used in element(s)

"Identification" on page 180

5.66.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29" on page 163 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		163
	LEI	<LEI>		[0..1]		163
	Other	<Othr>		[0..*]		164

5.66.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13" on page 199 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		199
	Other	<Othr>		[0..*]		200

Usage Guideline details

- This element(pacs.008.001.08/.header/Related/From/OrganisationIdentification/Identification/PrivateIdentification) is removed.

- This element(pacs.008.001.08/.header/From/OrganisationIdentification/Identification/PrivateIdentification) is removed.
- This element(pacs.008.001.08/.header/To/OrganisationIdentification/Identification/PrivateIdentification) is removed.
- This element(pacs.008.001.08/.header/Related/To/OrganisationIdentification/Identification/PrivateIdentification) is removed.

5.67 Party38Choice__1

Definition: Nature or use of the account.

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		174
	PrivateIdentification	<PrvtId>	Or}	[1..1]		174

Used in element(s)

"Identification" on page 184

5.67.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__1" on page 164 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		165
	LEI	<LEI>		[0..1]		165
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	165

5.67.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13__1" on page 200 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		200
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	200

5.68 Party38Choice__2

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		175
	PrivateIdentification	<PrvtId>	Or}	[1..1]		175

Used in element(s)

"Identification" on page 187

5.68.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__2" on page 166 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		166
	LEI	<LEI>		[0..1]		166
	Other	<Othr>		[0..*]	R[0..2]	166

5.68.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13__2" on page 202 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		202
	Other	<Othr>		[0..*]	R[0..2]	202

5.69 Party38Choice__3

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		176
	PrivateIdentification	<PrvtId>	Or}	[1..1]		176

Used in element(s)

"Identification" on page 191

5.69.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__3" on page 167 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		167
	LEI	<LEI>		[0..1]		167
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	167

5.69.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13__3" on page 203 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		203
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	204

5.70 Party44Choice__1

Definition: Identification of a person, an organisation or a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		177
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		178

Used in element(s)

"From" on page 16, "From" on page 45, "To" on page 17, "To" on page 45

5.70.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **OrgId** block contains the following elements (see datatype "PartyIdentification135" on page 178 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		178
	PostalAddress	<PstlAdr>		[0..1]		179
	Identification	<Id>		[0..1]		180
	CountryOfResidence	<CtryOfRes>		[0..1]		180
	ContactDetails	<CtctDtls>		[0..1]		181

Usage Guideline details

- This element(pacs.008.001.08/.header/Related/From/OrganisationIdentification) is removed.
- This element(pacs.008.001.08/.header/To/OrganisationIdentification) is removed.

- This element(pacs.008.001.08/.header/Related/To/OrganisationIdentification) is removed.
- This element(pacs.008.001.08/.header/From/OrganisationIdentification) is removed.

5.70.2 FinancialInstitutionIdentification

XML Tag: FIId

Presence: [1..1]

Definition: Identification of a financial institution.

The **FIId** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 37 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		37
	BranchIdentification	<BrnchId>		[0..1]		38

5.71 PartyIdentification135

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		178
	PostalAddress	<PstlAdr>		[0..1]		179
	Identification	<Id>		[0..1]		180
	CountryOfResidence	<CtryOfRes>		[0..1]		180
	ContactDetails	<CtctDtls>		[0..1]		181

Used in element(s)

"OrganisationIdentification" on page 177

5.71.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "Max140Text" on page 352

Usage Guideline details

- This element(pacs.008.001.08/.header/From/OrganisationIdentification/Name) is removed.
- This element(pacs.008.001.08/.header/To/OrganisationIdentification/Name) is removed.
- This element(pacs.008.001.08/.header/Related/To/OrganisationIdentification/Name) is removed.
- This element(pacs.008.001.08/.header/Related/From/OrganisationIdentification/Name) is removed.

5.71.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 208 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		208
	Department	<Dept>		[0..1]		209
	SubDepartment	<SubDept>		[0..1]		210
	StreetName	<StrtNm>		[0..1]		210
	BuildingNumber	<BldgNb>		[0..1]		210
	BuildingName	<BldgNm>		[0..1]		211
	Floor	<Flr>		[0..1]		211
	PostBox	<PstBx>		[0..1]		211
	Room	<Room>		[0..1]		211
	PostCode	<PstCd>		[0..1]		211
	TownName	<TwnNm>		[0..1]		211
	TownLocationName	<TwnLctnNm>		[0..1]		212
	DistrictName	<DstrctNm>		[0..1]		212
	CountrySubDivision	<CtrySubDvsn>		[0..1]		212
	Country	<Ctry>		[0..1]		212
	AddressLine	<AdrLine>		[0..7]		212

Usage Guideline details

- This element(pacs.008.001.08/.header/Related/To/OrganisationIdentification/PostalAddress) is removed.
- This element(pacs.008.001.08/.header/To/OrganisationIdentification/PostalAddress) is removed.
- This element(pacs.008.001.08/.header/From/OrganisationIdentification/PostalAddress) is removed.
- This element(pacs.008.001.08/.header/Related/From/OrganisationIdentification/PostalAddress) is removed.

5.71.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "Party38Choice" on page 172 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		173
	PrivateIdentification	<PrvtId>	Or}	[1..1]		173

Usage Guideline details

- This element(pacs.008.001.08/.header/From/OrganisationIdentification/Identification) is removed.
- This element(pacs.008.001.08/.header/Related/From/OrganisationIdentification/Identification) is removed.
- This element(pacs.008.001.08/.header/To/OrganisationIdentification/Identification) is removed.

5.71.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 332

Usage Guideline details

- This element([pacs.008.001.08/.header/Related/To/OrganisationIdentification/CountryOfResidence](#)) is removed.
- This element([pacs.008.001.08/.header/To/OrganisationIdentification/CountryOfResidence](#)) is removed.
- This element([pacs.008.001.08/.header/From/OrganisationIdentification/CountryOfResidence](#)) is removed.
- This element([pacs.008.001.08/.header/Related/From/OrganisationIdentification/CountryOfResidence](#)) is removed.

5.71.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 64 for details)

❌ Removed - !❌ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		64
	Name	<Nm>		[0..1]		64
	PhoneNumber	<PhneNb>		[0..1]		65
	MobileNumber	<MobNb>		[0..1]		65
	FaxNumber	<FaxNb>		[0..1]		65
	EmailAddress	<EmailAdr>		[0..1]		65
	EmailPurpose	<EmailPurp>		[0..1]		65
	JobTitle	<JobTitt>		[0..1]		65
	Responsibility	<Rspnsblty>		[0..1]		66
	Department	<Dept>		[0..1]		66
	Other	<Othr>		[0..*]		66
	PreferredMethod	<PrefrdMtd>		[0..1]		66

Usage Guideline details

- This element([pacs.008.001.08/.header/From/OrganisationIdentification/ContactDetails](#)) is removed.

- This element(pacs.008.001.08/.header/Related/From/OrganisationIdentification/ContactDetails) is removed.
- This element(pacs.008.001.08/.header/Related/To/OrganisationIdentification/ContactDetails) is removed.
- This element(pacs.008.001.08/.header/To/OrganisationIdentification/ContactDetails) is removed.

5.72 PartyIdentification135__1

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		182
	PostalAddress	<PstlAdr>		[0..1]		183
	Identification	<Id>		[0..1]		184
	CountryOfResidence	<CtryOfRes>		[0..1]		184
	ContactDetails	<CtctDtls>		[0..1]		184

Used in element(s)

"Creditor" on page 94, "InitiatingParty" on page 89, "UltimateCreditor" on page 96, "UltimateDebtor" on page 87

5.72.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 323

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Name

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323

5.72.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24_1" on page 213 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		213
	Department	<Dept>		[0..1]		215
	SubDepartment	<SubDept>		[0..1]		217
	StreetName	<StrtNm>		[0..1]		219
	BuildingNumber	<BldgNb>		[0..1]		221
	BuildingName	<BldgNm>		[0..1]		223
	Floor	<Flr>		[0..1]		224
	PostBox	<PstBx>		[0..1]		226
	Room	<Room>		[0..1]		228
	PostCode	<PstCd>		[0..1]		230
	TownName	<TwnNm>		[0..1]	 	232
	TownLocationName	<TwnLctnNm>		[0..1]		235
	DistrictName	<DstrctNm>		[0..1]		237
	CountrySubDivision	<CtrySubDvsn>		[0..1]		239
	Country	<Ctry>		[0..1]		241
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2] R[0..2] R[0..2]	243

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress

– CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress

– **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

• **on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress**

– **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

• **on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress**

– **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.72.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "Party38Choice__1" on page 174 for details)

🚫 Removed - 🚫 Partial Removed - 💡 Ignored - 💡 Partial Ignored - ⚠️ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		174
	PrivateIdentification	<PrvtId>	Or}	[1..1]		174

5.72.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 332

5.72.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "Contact4" on page 64 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		64
	Name	<Nm>		[0..1]		64
	PhoneNumber	<PhneNb>		[0..1]		65
	MobileNumber	<MobNb>		[0..1]		65
	FaxNumber	<FaxNb>		[0..1]		65
	EmailAddress	<EmailAdr>		[0..1]		65
	EmailPurpose	<EmailPurp>		[0..1]		65
	JobTitle	<JobTitl>		[0..1]		65
	Responsibility	<Rspnsblty>		[0..1]		66
	Department	<Dept>		[0..1]		66
	Other	<Othr>		[0..*]		66
	PreferredMethod	<PrefrdMtd>		[0..1]		66

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/Creditor/ContactDetails) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Contact-Details) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/ContactDetails) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Contact-Details) is removed.

5.73 PartyIdentification135__2

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		186
	PostalAddress	<PstlAdr>		[0..1]		186
	Identification	<Id>		[0..1]		187

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CountryOfResidence	<CtryOfRes>		[0..1]		187
	ContactDetails	<CtctDtls>		[0..1]		187

Used in element(s)

"Debtor" on page 89

5.73.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 323

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323

5.73.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 213 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		213
	Department	<Dept>		[0..1]		215
	SubDepartment	<SubDept>		[0..1]		217
	StreetName	<StrtNm>		[0..1]		219
	BuildingNumber	<BldgNb>		[0..1]		221
	BuildingName	<BldgNm>		[0..1]		223
	Floor	<Flr>		[0..1]		224
	PostBox	<PstBx>		[0..1]		226
	Room	<Room>		[0..1]		228

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PostCode	<PstCd>		[0..1]		230
	TownName	<TwnNm>		[0..1]	 	232
	TownLocationName	<TwnLctnNm>		[0..1]		235
	DistrictName	<DstrctNm>		[0..1]		237
	CountrySubDivision	<CtrySubDvsn>		[0..1]		239
	Country	<Ctry>		[0..1]		241
	AddressLine	<AdrLine>		[0..7]	 R[0..2]	243

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress

– CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.73.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "Party38Choice_2" on page 175 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		175
	PrivateIdentification	<PrvtId>	Or}	[1..1]		175

5.73.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 332

5.73.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "Contact4" on page 64 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		64
	Name	<Nm>		[0..1]		64
	PhoneNumber	<PhneNb>		[0..1]		65
	MobileNumber	<MobNb>		[0..1]		65
	FaxNumber	<FaxNb>		[0..1]		65
	EmailAddress	<EmailAdr>		[0..1]		65
	EmailPurpose	<EmailPurp>		[0..1]		65
	JobTitle	<JobTitl>		[0..1]		65
	Responsibility	<Rspnsblty>		[0..1]		66
	Department	<Dept>		[0..1]		66
	Other	<Othr>		[0..*]		66
	PreferredMethod	<PrefrdMtd>		[0..1]		66

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/Debtor/ContactDetails) is removed.

5.74 PartyIdentification135__3

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		189
	PostalAddress	<PstlAdr>		[0..1]		189
	Identification	<Id>		[0..1]		191
	CountryOfResidence	<CtryOfRes>		[0..1]		191

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ContactDetails	<CtctDtls>		[0..1]		191

Used in element(s)

"Garnishee" on page 129, "GarnishmentAdministrator" on page 130, "Invoicee" on page 283, "Invoicer" on page 282

5.74.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 323

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323

5.74.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 213 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		213

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Department	<Dept>		[0..1]		215
	SubDepartment	<SubDept>		[0..1]		217
	StreetName	<StrtNm>		[0..1]		219
	BuildingNumber	<BldgNb>		[0..1]		221
	BuildingName	<BldgNm>		[0..1]		223
	Floor	<Flr>		[0..1]		224
	PostBox	<PstBx>		[0..1]		226
	Room	<Room>		[0..1]		228
	PostCode	<PstCd>		[0..1]		230
	TownName	<TwnNm>		[0..1]	 	232
	TownLocationName	<TwnLctnNm>		[0..1]		235
	DistrictName	<DstrctNm>		[0..1]		237
	CountrySubDivision	<CtrySubDvsn>		[0..1]		239
	Country	<Ctry>		[0..1]		241
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2] R[0..2] R[0..2]	243

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress

– **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.74.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice__3](#)" on page 176 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		176
	PrivateIdentification	<PrvtId>	Or}	[1..1]		176

5.74.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 332

5.74.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 64 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		64
	Name	<Nm>		[0..1]		64
	PhoneNumber	<PhneNb>		[0..1]		65
	MobileNumber	<MobNb>		[0..1]		65

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FaxNumber	<FaxNb>		[0..1]		65
	EmailAddress	<EmailAdr>		[0..1]		65
	EmailPurpose	<EmailPurp>		[0..1]		65
	JobTitle	<JobTitt>		[0..1]		65
	Responsibility	<Rspnsblty>		[0..1]		66
	Department	<Dept>		[0..1]		66
	Other	<Othr>		[0..*]		66
	PreferredMethod	<PrefrdMtd>		[0..1]		66

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/ContactDetails) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/ContactDetails) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails) is removed.

5.75 PaymentIdentification7__1

Definition: Provides further means of referencing a payment transaction.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionIdentification	<InstrId>		[0..1]	M ⚠	193
	EndToEndIdentification	<EndToEndId>		[1..1]	⚠	193
	TransactionIdentification	<TxId>		[0..1]	⚠	194
	UETR	<UETR>		[0..1]	M	195
	ClearingSystemReference	<ClrSysRef>		[0..1]	⚠	195

Rules

R49 TransactionIdentificationPresenceRule

TransactionIdentification or UETR must be present. Both may be present

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00420
- *Error Text:* No transaction identification is present

Used in element(s)

"PaymentIdentification" on page 72

5.75.1 InstructionIdentification

XML Tag: InstrId

Presence: [0..1]

Definition: Unique identification, as assigned by an instructing party for an instructed party, to unambiguously identify the instruction.

Usage: The instruction identification is a point to point reference that can be used between the instructing party and the instructed party to refer to the individual instruction. It can be included in several messages related to the instruction.

Datatype: "CBPR_RestrictedFINXMax16Text" on page 323

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/PaymentIdentification/InstructionIdentification

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/PaymentIdentification/InstructionIdentification

Type changed to: CBPR_RestrictedFINXMax16Text on page 323

- on pacs.008.001.08/CreditTransferTransactionInformation/PaymentIdentification/InstructionIdentification

– **CBPR_Instruction_Identification_FormalRule:**

This element must not start or end with a slash '/' and must not contain two consecutive slashes '//'.

For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransfer-TransactionInformation/PaymentIdentification/InstructionIdentification],
the value of every occurrence of [InstructionIdentification] must not comply with the following XML pattern : '(/*.)|(/*/)|(/*//.*)'

5.75.2 EndToEndIdentification

XML Tag: EndToEndId

Presence: [1..1]

Definition: Unique identification, as assigned by the initiating party, to unambiguously identify the transaction. This identification is passed on, unchanged, throughout the entire end-to-end chain.

Usage: The end-to-end identification can be used for reconciliation or to link tasks relating to the transaction. It can be included in several messages related to the transaction.

Usage: In case there are technical limitations to pass on multiple references, the end-to-end identification must be passed on throughout the entire end-to-end chain.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/PaymentIdentification/EndToEndIdentification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PaymentIdentification/EndToEndIdentification
 - CBPR_EndToEndIdentification_TextualRule:

If no EndToEndIdentification is provided by the Debtor, then the element must be populated with "NOTPROVIDED".
- on pacs.008.001.08/CreditTransferTransactionInformation/PaymentIdentification/EndToEndIdentification
 Synonym (Remittance Information with code /ROC/): Field 70

5.75.3 TransactionIdentification

XML Tag: TxId

Presence: [0..1]

Definition: Unique identification, as assigned by the first instructing agent, to unambiguously identify the transaction that is passed on, unchanged, throughout the entire interbank chain.

Usage: The transaction identification can be used for reconciliation, tracking or to link tasks relating to the transaction on the interbank level.

Usage: The instructing agent has to make sure that the transaction identification is unique for a pre-agreed period.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/PaymentIdentification/TransactionIdentification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

5.75.4 UETR

XML Tag: UETR

Presence: [0..1]

Definition: Universally unique identifier to provide an end-to-end reference of a payment transaction.

Datatype: ["UUIDv4Identifier" on page 364](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/PaymentIdentification/UETR](#)
This element is now mandatory, the minimum occurrence has been changed to : 1

5.75.5 ClearingSystemReference

XML Tag: ClrSysRef

Presence: [0..1]

Definition: Unique reference, as assigned by a clearing system, to unambiguously identify the instruction.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 325](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/PaymentIdentification/ClearingSystemReference](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

5.76 PaymentTypeInformation28

Definition: Provides further details of the type of payment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		196
	ClearingChannel	<ClrChanl>		[0..1]		196
	ServiceLevel	<SvcLvl>		[0..*]		196
	LocalInstrument	<LclInstrm>		[0..1]		196
	CategoryPurpose	<CtgyPurp>		[0..1]		197

Used in element(s)

["PaymentTypeInformation" on page 156](#)

5.76.1 InstructionPriority

XML Tag: InstrPrty

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.

Datatype: ["Priority2Code" on page 357](#)

5.76.2 ClearingChannel

XML Tag: ClrChanl

Presence: [0..1]

Definition: Specifies the clearing channel to be used to process the payment instruction.

Datatype: ["ClearingChannel2Code" on page 330](#)

5.76.3 ServiceLevel

XML Tag: SvcLvl

Presence: [0..*]

Definition: Agreement under which or rules under which the transaction should be processed.

The **SvcLvl** block contains the following elements (see datatype ["ServiceLevel8Choice" on page 266](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		266
	Proprietary	<Prtry>	Or}	[1..1]		266

5.76.4 LocalInstrument

XML Tag: LclInstrm

Presence: [0..1]

Definition: User community specific instrument.

Usage: This element is used to specify a local instrument, local clearing option and/or further qualify the service or service level.

The **LclInstrm** block contains the following elements (see datatype ["LocalInstrument2Choice" on page 160](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		160
	Proprietary	<Prtry>	Or}	[1..1]		160

5.76.5 CategoryPurpose

XML Tag: Ctgypurp

Presence: [0..1]

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

The **Ctgypurp** block contains the following elements (see datatype "[CategoryPurpose1Choice](#)" on page 54 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		54
	Proprietary	<Prtry>	Or}	[1..1]		54

5.77 PaymentTypeInformation28__1

Definition: Provides further details of the type of payment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		197
	ClearingChannel	<ClrChanl>		[0..1]		198
	ServiceLevel	<SvcLvl>		[0..*]	R[0..3]	198
	LocalInstrument	<LclInstrm>		[0..1]		198
	CategoryPurpose	<Ctgypurp>		[0..1]		199

Used in element(s)

"[PaymentTypeInformation](#)" on page 72

5.77.1 InstructionPriority

XML Tag: InstrPrty

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.

Datatype: "Priority2Code" on page 357

5.77.2 ClearingChannel

XML Tag: ClrChanl

Presence: [0..1]

Definition: Specifies the clearing channel to be used to process the payment instruction.

Datatype: "ClearingChannel2Code" on page 330

5.77.3 ServiceLevel

XML Tag: SvcLvl

Presence: [0..*]

Definition: Agreement under which or rules under which the transaction should be processed.

The **SvcLvl** block contains the following elements (see datatype "ServiceLevel8Choice__1" on page 267 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		267
	Proprietary	<Prtry>	Or}	[1..1]	⚠	267

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel

This element has change repeatability, the maximum occurrence has been changed to : 3

5.77.4 LocalInstrument

XML Tag: LclInstrm

Presence: [0..1]

Definition: User community specific instrument.

Usage: This element is used to specify a local instrument, local clearing option and/or further qualify the service or service level.

The **LclInstrm** block contains the following elements (see datatype "LocalInstrument2Choice__1" on page 160 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		161
	Proprietary	<Prtry>	Or}	[1..1]		161

5.77.5 CategoryPurpose

XML Tag: Ctgypurp

Presence: [0..1]

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

The **Ctgypurp** block contains the following elements (see datatype "[CategoryPurpose1Choice__1](#)" on page 54 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		55
	Proprietary	<Prtry>	Or}	[1..1]		55

5.78 PersonIdentification13

Definition: Unique and unambiguous way to identify a person.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		199
	Other	<Othr>		[0..*]		200

Used in element(s)

"[PrivateIdentification](#)" on page 173

5.78.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1](#)" on page 104 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		105
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		105
	CityOfBirth	<CityOfBirth>		[1..1]		105
	CountryOfBirth	<CtryOfBirth>		[1..1]		105

5.78.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1" on page 145 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		146
	SchemeName	<SchmeNm>		[0..1]		146
	Issuer	<Issr>		[0..1]		146

5.79 PersonIdentification13__1

Definition: Unique and unambiguous way to identify a person.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		200
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	201

Used in element(s)

"PrivateIdentification" on page 174

5.79.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "DateAndPlaceOfBirth1__1" on page 105 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		106
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		107
	CityOfBirth	<CityOfBirth>		[1..1]		108
	CountryOfBirth	<CtryOfBirth>		[1..1]		108

5.79.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1__1" on page 146 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		147
	SchemeName	<SchmeNm>		[0..1]		147
	Issuer	<Issr>		[0..1]		148

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.80 PersonIdentification13__2

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		202
	Other	<Othr>		[0..*]	R[0..2]	202

Used in element(s)

"PrivateIdentification" on page 175

5.80.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1__1](#)" on page 105 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		106
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		107
	CityOfBirth	<CityOfBirth>		[1..1]		108
	CountryOfBirth	<CtryOfBirth>		[1..1]		108

5.80.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericPersonIdentification1__2](#)" on page 149 for details)

 Removed - Partial Removed - Ignored - Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		149
	SchemeName	<SchmeNm>		[0..1]		149
	Issuer	<Issr>		[0..1]		150

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.81 PersonIdentification13__3

Definition: Unique and unambiguous way to identify a person.

 Removed - Partial Removed - Ignored - Partial Ignored - Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		203
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	204

Used in element(s)

"PrivateIdentification" on page 176

5.81.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1__1](#)" on page 105 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		106
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		107
	CityOfBirth	<CityOfBirth>		[1..1]		108

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CountryOfBirth	<CtryOfBirth>		[1..1]		108

5.81.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1_3" on page 150 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		150
	SchemeName	<SchmeNm>		[0..1]		151
	Issuer	<Issr>		[0..1]		152

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2

5.82 PersonIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		205
	Proprietary	<Prtry>	Or}	[1..1]		205

Used in element(s)

["SchemeName" on page 146](#), ["SchemeName" on page 149](#)

5.82.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalPersonIdentification1Code" on page 345](#)

5.82.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text" on page 353](#)

Usage Guideline details

- This element([pacs.008.001.08/CreditTransferTransactionInformation/Debtor/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.

5.83 PersonIdentificationSchemeName1Choice__1

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		205
	Proprietary	<Prtry>	Or}	[1..1]	 	206

Used in element(s)

["SchemeName" on page 147](#)

5.83.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalPersonIdentification1Code" on page 345

5.83.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 325
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 325
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 325
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 325

5.84 PersonIdentificationSchemeName1Choice__2

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		207
	Proprietary	<Prtry>	Or}	[1..1]		207

Used in element(s)

["SchemeName" on page 151](#)

5.84.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalPersonIdentification1Code" on page 345](#)

5.84.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 326](#)

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.85 PostalAddress24

Definition: Information that locates and identifies a specific address, as defined by postal services.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		208
	Department	<Dept>		[0..1]		209
	SubDepartment	<SubDept>		[0..1]		210
	StreetName	<StrtNm>		[0..1]		210
	BuildingNumber	<BldgNb>		[0..1]		210
	BuildingName	<BldgNm>		[0..1]		211
	Floor	<Flr>		[0..1]		211
	PostBox	<PstBx>		[0..1]		211
	Room	<Room>		[0..1]		211
	PostCode	<PstCd>		[0..1]		211
	TownName	<TwnNm>		[0..1]		211
	TownLocationName	<TwnLctnNm>		[0..1]		212
	DistrictName	<DstrctNm>		[0..1]		212
	CountrySubDivision	<CtrySubDvsn>		[0..1]		212
	Country	<Ctry>		[0..1]		212
	AddressLine	<AdrLine>		[0..7]		212

Used in element(s)

"PostalAddress" on page 41,
 "PostalAddress" on page 179,
 "PostalAddress" on page 127,
 "PostalAddress" on page 43

5.85.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "[AddressType3Choice](#)" on page 30 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		31
	Proprietary	<Prtry>	Or}	[1..1]		31

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/BranchIdentification/PostalAddress/AddressType) is removed.

5.85.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "[Max70Text](#)" on page 354

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/BranchIdentification/PostalAddress/Department) is removed.

- This element(pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/BranchIdentification/PostalAddress/Department) is removed.

5.85.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: ["Max70Text" on page 354](#)

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/BranchIdentification/PostalAddress/SubDepartment) is removed.

5.85.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: ["Max70Text" on page 354](#)

5.85.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: ["Max16Text" on page 352](#)

5.85.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: ["Max35Text" on page 353](#)

5.85.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: ["Max70Text" on page 354](#)

5.85.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["Max16Text" on page 352](#)

5.85.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: ["Max70Text" on page 354](#)

5.85.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["Max16Text" on page 352](#)

5.85.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: ["Max35Text" on page 353](#)

5.85.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: "Max35Text" on page 353

5.85.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: "Max35Text" on page 353

5.85.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: "Max35Text" on page 353

5.85.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: "CountryCode" on page 332

5.85.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "Max70Text" on page 354

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/PostalAddress/AddressLine) is removed.

- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/BranchIdentification/PostalAddress/AddressLine) is removed.

5.86 PostalAddress24__1

Definition: Information that locates and identifies a specific address, as defined by postal services.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		213
	Department	<Dept>		[0..1]		215
	SubDepartment	<SubDept>		[0..1]		217
	StreetName	<StrtNm>		[0..1]		219
	BuildingNumber	<BldgNb>		[0..1]		221
	BuildingName	<BldgNm>		[0..1]		223
	Floor	<Flr>		[0..1]		224
	PostBox	<PstBx>		[0..1]		226
	Room	<Room>		[0..1]		228
	PostCode	<PstCd>		[0..1]		230
	TownName	<TwnNm>		[0..1]	 	232
	TownLocationName	<TwnLctnNm>		[0..1]		235
	DistrictName	<DstrctNm>		[0..1]		237
	CountrySubDivision	<CtrySubDvsn>		[0..1]		239
	Country	<Ctry>		[0..1]		241
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2] R[0..2] R[0..2]	243

Used in element(s)

["Address" on page 162](#),
 ["PostalAddress" on page 121](#),
 ["PostalAddress" on page 183](#),
 ["PostalAddress" on page 186](#),
 ["PostalAddress" on page 189](#)

5.86.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "AddressType3Choice" on page 30 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		31
	Proprietary	<Prtry>	Or}	[1..1]		31

Usage Guideline details

- This element(pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/AddressType) is removed.
- This element(pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.

- This element(pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/AddressType) is removed.

5.86.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 327

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

5.86.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 327](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327

5.86.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended"](#) on page 327

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on [pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

5.86.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 323](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on [pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

5.86.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/BuildingName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/BuildingName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/BuildingName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/BuildingName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/BuildingName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/BuildingName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/BuildingName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.86.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 327

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

5.86.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 323](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

5.86.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 327](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 327

5.86.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended"](#) on page 323

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 323

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 323](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 323
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 323

5.86.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/TownName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/TownName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/TownName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/TownName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/TownName
This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/TownName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/TownName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326

5.86.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended"](#) on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

5.86.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 326](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/District-Name

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/DistrictName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/DistrictName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/DistrictName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/DistrictName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

5.86.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 326](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/CountrySubDivision

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/CountrySubDivision

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326

5.86.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: ["CountryCode"](#) on page 332

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on **pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.86.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 327

Usage Guideline details

- on **pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on **pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on **pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on **pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- on **pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on **pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.008.001.08/CreditTransferTransactionInformation/Debtor/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 327

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/Creditor/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 327](#)

5.87 ProxyAccountIdentification1__1

Definition: Information related to a proxy identification of the account.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		247
	Identification	<Id>		[1..1]		248

Used in element(s)

"Proxy" on page 52

5.87.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Type of the proxy identification.

The **Tp** block contains the following elements (see datatype "ProxyAccountType1Choice_1" on page 249 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		250
	Proprietary	<Prtry>	Or}	[1..1]		250

Usage Guideline details

- on pacs.008.001.08/GroupHeader/SettlementInformation/SettlementAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgentAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgentAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.87.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification used to indicate the account identification under another specified name.

Datatype: "CBPR_RestrictedFINXMax320Text_Extended" on page 325

Usage Guideline details

- **on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAccount/Proxy/Identification Type** changed to: CBPR_RestrictedFINXMax320Text_Extended on page 325
- **on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Proxy/Identification** Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 325

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgentAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/SettlementAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgentAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 325](#)

5.88 ProxyAccountType1Choice__1

Definition: Specifies the scheme used for the identification of an account alias.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		250
	Proprietary	<Prtry>	Or}	[1..1]		250

Used in element(s)

["Type" on page 247](#)

5.88.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalProxyAccountType1Code" on page 345](#)

5.88.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 325](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Proxy/Type/Proprietary
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgentAccount/Proxy/Type/Proprietary
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Proxy/Type/Proprietary
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/SettlementAccount/Proxy/Type/Proprietary
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Proxy/Type/Proprietary
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgentAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/DebtorAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 325](#)

5.89 Purpose2Choice__1

Definition: Specifies the underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, that is initiating party, (ultimate) debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by any of the agents involved in the payment chain.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		252

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		252

Used in element(s)

"Purpose" on page 98

5.89.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Underlying reason for the payment transaction, as published in an external purpose code list.

Datatype: "ExternalPurpose1Code" on page 346

5.89.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Purpose, in a proprietary form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Purpose/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 325

5.90 ReferredDocumentInformation7__1

Definition: Set of elements used to identify the documents referred to in the remittance information.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		252
	Number	<Nb>		[0..1]		253
	RelatedDate	<RltdDt>		[0..1]		253
	LineDetails	<LineDtls>		[0..*]		253

Used in element(s)

"ReferredDocumentInformation" on page 281

5.90.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of referred document.

The **Tp** block contains the following elements (see datatype "[ReferredDocumentType4__1](#)" on [page 255](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		255
	Issuer	<Issr>		[0..1]		255

5.90.2 Number

XML Tag: Nb

Presence: [0..1]

Definition: Unique and unambiguous identification of the referred document.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on [page 326](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/Number](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on [page 326](#)

5.90.3 RelatedDate

XML Tag: RltdDt

Presence: [0..1]

Definition: Date associated with the referred document.

Datatype: "[CBPR_Date](#)" on [page 321](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/RelatedDate](#)

Type changed to: [CBPR_Date](#) on [page 321](#)

5.90.4 LineDetails

XML Tag: LineDtls

Presence: [0..*]

Definition: Set of elements used to provide the content of the referred document line.

The **LineDtls** block contains the following elements (see datatype "[DocumentLineInformation1__1](#)" on [page 115](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🚫 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..*]		115
	Description	<Desc>		[0..1]	⚠	116
	Amount	<Amt>		[0..1]		116

5.91 ReferredDocumentType3Choice__1

Definition: Specifies the type of the document referred in the remittance information.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🚫 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		254
	Proprietary	<Prtry>	Or}	[1..1]	⚠	254

Used in element(s)

["CodeOrProprietary"](#) on [page 255](#)

5.91.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Document type in a coded form.

Datatype: ["DocumentType6Code"](#) on [page 334](#)

5.91.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of the remittance document.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended"](#) on [page 326](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/Type/CodeOrProprietary/Proprietary](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326

5.92 ReferredDocumentType4__1

Definition: Specifies the type of the document referred in the remittance information.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		255
	Issuer	<Issr>		[0..1]	⚠	255

Used in element(s)

"Type" on page 252

5.92.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the referred document.

The **CdOrPrtry** block contains the following elements (see datatype "[ReferredDocument-Type3Choice__1](#)" on page 254 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		254
	Proprietary	<Prtry>	Or}	[1..1]	⚠	254

5.92.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the reference document type.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on page 326

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/Type/Issuer](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 326

5.93 RegulatoryAuthority2__1

Definition: Entity requiring the regulatory reporting information.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		256
	Country	<Ctry>		[0..1]		256

Used in element(s)

"Authority" on page 257

5.93.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the entity requiring the regulatory reporting information.

Datatype: "CBPR_RestrictedFINXMax140Text" on page 322

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RegulatoryReporting/Authority/Name
Type changed to: CBPR_RestrictedFINXMax140Text on page 322

5.93.2 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Country of the entity that requires the regulatory reporting information.

Datatype: "CountryCode" on page 332

5.94 RegulatoryReporting3__1

Definition: Information needed due to regulatory and/or statutory requirements.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebitCreditReportingIndicator	<DbtCdtRptgInd>		[0..1]		257
	Authority	<Authrty>		[0..1]		257

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Details	<DtIs>		[0..*]		257

Used in element(s)

"RegulatoryReporting" on page 99

5.94.1 DebitCreditReportingIndicator

XML Tag: DbtCdtRptgInd

Presence: [0..1]

Definition: Identifies whether the regulatory reporting information applies to the debit side, to the credit side or to both debit and credit sides of the transaction.

Datatype: "RegulatoryReportingType1Code" on page 358

5.94.2 Authority

XML Tag: Authrty

Presence: [0..1]

Definition: Entity requiring the regulatory reporting information.

The **Authrty** block contains the following elements (see datatype "RegulatoryAuthority2__1" on page 256 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		256
	Country	<Ctry>		[0..1]		256

5.94.3 Details

XML Tag: DtIs

Presence: [0..*]

Definition: Set of elements used to provide details on the regulatory reporting information.

The **DtIs** block contains the following elements (see datatype "StructuredRegulatoryReporting3__1" on page 279 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		279
	Date	<Dt>		[0..1]		279

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Country	<Ctry>		[0..1]		280
	Code	<Cd>		[0..1]	⚠	280
	Amount	<Amt>		[0..1]	⚠	280
	Information	<Inf>		[0..*]	⚠	280

5.95 RemittanceAmount2__1

Definition: Nature of the amount and currency on a document referred to in the remittance section, typically either the original amount due/payable or the amount actually remitted for the referenced document.

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - ⚠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		258
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		258
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		259
	TaxAmount	<TaxAmt>		[0..*]		259
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		259
	RemittedAmount	<RmtdAmt>		[0..1]		260

Used in element(s)

"ReferredDocumentAmount" on page 282

5.95.1 DuePayableAmount

XML Tag: DuePyblAmt

Presence: [0..1]

Definition: Amount specified is the exact amount due and payable to the creditor.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 315

5.95.2 DiscountAppliedAmount

XML Tag: DscntApldAmt

Presence: [0..*]

Definition: Amount specified for the referred document is the amount of discount to be applied to the amount due and payable to the creditor.

The **DscntApldAmt** block contains the following elements (see datatype "DiscountAmountAnd-Type1__1" on page 110 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		111
	Amount	<Amt>		[1..1]		111

5.95.3 CreditNoteAmount

XML Tag: CdtNoteAmt

Presence: [0..1]

Definition: Amount specified for the referred document is the amount of a credit note.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 315

5.95.4 TaxAmount

XML Tag: TaxAmt

Presence: [0..*]

Definition: Quantity of cash resulting from the calculation of the tax.

The **TaxAmt** block contains the following elements (see datatype "TaxAmountAndType1__1" on page 288 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		288
	Amount	<Amt>		[1..1]		289

5.95.5 AdjustmentAmountAndReason

XML Tag: AdjstmntAmtAndRsn

Presence: [0..*]

Definition: Specifies detailed information on the amount and reason of the document adjustment.

The **AdjstmntAmtAndRsn** block contains the following elements (see datatype "DocumentAdjustment1__1" on page 112 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		112
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		113

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Reason	<Rsn>		[0..1]		113
	AdditionalInformation	<AddtlInf>		[0..1]		113

5.95.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted for the referred document.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 315

5.96 RemittanceAmount3__1

Definition: Nature of the amount and currency on a document referred to in the remittance section, typically either the original amount due/payable or the amount actually remitted for the referenced document.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		260
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		260
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		261
	TaxAmount	<TaxAmt>		[0..*]		261
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		261
	RemittedAmount	<RmtdAmt>		[0..1]		262

Used in element(s)

"Amount" on page 116

5.96.1 DuePayableAmount

XML Tag: DuePyblAmt

Presence: [0..1]

Definition: Amount specified is the exact amount due and payable to the creditor.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 315

5.96.2 DiscountAppliedAmount

XML Tag: DscntApldAmt

Presence: [0..*]

Definition: Amount of discount to be applied to the amount due and payable to the creditor.

The **DscntApIdAmt** block contains the following elements (see datatype "[DiscountAmountAndType1__1](#)" on page 110 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		111
	Amount	<Amt>		[1..1]		111

5.96.3 CreditNoteAmount

XML Tag: CdtNoteAmt

Presence: [0..1]

Definition: Amount of a credit note.

Datatype: "[ActiveOrHistoricCurrencyAndAmount](#)" on page 315

5.96.4 TaxAmount

XML Tag: TaxAmt

Presence: [0..*]

Definition: Amount of the tax.

The **TaxAmt** block contains the following elements (see datatype "[TaxAmountAndType1__1](#)" on page 288 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		288
	Amount	<Amt>		[1..1]		289

5.96.5 AdjustmentAmountAndReason

XML Tag: AdjstmntAmtAndRsn

Presence: [0..*]

Definition: Specifies detailed information on the amount and reason of the adjustment.

The **AdjstmntAmtAndRsn** block contains the following elements (see datatype "[DocumentAdjustment1__1](#)" on page 112 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		112
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		113
	Reason	<Rsn>		[0..1]	⚠	113
	AdditionalInformation	<AddtlInf>		[0..1]	⚠	113

5.96.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 315

5.97 RemittanceInformation16__1

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system.

❌ Removed - ❌ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]	⚠ R[0..1]	262
	Structured	<Strd>		[0..*]	⚠	263

Used in element(s)

"RemittanceInformation" on page 100

5.97.1 Unstructured

XML Tag: Ustrd

Presence: [0..*]

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in an unstructured form.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 323

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Unstructured

This element has change repeatability, the maximum occurrence has been changed to : 1

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Unstructured
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Unstructured
Synonym (Remittance Information): 70

5.97.2 Structured

XML Tag: Strd

Presence: [0..*]

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.

The **Strd** block contains the following elements (see datatype "StructuredRemittanceInformation16__1" on page 281 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferredDocumentInformation	<RfrdDocInf>		[0..*]		281
	ReferredDocumentAmount	<RfrdDocAmt>		[0..1]		282
	CreditorReferenceInformation	<CdtrRefInf>		[0..1]		282
	Invoice	<Invcr>		[0..1]		282
	Invoicee	<Invcee>		[0..1]		283
	TaxRemittance	<TaxRmt>		[0..1]		283
	GarnishmentRemittance	<GrnshmtRmt>		[0..1]		284
	AdditionalRemittanceInformation	<AddtlRmtInf>		[0..3]		284

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured
 - **CBPR_Structured_RemittanceInformation_TextualRule:**

Structured can be repeated, however the total business data for all occurrences (excluding tags) must not exceed 9,000 characters.

5.98 RemittanceLocation7__1

Definition: Provides information on the remittance advice.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittanceIdentification	<RmtId>		[0..1]		264
	RemittanceLocationDetails	<RmtLctnDtls>		[0..*]	R[0..2]	264

Used in element(s)

"RelatedRemittanceInformation" on page 100

5.98.1 RemittanceIdentification

XML Tag: RmtId

Presence: [0..1]

Definition: Unique identification, as assigned by the initiating party, to unambiguously identify the remittance information sent separately from the payment instruction, such as a remittance advice.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceIdentification

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.98.2 RemittanceLocationDetails

XML Tag: RmtLctnDtls

Presence: [0..*]

Definition: Set of elements used to provide information on the location and/or delivery of the remittance information.

The **RmtLctnDtls** block contains the following elements (see datatype "RemittanceLocationData1__1" on page 265 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Method	<Mtd>		[1..1]		265
	ElectronicAddress	<ElctrncAdr>		[0..1]		265
	PostalAddress	<PstlAdr>		[0..1]		265

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails

This element has change repeatability, the maximum occurrence has been changed to : 2

5.99 RemittanceLocationData1__1

Definition: Provides additional details on the remittance advice.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Method	<Mtd>		[1..1]		265
	ElectronicAddress	<ElctrncAdr>		[0..1]		265
	PostalAddress	<PstlAdr>		[0..1]		265

Used in element(s)

"RemittanceLocationDetails" on page 264

5.99.1 Method

XML Tag: Mtd

Presence: [1..1]

Definition: Method used to deliver the remittance advice information.

Datatype: "RemittanceLocationMethod2Code" on page 359

5.99.2 ElectronicAddress

XML Tag: ElctrncAdr

Presence: [0..1]

Definition: Electronic address to which an agent is to send the remittance information.

Datatype: "CBPR_RestrictedFINXMax2048Text_Extended" on page 324

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/ElectronicAddress

Type changed to: CBPR_RestrictedFINXMax2048Text_Extended on page 324

5.99.3 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Postal address to which an agent is to send the remittance information.

The **PstlAdr** block contains the following elements (see datatype "[NameAndAddress16__1](#)" on [page 161](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[1..1]		162
	Address	<Adr>		[1..1]		162

Usage Guideline details

- This element([pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress](#)) is removed.

5.100 ServiceLevel8Choice

Definition: Specifies the service level of the transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		266
	Proprietary	<Prtry>	Or}	[1..1]		266

Used in element(s)

"[ServiceLevel](#)" on [page 196](#)

5.100.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as published in an external service level code list.

Datatype: "[ExternalServiceLevel1Code](#)" on [page 347](#)

5.100.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as a proprietary code.

Datatype: "Max35Text" on page 353

5.101 ServiceLevel8Choice__1

Definition: Specifies the service level of the transaction.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		267
	Proprietary	<Prtry>	Or}	[1..1]	⚠	267

Used in element(s)

"ServiceLevel" on page 198

5.101.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as published in an external service level code list.

Datatype: "ExternalServiceLevel1Code" on page 347

5.101.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as a proprietary code.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel/Proprietary
 Type changed to: CBPR_RestrictedFINXMax35Text on page 325

5.102 SettlementDateTimeIndication1__1

Definition: Information on the occurred settlement time(s) of the payment transaction.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebitDateTime	<DbtDtTm>		[0..1]		268
	CreditDateTime	<CdtDtTm>		[0..1]		268

Used in element(s)

["SettlementTimeIndication" on page 74](#)

5.102.1 DebitDateTime

XML Tag: DbtDtTm

Presence: [0..1]

Definition: Date and time at which a payment has been debited at the transaction administrator. In the case of TARGET, the date and time at which the payment has been debited at the central bank, expressed in Central European Time (CET).

Datatype: ["CBPR_DateTime" on page 321](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/SettlementTimeIndication/Debit-DateTime

Type changed to: [CBPR_DateTime on page 321](#)

5.102.2 CreditDateTime

XML Tag: CdtDtTm

Presence: [0..1]

Definition: Date and time at which a payment has been credited at the transaction administrator. In the case of TARGET, the date and time at which the payment has been credited at the receiving central bank, expressed in Central European Time (CET).

Datatype: ["CBPR_DateTime" on page 321](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/SettlementTimeIndication/Credit-DateTime

Type changed to: [CBPR_DateTime on page 321](#)

5.103 SettlementInstruction7__1

Definition: Provides further details on the settlement of the instruction.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SettlementMethod	<SttlmMtd>		[1..1]		271
	SettlementAccount	<SttlmAcct>		[0..1]		271
	ClearingSystem	<ClrSys>		[0..1]		271
	InstructingReimbursementAgent	<InstgRmbrsmntAgt>		[0..1]		272
	InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>		[0..1]		273
	InstructedReimbursementAgent	<InstdRmbrsmntAgt>		[0..1]		274
	InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>		[0..1]		275
	ThirdReimbursementAgent	<ThrdRmbrsmntAgt>		[0..1]		275
	ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>		[0..1]		277

Rules

R22 ThirdReimbursementAgentRule ✓

If ThirdReimbursementAgent is present, then InstructingReimbursementAgent and InstructedReimbursementAgent must both be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00040
- *Error Text:* Invalid message content for third reimbursement agent.

R23 SettlementMethodAgentRule ✓

If SettlementMethod is equal to INDA or INGA, then ReimbursementAgent(s) and ClearingSystem are not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00018
- *Error Text:* Invalid message content for settlement method INGA or INDA.

R24 SettlementMethodCoverRule ✓

If SettlementMethod is equal to COVE, then SettlementAccount and ClearingSystem are not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00075
- *Error Text:* Invalid message content for cover settlement method with settlement account and clearing system.

R25 SettlementMethodCoverAgentRule ✓

If SettlementMethod is equal to COVE, then InstructedReimbursementAgent or InstructingReimbursementAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00076
- *Error Text:* Invalid message content for cover settlement method and reimbursement agents.

R26 SettlementMethodClearingRule ✓

If SettlementMethod is equal to CLRG, then SettlementAccount and ReimbursementAgent(s) are not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00019
- *Error Text:* Invalid message content for settlement method CLRG.

R27 InstructingReimbursementAgentAccountRule ✓

If InstructingReimbursementAgentAccount is present, then InstructingReimbursementAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00038
- *Error Text:* Invalid message content for instructing reimbursement agent account.

R28 InstructedReimbursementAgentAccountRule ✓

If InstructedReimbursementAgentAccount is present, then InstructedReimbursementAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00037
- *Error Text:* Invalid message content for instructed reimbursement agent account.

R29 ThirdReimbursementAgentAccountRule ✓

If ThirdReimbursementAgentAccount is present, then ThirdReimbursementAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00039
- *Error Text:* Invalid message content for third reimbursement agent account.

Used in element(s)

["SettlementInformation" on page 155](#)

5.103.1 SettlementMethod

XML Tag: SttlmMtd

Presence: [1..1]

Definition: Method used to settle the (batch of) payment instructions.

Datatype: ["SettlementMethod1Code" on page 361](#)

Usage Guideline details

- on pacs.008.001.08/GroupHeader/SettlementInformation/SettlementMethod
Synonym (Settlement Method implicit in MTs and derived from the presence of certain elements.): N/A

5.103.2 SettlementAccount

XML Tag: SttlmAcct

Presence: [0..1]

Definition: A specific purpose account used to post debit and credit entries as a result of the transaction.

The **SttlmAcct** block contains the following elements (see datatype ["CashAccount38_1" on page 49](#) for details)

❌ Removed -
 ❌ Partial Removed -
 ◆ Ignored -
 ◆ Partial Ignored -
 ⚠️ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]	⚠️	50
	Proxy	<Prxy>		[0..1]		52

Usage Guideline details

- on pacs.008.001.08/GroupHeader/SettlementInformation/SettlementAccount
Synonym (Sender's Correspondent (option 53B - account to be debited)): 53B

5.103.3 ClearingSystem

XML Tag: ClrSys

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSys** block contains the following elements (see datatype "ClearingSystemIdentification3Choice" on page 59 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		59
	Proprietary	<Prtry>	Or}	[1..1]		59

Usage Guideline details

- This element(pacs.008.001.08/GroupHeader/SettlementInformation/ClearingSystem) is removed.

5.103.4 InstructingReimbursementAgent

XML Tag: InstgRmbrsmntAgt

Presence: [0..1]

Definition: Agent through which the instructing agent will reimburse the instructed agent.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

The **InstgRmbrsmntAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 31 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Usage Guideline details

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent
 - **CBPR_Agent_Point_To_Point_On_SWIFT_TextualRule:**

If the transaction is exchanged on the SWIFT network (i.e. if the sender and receiver of the message are on SWIFT), then BIC is mandatory and other elements are optional, e.g. LEI.

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent

- CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent

- CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent

Synonym (Sender's Correspondent): 53a

5.103.5 InstructingReimbursementAgentAccount

XML Tag: InstgRmbrsmntAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructing reimbursement agent account at its servicing agent in the payment chain.

The **InstgRmbrsmntAgtAcct** block contains the following elements (see datatype "CashAccount38__1" on page 49 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]	⚠	50
	Proxy	<Prxy>		[0..1]		52

Usage Guideline details

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgentAccount
Synonym (Sender's Correspondent - Party Identifier): 53A or 53D

5.103.6 InstructedReimbursementAgent

XML Tag: InstdRmbrsmntAgt

Presence: [0..1]

Definition: Agent at which the instructed agent will be reimbursed.

Usage: If InstructedReimbursementAgent contains a branch of the InstructedAgent, then the party in InstructedAgent will claim reimbursement from that branch/will be paid by that branch.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

The **InstdRmbrsmntAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 31 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Usage Guideline details

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent
 - **CBPR_Agent_Point_To_Point_On_SWIFT_TextualRule:**

If the transaction is exchanged on the SWIFT network (i.e. if the sender and receiver of the message are on SWIFT), then BIC is mandatory and other elements are optional, e.g. LEI.
- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent

– **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent

– **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent

Synonym (Receiver's Correspondent): 54a

5.103.7 InstructedReimbursementAgentAccount

XML Tag: InstdRmbrsmntAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructed reimbursement agent account at its servicing agent in the payment chain.

The **InstdRmbrsmntAgtAcct** block contains the following elements (see datatype "CashAccount38__1" on page 49 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]	⚠	50
	Proxy	<Prxy>		[0..1]		52

Usage Guideline details

- on pacs.008.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgentAccount

Synonym (Receiver's Correspondent - Party Identifier): 54a

5.103.8 ThirdReimbursementAgent

XML Tag: ThrdRmbrsmntAgt

Presence: [0..1]

Definition: Agent at which the instructed agent will be reimbursed.

Usage: If ThirdReimbursementAgent contains a branch of the InstructedAgent, then the party in InstructedAgent will claim reimbursement from that branch/will be paid by that branch.

The **ThrdRmbrsmntAg** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 31 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Usage Guideline details

- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent
 - **CBPR_Agent_Point_To_Point_On_SWIFT_TextualRule:**

If the transaction is exchanged on the SWIFT network (i.e. if the sender and receiver of the message are on SWIFT), then BIC is mandatory and other elements are optional, e.g. LEI.
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent

Synonym (Third Reimbursement Institution): 55a

5.103.9 ThirdReimbursementAgentAccount

XML Tag: ThrdRmbrsmntAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the third reimbursement agent account at its servicing agent in the payment chain.

The **ThrdRmbrsmntAgtAcct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 49 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		49
	Type	<Tp>		[0..1]		50
	Currency	<Ccy>		[0..1]		50
	Name	<Nm>		[0..1]		50
	Proxy	<Prxy>		[0..1]		52

Usage Guideline details

- on pacs.008.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentAccount
 Synonym (Third Reimbursement Institution - Party Identifier): 55a

5.104 SettlementTimeRequest2__1

Definition: Provides information on the requested settlement time(s) of the payment instruction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CLSTime	<CLSTm>		[0..1]		277
	TillTime	<TillTm>		[0..1]		278
	FromTime	<FrTm>		[0..1]		278
	RejectTime	<RjctTm>		[0..1]		278

Used in element(s)

"SettlementTimeRequest" on page 75

5.104.1 CLSTime

XML Tag: CLSTm

Presence: [0..1]

Definition: Time by which the amount of money must be credited, with confirmation, to the CLS Bank's account at the central bank.

Usage: Time must be expressed in Central European Time (CET).

Datatype: "CBPR_Time" on page 328

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/SettlementTimeRequest/CLSTime
Type changed to: CBPR_Time on page 328

5.104.2 TillTime

XML Tag: TillTm

Presence: [0..1]

Definition: Time until when the payment may be settled.

Datatype: "CBPR_Time" on page 328

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/SettlementTimeRequest/TillTime
Type changed to: CBPR_Time on page 328

5.104.3 FromTime

XML Tag: FrTm

Presence: [0..1]

Definition: Time as from when the payment may be settled.

Datatype: "CBPR_Time" on page 328

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/SettlementTimeRequest/FromTime
Type changed to: CBPR_Time on page 328

5.104.4 RejectTime

XML Tag: RjctTm

Presence: [0..1]

Definition: Time by when the payment must be settled to avoid rejection.

Datatype: "CBPR_Time" on page 328

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/SettlementTimeRequest/RejectTime
Type changed to: CBPR_Time on page 328

5.105 StructuredRegulatoryReporting3__1

Definition: Information needed due to regulatory and statutory requirements.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		279
	Date	<Dt>		[0..1]		279
	Country	<Ctry>		[0..1]		280
	Code	<Cd>		[0..1]		280
	Amount	<Amt>		[0..1]		280
	Information	<Inf>		[0..*]		280

Used in element(s)

"Details" on page 257

5.105.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the information supplied in the regulatory reporting details.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RegulatoryReporting/Details/Type
Type changed to: CBPR_RestrictedFINXMax35Text on page 325

5.105.2 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date related to the specified type of regulatory reporting details.

Datatype: "CBPR_Date" on page 321

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RegulatoryReporting/Details/Date](#)
Type changed to: [CBPR_Date](#) on page 321

5.105.3 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Country related to the specified type of regulatory reporting details.

Datatype: ["CountryCode"](#) on page 332

5.105.4 Code

XML Tag: Cd

Presence: [0..1]

Definition: Specifies the nature, purpose, and reason for the transaction to be reported for regulatory and statutory requirements in a coded form.

Datatype: ["CBPR_RestrictedFINXMax10Text"](#) on page 322

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RegulatoryReporting/Details/Code](#)
Type changed to: [CBPR_RestrictedFINXMax10Text](#) on page 322

5.105.5 Amount

XML Tag: Amt

Presence: [0..1]

Definition: Amount of money to be reported for regulatory and statutory requirements.

Datatype: ["CBPR_Amount__1"](#) on page 320

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RegulatoryReporting/Details/Amount](#)
Type changed to: [CBPR_Amount](#) on page 319

5.105.6 Information

XML Tag: Inf

Presence: [0..*]

Definition: Additional details that cater for specific domestic regulatory requirements.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 325

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RegulatoryReporting/Details/Information

Type changed to: CBPR_RestrictedFINXMax35Text on page 325

5.106 StructuredRemittanceInformation16__1

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferredDocumentInformation	<RfrdDocInf>		[0..*]		281
	ReferredDocumentAmount	<RfrdDocAmt>		[0..1]		282
	CreditorReferenceInformation	<CdtrRefInf>		[0..1]		282
	Invoicer	<Invcr>		[0..1]		282
	Invoicee	<Invcee>		[0..1]		283
	TaxRemittance	<TaxRmt>		[0..1]		283
	GarnishmentRemittance	<GrnshmtRmt>		[0..1]		284
	AdditionalRemittanceInformation	<AddtlRmtInf>		[0..3]		284

Used in element(s)

"Structured" on page 263

5.106.1 ReferredDocumentInformation

XML Tag: RfrdDocInf

Presence: [0..*]

Definition: Provides the identification and the content of the referred document.

The **RfrdDocInf** block contains the following elements (see datatype "ReferredDocumentInformation7__1" on page 252 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		252

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Number	<Nb>		[0..1]	⚠	253
	RelatedDate	<RltdDt>		[0..1]	⚠	253
	LineDetails	<LineDtls>		[0..*]		253

5.106.2 ReferredDocumentAmount

XML Tag: RfrdDocAmt

Presence: [0..1]

Definition: Provides details on the amounts of the referred document.

The **RfrdDocAmt** block contains the following elements (see datatype "RemittanceAmount2__1" on page 258 for details)

ⓧ Removed - ⓧ Partial Removed - ◆ Ignored - ◆ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		258
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		258
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		259
	TaxAmount	<TaxAmt>		[0..*]		259
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		259
	RemittedAmount	<RmtdAmt>		[0..1]		260

5.106.3 CreditorReferenceInformation

XML Tag: CdtrRefInf

Presence: [0..1]

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

The **CdtrRefInf** block contains the following elements (see datatype "CreditorReferenceInformation2__1" on page 101 for details)

ⓧ Removed - ⓧ Partial Removed - ◆ Ignored - ◆ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		102
	Reference	<Ref>		[0..1]	M ⚠	102

5.106.4 Invoicer

XML Tag: Invcr

Presence: [0..1]

Definition: Identification of the organisation issuing the invoice, when it is different from the creditor or ultimate creditor.

The **Invcr** block contains the following elements (see datatype "[PartyIdentification135__3](#)" on [page 188](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		189
	PostalAddress	<PstlAdr>		[0..1]		189
	Identification	<Id>		[0..1]		191
	CountryOfResidence	<CtryOfRes>		[0..1]		191
	ContactDetails	<CtctDtls>		[0..1]		191

5.106.5 Invoicee

XML Tag: Invcee

Presence: [0..1]

Definition: Identification of the party to whom an invoice is issued, when it is different from the debtor or ultimate debtor.

The **Invcee** block contains the following elements (see datatype "[PartyIdentification135__3](#)" on [page 188](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		189
	PostalAddress	<PstlAdr>		[0..1]		189
	Identification	<Id>		[0..1]		191
	CountryOfResidence	<CtryOfRes>		[0..1]		191
	ContactDetails	<CtctDtls>		[0..1]		191

5.106.6 TaxRemittance

XML Tag: TaxRmt

Presence: [0..1]

Definition: Provides remittance information about a payment made for tax-related purposes.

The **TaxRmt** block contains the following elements (see datatype "[TaxInformation7__1](#)" on [page 291](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		292
	Debtor	<Dbtr>		[0..1]		292
	UltimateDebtor	<UltmtDbtr>		[0..1]		293
	AdministrationZone	<AdmstnZone>		[0..1]		293
	ReferenceNumber	<RefNb>		[0..1]		294
	Method	<Mtd>		[0..1]		294
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		294
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		294
	Date	<Dt>		[0..1]		294
	SequenceNumber	<SeqNb>		[0..1]		295
	Record	<Rcrd>		[0..*]		295

5.106.7 GarnishmentRemittance

XML Tag: GrnshmtRmt

Presence: [0..1]

Definition: Provides remittance information about a payment for garnishment-related purposes.

The **GrnshmtRmt** block contains the following elements (see datatype "Garnishment3__1" on page 129 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		129
	Garnishee	<Grnshee>		[0..1]		129
	GarnishmentAdministrator	<GrnshmtAdmstr>		[0..1]		130
	ReferenceNumber	<RefNb>		[0..1]		130
	Date	<Dt>		[0..1]		131
	RemittedAmount	<RmtdAmt>		[0..1]		131
	FamilyMedicalInsuranceIndicator	<FmlyMdclInsrnclnd>		[0..1]		131
	EmployeeTerminationIndicator	<MplyeeTermntnInd>		[0..1]		131

5.106.8 AdditionalRemittanceInformation

XML Tag: AddtlRmtInf

Presence: [0..3]

Definition: Additional information, in free text form, to complement the structured remittance information.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 323

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/AdditionalRemittanceInformation

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323

5.107 SupplementaryData1

Definition: Additional information that can not be captured in the structured fields and/or any other specific block.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		285
	Envelope	<Envlp>		[1..1]		285

Rules

R17 SupplementaryDataRule

This component may not be used without the explicit approval of a SEG and submission to the RA of ISO 20022 compliant structure(s) to be used in the Envelope element.

Error handling: Undefined

Used in element(s)

"SupplementaryData" on page 26, "SupplementaryData" on page 101

5.107.1 PlaceAndName

XML Tag: PlcAndNm

Presence: [0..1]

Definition: Unambiguous reference to the location where the supplementary data must be inserted in the message instance.

In the case of XML, this is expressed by a valid XPath.

Datatype: "Max350Text" on page 353

5.107.2 Envelope

XML Tag: Envlp

Presence: [1..1]

Definition: Technical element wrapping the supplementary data.

5.108 TaxAmount2

Definition: Set of elements used to provide information on the tax amount(s) of tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		286
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		286
	TotalAmount	<TtlAmt>		[0..1]		286
	Details	<Dtls>		[0..*]		286

Used in element(s)

"TaxAmount" on page 308

5.108.1 Rate

XML Tag: Rate

Presence: [0..1]

Definition: Rate used to calculate the tax.

Datatype: "PercentageRate" on page 356

5.108.2 TaxableBaseAmount

XML Tag: TaxblBaseAmt

Presence: [0..1]

Definition: Amount of money on which the tax is based.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 315

5.108.3 TotalAmount

XML Tag: TtlAmt

Presence: [0..1]

Definition: Total amount that is the result of the calculation of the tax for the record.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 315

5.108.4 Details

XML Tag: Dtls

Presence: [0..*]

Definition: Set of elements used to provide details on the tax period and amount.

The **Dtls** block contains the following elements (see datatype "[TaxRecordDetails2](#)" on page 312 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		312
	Amount	<Amt>		[1..1]		312

5.109 TaxAmount2__1

Definition: Set of elements used to provide information on the tax amount(s) of tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		287
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		287
	TotalAmount	<TtlAmt>		[0..1]		287
	Details	<Dtls>		[0..*]		288

Used in element(s)

"[TaxAmount](#)" on page 311

5.109.1 Rate

XML Tag: Rate

Presence: [0..1]

Definition: Rate used to calculate the tax.

Datatype: "[PercentageRate](#)" on page 356

5.109.2 TaxableBaseAmount

XML Tag: TaxblBaseAmt

Presence: [0..1]

Definition: Amount of money on which the tax is based.

Datatype: "[ActiveOrHistoricCurrencyAndAmount](#)" on page 315

5.109.3 TotalAmount

XML Tag: TtlAmt

Presence: [0..1]

Definition: Total amount that is the result of the calculation of the tax for the record.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 315](#)

5.109.4 Details

XML Tag: Dtls

Presence: [0..*]

Definition: Set of elements used to provide details on the tax period and amount.

The **Dtls** block contains the following elements (see datatype ["TaxRecordDetails2__1" on page 313](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		313
	Amount	<Amt>		[1..1]		313

5.110 TaxAmountAndType1__1

Definition: Specifies the amount with a specific type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		288
	Amount	<Amt>		[1..1]		289

Used in element(s)

["TaxAmount" on page 261](#), ["TaxAmount" on page 259](#)

5.110.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype ["TaxAmountType1Choice__1" on page 289](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		289
	Proprietary	<Prtry>	Or}	[1..1]		289

5.110.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 315

5.111 TaxAmountType1Choice__1

Definition: Specifies the amount type.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		289
	Proprietary	<Prtry>	Or}	[1..1]		289

Used in element(s)

"Type" on page 288

5.111.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: "ExternalTaxAmountType1Code" on page 348

5.111.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentAmount/TaxAmount/Type/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/TaxAmount/Type/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.112 TaxAuthorisation1__1

Definition: Details of the authorised tax paying party.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		290
	Name	<Nm>		[0..1]		290

Used in element(s)

"Authorisation" on page 301

5.112.1 Title

XML Tag: Titl

Presence: [0..1]

Definition: Title or position of debtor or the debtor's authorised representative.

Datatype: "Max35Text" on page 353

5.112.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the debtor or the debtor's authorised representative.

Datatype: "CBPR_RestrictedFINXMax140Text" on page 322

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Tax/Debtor/Authorisation/Name
- Type changed to:** CBPR_RestrictedFINXMax140Text on page 322

5.113 TaxAuthorisation1__2

Definition: Details of the authorised tax paying party.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		291
	Name	<Nm>		[0..1]		291

Used in element(s)

["Authorisation" on page 303](#)

5.113.1 Title

XML Tag: Titl

Presence: [0..1]

Definition: Title or position of debtor or the debtor's authorised representative.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 326](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Debtor/Authorisation/Title](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/Authorisation/Title](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

5.113.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the debtor or the debtor's authorised representative.

Datatype: ["CBPR_RestrictedFINXMax140Text_Extended" on page 323](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Debtor/Authorisation/Name](#)
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 323](#)
- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/Authorisation/Name](#)
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 323](#)

5.114 TaxInformation7__1

Definition: Details about tax paid, or to be paid, to the government in accordance with the law, including pre-defined parameters such as thresholds and type of account.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		292
	Debtor	<Dbtr>		[0..1]		292
	UltimateDebtor	<UltmtDbtr>		[0..1]		293
	AdministrationZone	<AdmstnZone>		[0..1]	⚠	293
	ReferenceNumber	<RefNb>		[0..1]	⚠	294
	Method	<Mtd>		[0..1]	⚠	294
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		294
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		294
	Date	<Dt>		[0..1]	⚠	294
	SequenceNumber	<SeqNb>		[0..1]		295
	Record	<Rcrd>		[0..*]		295

Used in element(s)

"TaxRemittance" on page 283

5.114.1 Creditor

XML Tag: Cdtr

Presence: [0..1]

Definition: Party on the credit side of the transaction to which the tax applies.

The **Cdtr** block contains the following elements (see datatype "TaxParty1__1" on page 299 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	300
	RegistrationIdentification	<RegnId>		[0..1]	⚠	300
	TaxType	<TaxTp>		[0..1]	⚠	300

5.114.2 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Identifies the party on the debit side of the transaction to which the tax applies.

The **Dbtr** block contains the following elements (see datatype "TaxParty2__2" on page 302 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	302
	RegistrationIdentification	<RegnId>		[0..1]	⚠	302
	TaxType	<TaxTp>		[0..1]	⚠	303
	Authorisation	<Authstn>		[0..1]		303

5.114.3 UltimateDebtor

XML Tag: UltmtDbtr

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor, in this case, to the taxing authority.

The **UltmtDbtr** block contains the following elements (see datatype "TaxParty2__2" on page 302 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	302
	RegistrationIdentification	<RegnId>		[0..1]	⚠	302
	TaxType	<TaxTp>		[0..1]	⚠	303
	Authorisation	<Authstn>		[0..1]		303

5.114.4 AdministrationZone

XML Tag: AdmstnZone

Presence: [0..1]

Definition: Territorial part of a country to which the tax payment is related.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/AdministrationZone

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.114.5 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Tax reference information that is specific to a taxing agency.

Datatype: ["CBPR_RestrictedFINXMax140Text_Extended" on page 323](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/ReferenceNumber](#)

Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 323](#)

5.114.6 Method

XML Tag: Mtd

Presence: [0..1]

Definition: Method used to indicate the underlying business or how the tax is paid.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 326](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Method](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

5.114.7 TotalTaxableBaseAmount

XML Tag: TtlTaxblBaseAmt

Presence: [0..1]

Definition: Total amount of money on which the tax is based.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 315](#)

5.114.8 TotalTaxAmount

XML Tag: TtlTaxAmt

Presence: [0..1]

Definition: Total amount of money as result of the calculation of the tax.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 315](#)

5.114.9 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date by which tax is due.

Datatype: "CBPR_Date" on page 321

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Date

Type changed to: CBPR_Date on page 321

5.114.10 SequenceNumber

XML Tag: SeqNb

Presence: [0..1]

Definition: Sequential number of the tax report.

Datatype: "Number" on page 355

5.114.11 Record

XML Tag: Rcrd

Presence: [0..*]

Definition: Record of tax details.

The **Rcrd** block contains the following elements (see datatype "TaxRecord2__2" on page 308 for details)

❌ Removed - ⊖ Partial Removed - ◇ Ignored - ⬠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]	⚠	309
	Category	<Ctgy>		[0..1]	⚠	309
	CategoryDetails	<CtgyDtls>		[0..1]	⚠	309
	DebtorStatus	<DbtrSts>		[0..1]	⚠	310
	CertificateIdentification	<CertId>		[0..1]	⚠	310
	FormsCode	<FrmsCd>		[0..1]	⚠	310
	Period	<Prd>		[0..1]		311
	TaxAmount	<TaxAmt>		[0..1]		311
	AdditionalInformation	<AddtlInf>		[0..1]	⚠	311

5.115 TaxInformation8__1

Definition: Details about tax paid, or to be paid, to the government in accordance with the law, including pre-defined parameters such as thresholds and type of account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		296
	Debtor	<Dbtr>		[0..1]		296
	AdministrationZone	<AdmstnZone>		[0..1]		297
	ReferenceNumber	<RefNb>		[0..1]		297
	Method	<Mtd>		[0..1]		297
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		297
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		297
	Date	<Dt>		[0..1]		298
	SequenceNumber	<SeqNb>		[0..1]		298
	Record	<Rcrd>		[0..*]		298

Used in element(s)

"Tax" on page 99

5.115.1 Creditor

XML Tag: Cdtr

Presence: [0..1]

Definition: Party on the credit side of the transaction to which the tax applies.

The **Cdtr** block contains the following elements (see datatype "TaxParty1" on page 298 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		299
	RegistrationIdentification	<RegnId>		[0..1]		299
	TaxType	<TaxTp>		[0..1]		299

5.115.2 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Party on the debit side of the transaction to which the tax applies.

The **Dbtr** block contains the following elements (see datatype "TaxParty2__1" on page 300 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		301
	RegistrationIdentification	<RegnId>		[0..1]		301
	TaxType	<TaxTp>		[0..1]		301
	Authorisation	<Authstn>		[0..1]		301

5.115.3 AdministrationZone

XML Tag: AdmstnZone

Presence: [0..1]

Definition: Territorial part of a country to which the tax payment is related.

Datatype: ["Max35Text" on page 353](#)

5.115.4 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Tax reference information that is specific to a taxing agency.

Datatype: ["Max140Text" on page 352](#)

5.115.5 Method

XML Tag: Mtd

Presence: [0..1]

Definition: Method used to indicate the underlying business or how the tax is paid.

Datatype: ["Max35Text" on page 353](#)

5.115.6 TotalTaxableBaseAmount

XML Tag: TtlTaxblBaseAmt

Presence: [0..1]

Definition: Total amount of money on which the tax is based.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 315](#)

5.115.7 TotalTaxAmount

XML Tag: TtlTaxAmt

Presence: [0..1]

Definition: Total amount of money as result of the calculation of the tax.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 315](#)

5.115.8 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date by which tax is due.

Datatype: "ISODate" on page 349

5.115.9 SequenceNumber

XML Tag: SeqNb

Presence: [0..1]

Definition: Sequential number of the tax report.

Datatype: "Number" on page 355

5.115.10 Record

XML Tag: Rcrd

Presence: [0..*]

Definition: Record of tax details.

The **Rcrd** block contains the following elements (see datatype "TaxRecord2__1" on page 306 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		306
	Category	<Ctgy>		[0..1]		306
	CategoryDetails	<CtgyDtls>		[0..1]		307
	DebtorStatus	<DbtrSts>		[0..1]		307
	CertificateIdentification	<CertId>		[0..1]		307
	FormsCode	<FrmsCd>		[0..1]		307
	Period	<Prd>		[0..1]		307
	TaxAmount	<TaxAmt>		[0..1]		308
	AdditionalInformation	<AddtlInf>		[0..1]		308

5.116 TaxParty1

Definition: Details about the entity involved in the tax paid or to be paid.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		299
	RegistrationIdentification	<RegnId>		[0..1]		299
	TaxType	<TaxTp>		[0..1]		299

Used in element(s)

"Creditor" on page 296

5.116.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the creditor.

Datatype: "Max35Text" on page 353

5.116.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "Max35Text" on page 353

5.116.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: "Max35Text" on page 353

5.117 TaxParty1__1

Definition: Details about the entity involved in the tax paid or to be paid.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		300
	RegistrationIdentification	<RegnId>		[0..1]		300
	TaxType	<TaxTp>		[0..1]		300

Used in element(s)

["Creditor" on page 292](#)

5.117.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the creditor.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 326](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Creditor/TaxIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

5.117.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 326](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Creditor/RegistrationIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

5.117.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 326](#)

Usage Guideline details

- on [pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Creditor/TaxType](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

5.118 TaxParty2__1

Definition: Details about the entity involved in the tax paid or to be paid.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		301
	RegistrationIdentification	<RegnId>		[0..1]		301
	TaxType	<TaxTp>		[0..1]		301
	Authorisation	<Authstn>		[0..1]		301

Used in element(s)

"Debtor" on page 296

5.118.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the debtor.

Datatype: "Max35Text" on page 353

5.118.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "Max35Text" on page 353

5.118.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: "Max35Text" on page 353

5.118.4 Authorisation

XML Tag: Authstn

Presence: [0..1]

Definition: Details of the authorised tax paying party.

The **Authstn** block contains the following elements (see datatype "TaxAuthorisation1__1" on page 290 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		290
	Name	<Nm>		[0..1]		290

5.119 TaxParty2__2

Definition: Details about the entity involved in the tax paid or to be paid.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		302
	RegistrationIdentification	<RegnId>		[0..1]		302
	TaxType	<TaxTp>		[0..1]		303
	Authorisation	<Authstn>		[0..1]		303

Used in element(s)

"Debtor" on page 292, "UltimateDebtor" on page 293

5.119.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the debtor.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/TaxIdentification
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Debtor/TaxIdentification
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.119.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/RegistrationIdentification
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Debtor/RegistrationIdentification
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

5.119.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/TaxType
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Debtor/TaxType
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 326](#)

5.119.4 Authorisation

XML Tag: Authstn

Presence: [0..1]

Definition: Details of the authorised tax paying party.

The **Authstn** block contains the following elements (see datatype "TaxAuthorisation1__2" on page 290 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		291
	Name	<Nm>		[0..1]		291

5.120 TaxPeriod2

Definition: Period of time details related to the tax payment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		304
	Type	<Tp>		[0..1]		304
	FromToDate	<FrToDt>		[0..1]		304

Used in element(s)

"Period" on page 312, "Period" on page 307

5.120.1 Year

XML Tag: Yr

Presence: [0..1]

Definition: Year related to the tax payment.

Datatype: "ISODate" on page 349

5.120.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Identification of the period related to the tax payment.

Datatype: "TaxRecordPeriod1Code" on page 362

5.120.3 FromToDate

XML Tag: FrToDt

Presence: [0..1]

Definition: Range of time between a start date and an end date for which the tax report is provided.

The **FrToDt** block contains the following elements (see datatype "DatePeriod2" on page 109 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		109
	ToDate	<ToDt>		[1..1]		109

5.121 TaxPeriod2__1

Definition: Period of time details related to the tax payment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		305
	Type	<Tp>		[0..1]		305
	FromToDate	<FrToDt>		[0..1]		305

Used in element(s)

"Period" on page 311, "Period" on page 313

5.121.1 Year

XML Tag: Yr

Presence: [0..1]

Definition: Year related to the tax payment.

Datatype: ["CBPR_Date" on page 321](#)

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/Period/Year
Type changed to: [CBPR_Date on page 321](#)
- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/TaxAmount/Details/Period/Year
Type changed to: [CBPR_Date on page 321](#)

5.121.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Identification of the period related to the tax payment.

Datatype: ["TaxRecordPeriod1Code" on page 362](#)

5.121.3 FromToDate

XML Tag: FrToDt

Presence: [0..1]

Definition: Range of time between a start date and an end date for which the tax report is provided.

The **FrToDt** block contains the following elements (see datatype "DatePeriod2__1" on page 109 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		110
	ToDate	<ToDt>		[1..1]		110

5.122 TaxRecord2__1

Definition: Set of elements used to define the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		306
	Category	<Ctgy>		[0..1]		306
	CategoryDetails	<CtgyDtls>		[0..1]		307
	DebtorStatus	<DbtrSts>		[0..1]		307
	CertificateIdentification	<CertId>		[0..1]		307
	FormsCode	<FrmsCd>		[0..1]		307
	Period	<Prd>		[0..1]		307
	TaxAmount	<TaxAmt>		[0..1]		308
	AdditionalInformation	<AddtlInf>		[0..1]		308

Used in element(s)

"Record" on page 298

5.122.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: High level code to identify the type of tax details.

Datatype: "Max35Text" on page 353

5.122.2 Category

XML Tag: Ctgy

Presence: [0..1]

Definition: Specifies the tax code as published by the tax authority.

Datatype: ["Max35Text" on page 353](#)

5.122.3 CategoryDetails

XML Tag: CtgDtls

Presence: [0..1]

Definition: Provides further details of the category tax code.

Datatype: ["Max35Text" on page 353](#)

5.122.4 DebtorStatus

XML Tag: DbtrSts

Presence: [0..1]

Definition: Code provided by local authority to identify the status of the party that has drawn up the settlement document.

Datatype: ["Max35Text" on page 353](#)

5.122.5 CertificateIdentification

XML Tag: CertId

Presence: [0..1]

Definition: Identification number of the tax report as assigned by the taxing authority.

Datatype: ["Max35Text" on page 353](#)

5.122.6 FormsCode

XML Tag: FrmsCd

Presence: [0..1]

Definition: Identifies, in a coded form, on which template the tax report is to be provided.

Datatype: ["Max35Text" on page 353](#)

5.122.7 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype ["TaxPeriod2" on page 304](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		304

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		304
	FromToDate	<FrToDt>		[0..1]		304

5.122.8 TaxAmount

XML Tag: TaxAmt

Presence: [0..1]

Definition: Set of elements used to provide information on the amount of the tax record.

The **TaxAmt** block contains the following elements (see datatype "TaxAmount2" on page 286 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		286
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		286
	TotalAmount	<TtlAmt>		[0..1]		286
	Details	<Dtls>		[0..*]		286

5.122.9 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Further details of the tax record.

Datatype: "CBPR_RestrictedFINXMax140Text" on page 322

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/Tax/Record/AdditionalInformation
Type changed to: CBPR_RestrictedFINXMax140Text on page 322

5.123 TaxRecord2__2

Definition: Set of elements used to define the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		309

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Category	<Ctgy>		[0..1]		309
	CategoryDetails	<CtgyDtls>		[0..1]		309
	DebtorStatus	<DbtrSts>		[0..1]		310
	CertificateIdentification	<CertId>		[0..1]		310
	FormsCode	<FrmsCd>		[0..1]		310
	Period	<Prd>		[0..1]		311
	TaxAmount	<TaxAmt>		[0..1]		311
	AdditionalInformation	<AddtlInf>		[0..1]		311

Used in element(s)

"Record" on page 295

5.123.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: High level code to identify the type of tax details.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/Type

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.123.2 Category

XML Tag: Ctgy

Presence: [0..1]

Definition: Specifies the tax code as published by the tax authority.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/Category

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.123.3 CategoryDetails

XML Tag: CtgDtls

Presence: [0..1]

Definition: Provides further details of the category tax code.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/CategoryDetails

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.123.4 DebtorStatus

XML Tag: DbtrSts

Presence: [0..1]

Definition: Code provided by local authority to identify the status of the party that has drawn up the settlement document.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/DebtorStatus

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.123.5 CertificateIdentification

XML Tag: CertId

Presence: [0..1]

Definition: Identification number of the tax report as assigned by the taxing authority.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/CertificateIdentification

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.123.6 FormsCode

XML Tag: FrmsCd

Presence: [0..1]

Definition: Identifies, in a coded form, on which template the tax report is to be provided.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 326

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/FormsCode

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 326

5.123.7 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype "TaxPeriod2__1" on page 305 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		305
	Type	<Tp>		[0..1]		305
	FromDate	<FrToDt>		[0..1]		305

5.123.8 TaxAmount

XML Tag: TaxAmt

Presence: [0..1]

Definition: Set of elements used to provide information on the amount of the tax record.

The **TaxAmt** block contains the following elements (see datatype "TaxAmount2__1" on page 287 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		287
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		287
	TotalAmount	<TtlAmt>		[0..1]		287
	Details	<Dtls>		[0..*]		288

5.123.9 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Further details of the tax record.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 323

Usage Guideline details

- on pacs.008.001.08/CreditTransferTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/AdditionalInformation
- Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 323

5.124 TaxRecordDetails2

Definition: Provides information on the individual tax amount(s) per period of the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		312
	Amount	<Amt>		[1..1]		312

Used in element(s)

"Details" on page 286

5.124.1 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype "TaxPeriod2" on page 304 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		304
	Type	<Tp>		[0..1]		304
	FromDate	<FrToDt>		[0..1]		304

5.124.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Underlying tax amount related to the specified period.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 315

5.125 TaxRecordDetails2__1

Definition: Provides information on the individual tax amount(s) per period of the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		313
	Amount	<Amt>		[1..1]		313

Used in element(s)

"Details" on page 288

5.125.1 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype "TaxPeriod2__1" on page 305 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		305
	Type	<Tp>		[0..1]		305
	FromToDate	<FrToDt>		[0..1]		305

5.125.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Underlying tax amount related to the specified period.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 315

6 Message Datatypes

Note The following chapter identifies the datatypes that are used in the message.

6.1 ActiveCurrencyAndAmount

Definition: A number of monetary units specified in an active currency where the unit of currency is explicit and compliant with ISO 4217.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveCurrencyCode" on page 314

Format

fractionDigits	5
minInclusive	0
totalDigits	18

Rules

R21 CurrencyAmount ✓

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits.

Used in element(s)

"TotalInterbankSettlementAmount" on page 155

6.2 ActiveCurrencyCode

Definition: A code allocated to a currency by a Maintenance Agency under an international identification scheme as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds".

Type: CodeSet

Format

pattern	[A-Z]{3,3}
---------	------------

Rules**R2 ActiveCurrency ✓**

The currency code must be a valid active currency code, not yet withdrawn on the day the message containing the currency is exchanged. Valid active currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and are not yet withdrawn on the day the message containing the Currency is exchanged.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00005
- *Error Text:* Invalid currency code

Used in attribute(s)

"CBPR_Amount" on page 319, "ActiveCurrencyAndAmount" on page 314, "CBPR_Amount__1" on page 320

Restricts

"ParentCurrencyCode" on page 355

6.3 ActiveOrHistoricCurrencyAndAmount

Definition: A number of monetary units specified in an active or a historic currency where the unit of currency is explicit and compliant with ISO 4217.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveOrHistoricCurrencyCode" on page 316

Format

fractionDigits	5
minInclusive	0
totalDigits	18

Rules**R18 CurrencyAmount ✓**

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits.

Used in element(s)

["Amount" on page 312](#), ["Amount" on page 111](#), ["Amount" on page 289](#), ["Amount" on page 112](#), ["Amount" on page 313](#), ["CreditNoteAmount" on page 261](#), ["CreditNoteAmount" on page 259](#), ["Due-PayableAmount" on page 260](#), ["DuePayableAmount" on page 258](#), ["RemittedAmount" on page 262](#), ["RemittedAmount" on page 260](#), ["RemittedAmount" on page 131](#), ["TaxableBaseAmount" on page 286](#), ["TaxableBaseAmount" on page 287](#), ["TotalAmount" on page 286](#), ["TotalAmount" on page 287](#), ["Total-TaxAmount" on page 297](#), ["TotalTaxAmount" on page 294](#), ["TotalTaxableBaseAmount" on page 297](#), ["TotalTaxableBaseAmount" on page 294](#)

6.4 ActiveOrHistoricCurrencyCode

Definition: A code allocated to a currency by a Maintenance Agency under an international identification scheme, as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds".

Type: CodeSet

Format

pattern [A-Z]{3,3}

Rules**R19 ActiveOrHistoricCurrency ✓**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00006
- *Error Text:* Invalid currency code.

Used in element(s)

["Currency" on page 50](#)

Used in attribute(s)

["ActiveOrHistoricCurrencyAndAmount" on page 315](#)

Restricts

["ParentCurrencyCode" on page 355](#)

6.5 AddressType2Code

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Used in element(s)

["Code" on page 31](#)

Restricts

["AddressTypeCode" on page 317](#)

6.6 AddressTypeCode

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Is restricted by

["AddressType2Code" on page 316](#)

6.7 AmountDirectionCode

Definition: Specifies if an operation is an increase or a decrease or the result of a reversal operation.

Type: CodeSet

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

Code	Name	Definition
RVCD	ReversalCredit	Debit entry used to reverse a previously booked credit entry.
RVDB	ReversalDebit	Credit entry used to reverse a previously booked debit entry.

Is restricted by

"CreditDebitCode" on page 332

6.8 AnyBICDec2014Identifier

Definition: Code allocated to a financial or non-financial institution by the ISO 9362 Registration Authority, as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules

R16 AnyBIC ✓

Only a valid Business identifier code is allowed. Business identifier codes for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous characters.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00008
- *Error Text:* Invalid BIC.

Used in element(s)

"AnyBIC" on page 163, "AnyBIC" on page 165, "AnyBIC" on page 166, "AnyBIC" on page 167

6.9 BICFIDec2014Identifier

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules

R31 BICFI ✓

Valid BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consist of eight (8) or eleven (11) contiguous characters.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00001
- *Error Text:* Invalid FI BIC.

Used in element(s)

["BICFI" on page 119](#), ["BICFI" on page 125](#)

6.10 BaseOneRate

Definition: Rate expressed as a decimal, for example, 0.7 is 7/10 and 70%.

Type: Rate

Format

fractionDigits	10
totalDigits	11

Used in element(s)

["ExchangeRate" on page 76](#)

6.11 BatchBookingIndicator

Definition: Identifies whether the sending party requests a single debit or credit entry per individual transaction or a batch entry for the sum of the amounts of all transactions.

Type: Indicator

Meaning When True: Identifies that a batch entry for the sum of the amounts of all transactions in the batch or message is requested.

Meaning When False: Identifies that a single entry for each of the transactions in the batch or message is requested.

Used in element(s)

["BatchBooking" on page 154](#)

6.12 CBPR_Amount

Definition:

This datatype has been created by the Publisher of this Usage Guideline.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveCurrencyCode" on page 314

Format

fractionDigits	5
minInclusive	0
totalDigits	14

Rules

R1 CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits

6.13 CBPR_Amount__1

Definition:

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveCurrencyCode" on page 314

Format

fractionDigits	5
minInclusive	0
totalDigits	14

Rules

R48 CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot

Error handling:

- *Error severity:* Fatal

- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits

Used in element(s)

"Amount" on page 56, "Amount" on page 280, "InstructedAmount" on page 76, "InterbankSettlementAmount" on page 73

6.14 CBPR_Date

Definition: This Type restricts the base ISODate to YYYY (exactly 4 digits for the Year) and does not allow use of UTC offset or Zulu indicator with a date.

This datatype has been created by the Publisher of this Usage Guideline.

Type: Date

Format

pattern [0-9]{4}-[0-9]{2}-[0-9]{2}

Used in element(s)

"BirthDate" on page 106, "Date" on page 279, "Date" on page 294, "Date" on page 131, "FromDate" on page 110, "InterbankSettlementDate" on page 74, "RelatedDate" on page 253, "RelatedDate" on page 115, "ToDate" on page 110, "Year" on page 305

6.15 CBPR_DateTime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm).

This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Example: 2020-07-16T19:20:30.45+01:00

This datatype has been created by the Publisher of this Usage Guideline.

Type: DateTime

Format

pattern	.*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
---------	--

Used in element(s)

"CreationDate" on page 47, "CreationDateTime" on page 153, "CreditDateTime" on page 268, "Debit-DateTime" on page 268

6.16 CBPR_RestrictedFINXMax10Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 10 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	10
minLength	1
pattern	[0-9a-zA-Z/\-?:(\)\.,'+]+

Used in element(s)

"Code" on page 280

6.17 CBPR_RestrictedFINXMax140Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 140 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	140
minLength	1
pattern	[0-9a-zA-Z/\-?:(\)\.,'+]+

Used in element(s)

["AdditionalInformation" on page 308](#), ["InstructionInformation" on page 159](#), ["Name" on page 256](#),
["Name" on page 290](#)

6.18 CBPR_RestrictedFINXMax140Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 140 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	140
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,\'+ !#\$%&!*='^_`{ }\~";<>@[\\]]+

Used in element(s)

["AdditionalInformation" on page 113](#), ["AdditionalInformation" on page 311](#), ["AdditionalRemittanceInformation" on page 284](#), ["Name" on page 120](#), ["Name" on page 182](#), ["Name" on page 186](#), ["Name" on page 162](#), ["Name" on page 189](#), ["Name" on page 291](#), ["ReferenceNumber" on page 294](#), ["ReferenceNumber" on page 130](#), ["Unstructured" on page 262](#)

6.19 CBPR_RestrictedFINXMax16Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 16 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	16
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,\'+]+

Used in element(s)

["InstructionIdentification" on page 193](#)

6.20 CBPR_RestrictedFINXMax16Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 16 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	16
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,\'+ !#\$%&!*='^_`{ }~";<>@[\\]]+

Used in element(s)

"BuildingNumber" on page 221, "PostBox" on page 226, "PostCode" on page 230

6.21 CBPR_RestrictedFINXMax2048Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 2048 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	2048
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,\'+ !#\$%&!*='^_`{ }~";<>@[\\]]+

Used in element(s)

"ElectronicAddress" on page 265

6.22 CBPR_RestrictedFINXMax28Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 28 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	28
-----------	----

minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'+]+

Used in element(s)

["MemberIdentification" on page 62](#)

6.23 CBPR_RestrictedFINXMax320Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 320 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*^_`{|}~";<>@[\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	320
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'+ !#\$%&!*^_`{ }~";<>@[\]]+

Used in element(s)

["Identification" on page 248](#)

6.24 CBPR_RestrictedFINXMax34Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 34 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . and disable the use of slash "/" at the beginning and end of line and double slash "/" within the line.

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	34
minLength	1
pattern	(([0-9a-zA-Z/\-!\?:\(\)\.,'+]([0-9a-zA-Z/\-!\?:\(\)\.,'+]*([0-9a-zA-Z/\-!\?:\(\)\.,'+])?)*

Used in element(s)

["Identification" on page 134](#)

6.25 CBPR_RestrictedFINXMax35Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 35 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,\'+]+

Used in element(s)

["BusinessMessageIdentifier" on page 46](#), ["BusinessService" on page 47](#), ["ClearingSystemReference" on page 195](#), ["EndToEndIdentification" on page 193](#), ["Identification" on page 140](#), ["Identification" on page 147](#), ["Identification" on page 142](#), ["Identification" on page 149](#), ["Identification" on page 42](#), ["Information" on page 280](#), ["InstructionInformation" on page 160](#), ["Issuer" on page 135](#), ["Issuer" on page 141](#), ["Issuer" on page 148](#), ["Issuer" on page 143](#), ["Issuer" on page 150](#), ["MessageDefinitionIdentifier" on page 46](#), ["MessageIdentification" on page 153](#), ["Proprietary" on page 29](#), ["Proprietary" on page 52](#), ["Proprietary" on page 250](#), ["Proprietary" on page 267](#), ["Proprietary" on page 161](#), ["Proprietary" on page 55](#), ["Proprietary" on page 170](#), ["Proprietary" on page 206](#), ["Proprietary" on page 252](#), ["TransactionIdentification" on page 194](#), ["Type" on page 279](#)

6.26 CBPR_RestrictedFINXMax35Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 35 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]+

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,\'+ !#\$%&*='^_`{ }~";<>@[\\\\]]+

Used in element(s)

["AdministrationZone" on page 293](#), ["BuildingName" on page 223](#), ["Category" on page 309](#), ["CategoryDetails" on page 309](#), ["CertificateIdentification" on page 310](#), ["CityOfBirth" on page 108](#), ["CountrySubDivision" on page 239](#), ["DebtorStatus" on page 310](#), ["Description" on page 116](#), ["DistrictName" on page 237](#), ["FormsCode" on page 310](#), ["Identification" on page 143](#), ["Identification" on page 150](#), ["Issuer" on page 255](#), ["Issuer" on page 118](#), ["Issuer" on page 104](#), ["Issuer" on page 145](#), ["Issuer" on page 152](#), ["Issuer" on page 133](#), ["Method" on page 294](#), ["Number" on page 253](#), ["Number" on page 114](#), ["Proprietary" on page 254](#), ["Proprietary" on page 117](#), ["Proprietary" on page 112](#), ["Proprietary" on page 289](#), ["Proprietary" on page 103](#), ["Proprietary" on page 171](#), ["Proprietary" on page 207](#), ["Proprietary" on page 132](#), ["ProvinceOfBirth" on page 107](#), ["Reference" on page 102](#), ["RegistrationId"](#)

dentification" on page 300, "RegistrationIdentification" on page 302, "RemittanceIdentification" on page 264, "TaxIdentification" on page 300, "TaxIdentification" on page 302, "TaxType" on page 300, "TaxType" on page 303, "Title" on page 291, "TownLocationName" on page 235, "TownName" on page 232, "Type" on page 309

6.27 CBPR_RestrictedFINXMax4Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 4 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	4
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'\+ !#\$%&!*='^_`{ }\}~";<>@[\\]]+

Used in element(s)

"Reason" on page 113

6.28 CBPR_RestrictedFINXMax70Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 70 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	70
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'\+]+

Used in element(s)

"Name" on page 50

6.29 CBPR_RestrictedFINXMax70Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 70 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	70
minLength	1
pattern	[0-9a-zA-Z/\- \?:(\)\.,\+ !#\$%&!*=_`{\ \}~";<>@\[\]\]]+

Used in element(s)

"AddressLine" on page 243, "Department" on page 215, "Floor" on page 224, "Room" on page 228, "StreetName" on page 219, "SubDepartment" on page 217

6.30 CBPR_Time

Definition: A particular point in the progression of time defined by a mandatory time component, expressed in local time with UTC offset format (hh:mm:ss.sss+/-hh:mm).

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Example: 19:20:30.45+01:00

This datatype has been created by the Publisher of this Usage Guideline.

Type: Time

Format

pattern	.*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
---------	--

Used in element(s)

"CLSTime" on page 277, "FromTime" on page 278, "RejectTime" on page 278, "TillTime" on page 278

6.31 ChargeBearerType1Code

Definition: Specifies which party(ies) will pay charges due for processing of the instruction.

Type: CodeSet

Code	Name	Definition
CRED	BorneByCreditor	All transaction charges are to be borne by the creditor.
DEBT	BorneByDebtor	All transaction charges are to be borne by the debtor.
SHAR	Shared	In a credit transfer context, means that transaction charges on the sender side are to be borne by the debtor, transaction charges on the receiver side are to be borne by the creditor. In a direct debit context, means that transaction charges on the sender side are to be borne by the creditor, transaction charges on the receiver side are to be borne by the debtor. Usage Guideline restrictions for this code • on pacs.008.001.08/Credit-TransferTransactionInformation/ChargeBearer/Shared – CBPR_SHAR_TextualRule: If deduct taken then Charge Information is mandatory. It is optional for initiator (not taking deduct). • on pacs.008.001.08/Credit-TransferTransactionInformation/ChargeBearer/Shared Synonym (Details of Charges_SHA): 71A
SLEV	FollowingServiceLevel	Charges are to be applied following the rules agreed in the service level and/or scheme. Usage Guideline restrictions for this code • This code(pacs.008.001.08/CreditTransferTransactionInformation/ChargeBearer/FollowingServiceLevel) is removed.

Used in element(s)

"ChargeBearer" on page 77

Restricts

["ChargeBearerTypeCode" on page 330](#)

6.32 ChargeBearerTypeCode

Definition: Specifies which party(ies) will pay charges due for processing of the instruction.

Type: CodeSet

Code	Name	Definition
CRED	BorneByCreditor	All transaction charges are to be borne by the creditor.
DEBT	BorneByDebtor	All transaction charges are to be borne by the debtor.
SHAR	Shared	In a credit transfer context, means that transaction charges on the sender side are to be borne by the debtor, transaction charges on the receiver side are to be borne by the creditor. In a direct debit context, means that transaction charges on the sender side are to be borne by the creditor, transaction charges on the receiver side are to be borne by the debtor.
SLEV	FollowingServiceLevel	Charges are to be applied following the rules agreed in the service level and/or scheme.

Is restricted by

["ChargeBearerType1Code" on page 328](#)

6.33 ClearingChannel2Code

Definition: Specifies the clearing channel for the routing of the transaction, as part of the payment type identification.

Type: CodeSet

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

Used in element(s)

["ClearingChannel" on page 196](#), ["ClearingChannel" on page 198](#)

Restricts

["ClearingChannelCode" on page 331](#)

6.34 ClearingChannelCode

Definition: Specifies the clearing channel for the routing of the transaction, as part of the payment type identification.

Type: CodeSet

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

Is restricted by

["ClearingChannel2Code" on page 330](#)

6.35 CopyDuplicate1Code

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of a copy.

Type: CodeSet

Code	Name	Definition
CODU	CopyDuplicate	Message is being sent as a copy to a party other than the account owner, for information purposes and the message is a duplicate of a message previously sent.
COPY	Copy	Message is being sent as a copy to a party other than the account owner, for information purposes.
DUPL	Duplicate	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

Used in element(s)

["CopyDuplicate" on page 48](#)

Restricts

["CopyDuplicateCode" on page 331](#)

6.36 CopyDuplicateCode

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of a copy.

Type: CodeSet

Code	Name	Definition
CODU	CopyDuplicate	Message is being sent as a copy to a party other than the account owner, for information purposes and the message is a duplicate of a message previously sent.
COPY	Copy	Message is being sent as a copy to a party other than the account owner, for information purposes.
DUPL	Duplicate	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

Is restricted by

["CopyDuplicate1Code" on page 331](#)

6.37 CountryCode

Definition: Code to identify a country, a dependency, or another area of particular geopolitical interest, on the basis of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Type: CodeSet

Format

pattern [A-Z]{2,2}

Rules

R15 Country ✓

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00004
- *Error Text:* Invalid Country Code.

Used in element(s)

["Country" on page 212](#), ["Country" on page 241](#), ["Country" on page 256](#), ["Country" on page 280](#), ["CountryOfBirth" on page 105](#), ["CountryOfBirth" on page 108](#), ["CountryOfResidence" on page 180](#), ["CountryOfResidence" on page 184](#), ["CountryOfResidence" on page 187](#), ["CountryOfResidence" on page 191](#)

6.38 CreditDebitCode

Definition: Specifies if an operation is an increase or a decrease.

Type: CodeSet

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

Used in element(s)

["CreditDebitIndicator" on page 113](#)

Restricts

["AmountDirectionCode" on page 317](#)

6.39 DecimalNumber

Definition: Number of objects represented as a decimal number, for example 0.75 or 45.6.

Type: Quantity

Format

fractionDigits 17

totalDigits 18

Used in element(s)

["ControlSum" on page 154](#)

6.40 DocumentType3Code

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
DISP	DispatchAdvice	Document is a dispatch advice.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, for example, in a cover scenario.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

Used in element(s)

["Code" on page 103](#)

Restricts"DocumentTypeCode" on page 335

6.41 DocumentType6Code

Definition: Specifies a type of financial or commercial document.*Type:* CodeSet

Code	Name	Definition
AROI	AccountReceivableOpenItem	Document is a payment that applies to a specific source document.
BOLD	BillOfLading	Document is a shipping notice.
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, for example gas or electricity supplied to a fixed meter.
PUOR	PurchaseOrder	Document is a purchase order.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.
TSUT	TradeServicesUtilityTransaction	Document is a transaction identifier as assigned by the Trade Services Utility.
VCHR	Voucher	Document is an electronic payment document.

Used in element(s)"Code" on page 254

Restricts

"DocumentTypeCode" on page 335

6.42 DocumentTypeCode

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
AROI	AccountReceivableOpenItem	Document is a payment that applies to a specific source document.
BOLD	BillOfLading	Document is a shipping notice.
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CRCP	CustomerReceipt	When the Sale System requires the POI system to print the Customer receipt.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
HRCP	CashierReceipt	When the Sale system print the Cashier copy of the Payment receipt.
JNRL	Journal	When the POI or the Sale System wants to store a message on the journal printer or electronic journal of the Sale Terminal (it is sometimes a Sale Logging/Journal Printer).
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, for example gas or electricity supplied to a fixed meter.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.

Code	Name	Definition
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, for example, in a cover scenario.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.
SRCP	SaleReceipt	When the Sale System requires the POI system to print the Sale receipt.
TSUT	TradeServicesUtilityTransaction	Document is a transaction identifier as assigned by the Trade Services Utility.
VCHR	Voucher	Document is an electronic payment document.

Is restricted by

"DocumentType3Code" on page 333, "DocumentType6Code" on page 334

6.43 Exact4AlphaNumericText

Definition: Specifies an alphanumeric string with a length of 4 characters.

Type: Text

Format

pattern [a-zA-Z0-9]{4}

Used in element(s)

"Identification" on page 138

6.44 ExternalAccountIdentification1Code

Definition: Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength 4
minLength 1

Used in element(s)

["Code" on page 29](#)

Restricts

["ExternalAccountIdentificationCode" on page 337](#)

6.45 ExternalAccountIdentificationCode

Definition: Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalAccountIdentification1Code" on page 336](#)

6.46 ExternalCashAccountType1Code

Definition: Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 52](#)

Restricts

["ExternalCashAccountTypeCode" on page 337](#)

6.47 ExternalCashAccountTypeCode

Definition: Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalCashAccountType1Code" on page 337

6.48 ExternalCashClearingSystem1Code

Definition: Specifies the cash clearing system, as published in an external cash clearing system code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	3
minLength	1

Used in element(s)

"Code" on page 59

Restricts

"ExternalCashClearingSystemCode" on page 338

6.49 ExternalCashClearingSystemCode

Definition: Specifies the cash clearing system, as published in an external cash clearing system code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalCashClearingSystem1Code" on page 338

6.50 ExternalCategoryPurpose1Code

Definition: Specifies the category purpose, as published in an external category purpose code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 54, "Code" on page 55

Restricts

"ExternalCategoryPurposeCode" on page 339

6.51 ExternalCategoryPurposeCode

Definition: Specifies the category purpose, as published in an external category purpose code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalCategoryPurpose1Code" on page 339

6.52 ExternalClearingSystemIdentification1Code

Definition: Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	5
-----------	---

minLength	1
-----------	---

Used in element(s)

["Code" on page 57](#)

Restricts

["ExternalClearingSystemIdentificationCode" on page 340](#)

6.53 ExternalClearingSystemIdentificationCode

Definition: Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	5
minLength	1

Is restricted by

["ExternalClearingSystemIdentification1Code" on page 339](#)

6.54 ExternalDiscountAmountType1Code

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 112](#)

Restricts

["ExternalDiscountAmountTypeCode" on page 340](#)

6.55 ExternalDiscountAmountTypeCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalDiscountAmountType1Code" on page 340

6.56 ExternalDocumentLineType1Code

Definition: Specifies the document line type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 117

Restricts

"ExternalDocumentLineTypeCode" on page 341

6.57 ExternalDocumentLineTypeCode

Definition: Specifies the document line type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalDocumentLineType1Code" on page 341

6.58 ExternalFinancialInstitutionIdentification1Code

Definition: Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 118

Restricts

"ExternalFinancialInstitutionIdentificationCode" on page 342

6.59 ExternalFinancialInstitutionIdentificationCode

Definition: Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalFinancialInstitutionIdentification1Code" on page 341

6.60 ExternalGarnishmentType1Code

Definition: Specifies the garnishment type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 132](#)

Restricts

["ExternalGarnishmentTypeCode" on page 343](#)

6.61 ExternalGarnishmentTypeCode

Definition: Specifies the garnishment type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalGarnishmentType1Code" on page 342](#)

6.62 ExternalLocalInstrument1Code

Definition: Specifies the external local instrument code in the format of character string with a maximum length of 35 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	35
minLength	1

Used in element(s)

["Code" on page 160](#), ["Code" on page 161](#)

Restricts

["ExternalLocalInstrumentCode" on page 343](#)

6.63 ExternalLocalInstrumentCode

Definition: Specifies the external local instrument code in the format of character string with a maximum length of 35 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	35
minLength	1

Is restricted by

"ExternalLocalInstrument1Code" on page 343

6.64 ExternalOrganisationIdentification1Code

Definition: Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 169, "Code" on page 169, "Code" on page 171

Restricts

"ExternalOrganisationIdentificationCode" on page 344

6.65 ExternalOrganisationIdentificationCode

Definition: Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalOrganisationIdentification1Code" on page 344

6.66 ExternalPersonIdentification1Code

Definition: Specifies the external person identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 205](#), ["Code" on page 205](#), ["Code" on page 207](#)

Restricts

["ExternalPersonIdentificationCode" on page 345](#)

6.67 ExternalPersonIdentificationCode

Definition: Specifies the external person identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalPersonIdentification1Code" on page 345](#)

6.68 ExternalProxyAccountType1Code

Definition: Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 250

Restricts

"ExternalProxyAccountTypeCode" on page 346

6.69 ExternalProxyAccountTypeCode

Definition: Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalProxyAccountType1Code" on page 345

6.70 ExternalPurpose1Code

Definition: Specifies the external purpose code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 252

Restricts

"ExternalPurposeCode" on page 347

6.71 ExternalPurposeCode

Definition: Specifies the external purpose code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalPurpose1Code" on page 346

6.72 ExternalServiceLevelCode

Definition: Specifies the external service level code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 266, "Code" on page 267

Restricts

"ExternalServiceLevelCode" on page 347

6.73 ExternalServiceLevelCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalServiceLevel1Code" on page 347

6.74 ExternalTaxAmountType1Code

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 289

Restricts

"ExternalTaxAmountTypeCode" on page 348

6.75 ExternalTaxAmountTypeCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalTaxAmountType1Code" on page 348

6.76 IBAN2007Identifier

Definition: The International Bank Account Number is a code used internationally by financial institutions to uniquely identify the account of a customer at a financial institution as described in the 2007 edition of the ISO 13616 standard "Banking and related financial services - International Bank Account Number (IBAN)" and replaced by the more recent edition of the standard.

Type: IdentifierSet

Format

pattern [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}

Rules

R30 IBAN ✓

A valid IBAN consists of all three of the following components: Country Code, check digits and BBAN.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00003
- *Error Text:* Invalid IBAN format or invalid check digits.

Used in element(s)

"IBAN" on page 28

6.77 ISODate

Definition: A particular point in the progression of time in a calendar year expressed in the YYYY-MM-DD format. This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Type: Date

Used in element(s)

"BirthDate" on page 105, "Date" on page 298, "FromDate" on page 109, "InterbankSettlementDate" on page 155, "PoolingAdjustmentDate" on page 75, "ToDate" on page 109, "Year" on page 304

6.78 ISODateTime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in either UTC time format (YYYY-MM-DDThh:mm:ss.sssZ), local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm), or local time format (YYYY-MM-DDThh:mm:ss.sss). These representations are defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

- 1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Type: DateTime

Used in element(s)

"AcceptanceDateTime" on page 75

6.79 Instruction3Code

Definition: Specifies further instructions concerning the processing of a payment instruction, provided by the sending clearing agent to the next agent(s).

Type: CodeSet

Code	Name	Definition
CHQB	PayCreditorByCheque	(Ultimate) creditor must be paid by cheque.
HOLD	HoldCashForCreditor	Amount of money must be held for the (ultimate) creditor, who will call. Pay on identification.
PHOB	PhoneBeneficiary	Please advise/contact (ultimate) creditor/claimant by phone.
TELB	Telecom	Please advise/contact (ultimate) creditor/claimant by the most efficient means of telecommunication.

Used in element(s)

"Code" on page 158

Restricts

"InstructionCode" on page 351

6.80 Instruction4Code

Definition: Specifies further instructions concerning the processing of a payment instruction, provided by the sending clearing agent to the next agent(s).

Type: CodeSet

Code	Name	Definition
PHOA	PhoneNextAgent	Please advise/contact next agent by phone.
TELA	TelecomNextAgent	Please advise/contact next agent by the most efficient means of telecommunication.

Used in element(s)

["Code" on page 159](#)

Restricts

["InstructionCode" on page 351](#)

6.81 InstructionCode

Definition: Specifies further instructions concerning the processing of a payment instruction.

Type: CodeSet

Code	Name	Definition
CHQB	PayCreditorByCheque	(Ultimate) creditor must be paid by cheque.
HOLD	HoldCashForCreditor	Amount of money must be held for the (ultimate) creditor, who will call. Pay on identification.
PBEN	PayTheBeneficiary	(Ultimate) creditor to be paid only after verification of identity.
PHOA	PhoneNextAgent	Please advise/contact next agent by phone.
PHOB	PhoneBeneficiary	Please advise/contact (ultimate) creditor/claimant by phone.
TELA	TelecomNextAgent	Please advise/contact next agent by the most efficient means of telecommunication.
TELB	Telecom	Please advise/contact (ultimate) creditor/claimant by the most efficient means of telecommunication.
TFRO	TimeFrom	Payment instruction will be valid and eligible for execution from the date and time stipulated.
TTIL	TimeTill	Payment instruction is valid and eligible for execution until the date and time stipulated. Otherwise, the payment instruction will be rejected.

Is restricted by

["Instruction3Code" on page 350](#), ["Instruction4Code" on page 350](#)

6.82 LEIIdentifier

Definition: Legal Entity Identifier is a code allocated to a party as described in ISO 17442 "Financial Services - Legal Entity Identifier (LEI)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{18,18}[0-9]{2,2}

Used in element(s)

"LEI" on page 41, "LEI" on page 163, "LEI" on page 120, "LEI" on page 126, "LEI" on page 165, "LEI" on page 166, "LEI" on page 43, "LEI" on page 167

6.83 Max128Text

Definition: Specifies a character string with a maximum length of 128 characters.

Type: Text

Format

maxLength	128
minLength	1

Used in element(s)

"Identification" on page 172

6.84 Max140Text

Definition: Specifies a character string with a maximum length of 140 characters.

Type: Text

Format

maxLength	140
minLength	1

Used in element(s)

"Name" on page 41, "Name" on page 64, "Name" on page 178, "Name" on page 126, "Name" on page 43, "ReferenceNumber" on page 297

6.85 Max15NumericText

Definition: Specifies a numeric string with a maximum length of 15 digits.

Type: Text

Format

pattern	[0-9]{1,15}
---------	-------------

Used in element(s)

"NumberOfTransactions" on page 154

6.86 Max16Text

Definition: Specifies a character string with a maximum length of 16 characters.

Type: Text

Format

maxLength	16
minLength	1

Used in element(s)

"BuildingNumber" on page 210, "PostBox" on page 211, "PostCode" on page 211

6.87 Max2048Text

Definition: Specifies a character string with a maximum length of 2048 characters.

Type: Text

Format

maxLength	2048
minLength	1

Used in element(s)

"EmailAddress" on page 65, "Identification" on page 158

6.88 Max350Text

Definition: Specifies a character string with a maximum length of 350 characters.

Type: Text

Format

maxLength	350
minLength	1

Used in element(s)

"PlaceAndName" on page 285, "Registry" on page 158

6.89 Max35Text

Definition: Specifies a character string with a maximum length of 35 characters.

Type: Text

Format

maxLength	35
minLength	1

Used in element(s)

"AdministrationZone" on page 297, "BuildingName" on page 211, "Category" on page 306, "Category-Details" on page 307, "CertificateIdentification" on page 307, "CityOfBirth" on page 105, "CountrySub-

[Division](#) on page 212, [DebtorStatus](#) on page 307, [DistrictName](#) on page 212, [EmailPurpose](#) on page 65, [FormsCode](#) on page 307, [Identification](#) on page 41, [Identification](#) on page 137, [Identification](#) on page 139, [Identification](#) on page 146, [Issuer](#) on page 137, [Issuer](#) on page 138, [Issuer](#) on page 139, [Issuer](#) on page 146, [JobTitle](#) on page 65, [Method](#) on page 297, [Proprietary](#) on page 54, [Proprietary](#) on page 57, [Proprietary](#) on page 59, [Proprietary](#) on page 119, [Proprietary](#) on page 160, [Proprietary](#) on page 169, [Proprietary](#) on page 205, [Proprietary](#) on page 266, [ProvinceOfBirth](#) on page 105, [RegistrationIdentification](#) on page 299, [RegistrationIdentification](#) on page 301, [Responsibility](#) on page 66, [SchemeName](#) on page 138, [TaxIdentification](#) on page 299, [TaxIdentification](#) on page 301, [TaxType](#) on page 299, [TaxType](#) on page 301, [Title](#) on page 290, [TownLocationName](#) on page 212, [TownName](#) on page 211, [Type](#) on page 306

6.90 Max4Text

Definition: Specifies a character string with a maximum length of 4 characters.

Type: Text

Format

maxLength	4
minLength	1

Used in element(s)

["ChannelType"](#) on page 172

6.91 Max70Text

Definition: Specifies a character string with a maximum length of 70characters.

Type: Text

Format

maxLength	70
minLength	1

Used in element(s)

["AddressLine"](#) on page 212, ["Department"](#) on page 66, ["Department"](#) on page 209, ["Floor"](#) on page 211, ["Room"](#) on page 211, ["StreetName"](#) on page 210, ["SubDepartment"](#) on page 210

6.92 NamePrefix2Code

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).

Code	Name	Definition
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Used in element(s)

["NamePrefix" on page 64](#)

Restricts

["NamePrefixCode" on page 355](#)

6.93 NamePrefixCode

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Is restricted by

["NamePrefix2Code" on page 354](#)

6.94 Number

Definition: Number of objects represented as an integer.

Type: Quantity

Format

fractionDigits	0
totalDigits	18

Used in element(s)

["SequenceNumber" on page 298](#), ["SequenceNumber" on page 295](#)

6.95 ParentCurrencyCode

Definition: Code allocated to a currency, by a maintenance agency, under an international identification scheme as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds". Valid currency codes are registered with the ISO 4217 Maintenance Agency, and consist of three contiguous letters.

Type: CodeSet

Format

pattern [A-Z]{3,3}

Is restricted by

"ActiveCurrencyCode" on page 314, "ActiveOrHistoricCurrencyCode" on page 316

6.96 PercentageRate

Definition: Rate expressed as a percentage, that is, in hundredths, for example, 0.7 is 7/10 of a percent, and 7.0 is 7%.

Type: Rate

Format

fractionDigits 10

totalDigits 11

Used in element(s)

"Rate" on page 286, "Rate" on page 287

6.97 PhoneNumber

Definition: The collection of information which identifies a specific phone or FAX number as defined by telecom services.

It consists of a "+" followed by the country code (from 1 to 3 characters) then a "-" and finally, any combination of numbers, "(", ")", "+", and "-" (up to 30 characters).

Type: Text

Format

pattern \+[0-9]{1,3}-[0-9()+\-]{1,30}

Used in element(s)

"FaxNumber" on page 65, "MobileNumber" on page 65, "PhoneNumber" on page 65

6.98 PreferredContactMethod1Code

Definition: Preferred method used to reach the individual contact within an organisation.

Type: CodeSet

Code	Name	Definition
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.

Code	Name	Definition
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
MAIL	Email	Preferred method used to reach the contact is per email.
PHON	Phone	Preferred method used to reach the contact is per phone.

Used in element(s)

["PreferredMethod" on page 66](#)

Restricts

["PreferredContactMethodCode" on page 357](#)

6.99 PreferredContactMethodCode

Definition: Preferred method used to reach the individual contact within an organisation.

Type: CodeSet

Code	Name	Definition
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
MAIL	Email	Preferred method used to reach the contact is per email.
ONLI	Online	Preferred method used to reach the contact is online.
PHON	Phone	Preferred method used to reach the contact is per phone.

Is restricted by

["PreferredContactMethod1Code" on page 356](#)

6.100 Priority2Code

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

Used in element(s)

["InstructionPriority" on page 196](#), ["InstructionPriority" on page 197](#), ["Priority" on page 48](#)

Restricts

["PriorityCode" on page 358](#)

6.101 Priority3Code

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.
URGT	Urgent	Priority level is urgent (highest priority possible).

Used in element(s)

["SettlementPriority" on page 74](#)

Restricts

["PriorityCode" on page 358](#)

6.102 PriorityCode

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
LOWW	Low	Priority level is low.
NORM	Normal	Priority level is normal.
URGT	Urgent	Priority level is urgent (highest priority possible).

Is restricted by

["Priority2Code" on page 357](#), ["Priority3Code" on page 358](#)

6.103 RegulatoryReportingType1Code

Definition: Identifies whether the regulatory reporting information applies to the debit side, to the credit side or to both debit and credit sides of the transaction.

Type: CodeSet

Code	Name	Definition
BOTH	Both	Regulatory information applies to both credit and debit sides.
CRED	Credit	Regulatory information applies to the credit side.
DEBT	Debit	Regulatory information applies to the debit side.

Used in element(s)

["DebitCreditReportingIndicator" on page 257](#)

Restricts

["RegulatoryReportingTypeCode" on page 359](#)

6.104 RegulatoryReportingTypeCode

Definition: Identifies whether the regulatory reporting information applies to the debit side, to the credit side or to both debit and credit sides of the transaction.

Type: CodeSet

Code	Name	Definition
BOTH	Both	Regulatory information applies to both credit and debit sides.
CRED	Credit	Regulatory information applies to the credit side.
DEBT	Debit	Regulatory information applies to the debit side.

Is restricted by

["RegulatoryReportingType1Code" on page 358](#)

6.105 RemittanceLocationMethod2Code

Definition: Specifies the method used to deliver the remittance advice information.

Type: CodeSet

Code	Name	Definition
EDIC	ElectronicDataInterchange	Remittance advice information must be sent through Electronic Data Interchange (EDI).
EMAL	EMail	Remittance advice information must be sent through e-mail.
FAXI	Fax	Remittance advice information must be faxed.
POST	Post	Remittance advice information must be sent through postal services.

Code	Name	Definition
		Usage Guideline restrictions for this code This code(pacs.008.001.08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/Method/Post) is removed.
SMSM	SMS	Remittance advice information must be sent through by phone as a short message service (SMS).
URID	UniformResourceIdentifier	Remittance advice information needs to be sent to a Uniform Resource Identifier (URI). URI is a compact string of characters that uniquely identify an abstract or physical resource. URI's are the super-set of identifiers, such as URLs, email addresses, ftp sites, etc, and as such, provide the syntax for all of the identification schemes.

Used in element(s)

"Method" on page 265

Restricts

"RemittanceLocationMethodCode" on page 360

6.106 RemittanceLocationMethodCode

Definition: Specifies the method used to deliver the remittance advice information.

Type: CodeSet

Code	Name	Definition
EDIC	ElectronicDataInterchange	Remittance advice information must be sent through Electronic Data Interchange (EDI).
EMAL	EMail	Remittance advice information must be sent through e-mail.
FAXI	Fax	Remittance advice information must be faxed.
POST	Post	Remittance advice information must be sent through postal services.
SMSM	SMS	Remittance advice information must be sent through by phone as a short message service (SMS).

Code	Name	Definition
URID	UniformResourceIdentifier	Remittance advice information needs to be sent to a Uniform Resource Identifier (URI). URI is a compact string of characters that uniquely identify an abstract or physical resource. URI's are the super-set of identifiers, such as URLs, email addresses, ftp sites, etc, and as such, provide the syntax for all of the identification schemes.

Is restricted by

["RemittanceLocationMethod2Code" on page 359](#)

6.107 SettlementMethod1Code

Definition: Specifies the method used to settle the credit transfer instruction.

Type: CodeSet

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system. Usage Guideline restrictions for this code • This code(pacs.008.001.08/Group-Header/SettlementInformation/SettlementMethod/ClearingSystem) is removed.
COVE	CoverMethod	Settlement is done through a cover payment.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

Used in element(s)

["SettlementMethod" on page 271](#)

Restricts

["SettlementMethodCode" on page 361](#)

6.108 SettlementMethodCode

Definition: Specifies the method used to settle the payment instruction.

Type: CodeSet

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system.
COVE	CoverMethod	Settlement is done through a cover payment.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

Is restricted by

"SettlementMethod1Code" on page 361

6.109 TaxRecordPeriod1Code

Definition: Specifies the period related to the tax payment.

Type: CodeSet

Code	Name	Definition
HLF1	FirstHalf	Tax is related to the first half of the period.
HLF2	SecondHalf	Tax is related to the second half of the period.
MM01	FirstMonth	Tax is related to the second month of the period.
MM02	SecondMonth	Tax is related to the first month of the period.
MM03	ThirdMonth	Tax is related to the third month of the period.
MM04	FourthMonth	Tax is related to the fourth month of the period.
MM05	FifthMonth	Tax is related to the fifth month of the period.
MM06	SixthMonth	Tax is related to the sixth month of the period.
MM07	SeventhMonth	Tax is related to the seventh month of the period.
MM08	EighthMonth	Tax is related to the eighth month of the period.
MM09	NinthMonth	Tax is related to the ninth month of the period.
MM10	TenthMonth	Tax is related to the tenth month of the period.
MM11	EleventhMonth	Tax is related to the eleventh month of the period.

Code	Name	Definition
MM12	TwelfthMonth	Tax is related to the twelfth month of the period.
QTR1	FirstQuarter	Tax is related to the first quarter of the period.
QTR2	SecondQuarter	Tax is related to the second quarter of the period.
QTR3	ThirdQuarter	Tax is related to the third quarter of the period.
QTR4	FourthQuarter	Tax is related to the forth quarter of the period.

Used in element(s)

"Type" on page 304, "Type" on page 305

Restricts

"TaxRecordPeriodCode" on page 363

6.110 TaxRecordPeriodCode

Definition: Specifies the period related to the tax payment.

Type: CodeSet

Code	Name	Definition
HLF1	FirstHalf	Tax is related to the first half of the period.
HLF2	SecondHalf	Tax is related to the second half of the period.
MM01	FirstMonth	Tax is related to the second month of the period.
MM02	SecondMonth	Tax is related to the first month of the period.
MM03	ThirdMonth	Tax is related to the third month of the period.
MM04	FourthMonth	Tax is related to the fourth month of the period.
MM05	FifthMonth	Tax is related to the fifth month of the period.
MM06	SixthMonth	Tax is related to the sixth month of the period.
MM07	SeventhMonth	Tax is related to the seventh month of the period.
MM08	EighthMonth	Tax is related to the eighth month of the period.
MM09	NinthMonth	Tax is related to the ninth month of the period.

Code	Name	Definition
MM10	TenthMonth	Tax is related to the tenth month of the period.
MM11	EleventhMonth	Tax is related to the eleventh month of the period.
MM12	TwelfthMonth	Tax is related to the twelfth month of the period.
QTR1	FirstQuarter	Tax is related to the first quarter of the period.
QTR2	SecondQuarter	Tax is related to the second quarter of the period.
QTR3	ThirdQuarter	Tax is related to the third quarter of the period.
QTR4	FourthQuarter	Tax is related to the forth quarter of the period.

Is restricted by

"TaxRecordPeriod1Code" on page 362

6.111 TrueFalseIndicator

Definition: A flag indicating a True or False value.

Type: Indicator

Meaning When True: True

Meaning When False: False

Used in element(s)

"EmployeeTerminationIndicator" on page 131, "FamilyMedicalInsuranceIndicator" on page 131

6.112 UUIDv4Identifier

Definition: Universally Unique Identifier (UUID) version 4, as described in IETF RFC 4122 "Universally Unique Identifier (UUID) URN Namespace".

Type: IdentifierSet

Format

pattern [a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12}

Used in element(s)

"UETR" on page 195

6.113 UnicodeChartsCode

*Definition:*odelist containing the names of the UNICODE code block name as specified on <http://unicode.org/Public/UNIDATA/Blocks.txt>.

Type: CodeSet

Rules

R4 ValidationByTable

Error handling: Undefined

Used in element(s)

"CharacterSet" on page 45

6.114 YesNoIndicator

Definition: Indicates a "Yes" or "No" type of answer for an element.

Type: Indicator

Meaning When True: Yes

Meaning When False: No

Used in element(s)

"PossibleDuplicate" on page 48

Legal Notices

Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.