



Usage Guideline

CBPRPlus- pacs.008.001.08_STP_FIToFICustomerCred itTransfer

CBPRPlus SR2026 (Combined)

This document describes a usage guideline restricting the base message pacs.008.001.08. You can also consult this [information online](#).

Published by Cross Border Payments and Reporting Plus (CBPR+) and generated by [MyStandards](#).

Version: SR2026

Status: Final

20 February 2026

Table of Content	2
Message Functionality	3
About this document	8
Usage Guideline	9
Rule Definitions	52
Legal Notices	66

Message Functionality

Collection Description

CBPRPlus SR2026 (Combined) ([link](#))

This is the Cross Border Payment and Reporting Collection for SR2026.

These are FINAL usage guidelines.

The usage guidelines are available on the CBPR+ SR2026 Readiness Portal for testing.

The Collection contains:

30 Usage Guidelines that will be live on the network as of November 2026.

Usage Guideline Description

CBPRPlus-pacs.008.001.08_STP_FIToFICustomerCreditTransfer ([link](#))

Principles:

1A. AGENTS IDENTIFICATION - Textual Rules

-> BICFI is mandatory and the ClearingSystemMemberIdentification and LEI may complement – However, in case of conflicting information, the BICFI will always take precedence.

1B. DEBTOR/CREDITOR - PARTY IDENTIFICATION - Textual Rules

-> If AnyBIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

-> If Name is present, it is recommended to use Postal Address

2. Single transactions only are allowed - The pacs.008 STP allows the exchange of single customer credit transfers using a restricted set of fields and format options of the core pacs.008 to make it straight through processable. The pacs.008 STP is a compatible subset of the core pacs.008 that is documented separately.

This UG also meets the EU requirements for the identification of the parties.

3. Character Set:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

!#\$%&*='^_{}~";<>@[\\]

< is replaced with <

> is replaced with >

Outline

In the Collection CBPRPlus SR2026 (Combined), the message CBPRPlus-pacs.008.001.08_STP_FIToFICustomerCreditTransfer is composed of a mandatory Business Application Header V02 (head.001.001.02) and a Document.

Business Application Header V02 (head.001.001.02)

The Business Application Header V02 (head.001.001.02) is composed of 15 elements.

a - Character Set

Contains the character set of the text-based elements used in the Business Message.

b - From

The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

c - To

The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

d - Business Message Identifier

Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

e - Message Definition Identifier

Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

f - Business Service

Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

g - Market Practice

Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

h - Creation Date

Date and time when this Business Message (header) was created.

i - Business Processing Date

Processing date and time indicated by the sender for the receiver of the business message.

This date may be different from the date and time provided in the CreationDate.

Usage: Market practice or bilateral agreement should specify how this element should be used.

j - Copy Duplicate

Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

k - Possible Duplicate

Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level retransmission.

l - Priority

Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

m - Signature

Contains the digital signature of the Business Entity authorised to sign this Business Message.

n - Related

Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

o - CrossElementComplexRule : RelatedPresentWhenCopyDupl

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

Document - FI To FI Customer Credit Transfer V08 (pacs.008.001.08)

The Document - FI To FI Customer Credit Transfer V08 (pacs.008.001.08) is composed of 12 elements.

a - Group Header

Set of characteristics shared by all individual transactions included in the message.

b - Credit Transfer Transaction Information

Set of elements providing information specific to the individual credit transfer(s).

c - Supplementary Data

Additional information that cannot be captured in the structured elements and/or any other specific block.

d - CrossElementComplexRule : InstructedAgentRule

If GroupHeader/InstructedAgent is present, then

CreditTransferTransactionInformation/InstructedAgent is not allowed.

e - CrossElementComplexRule : InstructingAgentRule

If GroupHeader/InstructingAgent is present, then

CreditTransferTransactionInformation/InstructingAgent is not allowed.

f - CrossElementComplexRule : TotalInterbankSettlementAmountRule

If GroupHeader/TotalInterbankSettlementAmount is present, then all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount must have the same currency as the currency of GroupHeader/TotalInterbankSettlementAmount.

g - CrossElementComplexRule : TotalInterbankSettlementAmountAndSumRule

If GroupHeader/TotalInterbankSettlementAmount is present, then it must equal the sum of all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount.

h - CrossElementComplexRule : GroupHeaderInterbankSettlementDateRule

If GroupHeader/InterbankSettlementDate is present, then

CreditTransferTransactionInformation/InterbankSettlementDate is not allowed.

i - CrossElementComplexRule : TransactionInterbankSettlementDateRule

If GroupHeader/InterbankSettlementDate is not present, then

CreditTransferTransactionInformation/InterbankSettlementDate must be present.

j - CrossElementComplexRule : PaymentTypeInformationRule

If GroupHeader/PaymentTypeInformation is present, then

CreditTransferTransactionInformation/PaymentTypeInformation is not allowed.

k - CrossElementSimpleRule : NumberOfTransactionsAndCreditTransfersRule

GroupHeader/NumberOfTransactions must equal the number of occurrences of CreditTransferTransactionInformation.

l - Textual : SupplementaryDataRule

The SupplementaryData building block at message level must not be used to provide additional information about a transaction. The SupplementaryData element at transaction level should be used for that purpose.

About this document

Legend

Abbreviation	Term	Description
X	Excluded	An optional field or element must not be populated.
I	Ignored	A field or element could be populated but is ignored by the receiver.
[x..y]	Multiplicity	A field or element multiplicity has changed.
FV	Fixed Value	A field or element must contain a given value.
T/C	Type / Code Change	A user-defined datatype replaces an existing simple datatype.
A	Element Added	A field or element has been added.

Header	Description
Index	Element reference
LvL	Element nesting in tree hierarchy
Name	Element name
XML Tag	Element XML tag
Mult	Element multiplicity
Type / Code	Element formatting
Rest	Restriction type
Additional details	Other restriction specifics

Type/Code Notation	Describes the Element	Examples
text{m,M}	minimum (m) and maximum (M) length	text{1,35}
text{L}	maximum (L) length, minimum length is 0	test{10}
m <= decimal <= M	minimum (m) and maximum (M) values	0.01 <= decimal <= 9999.99
fd = F, td = T	maximum fractional (F) and total (T) number of digits	fd = 2, td = 11
<<regular expression>>	regular expression pattern	[A-Z]{6,6}([A-Z0-9]{3,3}){0,1}

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	0	Full Message		[1..1]			Rules: R1, R2, R3, R4, R5
	1	Business Application Header V02 (head.001.001.02)	<AppHdr>	[1..1]			
	2	Character Set	<CharSet>	[0..1]	text		
	2	From	<Fr>	[1..1]	Choice		
	3	Financial Institution Identification	<FIId>	[1..1]			
	4	Financial Institution Identification	<FinInstnId>	[1..1]			
	5	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R5
	5	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	6	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,5}		
	6	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	2	To	<To>	[1..1]	Choice		
	3	Financial Institution Identification	<FIId>	[1..1]			
	4	Financial Institution Identification	<FinInstnId>	[1..1]			
	5	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R3, R4
	5	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	6	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	5	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	2	Business Message Identifier	<BizMsgIdr>	[1..1]	text{1,35}	T/C	Rules: R1 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	2	Message Definition Identifier	<MsgDefIdr>	[1..1]	text{1,35}	FV	FixedValue: pacs.008.001.08
	2	Business Service	<BizSvc>	[0..1]	text{1,35}	FV [1..1]	FixedValue: swift.cbprplus.stp.04
	2	Market Practice	<MktPrctc>	[0..1]			
	3	Registry	<Regy>	[1..1]	text{1,350}		
	3	Identification	<Id>	[1..1]	text{1,2048}		
	2	Creation Date	<CreDt>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	2	Copy Duplicate	<CpyDplct>	[0..1]	text		Rules: R3, R4
	3	Copy Duplicate			CODU		
	3	Copy			COPY		
	3	Duplicate			DUPL		
	2	Possible Duplicate	<PssblDplct>	[0..1]	boolean		
	2	Priority	<Prty>	[0..1]	text	T/C	Rules: R2 ----- Type Changed: One of the following code values must be used: HIGH (High) NORM (Normal)
	3	High			HIGH		
	3	Normal			NORM		
	2	Related	<Rltd>	[0..*]		[0..1]	Rules: R6
	3	Character Set	<CharSet>	[0..1]	text		
	3	From	<Fr>	[1..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	4	Financial Institution Identification	<FIId>	[1..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\.\, '\+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	3	To	<To>	[1..1]	Choice		
	4	Financial Institution Identification	<FIId>	[1..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\.\, '\+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	3	Business Message Identifier	<BizMsgIdr>	[1..1]	text{1,35}	T/C	Rules: R7 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	3	Message Definition Identifier	<MsgDefIdr>	[1..1]	text{1,35}	T/C	Rules: R8 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	3	Business Service	<BizSvc>	[0..1]	text{1,35}	T/C	Rules: R9 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	3	Creation Date	<CreDt>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	3	Copy Duplicate	<CpyDplct>	[0..1]	text		
	4	Copy Duplicate			CODU		
	4	Copy			COPY		
	4	Duplicate			DUPL		
	3	Priority	<Prty>	[0..1]	text	T/C	Type Changed: One of the following code values must be used: HIGH (High) NORM (Normal)
	4	High			HIGH		
	4	Normal			NORM		
	1	Document		[1..1]			
	2	FI To FI Customer Credit Transfer V08 (pacs.008.001.08)	<FIToFICstmrCdtTrf>				Rules: R10
	3	Group Header	<GrpHdr>	[1..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	4	Message Identification	<MsgId>	[1..1]	text{1,35}	T/C	Rules: R1 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,'\+]+
	4	Creation Date Time	<CreDtTm>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)(([0-9]) (1[0-4])):[0-5][0-9]
	4	Number Of Transactions	<NbOfTx>	[1..1]	text [0-9]{1,15}	FV	FixedValue: 1
	4	Settlement Information	<SttlmInf>	[1..1]			
	5	Settlement Method	<SttlmMtd>	[1..1]	text		Synonym: N/A (in context : Settlement Method implicit in MTs and derived from the presence of certain elements.)
	6	Instructed Agent			INDA		
	6	Instructing Agent			INGA		
	6	Cover Method			COVE		
	5	Settlement Account	<SttlmAcct>	[0..1]			Synonym: 53B (in context : Sender's Correspondent (option 53B - account to be debited))
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:(\)\.,'\+]([0-9a-zA-Z\-\!\?:(\)\.,'\+])*([0-9a-zA-Z\-\!\?:(\)\.,'\+])?)*)
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,'\+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,'\+]+
	6	Type	<Tp>	[0..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*='^ `\'\/\}~";<>@\ \\]+
	5	Agent Instructing Reimbursement	<InstgRmbrsmnt Agt>	[0..1]			Synonym: 53a (in context : Sender's Correspondent)
	6	Financial Institution Identification	<FinInstnId>	[1..1]			
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}	[1..1]	
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0- 9]{18,18}[0- 9]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	5	Instructing Reimbursement Agent Account	<InstgRmbrsmnt AgtAcct>	[0..1]			Synonym: 53A or 53D (in context : Sender's Correspondent - Party Identifier)
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,'\+]([0-9a-zA-Z\-\!\?:\(\)\.,'\+]*([0-9a-zA-Z\-\!\?:\(\)\.,'\+])?*))
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ `\'{}~";<>@\ \\]+
	5	Instructed Reimbursement Agent	<InstdRmbrsmnt Agt>	[0..1]			Synonym: 54a (in context : Receiver's Correspondent)
	6	Financial Institution Identification	<FinInstnId>	[1..1]			
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}	[1..1]	
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0- 9]{18,18}[0- 9]{2,2}		
	5	Instructed Reimbursement Agent Account	<InstdRmbrsmnt AgtAcct>	[0..1]			Synonym: 54a (in context : Receiver's Correspondent - Party Identifier)
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0- 9]{2,2}[a-zA-Z0- 9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\. ,\'+]([0-9a-zA-Z\-\!\?:\(\)\. ,\'+]*([0- 9a-zA-Z\-\!\?:\(\)\. ,\'+])?*))
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'\+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	5	Third Reimbursement Agent	<ThrdRmbrsmnt Agt>	[0..1]			Synonym: 55a (in context : Third Reimbursement Institution)
	6	Financial Institution Identification	<FinInstnId>	[1..1]			
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}	[1..1]	
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	5	Third Reimbursement Agent Account	<ThrdRmbrsmnt AgtAcct>	[0..1]			Synonym: 55a (in context : Third Reimbursement Institution - Party Identifier)
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\?\:\(\)\.\,'+]([0-9a-zA-Z\-\?\:\(\)\.\,'+]*([0-9a-zA-Z\-\?\:\(\)\.\,'+])?)*
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	6	Proxy	<Prxy>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!\?:\(\)\.,\'+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!\?:\(\)\.,\'+ !#\$%&\'*^_`{ }~";<>@\[\]]+]
	3	Credit Transfer Transaction Information	<CdtTrfTxInf>	[1..*]		[1..1]	Rules: R11, R12, R13, R14, R15, R16, R17, R18
	4	Payment Identification	<PmtId>	[1..1]			
	5	Instruction Identification	<InstrId>	[0..1]	text{1,35}	[1..1] T/C	Rules: R19 ----- Type Changed: text{1,16} [0-9a-zA-Z/\-!\?:\(\)\.,\'+]+
	5	End To End Identification	<EndToEndId>	[1..1]	text{1,35}	T/C	Rules: R20 ----- Synonym: Field 70 (in context : Remittance Information with code /ROC/) ----- Type Changed: text{1,35} [0-9a-zA-Z/\-!\?:\(\)\.,\'+]+
	5	Transaction Identification	<TxId>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!\?:\(\)\.,\'+]+
	5	UETR	<UETR>	[0..1]	text [a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12}	[1..1]	
	5	Clearing System Reference	<ClrSysRef>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!\?:\(\)\.,\'+]+
	4	Payment Type Information	<PmtTpInf>	[0..1]			
	5	Instruction Priority	<InstrPrty>	[0..1]	text		Rules: R2
	6	High			HIGH		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Normal			NORM		
	5	Clearing Channel	<ClrChanl>	[0..1]	text		
	6	Real Time Gross Settlement System			RTGS		
	6	Real Time Net Settlement System			RTNS		
	6	Mass Payment Net System			MPNS		
	6	Book Transfer			BOOK		
	5	Service Level	<SvcLvl>	[0..*]	Choice	[0..3]	Rules: R10
	6	Code	<Cd>	[1..1]	text{1,4}		Rules: R10
	5	Local Instrument	<LclInstrm>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,35}		
	5	Category Purpose	<CtgyPurp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	4	Interbank Settlement Amount	<IntrBkSttlmAmt>	[1..1]	0 <= decimal td = 18 fd = 5	T/C	Rules: R21 ----- Type Changed: 0 <= decimal td = 14 fd = 5
	5	Xml Attribute Currency	<Ccy>		text [A-Z]{3,3}		Rules: R21
	4	Interbank Settlement Date	<IntrBkSttlmDt>	[0..1]	date	[1..1] T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	4	Settlement Priority	<SttlmPrty>	[0..1]	text		
	5	Urgent			URGT		
	5	High			HIGH		
	5	Normal			NORM		
	4	Settlement Time Indication	<SttlmTmIndctn>	[0..1]			
	5	Debit Date Time	<DbtDtTm>	[0..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	5	Credit Date Time	<CdtDtTm>	[0..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	4	Settlement Time Request	<StlmTmReq>	[0..1]			
	5	CLS Time	<CLSTm>	[0..1]	time	T/C	Type Changed: time .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	5	Till Time	<TillTm>	[0..1]	time	T/C	Type Changed: time .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	5	From Time	<FrTm>	[0..1]	time	T/C	Type Changed: time .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	5	Reject Time	<RjctTm>	[0..1]	time	T/C	Type Changed: time .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	4	Instructed Amount	<InstdAmt>	[0..1]	0 <= decimal td = 18 fd = 5	[1..1] T/C	Type Changed: 0 <= decimal td = 14 fd = 5
	5	Xml Attribute Currency	<Ccy>		text [A-Z]{3,3}		
	4	Exchange Rate	<XchgRate>	[0..1]	decimal td = 11 fd = 10		
	4	Charge Bearer	<ChrgBr>	[1..1]	text		Rules: R14, R22, R23
	5	Borne By Debtor			DEBT		Rules: R13
	5	Borne By Creditor			CRED		
	5	Shared			SHAR		Rules: R24 ----- Synonym: 71A (in context : Details of Charges SHA)
	4	Charges Information	<ChrgsInf>	[0..*]			Rules: R23, R22, R24, R13, R14
	5	Amount	<Amt>	[1..1]	0 <= decimal td = 18 fd = 5	T/C	Synonym: 71F or 71G (in context : Sender's Charges or Receiver's Charges) ----- Type Changed: 0 <= decimal td = 14 fd = 5
	6	Xml Attribute Currency	<Ccy>		text [A-Z]{3,3}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	5	Agent	<Agt>	[1..1]			Synonym: N/A (in context : The party that has lifted charges (71F) or to which charges are due (71G) is implicit in the MT 103 and understood from the payment chain.)
	6	Financial Institution Identification	<FinInstnId>	[1..1]			
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Previous Instructing Agent 1	<PrvsInstgAgt1>	[0..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Previous Instructing Agent 1	<PrvsInstgAgt1A	[0..1]			
	5	Account Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\?\:\(\)\.,'\+]([0-9a-zA-Z\-\?\:\(\)\.,'\+]*([0-9a-zA-Z\-\?\:\(\)\.,'\+])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.,'\+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.,'\+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.,'\+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?\:\(\)\.,'\+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,'\+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\!\?:(\)\.,'\+ !#\$%&!*^_`\'\/\}\~";<>@\[\ \]]+
	4	Previous Instructing Agent 2	<PrvsInstgAgt2>	[0..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:(\)\.,'\+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Previous Instructing Agent 2 Account	<PrvsInstgAgt2A cct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:(\)\.,'\+]([0-9a-zA-Z\-\!\?:(\)\.,'\+])*([0-9a-zA-Z\-\!\?:(\)\.,'\+])?)*)
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'\+ !#\$%&!*='^ `\'\/\}\~";<>@\ \\\]]+]
	4	Previous Instructing Agent 3	<PrvsInstgAgt3>	[0..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}[A-Z0-9]{3,3}{0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Previous Instructing Agent 3 Account	<PrvsInstgAgt3A cct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,'\+]([0-9a-zA-Z\-\!\?:\(\)\.,'\+]*([0-9a-zA-Z\-\!\?:\(\)\.,'\+])?*))
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^_` \{\}~";<>@\[\]]+
	4	Instructing Agent	<InstgAgt>	[0..1]		[1..1]	
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R5
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Instructed Agent	<InstdAgt>	[0..1]		[1..1]	
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R3, R4
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\.\, '\+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Intermediary Agent 1	<IntrmyAgt1>	[0..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\.\, '\+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Intermediary Agent 1 Account	<IntrmyAgt1Acct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.\, '\+]([0-9a-zA-Z\-\!\?:\(\)\.\, '\+])*([0-9a-zA-Z\-\!\?:\(\)\.\, '\+])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'\+ !#\$%&!*^` \\\ }~";<>@\ \\]+
	4	Intermediary Agent 2	<IntrmyAgt2>	[0..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Intermediary Agent 2 Account	<IntrmyAgt2Acct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,'\+]([0-9a-zA-Z\-\!\?:\(\)\.,'\+]*([0-9a-zA-Z\-\!\?:\(\)\.,'\+])?*))
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*=^_` \{\}\}~";<>@\[\ \]]+
	4	Intermediary Agent 3	<IntrmyAgt3>	[0..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0- 9]{18,18}[0- 9]{2,2}		
	4	Intermediary Agent 3 Account	<IntrmyAgt3Acct >	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0- 9]{2,2}[a-zA-Z0- 9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z/\-!?:\(\)\.,'+]([0-9a-zA-Z/\-!?:\(\)\.,'+]*([0- 9a-zA-Z/\-!?:\(\)\.,'+])?)*)
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*!=^ `\'\/\}\~";<>@\ \\\]]+]
	4	Ultimate Debtor	<UltmtDbtr>	[0..1]			Rules: R25, R26, R27, R28
	5	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R28 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*!=^ `\'\/\}\~";<>@\ \\\]]+]
	5	Postal Address	<PstlAdr>	[0..1]			Rules: R28, R29
	6	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*!=^ `\'\/\}\~";<>@\ \\\]]+]
	6	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*!=^ `\'\/\}\~";<>@\ \\\]]+]

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	6	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	6	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	6	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	6	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	6	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	6	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	6	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	6	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	6	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	6	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	6	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	6	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	5	Identification	<Id>	[0..1]	Choice		
	6	Organisation Identification	<OrgId>	[1..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Other	<Othr>	[0..*]		[0..2]	
	8	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	8	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,4}		
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Private Identification	<PrvtId>	[1..1]			
	7	Birth Date And Place Of	<DtAndPlcOfBirth>	[0..1]			
	8	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	8	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\ `\'~";<>@\ \\]+
	8	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\ `\'~";<>@\ \\]+
	8	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	7	Other	<Othr>	[0..*]		[0..2]	
	8	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	8	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+]+
	5	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	4	Initiating Party	<InitgPty>	[0..1]			Rules: R30
	5	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R30 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*^=^ \\\ }~";<>@\ \\\]+
	5	Postal Address	<PstlAdr>	[0..1]			Rules: R29, R30
	6	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*^=^ \\\ }~";<>@\ \\\]+
	6	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*^=^ \\\ }~";<>@\ \\\]+
	6	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*^=^ \\\ }~";<>@\ \\\]+
	6	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*^=^ \\\ }~";<>@\ \\\]+
	6	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*^=^ \\\ }~";<>@\ \\\]+
	6	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*^=^ \\\ }~";<>@\ \\\]+
	6	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*^=^ \\\ }~";<>@\ \\\]+
	6	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*^=^ \\\ }~";<>@\ \\\]+
	6	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*^=^ \\\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*=-^ `\'{}~";<>@\ \\]]+]
	6	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*=-^ `\'{}~";<>@\ \\]]+]
	6	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*=-^ `\'{}~";<>@\ \\]]+]
	6	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*=-^ `\'{}~";<>@\ \\]]+]
	6	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	6	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*=-^ `\'{}~";<>@\ \\]]+]
	5	Identification	<Id>	[0..1]	Choice		
	6	Organisation Identification	<OrgId>	[1..1]			
	7	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Other	<Othr>	[0..*]		[0..2]	
	8	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	8	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,4}		
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Private Identification	<PrvtId>	[1..1]			
	7	Date And Place Of Birth	<DtAndPlcOfBirt h>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	8	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	8	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	8	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	7	Other	<Othr>	[0..*]		[0..2]	
	8	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+]+
	8	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,4}		
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+]+
	5	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	4	Debtor	<Dbtr>	[1..1]			Rules: R31, R32, R33, R34, R35, R36
	5	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R12, R15, R16, R17, R18, R31, R33 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	5	Postal Address	<PstlAdr>	[0..1]			Rules: R29, R31
	6	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	6	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	6	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	6	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	6	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	6	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	6	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	6	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	6	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	6	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	6	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	6	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	6	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	6	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	5	Identification	<Id>	[0..1]	Choice		
	6	Organisation Identification	<OrgId>	[1..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		Rules: R33
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Other	<Othr>	[0..*]		[0..2]	
	8	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	8	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,4}		
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Private Identification	<PrvtId>	[1..1]			
	7	Birth Date And Place Of	<DtAndPlcOfBirth>	[0..1]			
	8	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	8	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\`\'\/\}\~";<>@\ \\]+
	8	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\`\'\/\}\~";<>@\ \\]+
	8	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	7	Other	<Othr>	[0..*]		[0..2]	
	8	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	8	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	5	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	4	Debtor Account	<DbtrAcct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		Rules: R12, R15, R16, R17, R18
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\?\:\(\)\.\,'+]([0-9a-zA-Z\-\?\:\(\)\.\,'+])*([0-9a-zA-Z\-\?\:\(\)\.\,'+])?*)
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&*^_`{ }~";<>@\[\]\[\]]+
	4	Debtor Agent	<DbtrAgt>	[1..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R12, R15, R16, R17, R18
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Debtor Agent Account	<DbtrAgtAcct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:(\)\.,\'+]([0-9a-zA-Z\-\!\?:(\)\.,\'+])*([0-9a-zA-Z\-\!\?:(\)\.,\'+])?)*)
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'\+ !#\$%&!*='^ `\'\/\}~";<>@\ \\\]]+
	4	Creditor Agent	<CdtrAgt>	[1..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}	[1..1]	Rules: R12, R15, R16, R17, R18
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Creditor Agent Account	<CdtrAgtAcct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,'\+]([0-9a-zA-Z\-\!\?:\(\)\.,'\+]*([0-9a-zA-Z\-\!\?:\(\)\.,'\+])?*))
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	4	Creditor	<Cdtr>	[1..1]			Rules: R37, R38, R39, R40, R41, R42
	5	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R12, R15, R16, R17, R18, R40, R41 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	5	Postal Address	<PstlAdr>	[0..1]			Rules: R40, R29
	6	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	6	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	6	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	6	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	6	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	6	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	6	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	6	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	6	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	6	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	6	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	6	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	6	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	6	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	5	Identification	<Id>	[0..1]	Choice		
	6	Organisation Identification	<OrgId>	[1..1]			
	7	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		Rules: R41
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Other	<Othr>	[0..*]		[0..2]	
	8	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	8	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,4}		
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	6	Private Identification	<PrvtId>	[1..1]			
	7	Date And Place Of Birth	<DtAndPlcOfBirt h>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	8	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*=-^ `\'{}~";<>@\ \\]]+]
	8	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*=-^ `\'{}~";<>@\ \\]]+]
	8	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	7	Other	<Othr>	[0..*]		[0..2]	
	8	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	8	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,4}		
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	4	Creditor Account	<CdtrAcct>	[0..1]		[1..1]	
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		Rules: R12, R15, R16, R17, R18
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z/\-!?:\(\)\.,'+]([0-9a-zA-Z/\-!?:\(\)\.,'+])*([0-9a-zA-Z/\-!?:\(\)\.,'+])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\[\]\[\]]+
	4	Ultimate Creditor	<UltmtCdtr>	[0..1]			Rules: R43, R44, R45
	5	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R43 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\[\]\[\]]+
	5	Postal Address	<PstlAdr>	[0..1]			Rules: R43, R29
	6	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\[\]\[\]]+
	6	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\[\]\[\]]+
	6	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\[\]\[\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	6	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	6	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	6	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	6	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	6	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	6	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	6	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	6	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	6	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	6	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	6	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	5	Identification	<Id>	[0..1]	Choice		
	6	Organisation Identification	<OrgId>	[1..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Other	<Othr>	[0..*]		[0..2]	
	8	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	8	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,4}		
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Private Identification	<PrvtId>	[1..1]			
	7	Birth Date And Place Of	<DtAndPlcOfBirth>	[0..1]			
	8	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	8	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\ `\'~";<>@\ /\\]+
	8	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\ `\'~";<>@\ /\\]+
	8	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	7	Other	<Othr>	[0..*]		[0..2]	
	8	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	8	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.\,'+]+
	5	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	4	Purpose	<Purp>	[0..1]	Choice		
	5	Code	<Cd>	[1..1]	text{1,4}		
	4	Regulatory Reporting	<RgltryRptg>	[0..1 0]			
	5	Debit Credit Reporting Indicator	<DbtCdtRptgInd>	[0..1]	text		
	6	Credit			CRED		
	6	Debit			DEBT		
	6	Both			BOTH		
	5	Authority	<Authrty>	[0..1]			
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\.\,'+]+
	6	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	5	Details	<Dtls>	[0..*]			
	6	Type	<Tp>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.\,'+]+
	6	Date	<Dt>	[0..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	6	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	6	Code	<Cd>	[0..1]	text{1,10}	T/C	Type Changed: text{1,10} [0-9a-zA-Z\-\!\?:\(\)\.\,'+]+
	6	Amount	<Amt>	[0..1]	0 <= decimal td = 18 fd = 5	T/C	Type Changed: 0 <= decimal td = 14 fd = 5
	7	Xml Attribute Currency	<Ccy>		text [A-Z]{3,3}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Information	<Inf>	[0..*]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	4	Related Remittance Information	<RltdRmtInf>	[0..1 0]		[0..1]	Rules: R11
	5	Remittance Identification	<RmtId>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&*^=\^ \\\ }~";<>@\ \\\]+
	5	Remittance Location Details	<RmtLctnDtls>	[0..*]		[0..2]	
	6	Method	<Mtd>	[1..1]	text		
	7	Fax			FAXI		
	7	Electronic Data			EDIC		
	7	Interchange Identifier	Uniform Resource		URID		
	7	E Mail			EMAL		
	7	SMS			SMSM		
	6	Electronic Address	<ElctrncAdr>	[0..1]	text{1,2048}	T/C	Type Changed: text{1,2048} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&*^=\^ \\\ }~";<>@\ \\\]+
	4	Remittance Information	<RmtInf>	[0..1]			Rules: R11
	5	Unstructured	<Ustrd>	[0..*]	text{1,140}	[0..1] T/C	Synonym: 70 (in context : Remittance Information) ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&*^=\^ \\\ }~";<>@\ \\\]+

Rule Definitions

Index	Name	Description	Formal Rule Definition
R1	Rule "CBPR_BusinessMessageIdentifier_Formal Rule"	The Business Message Identifier must match the Message Identification in the Group Header.	For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/BusinessMessageIdentifier] value must be equal to every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/GroupHeader/MessageIdentification] value
R2	Rule "CBPR_Priority_Instruction_Priority_Formal Rule"	If "Priority" is used in the BAH for pacs messages, the value should be identical to the one in the "Payment Type Information/InstructionPriority" if present.	For each [Full Message], if at least one occurrence of the following element(s) [Full Message/BusinessApplicationHeaderV02/Priority] and [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority] is (are) present, then every occurrence of [Full Message/BusinessApplicationHeaderV02/Priority] must have the same value than every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority]
R3	Rule "CBPR_To_Instructed Agent_BIC_2_Formal Rule"	BAH "To" BIC must match "Instructed Agent" BIC if CopyDuplicate is absent.	For each [Full Message], if the following element(s) [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] is (are) absent, then every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]

R4	Rule "CBPR_To_Instructed_Agent_BIC_1_FormaIRule"	BAH "To" BIC must match "Instructed Agent" BIC, except where BAH CopyDuplicate = COPY or = CODU	For each [Full Message], if every occurrence of [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] has value not included in the following list 'COPY' or 'CODU', then every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]
R5	Rule "CBPR_From_Instructing_Agent_BIC_FormaIRule"	BAH "From" BIC must match "Instructing Agent" BIC	For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] value must be equal to every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/BICFI] value
R6	Rule "CBPR_Related_Business_Application_Header_TextualRule"	If used, the Related BAH must transport the exact same information as in the BAH of the related message.	
R7	Rule "CBPR_Business_Message_Identifier_TextualRule"	The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system. Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this element must contain the unique identifier of the Business Message instance.	

R8	Rule "CBPR_Message_Definition_Identifier_TextualRule"	The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.	
R9	Rule "CBPR_RelatedBAHBBusinessService_TextualRule"	If related BAH is present, it should transport the element Business Service.	
R10	Rule "CBPR_GPI_ServiceLevel_Code_FormalRule"	The GPI ServiceLevel Code in pacs.008 STP must be 'G001'.	For each [Full Message/Document/FIToFICustomerCreditTransferV08], if at least one occurrence of the following element(s) [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel] is (are) present, then the value of every occurrence of [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel/Code] must not comply with the following XML pattern : '(G002 G003 G004 G005 G006 G007 G009)'
R11	Rule "CBPR_Related_Remittance_Info_Mutually_Exclusive_FormalRule"	In the interbank space, Related Remittance Information and Remittance Information are mutually exclusive and all may be absent.	For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation], the following elements are mutually exclusive: [CreditTransferTransactionInformation/RelatedRemittanceInformation], [CreditTransferTransactionInformation/RemittanceInformation] and all may be absent

R12	Rule "CBPR_Debtor_Credit or_IBAN_FormaRule"	IF Creditor Agent and Debtor Agent BICs are part of following countries: AT, BE, BG, BV, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GF, GI, GP, GR, HR, HU, IE, IS, IT, LI, LT, LU, LV, MQ (FR), MT, NL, NO, PL, PM (FR), PT, RE (FR), RO, SE, SI, SJ, SK Then: Debtor and Creditor must be identified using a Name and the Account/IBAN.	For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation], if the value of every occurrence of [CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/BICFI] complies with the following XML pattern : '{4}(AT BE BG BV CY CZ DE DK EE ES FI FR GB GF GI GP GR HR HU IE IS IT LI LT LU LV MQ MT NL NO PL PM PT RE RO SE SI SJ SK).*' and the value of every occurrence of [CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/BICFI] complies with the following XML pattern : '{4}(AT BE BG BV CY CZ DE DK EE ES FI FR GB GF GI GP GR HR HU IE IS IT LI LT LU LV MQ MT NL NO PL PM PT RE RO SE SI SJ SK).*' , then at least one occurrence of the following element(s) [CreditTransferTransactionInformation/DebtorAccount/Identification/IBAN] must be present and at least one occurrence of the following element(s) [CreditTransferTransactionInformation/CreditorAccount/Identification/IBAN] must be present and at least one occurrence of the following element(s) [CreditTransferTransactionInformation/Debtor/Name] must be present and at least one occurrence of the following element(s) [CreditTransferTransactionInformation/Creditor/Name] must be present
-----	---	---	---

R13	Rule "CBPR_DEBT_Forma Rule"	If "Charge Bearer/DEBT" is present, then only one occurrence of "Charge Information" is allowed.	For each [Full Message/Document/FIToFICustomerCreditTransferV08/C reditTransferTransactionInformation], if at least one occurrence of the following element(s) [CreditTransferTransactionInformation/ChargeBearer/Born eByDebtor] is (are) present , then for each [CreditTransferTransactionInformation], there must be maximum '1' occurrences of [CreditTransferTransactionInformation/ChargesInformatio n]
R14	Rule "CBPR_CRED_Forma IRule"	Charge information is mandatory if CRED is present – if no charges are taken, Zero must be used in "Amount" (any agent in the payment chain).	For each [Full Message/Document/FIToFICustomerCreditTransferV08/C reditTransferTransactionInformation], if every occurrence of [CreditTransferTransactionInformation/ChargeBearer] has value included in the following list 'CRED' , then at least one occurrence of the following element(s) [CreditTransferTransactionInformation/ChargesInformatio n] must be present

R15	Rule "CBPR_Debtor_Credit or_IT/VA_FormalRule"	Transactions exchanged within these country couples are considered as domestic ones. IF Creditor Agent and Debtor Agent BICs are part of following countries: IT, VA Then: Debtor and Creditor must be identified using a Name and the Account/IBAN.	For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation], if the value of every occurrence of [CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/BICFI] complies with the following XML pattern : '.{4}(IT VA).*' and the value of every occurrence of [CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/BICFI] complies with the following XML pattern : '.{4}(IT VA).*' , then at least one occurrence of the following element(s) [CreditTransferTransactionInformation/Debtor/Name] and [CreditTransferTransactionInformation/Creditor/Name] and [CreditTransferTransactionInformation/DebtorAccount/Identification/IBAN] and [CreditTransferTransactionInformation/CreditorAccount/Identification/IBAN] must be present
R16	Rule "CBPR_Debtor_Credit or_FR/MC_FormalRule"	Transactions exchanged within these country couples are considered as domestic ones. IF Creditor Agent and Debtor Agent BICs are part of following countries: FR, MC Then: Debtor and Creditor must be identified using a Name and the Account/IBAN.	For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation], if the value of every occurrence of [CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/BICFI] complies with the following XML pattern : '.{4}(FR MC).*' and the value of every occurrence of [CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/BICFI] complies with the following XML pattern : '.{4}(FR MC).*' , then at least one occurrence of the following element(s) [CreditTransferTransactionInformation/Debtor/Name] and [CreditTransferTransactionInformation/Creditor/Name] and [CreditTransferTransactionInformation/DebtorAccount/Identification/IBAN] and [CreditTransferTransactionInformation/CreditorAccount/Identification/IBAN] must be present

R17	Rule "CBPR_Debtor_Credit or_ES/AD_FormalRule"	Transactions exchanged within these country couples are considered as domestic ones. IF Creditor Agent and Debtor Agent BICs are part of following countries: ES, AD Then: Debtor and Creditor must be identified using a Name and the Account/IBAN.	For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation], if the value of every occurrence of [CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/BICFI] complies with the following XML pattern : '.{4}(ES AD).*' and the value of every occurrence of [CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/BICFI] complies with the following XML pattern : '.{4}(ES AD).*', then at least one occurrence of the following element(s) [CreditTransferTransactionInformation/Debtor/Name] and [CreditTransferTransactionInformation/Creditor/Name] and [CreditTransferTransactionInformation/DebtorAccount/Identification/IBAN] and [CreditTransferTransactionInformation/CreditorAccount/Identification/IBAN] must be present
R18	Rule "CBPR_Debtor_Credit or_IT/SM_FormalRule"	Transactions exchanged within these country couples are considered as domestic ones. IF Creditor Agent and Debtor Agent BICs are part of following countries: IT, SM Then: Debtor and Creditor must be identified using a Name and the Account/IBAN.	For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation], if the value of every occurrence of [CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/BICFI] complies with the following XML pattern : '.{4}(IT SM).*' and the value of every occurrence of [CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/BICFI] complies with the following XML pattern : '.{4}(IT SM).*', then at least one occurrence of the following element(s) [CreditTransferTransactionInformation/Debtor/Name] and [CreditTransferTransactionInformation/Creditor/Name] and [CreditTransferTransactionInformation/DebtorAccount/Identification/IBAN] and [CreditTransferTransactionInformation/CreditorAccount/Identification/IBAN] must be present

R23	Rule "CBPR_DEBT_Rule_1_TextualRule"	If Instructed amount and Interbank Settlement Amount are expressed in the same currency: If Charge Bearer/DEBT is used then Charge Information is only mandatory in case of prepaid charges (that is if Interbank Settlement Amount is higher than Instructed Amount) and in that case zero amount is not allowed. Otherwise Charge information is optional (both Agent and currency always need to be provided). This rule only applies when Interbank Settlement Amount and Instructed Amount are expressed in the same currency.	
R24	Rule "CBPR_SHAR_TextualRule"	If deduct taken then charge information is mandatory. It is optional for initiator (not taking deduct).	
R25	Rule "CBPR_Ultimate_Debt or Option_2_TextualRule"	Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country- it is recommended to add Post code when available] AND (Identification: Private or Organisation)	
R26	Rule "CBPR_UltimateDebtor Option_3_Jurisdictions_only_TextualRule"	For Jurisdictional transactions, Name and/or Identification (Private or Organisation) (that is within a country or for regions under same legislations – e.g. EEA) Countries impacted by the Jurisdictional rule: Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway. Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.	
R27	Rule "CBPR_Ultimate_Debt or Option_1_TextualRule"	Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country - it is recommended to add Post code when available)	

R28	Rule "CBPR_Party_Name_Postal_Address_FormalRule"	If Postal Address is present then Name is mandatory.	For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/UltimateDebtor], if at least one occurrence of the following element(s) [UltimateDebtor/PostalAddress] is (are) present, then at least one occurrence of the following element(s) [UltimateDebtor/Name] must be present
R29	Rule "CBPR_Duplication_Postal_Address_TextualRule"	Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.	
R30	Rule "CBPR_Party_Name_Postal_Address_FormalRule"	If Postal Address is present then Name is mandatory.	For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InitiatingParty], if at least one occurrence of the following element(s) [InitiatingParty/PostalAddress] is (are) present, then at least one occurrence of the following element(s) [InitiatingParty/Name] must be present
R31	Rule "CBPR_Party_Name_Postal_Address_FormalRule"	If Postal Address is present then Name is mandatory.	For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Debtor], if at least one occurrence of the following element(s) [Debtor/PostalAddress] is (are) present, then at least one occurrence of the following element(s) [Debtor/Name] must be present

R32	Rule "CBPR_Debtor_Option_3_Jurisdictions_only_TextualRule"	For Jurisdictional transactions, Debtor/ Name is mandatory with either Debtor Account OR Debtor Identification (that is within a country or for regions under same legislations – e.g. EEA) Countries impacted by the Jurisdictional rule: Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway. Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.	
R33	Rule "CBPR_Party_Name_Any_BIC_FormalRule"	If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.	For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Debtor], if the following element(s) [Debtor/Identification/OrganisationIdentification/AnyBIC] is (are) absent, then at least one occurrence of the following element(s) [Debtor/Name] must be present
R34	Rule "CBPR_Debtor_Option_2_TextualRule"	Name AND ([Structured Address with minimum Town Name & Country (+ recommended to add Postal code when available)]) AND (Account Number OR Identification: Private or Organisation)	
R35	Rule "CBPR_Debtor_BIC_Presence_TextualRule"	If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.	
R36	Rule "CBPR_Debtor_Option_1_TextualRule"	Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)	
R37	Rule "CBPR_Creditor_Option_1_TextualRule"	Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)	

R38	Rule "CBPR_Creditor_BIC_Presence_TextualRule"	If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.	
R39	Rule "CBPR_Creditor_Option_2_TextualRule"	Name AND ([Structured Address with minimum Town Name & Country (+ recommended to add Postal code when available)]) AND (Account Number OR Identification: Private or Organisation)	
R40	Rule "CBPR_Party_Name_Postal_Address_FormalRule"	If Postal Address is present then Name is mandatory.	For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Creditor], if at least one occurrence of the following element(s) [Creditor/PostalAddress] is (are) present, then at least one occurrence of the following element(s) [Creditor/Name] must be present
R41	Rule "CBPR_Party_Name_Any_BIC_FormalRule"	If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.	For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Creditor], if the following element(s) [Creditor/Identification/OrganisationIdentification/AnyBIC] is (are) absent, then at least one occurrence of the following element(s) [Creditor/Name] must be present

R42	Rule "CBPR_Creditor_Option_3_Jurisdictions_optionally_TextualRule"	For Jurisdictional transactions, Creditor/Name is mandatory with either Creditor Account OR Creditor Identification (that is within a country or for regions under same legislations – e.g. EEA) Countries impacted by the Jurisdictional rule: Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway. Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.	
R43	Rule "CBPR_Party_Name_Postal_Address_FormalRule"	If Postal Address is present then Name is mandatory.	For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/UltimateCreditor], if at least one occurrence of the following element(s) [UltimateCreditor/PostalAddress] is (are) present, then at least one occurrence of the following element(s) [UltimateCreditor/Name] must be present
R44	Rule "CBPR_Ultimate_Creditor_Option_1_TextualRule"	Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country - it is recommended to add Post code when available)]. Other elements are optional, eg Identification: Private or Organisation)	

R45	Rule "CBPR_UltimateCredit or_Option_2_Jurisdicti ons_only_TextualRule "	For Jurisdictional transactions, Name and/or Identification (Private or Organisation) (that is within a country or for regions under same legislations – e.g. EEA) Countries impacted by the Jurisdictional rule: Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway. Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.	
-----	---	---	--

Legal Notices

Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR.

Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.