



Usage Guideline

CBPRPlus- pacs.009.001.08_COV_FinancialInstitutionC reditTransfer

CBPRPlus SR2026 (Combined)

This document describes a usage guideline restricting the base message pacs.009.001.08. You can also consult this [information online](#).

Published by Cross Border Payments and Reporting Plus (CBPR+) and generated by [MyStandards](#).

Version: SR2026

Status: Final

20 February 2026

Table of Content	2
Message Functionality	3
About this document	8
Usage Guideline	9
Rule Definitions	106
Legal Notices	126

Message Functionality

Collection Description

CBPRPlus SR2026 (Combined) ([link](#))

This is the Cross Border Payment and Reporting Collection for SR2026.

These are FINAL usage guidelines.

The usage guidelines are available on the CBPR+ SR2026 Readiness Portal for testing.

The Collection contains:

30 Usage Guidelines that will be live on the network as of November 2026.

Usage Guideline Description

CBPRPlus-pacs.009.001.08_COV_FinancialInstitutionCreditTransfer ([link](#))

Principles:

1A. AGENTS IDENTIFICATION - Textual Rules

-> If BICFI is present, then (Name & Postal Address) is NOT allowed (ClearingSystemMemberIdentification and LEI may complement) – However, in case of conflicting information, the BICFI will always take precedence.

-> If BICFI is absent, (Name & Postal Address) OR [(Name & Postal Address) and ClearingSystemMemberIdentification] must be present.

Exception: If BICFI is absent, whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

Note: "Instructing/ Instructed Agents" must be identified with a BICFI - Clearing System Members Identification and LEI are optional.

1B. DEBTOR/CREDITOR - PARTY IDENTIFICATION - Textual Rules

-> If AnyBIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

-> If Name is present, it is recommended to use Postal Address.

2. Single transactions only are allowed.

3. Character Set:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

!#\$%&*='^_{}~";<>@[\\]

< is replaced with <

> is replaced with >

4. CBPR_Agent_PointToPointOnSWIFT:

If the transaction is exchanged on the SWIFT network (ie if the instructing agent/sender and instructed agent/receiver of the message are on SWIFT), then BICFI is mandatory and other elements are optional, eg LEI

Outline

In the Collection CBPRPlus SR2026 (Combined), the message CBPRPlus-pacs.009.001.08_COV_FinancialInstitutionCreditTransfer is composed of a mandatory Business Application Header V02 (head.001.001.02) and a Document.

Business Application Header V02 (head.001.001.02)

The Business Application Header V02 (head.001.001.02) is composed of 15 elements.

a - Character Set

Contains the character set of the text-based elements used in the Business Message.

b - From

The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

c - To

The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient

who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

d - Business Message Identifier

Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

e - Message Definition Identifier

Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

f - Business Service

Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

g - Market Practice

Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

h - Creation Date

Date and time when this Business Message (header) was created.

i - Business Processing Date

Processing date and time indicated by the sender for the receiver of the business message.

This date may be different from the date and time provided in the CreationDate.

Usage: Market practice or bilateral agreement should specify how this element should be used.

j - Copy Duplicate

Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

k - Possible Duplicate

Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary

actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level retransmission.

l - Priority

Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

m - Signature

Contains the digital signature of the Business Entity authorised to sign this Business Message.

n - Related

Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

o - CrossElementComplexRule : RelatedPresentWhenCopyDupl

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

Document - Financial Institution Credit Transfer V08 (pacs.009.001.08)

The Document - Financial Institution Credit Transfer V08 (pacs.009.001.08) is composed of 11 elements.

a - Group Header

Set of characteristics shared by all individual transactions included in the message.

b - Credit Transfer Transaction Information

Set of elements providing information specific to the individual credit transfer(s).

c - Supplementary Data

Additional information that cannot be captured in the structured elements and/or any other specific block.

d - CrossElementComplexRule : InstructedAgentRule

If GroupHeader/InstructedAgent is present, then

CreditTransferTransactionInformation/InstructedAgent is not allowed.

e - CrossElementComplexRule : InstructingAgentRule

If GroupHeader/InstructingAgent is present, then

CreditTransferTransactionInformation/InstructingAgent is not allowed.

f - CrossElementComplexRule : TotalInterbankSettlementAmountRule

If GroupHeader/TotalInterbankSettlementAmount is present, then all occurrences of

CreditTransferTransactionInformation/InterbankSettlementAmount must have the same

currency as the currency of GroupHeader/TotalInterbankSettlementAmount.

g - CrossElementComplexRule : TotalInterbankSettlementAmountAndSumRule

If GroupHeader/TotalInterbankSettlementAmount is present, then it must equal the sum of all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount.

h - CrossElementComplexRule : GroupHeaderInterbankSettlementDateRule

If GroupHeader/InterbankSettlementDate is present, then

CreditTransferTransactionInformation/InterbankSettlementDate is not allowed.

i - CrossElementComplexRule : TransactionInterbankSettlementDateRule

If GroupHeader/InterbankSettlementDate is not present, then

CreditTransferTransactionInformation/InterbankSettlementDate must be present.

j - CrossElementComplexRule : PaymentTypeInformationRule

If GroupHeader/PaymentTypeInformation is present, then

CreditTransferTransactionInformation/PaymentTypeInformation is not allowed.

k - Textual : SupplementaryDataRule

The SupplementaryData building block at message level must not be used to provide additional information about a transaction. The SupplementaryData element at transaction level should be used for that purpose.

About this document

Legend

Abbreviation	Term	Description
X	Excluded	An optional field or element must not be populated.
I	Ignored	A field or element could be populated but is ignored by the receiver.
[x..y]	Multiplicity	A field or element multiplicity has changed.
FV	Fixed Value	A field or element must contain a given value.
T/C	Type / Code Change	A user-defined datatype replaces an existing simple datatype.
A	Element Added	A field or element has been added.

Header	Description
Index	Element reference
LvL	Element nesting in tree hierarchy
Name	Element name
XML Tag	Element XML tag
Mult	Element multiplicity
Type / Code	Element formatting
Rest	Restriction type
Additional details	Other restriction specifics

Type/Code Notation	Describes the Element	Examples
text{m,M}	minimum (m) and maximum (M) length	text{1,35}
text{L}	maximum (L) length, minimum length is 0	test{10}
m <= decimal <= M	minimum (m) and maximum (M) values	0.01 <= decimal <= 9999.99
fd = F, td = T	maximum fractional (F) and total (T) number of digits	fd = 2, td = 11
<<regular expression>>	regular expression pattern	[A-Z]{6,6}([A-Z0-9]{3,3}){0,1}

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	0	Full Message		[1..1]			Rules: R1, R2, R3, R4, R5
	1	Business Application Header V02 (head.001.001.02)	<AppHdr>	[1..1]			
	2	Character Set	<CharSet>	[0..1]	text		
	2	From	<Fr>	[1..1]	Choice		
	3	Financial Institution Identification	<FIId>	[1..1]			
	4	Financial Institution Identification	<FinInstnId>	[1..1]			
	5	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R5
	5	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	6	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,5}		
	6	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	2	To	<To>	[1..1]	Choice		
	3	Financial Institution Identification	<FIId>	[1..1]			
	4	Financial Institution Identification	<FinInstnId>	[1..1]			
	5	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R3, R4
	5	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	6	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-?:(\)\.,'\+]+
	5	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	2	Business Message Identifier	<BizMsgIdr>	[1..1]	text{1,35}	T/C	Rules: R1 ----- Type Changed: text{1,35} [0-9a-zA-Z/\-?:(\)\.,'\+]+
	2	Message Definition Identifier	<MsgDefIdr>	[1..1]	text{1,35}	FV	FixedValue: pacs.009.001.08
	2	Business Service	<BizSvc>	[0..1]	text{1,35}	FV [1..1]	FixedValue: swift.cbprplus.cov.04
	2	Market Practice	<MktPrctc>	[0..1]			
	3	Registry	<Regy>	[1..1]	text{1,350}		
	3	Identification	<Id>	[1..1]	text{1,2048}		
	2	Creation Date	<CreDt>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	2	Copy Duplicate	<CpyDplct>	[0..1]	text		Rules: R3, R4
	3	Copy Duplicate			CODU		
	3	Copy			COPY		
	3	Duplicate			DUPL		
	2	Possible Duplicate	<PssblDplct>	[0..1]	boolean		
	2	Priority	<Prty>	[0..1]	text	T/C	Rules: R2 ----- Type Changed: One of the following code values must be used: HIGH (High) NORM (Normal)
	3	High			HIGH		
	3	Normal			NORM		
	2	Related	<Rltd>	[0..*]		[0..1]	Rules: R6
	3	Character Set	<CharSet>	[0..1]	text		
	3	From	<Fr>	[1..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	4	Financial Institution Identification	<FIId>	[1..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\.\,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	3	To	<To>	[1..1]	Choice		
	4	Financial Institution Identification	<FIId>	[1..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\.\,\'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	3	Business Message Identifier	<BizMsgIdr>	[1..1]	text{1,35}	T/C	Rules: R7 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	3	Message Definition Identifier	<MsgDefIdr>	[1..1]	text{1,35}	T/C	Rules: R8 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	3	Business Service	<BizSvc>	[0..1]	text{1,35}	T/C	Rules: R9 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	3	Creation Date	<CreDt>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	3	Copy Duplicate	<CpyDplct>	[0..1]	text		
	4	Copy Duplicate			CODU		
	4	Copy			COPY		
	4	Duplicate			DUPL		
	3	Priority	<Prty>	[0..1]	text	T/C	Type Changed: One of the following code values must be used: HIGH (High) NORM (Normal)
	4	High			HIGH		
	4	Normal			NORM		
	1	Document		[1..1]			
	2	Financial Institution Credit Transfer V08 (pacs.009.001.08)	<FICdtTrf>				Rules: R10, R11
	3	Group Header	<GrpHdr>	[1..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	4	Message Identification	<MsgId>	[1..1]	text{1,35}	T/C	Rules: R1 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	4	Creation Date Time	<CreDtTm>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	4	Number Of Transactions	<NbOfTxs>	[1..1]	text [0-9]{1,15}	FV	FixedValue: 1
	4	Settlement Information	<SttlmInf>	[1..1]			
	5	Settlement Method	<SttlmMtd>	[1..1]	text		
	6	Instructed Agent			INDA		
	6	Instructing Agent			INGA		
	5	Settlement Account	<SttlmAcct>	[0..1]			Synonym: 53B (in context : Sender's Correspondent (option 53B - account to be debited))
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,'\+]([0-9a-zA-Z\-\!\?:\(\)\.,'\+]*(/[0-9a-zA-Z\-\!\?:\(\)\.,'\+])?)*
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'\+ !#\$%&!*^_`{ }~"-;<>@\[\]]+
	3	Credit Transfer Transaction Information	<CdtTrfTxInf>	[1..*]		[1..1]	Rules: R12
	4	Payment Identification	<PmtId>	[1..1]			
	5	Instruction Identification	<InstrId>	[0..1]	text{1,35}	[1..1] T/C	Rules: R13 ----- Synonym: 20 (in context : Transaction Reference Number) ----- Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	End To End Identification	<EndToEndId>	[1..1]	text{1,35}	T/C	Rules: R14, R15 ----- Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Transaction Identification	<TxId>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	5	UETR	<UETR>	[0..1]	text [a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12}	[1..1]	Rules: R16
	5	Clearing System Reference	<ClrSysRef>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	4	Payment Type Information	<PmtTplnf>	[0..1]			
	5	Instruction Priority	<InstrPrty>	[0..1]	text		Rules: R2
	6	High			HIGH		
	6	Normal			NORM		
	5	Clearing Channel	<ClrChanI>	[0..1]	text		
	6	Real Time Gross Settlement System			RTGS		
	6	Real Time Net Settlement System			RTNS		
	6	Mass Payment Net System			MPNS		
	6	Book Transfer			BOOK		
	5	Service Level	<SvcLvl>	[0..*]	Choice	[0..3]	Rules: R11
	6	Code	<Cd>	[1..1]	text{1,4}		Rules: R11
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Local Instrument	<LclInstrm>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,35}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Category Purpose	<CtgyPurp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	4	Interbank Settlement Amount	<IntrBkSttlmAmt>	[1..1]	0 <= decimal td = 18 fd = 5	T/C	Rules: R17 ----- Type Changed: 0 <= decimal td = 14 fd = 5
	5	Xml Attribute Currency	<Ccy>		text [A-Z]{3,3}		Rules: R17
	4	Interbank Settlement Date	<IntrBkSttlmDt>	[0..1]	date	[1..1] T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	4	Settlement Priority	<SttlmPrty>	[0..1]	text		
	5	Urgent			URGT		
	5	High			HIGH		
	5	Normal			NORM		
	4	Settlement Time Indication	<SttlmTmIndctn>	[0..1]			
	5	Debit Date Time	<DbtDtTm>	[0..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	5	Credit Date Time	<CdtDtTm>	[0..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	4	Settlement Time Request	<SttlmTmReq>	[0..1]			
	5	CLS Time	<CLSTm>	[0..1]	time	T/C	Type Changed: time .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	5	Till Time	<TillTm>	[0..1]	time	T/C	Type Changed: time .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	5	From Time	<FrTm>	[0..1]	time	T/C	Type Changed: time .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	5	Reject Time	<RjctTm>	[0..1]	time	T/C	Type Changed: time .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	4	Previous Instructing Agent 1	<PrvsInstgAgt1>	[0..1]			Rules: R18, R19, R20, R21
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R22

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R22 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R23, R22
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	4	Account	Previous Instructing Agent 1	<PrvsInstgAgt1A cct>	[0..1]		
	5		Identification	<Id>	[1..1]	Choice	
	6		IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}	
	6		Other	<Othr>	[1..1]		
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!?:\(\)\.,\'+\]([0-9a-zA-Z\-\!?:\(\)\.,\'+\]*(/[0-9a-zA-Z\-\!?:\(\)\.,\'+\])?*))
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'\+ !#\$%&!*='^ `\'\/\}\~";<>@\ \\\]]+]
	4	Previous Instructing Agent 2	<PrvsInstgAgt2>	[0..1]			Rules: R20, R21, R18, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R24
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}[A-Z0-9]{3,3}{0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R24 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R24, R23
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	4	Previous Instructing Agent 2 Account	<PrvsInstgAgt2A cct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,\'+]([0-9a-zA-Z\-\!\?:\(\)\.,\'+]*)/([0-9a-zA-Z\-\!\?:\(\)\.,\'+])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^_`{ }~"-;<>@\[\]]+]
	4	Previous Instructing Agent 3	<PrvsInstgAgt3>	[0..1]			Rules: R20, R21, R18, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R25
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0- 9]{18,18}[0- 9]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R25 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R23, R25
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~"-;<>@\ \\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~"-;<>@\ \\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`{ }~"-;<>@\ \\]+
	4	Previous Instructing Agent 3 Account	<PrvsInstgAgt3A cct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\. ,\'+]([0-9a-zA-Z\-\!\?:\(\)\. ,\'+])*([0-9a-zA-Z\-\!\?:\(\)\. ,\'+])?*)
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\}\~";<>@\ \\\]]+
	4	Instructing Agent	<InstgAgt>	[0..1]		[1..1]	
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R5
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Instructed Agent	<InstdAgt>	[0..1]		[1..1]	
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R3, R4

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Intermediary Agent 1	<IntrmyAgt1>	[0..1]			Rules: R20, R21, R18, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R26
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R26 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*^=\ `\'\/\}\~";<>@\ \/\]]+]
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R26, R23

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+]
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*^=\^ \\\}\~";<>@\ \\\]+
	4	Intermediary Agent 1 Account	<IntrmyAgt1Acct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,'\+]([0-9a-zA-Z\-\!\?:\(\)\.,'\+]*([0-9a-zA-Z\-\!\?:\(\)\.,'\+])?*))
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+
	4	Intermediary Agent 2	<IntrmyAgt2>	[0..1]			Rules: R20, R21, R18, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R27
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R27 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R23, R27
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	4	Intermediary Agent 2 Account	<IntrmyAgt2Acct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\?\:\(\)\. ,\'+]([0-9a-zA-Z\-\?\:\(\)\. ,\'+])*([0-9a-zA-Z\-\?\:\(\)\. ,\'+])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\?\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	4	Intermediary Agent 3	<IntrmyAgt3>	[0..1]			Rules: R21, R20, R18, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R28

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R28 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R28, R23
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]+
	4	Intermediary Agent 3 Account	<IntrmyAgt3Acct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,\'+\]([0-9a-zA-Z\-\!\?:\(\)\.,\'+\]*(/[0-9a-zA-Z\-\!\?:\(\)\.,\'+\])?*))
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'\+ !#\$%&!*='^ `\'\/\}~";<>@\ \\\]+
	4	Debtor	<Dbtr>	[1..1]			Rules: R21, R20, R18, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R29
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}[A-Z0- 9]{3,3}{0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R29 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R29, R23
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	4	Debtor Account	<DbtrAcct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\ ]+ )([0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+)*([0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+)?)
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^_`{ }~"-;<>@\[\]]+]
	4	Debtor Agent	<DbtrAgt>	[0..1]			Rules: R20, R21, R18, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R30
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0- 9]{18,18}[0- 9]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R30 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R23, R30
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\}\~";<>@\ \\\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\}\~";<>@\ \\\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\}\~";<>@\ \\\]+
	4	Debtor Agent Account	<DbtrAgtAcct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]([0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]*)/([0-9a-zA-Z\-\!\?:\(\)\.,\'+\!])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\\ }~";<>@\ \\]+
	4	Creditor Agent	<CdtrAgt>	[0..1]			Rules: R21, R20, R18, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R31
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0- 9]{18,18}[0- 9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R31 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\\ }~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R31, R23

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'+ !#\$%&!*='^ \\\ }~";<>@\ \\\]+
	4	Creditor Agent Account	<CdtrAgtAcct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,'+]([0-9a-zA-Z\-\!\?:\(\)\.,'+]*(/[0-9a-zA-Z\-\!\?:\(\)\.,'+])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+
	4	Creditor	<Cdtr>	[1..1]			Rules: R21, R20, R18, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R32
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R32 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R32, R23
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	4	Creditor Account	<CdtrAcct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\?\:\(\)\.\,'+]([0-9a-zA-Z\-\?\:\(\)\.\,'+]*([0-9a-zA-Z\-\?\:\(\)\.\,'+])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\?\:\(\)\.\,'+]!#\$%&!*='^ \\\ }~";<>@\ \\]+
	4	Instruction For Creditor Agent	<InstrForCdtrAgt>	[0..*]		[0..2]	
	5	Code	<Cd>	[0..1]	text		Rules: R12

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Phone Beneficiary			PHOB		
	6	Telecom			TELB		
	5	Instruction Information	<InstrInf>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	4	Instruction For Next Agent	<InstrForNxtAgt>	[0..*]		[0..6]	
	5	Instruction Information	<InstrInf>	[0..1]	text{1,140}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	4	Purpose	<Purp>	[0..1]	Choice		
	5	Code	<Cd>	[1..1]	text{1,4}		
	5	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	4	Remittance Information	<RmtInf>	[0..1]			
	5	Unstructured	<Ustrd>	[0..*]	text{1,140}	[0..1] T/C	Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*!=^ \\\ }~";<>@\ \\\]+
	4	Underlying Customer Credit Transfer	<UndrlygCstmrC dtTrf>	[0..1]		[1..1]	
	5	Ultimate Debtor	<UltmtDbtr>	[0..1]			Rules: R33, R34, R35, R36
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R33 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*!=^ \\\ }~";<>@\ \\\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R23, R33
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*!=^ \\\ }~";<>@\ \\\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*!=^ \\\ }~";<>@\ \\\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*!=^ \\\ }~";<>@\ \\\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*!=^ \\\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	6	Identification	<Id>	[0..1]	Choice		
	7	Organisation	<OrgId>	[1..1]			
	8	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	7	Private Identification	<PrvtId>	[1..1]			
	8	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
	9	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	9	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }\~";<>@\ \\]+
	9	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }\~";<>@\ \\]+
	9	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	5	Initiating Party	<InitgPty>	[0..1]			Rules: R37

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R37 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R23, R37
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ \\\}\~";<>@\ \\\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ \\\}\~";<>@\ \\\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ \\\}\~";<>@\ \\\]+
	6	Identification	<Id>	[0..1]	Choice		
	7	Identification Organisation	<OrgId>	[1..1]			
	8	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	8	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+]+
	7	Private Identification	<PrvtId>	[1..1]			
	8	Birth Date And Place Of	<DtAndPlcOfBirt h>	[0..1]			
	9	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	9	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	9	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	5	Debtor	<Dbtr>	[1..1]			Rules: R38, R39, R40, R41, R42, R43
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R38, R43 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R23, R43
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	6	Identification	<Id>	[0..1]	Choice		
	7	Identification Organisation	<OrgId>	[1..1]			
	8	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		Rules: R38

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	7	Private Identification	<PrvtId>	[1..1]			
	8	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
	9	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	9	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\]+
	9	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\]+
	9	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	5	Debtor Account	<DbtrAcct>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\?:(\)\.,'+]([0-9a-zA-Z\-\?:(\)\.,'+])*([0-9a-zA-Z\-\?:(\)\.,'+])?)*
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'+]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?:(\)\.,'+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\?:(\)\.,'+ !#\$%&!*='^ `\\ }~";<>@\ \\]+
	5	Debtor Agent	<DbtrAgt>	[1..1]			Rules: R21, R20, R18, R19

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R44
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:(\)\. ,\'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R44 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R23, R44
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\]+
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\]+
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\]+
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\]+
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\]+
	8	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\]+
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\]+
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\]+
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\]+
	5	Debtor Agent Account	<DbtrAgtAcct>	[0..1]			
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!?:\(\)\. ,\'+]([0-9a-zA-Z\-\!?:\(\)\. ,\'+]*)/([0-9a-zA-Z\-\!?:\(\)\. ,\'+])?*)

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&\'*^=\ `\'/ / ~";<>@/ / /]+
	5	Previous Instructing Agent 1	<PrvsInstgAgt1>	[0..1]			Rules: R20, R21, R18, R19
	6	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R45
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Identification Member	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R45 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R45, R23
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\}\~";<>@\ \\\]]+]
	8	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\}\~";<>@\ \\\]]+]
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\}\~";<>@\ \\\]]+]
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\}\~";<>@\ \\\]]+]
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\}\~";<>@\ \\\]]+]
	5	Account Previous Instructing Agent 1	<PrvsInstgAgt1A cct>	[0..1]			
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!?:\(\)\.,\'+\]([0-9a-zA-Z\-\!?:\(\)\.,\'+\]*)/([0-9a-zA-Z\-\!?:\(\)\.,\'+\])?)*)
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^_`{ }~"-;<>@\[\]]+]
	5	Previous Instructing Agent 2	<PrvsInstgAgt2>	[0..1]			Rules: R20, R21, R18, R19
	6	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R46
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}		
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0- 9]{18,18}[0- 9]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R46 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R46, R23
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`\'{}~";<>@\ \\]+
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`\'{}~";<>@\ \\]+
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ _`\'{}~";<>@\ \\]+
	5	Previous Instructing Agent 2 Account	<PrvsInstgAgt2A cct>	[0..1]			
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\. ,\'+]([0-9a-zA-Z\-\!\?:\(\)\. ,\'+])*([0-9a-zA-Z\-\!\?:\(\)\. ,\'+])?*)
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]]+]
	5	Previous Instructing Agent 3	<PrvsInstgAgt3>	[0..1]			Rules: R21, R20, R18, R19
	6	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R47
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R47 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]]+]
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R23, R47

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'+ !#\$%&!*='^ \\\ }~";<>@\ \\]+
	5	Account Previous Instructing Agent 3	<PrvsInstgAgt3A cct>	[0..1]			
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,'+]([0-9a-zA-Z\-\!\?:\(\)\.,'+]*([0-9a-zA-Z\-\!\?:\(\)\.,'+])?*))
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	5	Intermediary Agent 1	<IntrmyAgt1>	[0..1]			Rules: R21, R20, R18, R19
	6	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R48
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R48 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R48, R23
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	8	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ _{} ~";<>@\ \\]+
	5	Account Intermediary Agent 1	<IntrmyAgt1Acct >	[0..1]			
	6	Identification	<Id>	[1..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\?\:\(\)\. ,\'+]([0-9a-zA-Z\-\?\:\(\)\. ,\'+])*([0-9a-zA-Z\-\?\:\(\)\. ,\'+])?)*
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\?\:\(\)\. ,\'+ !#\$%&!*='^ \\\ }~";<>@\ \\]+
	5	Intermediary Agent 2	<IntrmyAgt2>	[0..1]			Rules: R20, R21, R18, R19
	6	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R49

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R49 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R49, R23
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=\^ \\\}\~";<>@\ \\]+
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=\^ \\\}\~";<>@\ \\]+
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=\^ \\\}\~";<>@\ \\]+
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=\^ \\\}\~";<>@\ \\]+
	8	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=\^ \\\}\~";<>@\ \\]+
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=\^ \\\}\~";<>@\ \\]+
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=\^ \\\}\~";<>@\ \\]+
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=\^ \\\}\~";<>@\ \\]+
	5	Account Intermediary Agent 2	<IntrmyAgt2Acct>	[0..1]			
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!?:\(\)\.,\'+\]([0-9a-zA-Z\-\!?:\(\)\.,\'+\]*([0-9a-zA-Z\-\!?:\(\)\.,\'+\])?*))
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&*^=\^ \\\ }~";<>@\ \\]+
	5	Intermediary Agent 3	<IntrmyAgt3>	[0..1]			Rules: R21, R20, R18, R19
	6	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R50
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}[A-Z0-9]{3,3}{0,1}		
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\:\(\)\.,\'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R50 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]+
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R50, R23
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]+
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]+
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]+
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]+
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]+
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]+
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]+
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]+
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'\/\}\~";<>@\ \\\]]+]
	8	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'\/\}\~";<>@\ \\\]]+]
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'\/\}\~";<>@\ \\\]]+]
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'\/\}\~";<>@\ \\\]]+]
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'\/\}\~";<>@\ \\\]]+]
	5	Account Intermediary Agent 3	<IntrmyAgt3Acct>	[0..1]			
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,\'+]([0-9a-zA-Z\-\!\?:\(\)\.,\'+]*)/([0-9a-zA-Z\-\!\?:\(\)\.,\'+])?)*)
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^_`{ }~";<>@\[\]]+]
	5	Creditor Agent	<CdtrAgt>	[1..1]			Rules: R20, R21, R18, R19
	6	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R51
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}		
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0- 9]{18,18}[0- 9]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R51 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]+
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R23, R51
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]+
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]+
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]+
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]+
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]+
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]+
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]+
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]+
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]+
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]+
	8	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ _{}~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^_`\'{}~";<>@\ \\]+
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^_`\'{}~";<>@\ \\]+
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^_`\'{}~";<>@\ \\]+
	5	Creditor Agent Account	<CdtrAgtAcct>	[0..1]			
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]([0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]*)/([0-9a-zA-Z\-\!\?:\(\)\.,\'+\!])?)*
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*='^_` \{\}~";<>@\[\]]+]
	5	Creditor	<Cdtr>	[1..1]			Rules: R52, R53, R54, R55, R56, R57
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R53, R54 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*='^_` \{\}~";<>@\[\]]+]
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R53, R23
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*='^_` \{\}~";<>@\[\]]+]
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*='^_` \{\}~";<>@\[\]]+]
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*='^_` \{\}~";<>@\[\]]+]
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*='^_` \{\}~";<>@\[\]]+]
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*='^_` \{\}~";<>@\[\]]+]
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*='^_` \{\}~";<>@\[\]]+]
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*='^_` \{\}~";<>@\[\]]+]

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	6	Identification	<Id>	[0..1]	Choice		
	7	Identification Organisation	<OrgId>	[1..1]			
	8	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		Rules: R54
	8	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	7	Private Identification	<PrvtId>	[1..1]			
	8	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
	9	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	9	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*=^_`\'{}~";<>@\ \\]+
	9	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*=^_`\'{}~";<>@\ \\]+
	9	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	5	Creditor Account	<CdtrAcct>	[0..1]			
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,'\+]([0-9a-zA-Z\-\!\?:\(\)\.,'\+]*([0-9a-zA-Z\-\!\?:\(\)\.,'\+])?)*
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	5	Ultimate Creditor	<UltmtCdtr>	[0..1]			Rules: R58, R59, R60
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R59 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R59, R23

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\\]]+
	6	Identification	<Id>	[0..1]	Choice		
	7	Identification Organisation	<OrgId>	[1..1]			
	8	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	8	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+]+
	7	Private Identification	<PrvtId>	[1..1]			
	8	Birth Date And Place Of	<DtAndPlcOfBirth>	[0..1]			
	9	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	9	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\\]]+
	9	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\\]]+
	9	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	8	Other	<Othr>	[0..*]		[0..2]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	9	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	10	Code	<Cd>	[1..1]	text{1,4}		
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	5	Agent	Instruction For Creditor	<InstrForCdtrAgt>	[0..*]	[0..2]	
	6		Instruction Information	<InstrInf>	[0..1]	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5		Instruction For Next Agent	<InstrForNxtAgt>	[0..*]	[0..6]	
	6		Instruction Information	<InstrInf>	[0..1]	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5		Remittance Information	<RmtInf>	[0..1]		
	6		Unstructured	<Ustrd>	[0..*]	[0..1] T/C	Rules: R10 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*='^ \\\ }~";<>@\ \\]+
	6		Structured	<Strd>	[0..*]		Rules: R10, R61
	7	Information	Referred Document	<RfrdDocInf>	[0..*]		
	8		Type	<Tp>	[0..1]		
	9	Proprietary	Code Or	<CdOrPrtry>	[1..1]	Choice	
	10		Code	<Cd>	[1..1]	text	
	11	Service Invoice	Metered			MSIN	
	11		Credit Note Related To Financial Adjustment			CNFA	
	11		Debit Note Related To Financial Adjustment			DNFA	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Commercial Invoice			CINV		
	11	Note Credit			CREN		
	11	Debit Note			DEBN		
	11	Invoice Hire			HIRI		
	11	Invoice Self Billed			SBIN		
	11	Commercial Contract			CMCN		
	11	Statement Of Account			SOAC		
	11	Dispatch Advice			DISP		
	11	Bill Of Lading			BOLD		
	11	Voucher			VCHR		
	11	Account Receivable Open Item			ARO I		
	11	Trade Services Utility Transaction			TSUT		
	11	Purchase Order			PUOR		
	10	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\]+
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\]+
	8	Number	<Nb>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\]+
	8	Related Date	<RltdDt>	[0..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	8	Line Details	<LineDtls>	[0..*]			
	9	Identification	<Id>	[1..*]			
	10	Type	<Tp>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Code Or Proprietary	<CdOrPrtry>	[1..1]	Choice		
	12	Code	<Cd>	[1..1]	text{1,4}		
	12	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	11	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	Number	<Nb>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	Related Date	<RltdDt>	[0..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	9	Description	<Desc>	[0..1]	text{1,2048}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	9	Amount	<Amt>	[0..1]			
	10	Amount Due Payable	<DuePyblAmt>	[0..1]	0 <= decimal td = 18 fd = 5		
	11	Currency Xml Attribute	<Ccy>		text [A-Z]{3,3}		
	10	Discount Applied Amount	<DscntApldAmt>	[0..*]			
	11	Type	<Tp>	[0..1]	Choice		
	12	Code	<Cd>	[1..1]	text{1,4}		
	12	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	11	Amount	<Amt>	[1..1]	0 <= decimal td = 18 fd = 5		
	12	Attribute Currency Xml	<Ccy>		text [A-Z]{3,3}		
	10	Credit Note Amount	<CdtNoteAmt>	[0..1]	0 <= decimal td = 18 fd = 5		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Currency	Xml Attribute <Ccy>		text [A-Z]{3,3}		
	10	Tax Amount	<TaxAmt>	[0..*]			
	11	Type	<Tp>	[0..1]	Choice		
	12	Code	<Cd>	[1..1]	text{1,4}		
	12	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!\?:\(\)\.,\'+!#\$%&!*!=^`\'~";<>@\ \\]+
	11	Amount	<Amt>	[1..1]	0 <= decimal td = 18 fd = 5		
	12	Attribute Currency	Xml <Ccy>		text [A-Z]{3,3}		
	10	Adjustment Amount And Reason	<AdjstmntAmtAn dRsn>	[0..*]			
	11	Amount	<Amt>	[1..1]	0 <= decimal td = 18 fd = 5		
	12	Attribute Currency	Xml <Ccy>		text [A-Z]{3,3}		
	11	Credit Debit Indicator	<CdtDbtInd>	[0..1]	text		
	12	Credit			CRDT		
	12	Debit			DBIT		
	11	Reason	<Rsn>	[0..1]	text{1,4}	T/C	Type Changed: text{1,4} [0-9a-zA-Z/\-!\?:\(\)\.,\'+!#\$%&!*!=^`\'~";<>@\ \\]+
	11	Additional Information	<AddtlInf>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!\?:\(\)\.,\'+!#\$%&!*!=^`\'~";<>@\ \\]+
	10	Remitted Amount	<RmtdAmt>	[0..1]	0 <= decimal td = 18 fd = 5		
	11	Currency	Xml Attribute <Ccy>		text [A-Z]{3,3}		
	7	Referred Document Amount	<RfrdDocAmt>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Amount Due Payable	<DuePyblAmt>	[0..1]	0 <= decimal td = 18 fd = 5		
	9	Currency Xml Attribute	<Ccy>		text [A-Z]{3,3}		
	8	Amount Discount Applied	<DscntApldAmt>	[0..*]			
	9	Type	<Tp>	[0..1]	Choice		
	10	Code	<Cd>	[1..1]	text{1,4}		
	10	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\]+
	9	Amount	<Amt>	[1..1]	0 <= decimal td = 18 fd = 5		
	10	Currency Xml Attribute	<Ccy>		text [A-Z]{3,3}		
	8	Credit Note Amount	<CdtNoteAmt>	[0..1]	0 <= decimal td = 18 fd = 5		
	9	Currency Xml Attribute	<Ccy>		text [A-Z]{3,3}		
	8	Tax Amount	<TaxAmt>	[0..*]			
	9	Type	<Tp>	[0..1]	Choice		
	10	Code	<Cd>	[1..1]	text{1,4}		
	10	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\]+
	9	Amount	<Amt>	[1..1]	0 <= decimal td = 18 fd = 5		
	10	Currency Xml Attribute	<Ccy>		text [A-Z]{3,3}		
	8	Adjustment Amount	<AdjstmntAmtAn dRsn>	[0..*]			
	9	Amount	<Amt>	[1..1]	0 <= decimal td = 18 fd = 5		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	10	Currency	Xml Attribute <Ccy>		text [A-Z]{3,3}		
	9	Indicator	Credit Debit <CdtDbtInd>	[0..1]	text		
	10		Credit		CRDT		
	10		Debit		DBIT		
	9	Reason	<Rsn>	[0..1]	text{1,4}	T/C	Type Changed: text{1,4} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*!=^ _`\\\}~";<>@\ \\]+
	9	Information	Additional <AddtlInf>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*!=^ _`\\\}~";<>@\ \\]+
	8	Remitted Amount	<RmtdAmt>	[0..1]	0 <= decimal td = 18 fd = 5		
	9	Currency	Xml Attribute <Ccy>		text [A-Z]{3,3}		
	7	Information	Creditor Reference <CdtrRefInf>	[0..1]			
	8	Type	<Tp>	[0..1]			
	9	Proprietary	Code Or <CdOrPrtry>	[1..1]	Choice		
	10	Code	<Cd>	[1..1]	text		
	11	Remittance Advice Message			RADM		
	11	Payment Instruction	Related		RPIN		
	11	Exchange Deal Reference	Foreign		FXDR		
	11	Advice	Dispatch		DISP		
	11	Order	Purchase		PUOR		
	11	Communication Reference	Structured		SCOR		
	10	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!*!=^ _`\\\}~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	8	Reference	<Ref>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Invoice	<Invcr>	[0..1]			
	8	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	8	Postal Address	<PstlAdr>	[0..1]			Rules: R23
	9	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	9	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	9	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	9	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	9	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	9	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	9	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	9	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	9	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	9	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	9	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	9	Division Country Sub	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	9	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	9	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	8	Identification	<Id>	[0..1]	Choice		
	9	Identification Organisation	<OrgId>	[1..1]			
	10	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	10	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	10	Other	<Othr>	[0..*]		[0..2]	
	11	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	11	Name Scheme	<SchmeNm>	[0..1]	Choice	[1..1]	
	12	Code	<Cd>	[1..1]	text{1,4}		
	11	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Private Identification	<PrvtId>	[1..1]			
	10	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
	11	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	11	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	11	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	11	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	10	Other	<Othr>	[0..*]		[0..2]	
	11	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	11	Name Scheme	<SchmeNm>	[0..1]	Choice	[1..1]	
	12	Code	<Cd>	[1..1]	text{1,4}		
	11	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	8	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	7	Invoicee	<Invcee>	[0..1]			
	8	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	8	Postal Address	<PstlAdr>	[0..1]			Rules: R23
	9	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	9	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Division Country Sub	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	9	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	8	Identification	<Id>	[0..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Organisation Identification	<OrgId>	[1..1]			
	10	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	10	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	10	Other	<Othr>	[0..*]		[0..2]	
	11	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=_`\'{}~";<>@\ \\]+
	11	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	12	Code	<Cd>	[1..1]	text{1,4}		
	11	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=_`\'{}~";<>@\ \\]+
	9	Private Identification	<PrvtId>	[1..1]			
	10	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
	11	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	11	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=_`\'{}~";<>@\ \\]+
	11	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=_`\'{}~";<>@\ \\]+
	11	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	10	Other	<Othr>	[0..*]		[0..2]	
	11	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=_`\'{}~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	12	Code	<Cd>	[1..1]	text{1,4}		
	11	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	8	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	7	Tax Remittance	<TaxRmt>	[0..1]			
	8	Creditor	<Cdtr>	[0..1]			
	9	Tax Identification	<TaxId>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Registration Identification	<RegnId>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Tax Type	<TaxTp>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	8	Debtor	<Dbtr>	[0..1]			
	9	Tax Identification	<TaxId>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Registration Identification	<RegnId>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Tax Type	<TaxTp>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	9	Authorisation	<Authstn>	[0..1]			
	10	Title	<Titl>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	10	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	8	Ultimate Debtor	<UltmtDbtr>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Tax Identification	<TaxId>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	9	Identification Registration	<RegnId>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	9	Tax Type	<TaxTp>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	9	Authorisation	<Authstn>	[0..1]			
	10	Title	<Titl>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	10	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	8	Administration Zone	<AdmstnZone>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	8	Reference Number	<RefNb>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	8	Method	<Mtd>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	8	Amount Total Taxable Base	<TtlTaxblBaseA mt>	[0..1]	0 <= decimal td = 18 fd = 5		
	9	Currency Xml Attribute	<Ccy>		text [A-Z]{3,3}		
	8	Total Tax Amount	<TtlTaxAmt>	[0..1]	0 <= decimal td = 18 fd = 5		
	9	Currency Xml Attribute	<Ccy>		text [A-Z]{3,3}		
	8	Date	<Dt>	[0..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Sequence Number	<SeqNb>	[0..1]	decimal td = 18 fd = 0		
	8	Record	<Rcrd>	[0..*]			
	9	Type	<Tp>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^_`\'~";<>@\ \\]]+`
	9	Category	<Ctgy>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^_`\'~";<>@\ \\]]+`
	9	Category Details	<CtgyDtls>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^_`\'~";<>@\ \\]]+`
	9	Debtor Status	<DbtrSts>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^_`\'~";<>@\ \\]]+`
	9	Identification Certificate	<CertId>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^_`\'~";<>@\ \\]]+`
	9	Forms Code	<FrmsCd>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^_`\'~";<>@\ \\]]+`
	9	Period	<Prd>	[0..1]			
	10	Year	<Yr>	[0..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	10	Type	<Tp>	[0..1]	text		
	11	Month First			MM01		
	11	Month Second			MM02		
	11	Month Third			MM03		
	11	Month Fourth			MM04		
	11	Month Fifth			MM05		
	11	Month Sixth			MM06		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Seventh Month			MM07		
	11	Eighth Month			MM08		
	11	Ninth Month			MM09		
	11	Tenth Month			MM10		
	11	Eleventh Month			MM11		
	11	Twelfth Month			MM12		
	11	First Quarter			QTR1		
	11	Second Quarter			QTR2		
	11	Third Quarter			QTR3		
	11	Fourth Quarter			QTR4		
	11	First Half			HLF1		
	11	Second Half			HLF2		
	10	From To Date	<FrToDt>	[0..1]			
	11	From Date	<FrDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	11	To Date	<ToDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	9	Tax Amount	<TaxAmt>	[0..1]			
	10	Rate	<Rate>	[0..1]	decimal td = 11 fd = 10		
	10	Amount Taxable Base	<TaxblBaseAmt>	[0..1]	0 <= decimal td = 18 fd = 5		
	11	Currency Xml Attribute	<Ccy>		text [A-Z]{3,3}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	10	Total Amount	<TtlAmt>	[0..1]	0 <= decimal td = 18 fd = 5		
	11	Currency Xml Attribute	<Ccy>		text [A-Z]{3,3}		
	10	Details	<Dtls>	[0..*]			
	11	Period	<Prd>	[0..1]			
	12	Year	<Yr>	[0..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	12	Type	<Tp>	[0..1]	text		
	13	First Month			MM01		
	13	Second Month			MM02		
	13	Third Month			MM03		
	13	Fourth Month			MM04		
	13	Fifth Month			MM05		
	13	Sixth Month			MM06		
	13	Seventh Month			MM07		
	13	Eighth Month			MM08		
	13	Ninth Month			MM09		
	13	Tenth Month			MM10		
	13	Eleventh Month			MM11		
	13	Twelfth Month			MM12		
	13	First Quarter			QTR1		
	13	Second Quarter			QTR2		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	13	Third Quarter			QTR3		
	13	Fourth Quarter			QTR4		
	13	First Half			HLF1		
	13	Second Half			HLF2		
	12	From To Date	<FrToDt>	[0..1]			
	13	From Date	<FrDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	13	To Date	<ToDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	11	Amount	<Amt>	[1..1]	0 <= decimal td = 18 fd = 5		
	12	Xml Attribute Currency	<Ccy>		text [A-Z]{3,3}		
	9	Additional Information	<AddtlInf>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\- ?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	7	Garnishment Remittance	<GrnshmtRmt>	[0..1]			
	8	Type	<Tp>	[1..1]			
	9	Code Or Proprietary	<CdOrPrtry>	[1..1]	Choice		
	10	Code	<Cd>	[1..1]	text{1,4}		
	10	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\- ?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	9	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\- ?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	8	Garnishee	<Grnshee>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	9	Postal Address	<PstlAdr>	[0..1]			Rules: R23
	10	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	10	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	10	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	10	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	10	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	10	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	10	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	10	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	10	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	10	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	10	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+
	10	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	10	Division Country Sub	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	10	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	10	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	9	Identification	<Id>	[0..1]	Choice		
	10	Identification Organisation	<OrgId>	[1..1]			
	11	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	11	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	11	Other	<Othr>	[0..*]		[0..2]	
	12	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	12	Name Scheme	<SchmeNm>	[0..1]	Choice	[1..1]	
	13	Code	<Cd>	[1..1]	text{1,4}		
	12	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	10	Identification Private	<PrvtId>	[1..1]			
	11	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
	12	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	12	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]]+]
	12	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	11	Other	<Othr>	[0..*]		[0..2]	
	12	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]]+]
	12	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	13	Code	<Cd>	[1..1]	text{1,4}		
	12	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]]+]
	9	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	8	Garnishment Administrator	<GrnshmtAdmstr >	[0..1]			
	9	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]]+]
	9	Postal Address	<PstlAdr>	[0..1]			Rules: R23
	10	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]]+]
	10	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]]+]
	10	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]]+]
	10	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]]+]
	10	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]]+]

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	10	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	10	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	10	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	10	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	10	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	10	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	10	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	10	Division Country Sub	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	10	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	10	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	9	Identification Organisation	<Id>	[0..1]	Choice		
	10	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	11	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Other	<Othr>	[0..*]		[0..2]	
	12	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ `\'\/\ }~";<>@\ \\\]+
	12	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	13	Code	<Cd>	[1..1]	text{1,4}		
	12	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ `\'\/\ }~";<>@\ \\\]+
	10	Private Identification	<PrvtId>	[1..1]			
	11	Date And Place Of Birth	<DtAndPlcOfBirt h>	[0..1]			
	12	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	12	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ `\'\/\ }~";<>@\ \\\]+
	12	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ `\'\/\ }~";<>@\ \\\]+
	12	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	11	Other	<Othr>	[0..*]		[0..2]	
	12	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ `\'\/\ }~";<>@\ \\\]+
	12	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	13	Code	<Cd>	[1..1]	text{1,4}		
	12	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=\^ `\'\/\ }~";<>@\ \\\]+
	9	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Reference Number	<RefNb>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\- \?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	8	Date	<Dt>	[0..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	8	Remitted Amount	<RmtdAmt>	[0..1]	0 <= decimal td = 18 fd = 5		
	9	Currency Xml Attribute	<Ccy>		text [A-Z]{3,3}		
	8	Family Medical Insurance Indicator	<FmlyMdclInsrc Ind>	[0..1]	boolean		
	8	Employee Termination Indicator	<MplyeeTermntnl nd>	[0..1]	boolean		
	7	Additional Remittance Information	<AddtlRmtInf>	[0..3]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\- \?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	5	Instructed Amount	<InstdAmt>	[0..1]	0 <= decimal td = 18 fd = 5	[1..1] T/C	Type Changed: 0 <= decimal td = 14 fd = 5
	6	Xml Attribute Currency	<Ccy>		text [A-Z]{3,3}		

Rule Definitions

Index	Name	Description	Formal Rule Definition
R1	Rule "CBPR_BusinessMessageIdentifier_Formal Rule"	The Business Message Identifier must match the Message Identification in the Group Header.	For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/BusinessMessageIdentifier] value must be equal to every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/GroupHeader/MessageIdentification] value
R2	Rule "CBPR_Priority_Instruction_Priority_Formal Rule"	If "Priority" is used in the BAH for pacs messages, the value should be identical to the one in the "Payment Type Information/InstructionPriority" if present.	For each [Full Message], if at least one occurrence of the following element(s) [Full Message/BusinessApplicationHeaderV02/Priority] and [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority] is (are) present, then every occurrence of [Full Message/BusinessApplicationHeaderV02/Priority] must have the same value than every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority]
R3	Rule "CBPR_To_Instructed Agent_BIC_1_Formal Rule"	BAH "To" BIC must match "Instructed Agent" BIC, except where BAH CopyDuplicate = COPY or = CODU	For each [Full Message], if every occurrence of [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] has value not included in the following list 'COPY' or 'CODU', then every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]

R4	Rule "CBPR_To_Instructed_Agent_BIC_2_FormaIRule"	BAH "To" BIC must match "Instructed Agent" BIC if CopyDuplicate is absent.	For each [Full Message], if the following element(s) [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] is (are) absent, then every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]
R5	Rule "CBPR_From_Instructing_Agent_BIC_FormaIRule"	BAH "From" BIC must match "Instructing Agent" BIC	For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] value must be equal to every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/BICFI] value
R6	Rule "CBPR_Related_Business_Application_Header_TextualRule"	If used, the Related BAH must transport the exact same information as in the BAH of the related message.	
R7	Rule "CBPR_Business_Message_Identifier_TextualRule"	The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system. Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this element must contain the unique identifier of the Business Message instance.	

R8	Rule "CBPR_Message_Definition_Identifier_TextualRule"	The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.	
R9	Rule "CBPR_Related_BAH_Business_Service_TextualRule"	If related BAH is present, it should transport the element Business Service.	
R10	Rule "CBPR_Remittance_Mutually_Exclusive_FormalRule"	Either Structured or Unstructured Remittance can be present.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08], the following elements are mutually exclusive: [FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Unstructured] , [FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured] and all may be absent
R11	Rule "CBPR_GPI_ServiceLevel_Code_FormalRule"	The GPI ServiceLevel Code in pacs.009 COV must be 'G001'.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08], if at least one occurrence of the following element(s) [FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel] is (are) present , then the value of every occurrence of [FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel/Code] must not comply with the following XML pattern : '(G002 G003 G004 G005 G006 G007 G009)'

R17	Rule "CBPR_Interbank_Settlement_Currency_FormalRule"	The codes XAU, XAG, XPD and XPT are not allowed, as these are codes are only used for commodities.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/InterbankSettlementAmount], every occurrence of [InterbankSettlementAmount/Currency] must have value not included in the following list 'XAU' or 'XAG' or 'XPD' or 'XPT'
R18	Rule "CBPR_Agent_Option_3_TextualRule"	Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.	
R19	Rule "CBPR_Agent_Option_2_TextualRule"	(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.	
R20	Rule "CBPR_Agent_Option_1_TextualRule"	BICFI, complemented optionally with a LEI (preferred option)	
R21	Rule "CBPR_Agent_National_only_TextualRule"	Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.	

R22	Rule "CBPR_Agent_Name_Postal_Address_FormalRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PreviousInstructing Agent1/FinancialInstitutionIdentification], if for each [FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and for each [FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R23	Rule "CBPR_Duplication_Postal_Address_TextualRule"	Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.	
R24	Rule "CBPR_Agent_Name_Postal_Address_FormalRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PreviousInstructing Agent2/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R25	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/PreviousInstructing Agent3/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R26	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/IntermediaryAgent 1/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R27	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/IntermediaryAgent 2/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R28	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/IntermediaryAgent 3/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R29	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/Debtor/FinancialIns titutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R30	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/DebtorAgent/Finan cialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R31	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/CreditorAgent/Fina ncialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R32	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/Creditor/FinancialIn stitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R33	Rule "CBPR_Party_Name_Postal_Address_FormalRule"	If Postal Address is present then Name is mandatory.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor], if at least one occurrence of the following element(s) [UltimateDebtor/PostalAddress] is (are) present , then at least one occurrence of the following element(s) [UltimateDebtor/Name] must be present
R34	Rule "CBPR_Ultimate_Debtor_Option_1_TextualRule"	Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country - it is recommended to add Post code when available]]	
R35	Rule "CBPR_UltimateDebtor_Option_3_Jurisdictions_only_TextualRule"	For Jurisdictional transactions, Name and/or Identification (Private or Organisation) (that is within a country or for regions under same legislations – e.g. EEA) Countries impacted by the Jurisdictional rule: Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden, United Kingdom - Iceland, Liechtenstein, Norway. Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.	
R36	Rule "CBPR_Ultimate_Debtor_Option_2_TextualRule"	Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country- it is recommended to add Post code when available] AND (Identification: Private or Organisation)	

R37	Rule "CBPR_Party_Name_Postal_Address_FormalRule"	If Postal Address is present then Name is mandatory.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty], if at least one occurrence of the following element(s) [InitiatingParty/PostalAddress] is (are) present , then at least one occurrence of the following element(s) [InitiatingParty/Name] must be present
R38	Rule "CBPR_Party_Name_Any_BIC_FormalRule"	If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor], at least one occurrence of [Debtor/Name] must be present when [Debtor/Identification/OrganisationIdentification/AnyBIC] is absent
R39	Rule "CBPR_Debtor_Option_2_TextualRule"	Name AND ([Structured Address with minimum Town Name & Country (+ recommended to add Post code when available)] OR [Hybrid postal address with minimum Town Name and Country (+ recommended to add Post code when available)] AND (Account Number OR Identification: Private or Organisation)	
R40	Rule "CBPR_Debtor_BIC_Presence_TextualRule"	If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.	
R41	Rule "CBPR_Debtor_Option_1_TextualRule"	Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)	

R42	Rule "CBPR_Debtor_Option_3_Jurisdictions_only_TextualRule"	For Jurisdictional transactions, Debtor/ Name is mandatory with either Debtor Account OR Debtor Identification (that is within a country or for regions under same legislations – e.g. EEA) Countries impacted by the Jurisdictional rule: Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden, United Kingdom - Iceland, Liechtenstein, Norway. Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.	
R43	Rule "CBPR_Party_Name_Postal_Address_FormalRule"	If Postal Address is present then Name is mandatory.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor], if at least one occurrence of the following element(s) [Debtor/PostalAddress] is (are) present , then at least one occurrence of the following element(s) [Debtor/Name] must be present

R44	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/UnderlyingCustom erCreditTransfer/DebtorAgent/FinancialInstitutionIdentifica tion], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R45	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/UnderlyingCustom erCreditTransfer/PreviousInstructingAgent1/FinancialInsti tutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R46	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/UnderlyingCustom erCreditTransfer/PreviousInstructingAgent2/FinancialInsti tutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R47	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/UnderlyingCustom erCreditTransfer/PreviousInstructingAgent3/FinancialInsti tutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R48	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/UnderlyingCustom erCreditTransfer/IntermediaryAgent1/FinancialInstitutionId entification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R49	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/UnderlyingCustom erCreditTransfer/IntermediaryAgent2/FinancialInstitutionId entification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R50	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/UnderlyingCustom erCreditTransfer/IntermediaryAgent3/FinancialInstitutionId entification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R51	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/UnderlyingCustom erCreditTransfer/CreditorAgent/FinancialInstitutionIdentific ation], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R52	Rule "CBPR_Creditor_BIC_Presence_TextualRule"	If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.	
R53	Rule "CBPR_Party_Name_Postal_Address_FormalRule"	If Postal Address is present then Name is mandatory.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor], if at least one occurrence of the following element(s) [Creditor/PostalAddress] is (are) present , then at least one occurrence of the following element(s) [Creditor/Name] must be present
R54	Rule "CBPR_Party_Name_Any_BIC_FormalRule"	If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor], at least one occurrence of [Creditor/Name] must be present when [Creditor/Identification/OrganisationIdentification/AnyBIC] is absent
R55	Rule "CBPR_Creditor_Option_3_Jurisdictions_optionally_TextualRule"	For Jurisdictional transactions, Creditor/Name is mandatory with either Creditor Account OR Creditor Identification (that is within a country or for regions under same legislations – e.g. EEA) Countries impacted by the Jurisdictional rule: Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden, United Kingdom - Iceland, Liechtenstein, Norway. Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.	

R56	Rule "CBPR_Creditor_Option_2_TextualRule"	Name AND [(Structured Address with minimum Town Name & Country (+ recommended to add Post code when available)) OR [Hybrid postal address with minimum Town Name and Country (+ recommended to add Post code when available)) AND (Account Number OR Identification: Private or Organisation)	
R57	Rule "CBPR_Creditor_Option_1_TextualRule"	Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)	
R58	Rule "CBPR_UltimateCreditor_Option_2_JurisdictionalRule"	For Jurisdictional transactions, Name and/or Identification (Private or Organisation (that is within a country or for regions under same legislations – e.g. EEA) Countries impacted by the Jurisdictional rule: Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden, United Kingdom - Iceland, Liechtenstein, Norway. Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.	
R59	Rule "CBPR_Party_Name_Postal_Address_FormalRule"	If Postal Address is present then Name is mandatory.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor], if at least one occurrence of the following element(s) [UltimateCreditor/PostalAddress] is (are) present, then at least one occurrence of the following element(s) [UltimateCreditor/Name] must be present
R60	Rule "CBPR_Ultimate_Creditor_Option_1_TextualRule"	Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country - it is recommended to add Post code when available)]. Other elements are optional, eg Identification: Private or Organisation)	

R61	Rule "CBPR_Structured_R emittanceInformation_ TextualRule"	Structured can be repeated, however the total business data for all occurrences (excluding tags) must not exceed 9,000 characters.	
-----	---	--	--

Legal Notices

Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR.

Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.