



Usage Guideline

CBPRPlus-pacs.009.001.08_Financial-InstitutionCreditTransfer

CBPRPlus SR2026 (Combined)

This document describes a usage guideline restricting the base message **MX pacs.009.001.08**. You can also consult [this information online](#).

Published by Cross Border Payments and Reporting Plus (CBPR+) and generated by [MyStandards](#).

20 February 2026

Table of Contents

Message Functionality	3
1 Restriction summary	5
2 Structure	8
3 ISO 20022 Rules	11
4 Message Building Blocks	13
5 Message Components	24
6 Message Datatypes	296
Legal Notices	343

Message Functionality

This Usage Guideline is based on the pacs.009.001.08 message definition. In addition, Cross Border Payments and Reporting Plus (CBPR+) has defined usage of BusinessApplicationHeaderV02 as mandatory. The following section will be dealing with the pacs.009.001.08 only.

Overview

Principles:

1. AGENTS IDENTIFICATION - Textual Rules

-> If BICFI is present, then (Name & Postal Address) is NOT allowed (ClearingSystemMemberIdentification and LEI may complement) - However, in case of conflicting information, the BICFI will always take precedence.

-> If BICFI is absent, (Name & Postal Address) OR [(Name & Postal Address) and ClearingSystemMemberIdentification] must be present.

Exception: If BICFI is absent, whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

Note: "Instructing/ Instructed Agents" must be identified with a BICFI - Clearing System Members Identification and LEI are optional.

2. Single transactions only are allowed.

3. Character Set:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

```
!#$%&*='^_'{|}~";<>@[\\
```

< is replaced with <

> is replaced with >

4. CBPR_Agent_PointToPointOnSWIFT:

If the transaction is exchanged on the SWIFT network (ie if the instructing agent/ sender and instructed agent/receiver of the message are on SWIFT), then BICFI is mandatory and other elements are optional, eg LEI

Collection Description

This is the Cross Border Payment and Reporting Collection for SR2026.

These are FINAL usage guidelines.

The usage guidelines are available on the CBPR+ SR2026 Readiness Portal for testing.

The Collection contains:

30 Usage Guidelines that will be live on the network as of November 2026.

Outline

The CBPRPlus SR2026 (Combined) / CBPRPlus-pacs.009.001.08_FinancialInstitutionCreditTransfer message is composed of 3 building blocks

a. GroupHeader

Set of characteristics shared by all individual transactions included in the message.

b. CreditTransferTransactionInformation

Set of elements providing information specific to the individual credit transfer(s).

c. SupplementaryData

Additional information that cannot be captured in the structured elements and/or any other specific block.

1 Restriction summary

This Usage Guideline restricts the pacs.009.001.08 message. This also includes the BusinessApplicationHeaderV02.

Restriction Type	See page
Removed elements	12, 17, 18, 23, 30, 31, 31, 31, 31, 31, 32, 37, 37, 37, 37, 37, 37, 37, 37, 37, 45, 45, 54, 54, 55, 55, 55, 55, 55, 55, 55, 55, 55, 55, 55, 55, 55, 55, 56, 80, 86, 89, 89, 122, 122, 122, 122, 122, 122, 123, 123, 123, 123, 124, 124, 124, 124, 124, 124, 124, 124, 129, 129, 129, 129, 129, 129, 129, 129, 129, 130, 156, 157, 157, 157, 159, 159, 159, 163, 164, 166, 167, 167, 167, 167, 171, 175, 175, 175, 175, 179, 179, 179, 179, 180, 180, 180, 180, 181, 181, 181, 181, 182, 182, 182, 182, 182, 182, 182, 183, 183, 183, 183, 191, 191, 204, 207, 208, 208, 208, 208, 208, 208, 208, 208, 208, 208, 208, 208, 208, 208, 208, 209, 209, 209, 209, 209, 209, 209, 209, 209, 209, 209, 209, 209, 209, 209, 210, 210, 210, 210, 210, 210, 210, 210, 212, 212, 212, 212, 212, 212, 212, 212, 212, 213, 213, 213, 213, 214, 214, 214, 214, 214, 214, 214, 214, 214, 214, 232, 232, 238, 238, 257, 257, 257, 258, 258, 258, 258, 259, 260, 261, 261, 262, 262, 263, 263, 338, 339
Make mandatory	16, 58, 58, 58, 58, 58, 58, 58, 58, 58, 59, 59, 59, 59, 59, 59, 59, 59, 59, 69, 75, 75, 121, 121, 121, 121, 121, 121, 147, 153, 192, 194, 224, 224, 224, 224, 224, 224, 224, 224, 224, 224, 228, 228, 228, 229, 229, 229, 229, 229, 229, 229, 240, 240, 240, 240, 240, 240, 240, 240, 240, 240, 241
Reduce Multiplicity	19, 22, 86, 87, 168, 168, 169, 170, 171, 198, 201, 201, 202, 204, 204, 229, 229, 229, 230, 230, 230, 230, 230, 230, 230, 253
Ignore	n.a.
Text rules	19, 42, 43, 43, 71, 71, 71, 71, 72, 72, 72, 72, 73, 74, 74, 74, 76, 76, 76, 76, 77, 77, 77, 78, 79, 79, 79, 79, 80, 80, 81, 81, 82, 82, 82, 82, 83, 83, 83, 83, 84, 84, 85, 85, 127, 127, 128, 128, 128, 128, 128, 128, 128, 129, 162, 193, 194
Conditional rules	n.a.

Restriction Type	See page
Formal rules	13, 13, 13, 14, 14, 20, 22, 33, 33, 33, 34, 34, 35, 35, 35, 36, 36, 69, 192, 193
Fixed values	16, 16, 157
Truncates	n.a.
Comments	n.a.
Annotations	n.a.
Changed datatypes	15, 17, 18, 27, 27, 27, 27, 27, 27, 27, 27, 27, 27, 27, 42, 43, 43, 44, 45, 49, 49, 49, 49, 49, 49, 49, 49, 49, 50, 50, 51, 51, 52, 52, 52, 52, 52, 52, 52, 52, 52, 54, 59, 60, 60, 60, 60, 60, 60, 60, 60, 60, 60, 60, 60, 60, 61, 61, 61, 61, 69, 69, 108, 108, 108, 108, 109, 109, 109, 109, 109, 118, 118, 126, 126, 126, 126, 126, 126, 126, 126, 126, 134, 136, 137, 138, 138, 138, 138, 138, 139, 139, 139, 139, 139, 139, 140, 140, 140, 140, 140, 140, 140, 140, 140, 140, 142, 142, 143, 143, 145, 145, 146, 146, 147, 148, 148, 148, 149, 149, 151, 151, 151, 151, 152, 153, 154, 154, 154, 154, 156, 156, 162, 163, 164, 165, 172, 172, 173, 173, 189, 189, 192, 193, 194, 195, 205, 205, 206, 206, 215, 215, 215, 215, 215, 215, 215, 215, 215, 216, 216, 216, 216, 216, 216, 216, 216, 216, 216, 217, 217, 217, 217, 217, 217, 217, 217, 217, 217, 218, 218, 218, 218, 218, 218, 218, 218, 218, 218, 219, 219, 219, 219, 219, 219, 219, 219, 219, 219, 220, 220, 220, 220, 220, 220, 220, 220, 220, 220, 221, 221, 221, 221, 221, 221, 221, 221, 221, 221, 222, 222, 222, 222, 222, 222, 222, 222, 222, 222, 223, 223, 223, 223, 223, 223, 223, 223, 223, 223, 224, 224, 224, 225, 225, 225, 225, 225, 225, 225, 225, 225, 225, 226, 226, 226, 226, 226, 226, 226, 226, 226, 226, 227, 227, 227, 227, 227, 227, 227, 227, 227, 227, 228, 228, 228, 228, 228, 228, 228, 230, 230, 230, 230, 230, 230, 231, 231, 231, 231, 232, 233, 233, 233, 233, 233, 234, 234, 234, 234, 235, 235, 235, 235, 235, 236, 236, 236, 236, 236, 237, 237, 237, 237, 238, 238, 241, 241, 241, 241, 241, 241, 241, 241, 241, 242, 242, 243, 243, 243, 243, 243, 243, 244, 244, 244, 244, 244, 245, 253, 255, 255, 256, 264, 264, 265, 265, 269, 273, 273, 274, 274, 274, 274, 276, 277, 277, 283, 283, 283, 285, 285, 286, 286, 286, 286, 288, 289, 289, 289, 289, 290, 291, 292, 292, 292, 293, 293, 293, 294

Restriction Type	See page
Extensions	n.a.
Synonyms	192, 259

2 Structure

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	<i>BusinessApplicationHeaderV02</i>	<AppHdr>		[1..1]		
	CharacterSet	<CharSet>		[0..1]		14
	From	<Fr>		[1..1]		14
	OrganisationIdentification	<OrgId>	{Or	[1..1]		179
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		179
	To	<To>		[1..1]		15
	OrganisationIdentification	<OrgId>	{Or	[1..1]		179
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		179
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		15
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		16
	BusinessService	<BizSvc>		[0..1]	 	16
	MarketPractice	<MktPrctc>		[0..1]		16
	Registry	<Regy>		[1..1]		160
	Identification	<Id>		[1..1]		160
	CreationDate	<CreDt>		[1..1]		17
	BusinessProcessingDate	<BizPrctgDt>		[0..1]		17
	CopyDuplicate	<CpyDplct>		[0..1]		17
	PossibleDuplicate	<PssblDplct>		[0..1]		18
	Priority	<Prty>		[0..1]		18
	Signature	<Sgntr>		[0..1]		18
	Related	<Rltd>		[0..*]	 R[0..1]	18
	CharacterSet	<CharSet>		[0..1]		41
	From	<Fr>		[1..1]		41
	To	<To>		[1..1]		42
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		42
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		43
	BusinessService	<BizSvc>		[0..1]		43
	CreationDate	<CreDt>		[1..1]		44

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CopyDuplicate	<CpyDplct>		[0..1]		44
	PossibleDuplicate	<PssblDplct>		[0..1]		44
	Priority	<Prty>		[0..1]		45
	Signature	<Sgntr>		[0..1]		45
	<i>FinancialInstitutionCreditTransferV08</i>	<FICdtTrf>		[1..1]		20
	GroupHeader	<GrpHdr>		[1..1]		20
	MessageIdentification	<MsgId>		[1..1]		155
	CreationDateTime	<CreDtTm>		[1..1]		156
	BatchBooking	<BtchBookg>		[0..1]		156
	NumberOfTransactions	<NbOfTx>		[1..1]		156
	ControlSum	<CtrlSum>		[0..1]		157
	TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>		[0..1]		157
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		157
	SettlementInformation	<SttlmInf>		[1..1]		157
	PaymentTypeInformation	<PmtTpInf>		[0..1]		158
	InstructingAgent	<InstgAgt>		[0..1]		159
	InstructedAgent	<InstdAgt>		[0..1]		159
	CreditTransferTransactionInformation	<CdtTrfTxInf>		[1..*]	 R[1..1]	20
	PaymentIdentification	<PmtId>		[1..1]		68
	PaymentTypeInformation	<PmtTpInf>		[0..1]		68
	InterbankSettlementAmount	<IntrBkSttlmAmt>		[1..1]		69
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]	 	69
	SettlementPriority	<SttlmPrty>		[0..1]		69
	SettlementTimeIndication	<SttlmTmIndctn>		[0..1]		70
	SettlementTimeRequest	<SttlmTmReq>		[0..1]		70
	PreviousInstructingAgent1	<PrvsInstgAgt1>		[0..1]		70
	PreviousInstructingAgent1Account	<PrvsInstgAgt1Acct>		[0..1]		71
	PreviousInstructingAgent2	<PrvsInstgAgt2>		[0..1]		72
	PreviousInstructingAgent2Account	<PrvsInstgAgt2Acct>		[0..1]		73
	PreviousInstructingAgent3	<PrvsInstgAgt3>		[0..1]		73
	PreviousInstructingAgent3Account	<PrvsInstgAgt3Acct>		[0..1]		74

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructingAgent	<InstgAgt>		[0..1]	M	74
	InstructedAgent	<InstdAgt>		[0..1]	M	75
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]	⚠	75
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		76
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]	⚠	77
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		78
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]	⚠	78
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		79
	UltimateDebtor	<UltmtDbtr>		[0..1]	⊘	79
	Debtor	<Dbtr>		[1..1]	⚠	80
	DebtorAccount	<DbtrAcct>		[0..1]		81
	DebtorAgent	<DbtrAgt>		[0..1]	⚠	81
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		82
	CreditorAgent	<CdtrAgt>		[0..1]	⚠	83
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		84
	Creditor	<Cdtr>		[1..1]	⚠	84
	CreditorAccount	<CdtrAcct>		[0..1]		85
	UltimateCreditor	<UltmtCdtr>		[0..1]	⊘	85
	InstructionForCreditorAgent	<InstrForCdtrAgt>		[0..*]	R[0..2]	86
	InstructionForNextAgent	<InstrForNxtAgt>		[0..*]	R[0..6]	86
	Purpose	<Purp>		[0..1]		87
	RemittanceInformation	<RmtInf>		[0..1]		87
	UnderlyingCustomerCreditTransfer	<UndrlygCstmrCdtTrf>		[0..1]	⊘	88
	SupplementaryData	<SplmtryData>		[0..*]	⊘	89
	SupplementaryData	<SplmtryData>		[0..*]	⊘	22
	PlaceAndName	<PlcAndNm>		[0..1]		269
	Envelope	<Envlp>		[1..1]		270

3 ISO 20022 Rules

R3 **RelatedPresentWhenCopyDupl** ✓

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

Error handling:

- *Error severity:* Warning
- *Error Code:* H00001
- *Error Text:* Element Related is missing

R6 **InstructedAgentRule** ✓

If GroupHeader/InstructedAgent is present, then CreditTransferTransactionInformation/InstructedAgent is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00008
- *Error Text:* Invalid message content for instructed agent.

R7 **InstructingAgentRule** ✓

If GroupHeader/InstructingAgent is present, then CreditTransferTransactionInformation/InstructingAgent is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00007
- *Error Text:* Invalid message content for instructing agent.

R8 **TotalInterbankSettlementAmountRule** ✓

If GroupHeader/TotalInterbankSettlementAmount is present, then all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount must have the same currency as the currency of GroupHeader/TotalInterbankSettlementAmount.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00042
- *Error Text:* Invalid message content for the total interbank settlement amount and individual interbank settlement amount currencies.

R9 **TotalInterbankSettlementAmountAndSumRule**

If GroupHeader/TotalInterbankSettlementAmount is present, then it must equal the sum of all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00043
- *Error Text:* Invalid message content for the total interbank settlement amount and sum of individual interbank settlement amounts.

R10 GroupHeaderInterbankSettlementDateRule ✓

If GroupHeader/InterbankSettlementDate is present, then CreditTransferTransactionInformation/InterbankSettlementDate is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00045
- *Error Text:* Invalid message content for interbank settlement date.

R11 TransactionInterbankSettlementDateRule ✓

If GroupHeader/InterbankSettlementDate is not present, then CreditTransferTransactionInformation/InterbankSettlementDate must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00290
- *Error Text:* Invalid message content for interbank settlement date.

R12 PaymentTypeInfoInformationRule ✓

If GroupHeader/PaymentTypeInfoInformation is present, then CreditTransferTransactionInformation/PaymentTypeInfoInformation is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00009
- *Error Text:* Invalid message content for payment type information.

R13 SupplementaryDataRule

The SupplementaryData building block at message level must not be used to provide additional information about a transaction. The SupplementaryData element at transaction level should be used for that purpose.

Error handling: Undefined

Usage Guideline restrictions for this element

- **This rule(pacs.009.001.08/SupplementaryDataRule) is removed.**
-

4 Message Building Blocks

Note The following chapter identifies the building blocks of the CBPRPlus SR2026 (Combined) / CBPRPlus-pacs.009.001.08_FinancialInstitutionCreditTransfer message definition.

Usage Guideline on Root Node

- on pacs.009.001.08/fullmessage

- CBPR_BusinessMessageIdentifier_FormalRule:

The Business Message Identifier must match the Message Identification in the Group Header.

For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/BusinessMessageIdentifier] value must be equal to every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/GroupHeader/MessageIdentification] value

- on pacs.009.001.08/fullmessage

- CBPR_Priority_Instruction_Priority_FormalRule:

If "Priority" is used in the BAH for pacs messages, the value should be identical to the one in the "Payment Type Information/InstructionPriority" if present.

For each [Full Message], if
 at least one occurrence of the following element(s) [Full Message/BusinessApplicationHeaderV02/Priority] and [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority] is (are) present
 , then
 every occurrence of [Full Message/BusinessApplicationHeaderV02/Priority] must have the same value than every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority]

- on pacs.009.001.08/fullmessage

- CBPR_To_Instructed_Agent_BIC_1_FormalRule:

BAH "To" BIC must match "Instructed Agent" BIC, except where BAH CopyDuplicate = COPY or = CODU

For each [Full Message], if
 every occurrence of [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] has value not included in the following list 'COPY' or 'CODU'
 , then
 every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]

- on pacs.009.001.08/fullmessage

- CBPR_To_Instructed_Agent_BIC_2_FormalRule:

BAH "To" BIC must match "Instructed Agent" BIC if CopyDuplicate is absent.

For each [Full Message], if
 the following element(s) [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] is (are) absent
 , then
 every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must
 have the same value than every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]

- on pacs.009.001.08/fullmessage

- CBPR_From_Instructing_Agent_BIC_FormalRule:

BAH "From" BIC must match "Instructing Agent" BIC

For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] value must be equal to every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/BICFI] value

4.1 Header Building Blocks

Note	The following chapter identifies the building blocks of the BusinessApplicationHeaderV02 definition.
-------------	--

4.1.1 CharacterSet

XML Tag: CharSet

Presence: [0..1]

Definition: Contains the character set of the text-based elements used in the Business Message.

Datatype: "UnicodeChartsCode" on page 342

4.1.2 From

XML Tag: Fr

Presence: [1..1]

Definition: The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

The **Fr** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 178 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	179
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		179

4.1.3 To

XML Tag: To

Presence: [1..1]

Definition: The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

The **To** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 178 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	179
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		179

4.1.4 BusinessMessageIdentifier

XML Tag: BizMsgIdr

Presence: [1..1]

Definition: Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 306

Usage Guideline details

- on [pacs.009.001.08/.header/BusinessMessageIdentifier](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 306

4.1.5 MessageDefinitionIdentifier

XML Tag: MsgDefldr

Presence: [1..1]

Definition: Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

Datatype: "Max35Text" on page 333

Usage Guideline details

- on pacs.009.001.08/.header/MessageDefinitionIdentifier

Single value: pacs.009.001.08

4.1.6 BusinessService

XML Tag: BizSvc

Presence: [0..1]

Definition: Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

Datatype: "Max35Text" on page 333

Usage Guideline details

- on pacs.009.001.08/.header/BusinessService

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/.header/BusinessService

Single value: swift.cbprplus.04

4.1.7 MarketPractice

XML Tag: MktPrctc

Presence: [0..1]

Definition: Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

The **MktPrctc** block contains the following elements (see datatype "[ImplementationSpecification1](#)" on page 160 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Registry	<Regy>		[1..1]		160
	Identification	<Id>		[1..1]		160

4.1.8 CreationDate

XML Tag: CreDt

Presence: [1..1]

Definition: Date and time when this Business Message (header) was created.

Datatype: "[CBPR_DateTime](#)" on page 303

Usage Guideline details

- on **pacs.009.001.08/.header/CreationDate**
Type changed to: [CBPR_DateTime](#) on page 303

4.1.9 BusinessProcessingDate

XML Tag: BizPrcgDt

Presence: [0..1]

Definition: Processing date and time indicated by the sender for the receiver of the business message. This date may be different from the date and time provided in the CreationDate.

Usage: Market practice or bilateral agreement should specify how this element should be used.

Datatype: "[ISODatetime](#)" on page 328

Usage Guideline details

- This element(**pacs.009.001.08/.header/BusinessProcessingDate**) is removed.

4.1.10 CopyDuplicate

XML Tag: CpyDplct

Presence: [0..1]

Definition: Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

Datatype: "[CopyDuplicate1Code](#)" on page 310

4.1.11 PossibleDuplicate

XML Tag: PssblDplct

Presence: [0..1]

Definition: Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level re-transmission.

Datatype: "YesNoIndicator" on page 342

4.1.12 Priority

XML Tag: Prty

Presence: [0..1]

Definition: Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

Datatype: "Priority2Code" on page 337

Usage Guideline details

- on pacs.009.001.08/.header/Priority
Type changed to: Priority2Code on page 337

4.1.13 Signature

XML Tag: Sgntr

Presence: [0..1]

Definition: Contains the digital signature of the Business Entity authorised to sign this Business Message.

Usage Guideline details

- This element(pacs.009.001.08/.header/Signature) is removed.

4.1.14 Related

XML Tag: Rltd

Presence: [0..*]

Definition: Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

The **Rltd** block contains the following elements (see datatype "BusinessApplicationHeader5__1" on page 40 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CharacterSet	<CharSet>		[0..1]		41
	From	<Fr>		[1..1]		41
	To	<To>		[1..1]		42
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		42
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		43
	BusinessService	<BizSvc>		[0..1]		43
	CreationDate	<CreDt>		[1..1]		44
	CopyDuplicate	<CpyDplct>		[0..1]		44
	PossibleDuplicate	<PssblDplct>		[0..1]		44
	Priority	<Prty>		[0..1]		45
	Signature	<Sgntr>		[0..1]		45

Usage Guideline details

- on pacs.009.001.08/.header/Related
This element has change repeatability, the maximum occurrence has been changed to : 1
- on pacs.009.001.08/.header/Related
 - **CBPR_Related_Business_Application_Header_TextualRule:**
If used, the Related BAH must transport the exact same information as in the BAH of the related message.

4.2 Payload Building Blocks

Note The following chapter identifies the building blocks of the CBPRPlus SR2026 (Combined) / CBPRPlus-pacs.009.001.08_FinancialInstitutionCreditTransfer payload definition.

Usage Guideline on Root Node

- on pacs.009.001.08/

- CBPR_GPI_ServiceLevel_Code_FormalRule:

The GPI ServiceLevel Code in pacs.009 CORE must be 'G004'.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08], if at least one occurrence of the following element(s) [FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel] is (are) present, then the value of every occurrence of [FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel/Code] must not comply with the following XML pattern : '(G001|G002|G003|G005|G006|G007|G009)'

4.2.1 GroupHeader

XML Tag: GrpHdr

Presence: [1..1]

Definition: Set of characteristics shared by all individual transactions included in the message.

The **GrpHdr** block contains the following elements (see datatype "GroupHeader93__1" on page 155 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]		155
	CreationDateTime	<CreDtTm>		[1..1]		156
	BatchBooking	<BtchBookg>		[0..1]		156
	NumberOfTransactions	<NbOfTx>		[1..1]		156
	ControlSum	<CtrlSum>		[0..1]		157
	TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>		[0..1]		157
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		157
	SettlementInformation	<SttlmInf>		[1..1]		157
	PaymentTypeInformation	<PmtTplnf>		[0..1]		158
	InstructingAgent	<InstgAg>		[0..1]		159
	InstructedAgent	<InstdAg>		[0..1]		159

4.2.2 CreditTransferTransactionInformation

XML Tag: CdtTrfTxInf

Presence: [1..*]

Definition: Set of elements providing information specific to the individual credit transfer(s).

The **CdtTrfTxInf** block contains the following elements (see datatype "CreditTransferTransaction36__1" on page 64 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PaymentIdentification	<PmtId>		[1..1]		68
	PaymentTypeInformation	<PmtTplnf>		[0..1]		68
	InterbankSettlementAmount	<IntrBkSttlmAmt>		[1..1]	⚠	69
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]	M ⚠	69
	SettlementPriority	<SttlmPrty>		[0..1]		69
	SettlementTimeIndication	<SttlmTmIndctn>		[0..1]		70
	SettlementTimeRequest	<SttlmTmReq>		[0..1]		70
	PreviousInstructingAgent1	<PrvsInstgAgt1>		[0..1]	⚠	70
	PreviousInstructingAgent1Ac- count	<PrvsInstgAgt1Acct>		[0..1]		71
	PreviousInstructingAgent2	<PrvsInstgAgt2>		[0..1]	⚠	72
	PreviousInstructingAgent2Ac- count	<PrvsInstgAgt2Acct>		[0..1]		73
	PreviousInstructingAgent3	<PrvsInstgAgt3>		[0..1]	⚠	73
	PreviousInstructingAgent3Ac- count	<PrvsInstgAgt3Acct>		[0..1]		74
	InstructingAgent	<InstgAgt>		[0..1]	M	74
	InstructedAgent	<InstdAgt>		[0..1]	M	75
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]	⚠	75
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		76
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]	⚠	77
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		78
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]	⚠	78
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		79
	UltimateDebtor	<UltmtDbtr>		[0..1]	⊘	79
	Debtor	<Dbtr>		[1..1]	⚠	80
	DebtorAccount	<DbtrAcct>		[0..1]		81

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebtorAgent	<DbtrAgt>		[0..1]		81
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		82
	CreditorAgent	<CdtrAgt>		[0..1]		83
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		84
	Creditor	<Cdtr>		[1..1]		84
	CreditorAccount	<CdtrAcct>		[0..1]		85
	UltimateCreditor	<UltmtCdtr>		[0..1]		85
	InstructionForCreditorAgent	<InstrForCdtrAgt>		[0..*]	R[0..2]	86
	InstructionForNextAgent	<InstrForNxtAgt>		[0..*]	R[0..6]	86
	Purpose	<Purp>		[0..1]		87
	RemittanceInformation	<RmtInf>		[0..1]		87
	UnderlyingCustomerCreditTransfer	<UndrlygCstmrCdtTrf>		[0..1]		88
	SupplementaryData	<SplmtryData>		[0..*]		89

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation

This element has change repeatability, the maximum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation

- CBPR_Instruction_For_Creditor_Presence_Code_FormalRule:

Each code can only be used once for element "Instruction For Creditor Agent".

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation], if
 at least one occurrence of the following element(s) [CreditTransferTransactionInformation/InstructionForCreditorAgent/Code] is (are) present
 , then
 every occurrence of [CreditTransferTransactionInformation/Instruction-ForCreditorAgent/Code] must have the same value than between '1' and '1' occurrences of [CreditTransferTransactionInformation/InstructionForCreditorAgent/Code]

4.2.3 SupplementaryData

XML Tag: SplmtryData

Presence: [0..*]

Definition: Additional information that cannot be captured in the structured elements and/or any other specific block.

The **SplmtryData** block contains the following elements (see datatype "[SupplementaryData1](#)" on [page 269](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		269
	Envelope	<Envlp>		[1..1]		270

Usage Guideline details

- This element(pacs.009.001.08/SupplementaryData) is removed.

5 Message Components

Note The following chapter identifies the message components.

5.1 AccountIdentification4Choice

Definition: Specifies the unique identification of an account as assigned by the account servicer.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		24
	Other	<Othr>	Or}	[1..1]		24

Used in element(s)

"Identification" on page 46

5.1.1 IBAN

XML Tag: IBAN

Presence: [1..1]

Definition: International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

Datatype: "IBAN2007Identifier" on page 327

5.1.2 Other

XML Tag: Othr

Presence: [1..1]

Definition: Unique identification of an account, as assigned by the account servicer, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericAccountIdentification1](#)" on page 137 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		137
	SchemeName	<SchmeNm>		[0..1]		137
	Issuer	<Issr>		[0..1]		137

5.2 AccountIdentification4Choice__1

Definition: Specifies the unique identification of an account as assigned by the account servicer.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		25
	Other	<Othr>	Or}	[1..1]		25

Used in element(s)

"Identification" on page 48

5.2.1 IBAN

XML Tag: IBAN

Presence: [1..1]

Definition: International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

Datatype: "IBAN2007Identifier" on page 327

5.2.2 Other

XML Tag: Othr

Presence: [1..1]

Definition: Unique identification of an account, as assigned by the account servicer, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericAccountIdentification1__1](#)" on page 138 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		138
	SchemeName	<SchmeNm>		[0..1]		139
	Issuer	<Issr>		[0..1]		139

5.3 AccountSchemeName1Choice

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		26
	Proprietary	<Prtry>	Or}	[1..1]		26

Used in element(s)

"SchemeName" on page 137

5.3.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalAccountIdentification1Code" on page 315

5.3.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 333

5.4 AccountSchemeName1Choice__1

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		26
	Proprietary	<Prtry>	Or}	[1..1]		27

Used in element(s)

"SchemeName" on page 139

5.4.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalAccountIdentification1Code" on page 315

5.4.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Identification/Other/SchemeName/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 306

5.5 AddressType3Choice

Definition: Choice of formats for the type of address.

🚫 Removed - 🚫 Partial Removed - 🔹 Ignored - 🔹 Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		28
	Proprietary	<Prtry>	Or}	[1..1]		28

Used in element(s)

["AddressType" on page 213](#), ["AddressType" on page 232](#), ["AddressType" on page 207](#)

5.5.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of address expressed as a code.

Datatype: ["AddressType2Code" on page 298](#)

5.5.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Type of address expressed as a proprietary code.

The **Prtry** block contains the following elements (see datatype ["GenericIdentification30" on page 143](#) for details)

🚫 Removed - 🚫 Partial Removed - 🔹 Ignored - 🔹 Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		143
	Issuer	<Issr>		[1..1]		143
	SchemeName	<SchmeNm>		[0..1]		144

5.6 BranchAndFinancialInstitutionIdentification6

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		29
	BranchIdentification	<BrnchId>		[0..1]		29

Used in element(s)

"CreditorAgent" on page 100, "InstructedReimbursementAgent" on page 261, "InstructingReimbursementAgent" on page 260, "IntermediaryAgent1" on page 98, "IntermediaryAgent3" on page 99, "PreviousInstructingAgent1" on page 95, "PreviousInstructingAgent2" on page 96, "PreviousInstructingAgent3" on page 97, "ThirdReimbursementAgent" on page 262, "Ultimate-Creditor" on page 85, "UltimateDebtor" on page 79

5.6.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18" on page 118 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		118
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		118
	LEI	<LEI>		[0..1]		119
	Name	<Nm>		[0..1]		119
	PostalAddress	<PstlAdr>		[0..1]		119
	Other	<Othr>		[0..1]		120

5.6.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 39 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		39
	LEI	<LEI>		[0..1]		39
	Name	<Nm>		[0..1]		40
	PostalAddress	<PstlAdr>		[0..1]		40

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/PreviousInstructingAgent2/BranchIdentification) is removed.

5.7 BranchAndFinancialInstitutionIdentification6__1

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		30
	BranchIdentification	<BrnchId>		[0..1]	🚫	31

Used in element(s)

"FinancialInstitutionIdentification" on page 179, "InstructedAgent" on page 159, "InstructedAgent" on page 75, "InstructingAgent" on page 159, "InstructingAgent" on page 74

5.7.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "[FinancialInstitutionIdentification18__1](#)" on page 120 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]	M	121
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		122
	LEI	<LEI>		[0..1]		122
	Name	<Nm>		[0..1]		122
	PostalAddress	<PstlAdr>		[0..1]		123
	Other	<Othr>		[0..1]		124

5.7.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 39 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		39
	LEI	<LEI>		[0..1]		39
	Name	<Nm>		[0..1]		40
	PostalAddress	<PstlAdr>		[0..1]		40

Usage Guideline details

- This element(pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/BranchIdentification) is removed.
- This element(pacs.009.001.08/.header/To/FinancialInstitutionIdentification/BranchIdentification) is removed.
- This element(pacs.009.001.08/.header/Related/From/FinancialInstitutionIdentification/BranchIdentification) is removed.
- This element(pacs.009.001.08/.header/From/FinancialInstitutionIdentification/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/BranchIdentification) is removed.

- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/BranchIdentification) is removed.

5.8 BranchAndFinancialInstitutionIdentification6__2

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Used in element(s)

"Creditor" on page 84, "CreditorAgent" on page 83, "Debtor" on page 80, "DebtorAgent" on page 81, "IntermediaryAgent1" on page 75, "IntermediaryAgent2" on page 77, "IntermediaryAgent3" on page 78, "PreviousInstructingAgent1" on page 70, "PreviousInstructingAgent2" on page 72, "PreviousInstructingAgent3" on page 73

5.8.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18__2" on page 124 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		125
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		125
	LEI	<LEI>		[0..1]		125
	Name	<Nm>		[0..1]	⚠	126
	PostalAddress	<PstlAdr>		[0..1]	⚠	127
	Other	<Othr>		[0..1]	🚫	129

Usage Guideline details

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification],

```

    if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
        then
            at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
            and if
                at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
                then
                    at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification],

```

    for each [FinancialInstitutionIdentification], if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
        then
            at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
            and for each [FinancialInstitutionIdentification], if
                at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
                then
                    at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

- **on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-
TransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentifica-
tion],
  if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] is (are) present
    then
      at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] must be present
      and if
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] is (are) present
        then
          at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] must be present

```

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-
TransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentifi-
cation],
  if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] is (are) present
    then
      at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] must be present
      and if
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] is (are) present
        then
          at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] must be present

```

- **on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-
TransferTransactionInformation/Debtor/FinancialInstitutionIdentification],
  if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] is (are) present
    then
      at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] must be present
      and if
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] is (are) present
        then
          at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] must be present

```

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification

- CBPR_Agent_Name_Postal_Address_FormaRule:

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification],
 if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification

- CBPR_Agent_Name_Postal_Address_FormaRule:

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification],
 if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification

- CBPR_Agent_Name_Postal_Address_FormaRule:

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification],
 if

```

        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
        then
            at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
        and if
            at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
        then
            at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification],
    if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
        then
            at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
        and if
            at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
        then
            at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

- **on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification],
    if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
        then
            at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
        and if
            at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
        then
            at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

5.8.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 39 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		39
	LEI	<LEI>		[0..1]		39
	Name	<Nm>		[0..1]		40
	PostalAddress	<PstAdr>		[0..1]		40

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/BranchIdentification) is removed.

5.9 BranchAndFinancialInstitutionIdentification6__3

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		38
	BranchIdentification	<BrnchId>		[0..1]		38

Used in element(s)

"DebtorAgent" on page 94, "IntermediaryAgent2" on page 98

5.9.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18__3" on page 130 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		130
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		130
	LEI	<LEI>		[0..1]		131
	Name	<Nm>		[0..1]		131
	PostalAddress	<PstlAdr>		[0..1]		131
	Other	<Othr>		[0..1]		132

5.9.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 39 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		39
	LEI	<LEI>		[0..1]		39
	Name	<Nm>		[0..1]		40
	PostalAddress	<PstlAdr>		[0..1]		40

5.10 BranchData3

Definition: Information that locates and identifies a specific branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		39
	LEI	<LEI>		[0..1]		39
	Name	<Nm>		[0..1]		40
	PostalAddress	<PstlAdr>		[0..1]		40

Used in element(s)

["BranchIdentification" on page 31](#),
 ["BranchIdentification" on page 36](#),
 ["BranchIdentification" on page 38](#),
 ["BranchIdentification" on page 29](#)

5.10.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a branch of a financial institution.

Datatype: ["Max35Text" on page 333](#)

5.10.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification for the branch of the financial institution.

Datatype: ["LEIIdentifier" on page 331](#)

5.10.3 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 331

5.10.4 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 206 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		207
	Department	<Dept>		[0..1]		208
	SubDepartment	<SubDept>		[0..1]		209
	StreetName	<StrtNm>		[0..1]		210
	BuildingNumber	<BldgNb>		[0..1]		210
	BuildingName	<BldgNm>		[0..1]		210
	Floor	<Flr>		[0..1]		210
	PostBox	<PstBx>		[0..1]		211
	Room	<Room>		[0..1]		211
	PostCode	<PstCd>		[0..1]		211
	TownName	<TwnNm>		[0..1]		211
	TownLocationName	<TwnLctnNm>		[0..1]		211
	DistrictName	<DstrctNm>		[0..1]		211
	CountrySubDivision	<CtrySubDvsn>		[0..1]		212
	Country	<Ctry>		[0..1]		212
	AddressLine	<AdrLine>		[0..7]		212

5.11 BusinessApplicationHeader5__1

Definition: Specifies the Business Application Header of the Business Message.

Can be used when replying to a query; can also be used when canceling or amending.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CharacterSet	<CharSet>		[0..1]		41
	From	<Fr>		[1..1]		41
	To	<To>		[1..1]		42
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]	⚠	42
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]	⚠	43
	BusinessService	<BizSvc>		[0..1]	⚠	43
	CreationDate	<CreDt>		[1..1]	⚠	44
	CopyDuplicate	<CpyDplct>		[0..1]		44
	PossibleDuplicate	<PssblDplct>		[0..1]	🚫	44
	Priority	<Prty>		[0..1]	⚠	45
	Signature	<Sgntr>		[0..1]	🚫	45

Used in element(s)

["Related" on page 18](#)

5.11.1 CharacterSet

XML Tag: CharSet

Presence: [0..1]

Definition: Contains the character set of the text-based elements used in the Business Message.

Datatype: ["UnicodeChartsCode" on page 342](#)

5.11.2 From

XML Tag: Fr

Presence: [1..1]

Definition: The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

The **Fr** block contains the following elements (see datatype ["Party44Choice__1" on page 178](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		179
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		179

5.11.3 To

XML Tag: To

Presence: [1..1]

Definition: The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

The **To** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 178 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		179
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		179

5.11.4 BusinessMessageIdentifier

XML Tag: BizMsgIdr

Presence: [1..1]

Definition: Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 306

Usage Guideline details

- on [pacs.009.001.08/header/Related/BusinessMessageIdentifier](#)

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 306

- on [pacs.009.001.08/header/Related/BusinessMessageIdentifier](#)

– CBPR_Business_Message_Identifier_TextualRule:

The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system.

Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the

underlying message, then this element must contain the unique identifier of the Business Message instance.

5.11.5 MessageDefinitionIdentifier

XML Tag: MsgDefldr

Presence: [1..1]

Definition: Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on **pac.009.001.08/header/Related/MessageDefinitionIdentifier**

Type changed to: CBPR_RestrictedFINXMax35Text on page 306

- on **pac.009.001.08/header/Related/MessageDefinitionIdentifier**

– **CBPR_Message_Definition_Identifier_TextualRule:**

The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.

5.11.6 BusinessService

XML Tag: BizSvc

Presence: [0..1]

Definition: Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on **pac.009.001.08/header/Related/BusinessService**

Type changed to: CBPR_RestrictedFINXMax35Text on page 306

- on **pac.009.001.08/header/Related/BusinessService**

– **CBPR_Related_BAH_Business_Service_TextualRule:**

If related BAH is present, it should transport the element Business Service.

5.11.7 **CreationDate**

XML Tag: CreDt

Presence: [1..1]

Definition: Date and time when this Business Message (header) was created.

Note Times must be normalized, using the "Z" annotation.

Datatype: "CBPR_DateTime" on page 303

Usage Guideline details

- on **pacs.009.001.08/header/Related/CreationDate**
Type changed to: CBPR_DateTime on page 303

5.11.8 **CopyDuplicate**

XML Tag: CpyDplct

Presence: [0..1]

Definition: Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

Datatype: "CopyDuplicate1Code" on page 310

5.11.9 **PossibleDuplicate**

XML Tag: PssblDplct

Presence: [0..1]

Definition: Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level re-transmission.

Datatype: "YesNoIndicator" on page 342

Usage Guideline details

- This element([pacs.009.001.08/.header/Related/PossibleDuplicate](#)) is removed.

5.11.10 Priority

XML Tag: Prty

Presence: [0..1]

Definition: Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

Datatype: ["Priority2Code" on page 337](#)

Usage Guideline details

- on [pacs.009.001.08/.header/Related/Priority](#)
Type changed to: [Priority2Code on page 337](#)

5.11.11 Signature

XML Tag: Sgntr

Presence: [0..1]

Definition: Contains the digital signature of the Business Entity authorised to sign this Business Message.

Usage Guideline details

- This element([pacs.009.001.08/.header/Related/Signature](#)) is removed.

5.12 CashAccount38

Definition: Provides the details to identify an account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		46
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		47
	Proxy	<Prxy>		[0..1]		47

Used in element(s)

"CreditorAccount" on page 101, "CreditorAgentAccount" on page 100, "DebtorAccount" on page 94, "DebtorAgentAccount" on page 95, "InstructedReimbursementAgentAccount" on page 262, "InstructingReimbursementAgentAccount" on page 261, "IntermediaryAgent1Account" on page 98, "IntermediaryAgent2Account" on page 99, "IntermediaryAgent3Account" on page 100, "PreviousInstructingAgent1Account" on page 96, "PreviousInstructingAgent2Account" on page 96, "PreviousInstructingAgent3Account" on page 97, "ThirdReimbursementAgentAccount" on page 263

5.12.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification for the account between the account owner and the account servicer.

The **Id** block contains the following elements (see datatype "AccountIdentification4Choice" on page 24 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		24
	Other	<Othr>	Or}	[1..1]		24

5.12.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the nature, or use of the account.

The **Tp** block contains the following elements (see datatype "CashAccountType2Choice" on page 50 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		50
	Proprietary	<Prtry>	Or}	[1..1]		51

5.12.3 Currency

XML Tag: Ccy

Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies

and the initiating party needs to identify which currency needs to be used for settlement on the account.

Datatype: "ActiveOrHistoricCurrencyCode" on page 298

5.12.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

Usage: The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

Datatype: "Max70Text" on page 334

5.12.5 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Specifies an alternate assumed name for the identification of the account.

The **Prxy** block contains the following elements (see datatype "ProxyAccountIdentification1" on page 238 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		239
	Identification	<Id>		[1..1]		239

5.13 CashAccount38__1

Definition: Provides the details to identify an account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		48
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]		49

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proxy	<Prxy>		[0..1]		50

Used in element(s)

"CreditorAccount" on page 85, "CreditorAgentAccount" on page 84, "DebtorAccount" on page 81, "DebtorAgentAccount" on page 82, "IntermediaryAgent1Account" on page 76, "IntermediaryAgent2Account" on page 78, "IntermediaryAgent3Account" on page 79, "PreviousInstructingAgent1Account" on page 71, "PreviousInstructingAgent2Account" on page 73, "PreviousInstructingAgent3Account" on page 74, "SettlementAccount" on page 259

5.13.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification for the account between the account owner and the account servicer.

The **Id** block contains the following elements (see datatype "AccountIdentification4Choice__1" on page 25 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		25
	Other	<Othr>	Or}	[1..1]		25

5.13.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the nature, or use of the account.

The **Tp** block contains the following elements (see datatype "CashAccountType2Choice__1" on page 51 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		51
	Proprietary	<Prtry>	Or}	[1..1]		51

5.13.3 Currency

XML Tag: Ccy

Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies

and the initiating party needs to identify which currency needs to be used for settlement on the account.

Datatype: ["ActiveOrHistoricCurrencyCode" on page 298](#)

5.13.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

Usage: The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 307](#)

Usage Guideline details

- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Name
Type changed to: [CBPR_RestrictedFINXMax70Text on page 307](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Name
Type changed to: [CBPR_RestrictedFINXMax70Text on page 307](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Name
Type changed to: [CBPR_RestrictedFINXMax70Text on page 307](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Name
Type changed to: [CBPR_RestrictedFINXMax70Text on page 307](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Name
Type changed to: [CBPR_RestrictedFINXMax70Text on page 307](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Name
Type changed to: [CBPR_RestrictedFINXMax70Text on page 307](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Name
Type changed to: [CBPR_RestrictedFINXMax70Text on page 307](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Name
Type changed to: [CBPR_RestrictedFINXMax70Text on page 307](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Name

Type changed to: [CBPR_RestrictedFINXMax70Text on page 307](#)

- on [pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Name](#)

Type changed to: [CBPR_RestrictedFINXMax70Text on page 307](#)

- on [pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Name](#)

Type changed to: [CBPR_RestrictedFINXMax70Text on page 307](#)

5.13.5 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Specifies an alternate assumed name for the identification of the account.

The **Prxy** block contains the following elements (see datatype "[ProxyAccountIdentification1_1](#)" on page 239 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		239
	Identification	<Id>		[1..1]		241

5.14 CashAccountType2Choice

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		50
	Proprietary	<Prtry>	Or}	[1..1]		51

Used in element(s)

"Type" on page 46

5.14.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Account type, in a coded form.

Datatype: "[ExternalCashAccountType1Code](#)" on page 316

5.14.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Nature or use of the account in a proprietary form.

Datatype: ["Max35Text" on page 333](#)

5.15 CashAccountType2Choice__1

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		51
	Proprietary	<Prtry>	Or}	[1..1]		51

Used in element(s)

["Type" on page 48](#)

5.15.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Account type, in a coded form.

Datatype: ["ExternalCashAccountType1Code" on page 316](#)

5.15.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Nature or use of the account in a proprietary form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 306](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Type/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Type/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)

5.16 CategoryPurpose1Choice

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		53
	Proprietary	<Prtry>	Or}	[1..1]		53

Used in element(s)

["CategoryPurpose" on page 196](#)

5.16.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Category purpose, as published in an external category purpose code list.

Datatype: "ExternalCategoryPurpose1Code" on page 317

5.16.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Category purpose, in a proprietary form.

Datatype: "Max35Text" on page 333

5.17 CategoryPurpose1Choice__1

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		53
	Proprietary	<Prtry>	Or}	[1..1]		53

Used in element(s)

"CategoryPurpose" on page 198

5.17.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Category purpose, as published in an external category purpose code list.

Datatype: "ExternalCategoryPurpose1Code" on page 317

5.17.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Category purpose, in a proprietary form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentTypeInfo/Category-Purpose/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.18 ClearingSystemIdentification2Choice

Definition: Choice of a clearing system identifier.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		54
	Proprietary	<Prtry>	Or}	[1..1]	🚫	54

Used in element(s)

"ClearingSystemIdentification" on page 57, "ClearingSystemIdentification" on page 57

5.18.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Identification of a clearing system, in a coded form as published in an external list.

Datatype: "ExternalClearingSystemIdentification1Code" on page 318

5.18.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Identification code for a clearing system, that has not yet been identified in the list of clearing systems.

Datatype: "Max35Text" on page 333

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.

- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.

- This element(pacs.009.001.08/GroupHeader/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.

5.19 ClearingSystemIdentification3Choice

Definition: Specifies the clearing system identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		56
	Proprietary	<Prtry>	Or}	[1..1]		56

Used in element(s)

"ClearingSystem" on page 260

5.19.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Infrastructure through which the payment instruction is processed, as published in an external clearing system identification code list.

Datatype: "ExternalCashClearingSystem1Code" on page 317

5.19.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Clearing system identification in a proprietary form.

Datatype: "Max35Text" on page 333

5.20 ClearingSystemMemberIdentification2

Definition: Unique identification, as assigned by a clearing system, to unambiguously identify a member of the clearing system.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		57
	MemberIdentification	<MmbId>		[1..1]		57

Used in element(s)

"ClearingSystemMemberIdentification" on page 130, "ClearingSystemMemberIdentification" on page 118

5.20.1 ClearingSystemIdentification

XML Tag: ClrSysId

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSysId** block contains the following elements (see datatype "ClearingSystemIdentification2Choice" on page 54 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		54
	Proprietary	<Prtry>	Or}	[1..1]		54

5.20.2 MemberIdentification

XML Tag: Mmbld

Presence: [1..1]

Definition: Identification of a member of a clearing system.

Datatype: "Max35Text" on page 333

5.21 ClearingSystemMemberIdentification2__1

Definition: Unique identification, as assigned by a clearing system, to unambiguously identify a member of the clearing system.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		57
	MemberIdentification	<Mmbld>		[1..1]		59

Used in element(s)

"ClearingSystemMemberIdentification" on page 122, "ClearingSystemMemberIdentification" on page 125

5.21.1 ClearingSystemIdentification

XML Tag: ClrSysId

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSysId** block contains the following elements (see datatype "ClearingSystemIdentification2Choice" on page 54 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		54
	Proprietary	<Prtry>	Or}	[1..1]	🚫	54

Usage Guideline details

- on pacs.009.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/GroupHeader/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/GroupHeader/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1

5.21.2 MemberIdentification

XML Tag: Mmbld

Presence: [1..1]

Definition: Identification of a member of a clearing system.

Datatype: ["CBPR_RestrictedFINXMax28Text" on page 305](#)

Usage Guideline details

- on pacs.009.001.08/GroupHeader/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/GroupHeader/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 305](#)

5.22 Contact4

Definition: Specifies the details of the contact person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		61
	Name	<Nm>		[0..1]		62
	PhoneNumber	<PhneNb>		[0..1]		62
	MobileNumber	<MobNb>		[0..1]		62
	FaxNumber	<FaxNb>		[0..1]		62
	EmailAddress	<EmailAdr>		[0..1]		62
	EmailPurpose	<EmailPurp>		[0..1]		62
	JobTitle	<JobTitl>		[0..1]		63
	Responsibility	<Rspnsblty>		[0..1]		63
	Department	<Dept>		[0..1]		63
	Other	<Othr>		[0..*]		63
	PreferredMethod	<PrefrdMtd>		[0..1]		63

Used in element(s)

["ContactDetails" on page 185](#),
 ["ContactDetails" on page 188](#),
 ["ContactDetails" on page 190](#),
 ["ContactDetails" on page 182](#)

5.22.1 NamePrefix

XML Tag: NmPrfx

Presence: [0..1]

Definition: Specifies the terms used to formally address a person.

Datatype: "NamePrefix2Code" on page 334

5.22.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "Max140Text" on page 331

5.22.3 PhoneNumber

XML Tag: PhneNb

Presence: [0..1]

Definition: Collection of information that identifies a phone number, as defined by telecom services.

Datatype: "PhoneNumber" on page 336

5.22.4 MobileNumber

XML Tag: MobNb

Presence: [0..1]

Definition: Collection of information that identifies a mobile phone number, as defined by telecom services.

Datatype: "PhoneNumber" on page 336

5.22.5 FaxNumber

XML Tag: FaxNb

Presence: [0..1]

Definition: Collection of information that identifies a FAX number, as defined by telecom services.

Datatype: "PhoneNumber" on page 336

5.22.6 EmailAddress

XML Tag: EmailAdr

Presence: [0..1]

Definition: Address for electronic mail (e-mail).

Datatype: "Max2048Text" on page 332

5.22.7 EmailPurpose

XML Tag: EmailPurp

Presence: [0..1]

Definition: Purpose for which an email address may be used.

Datatype: ["Max35Text" on page 333](#)

5.22.8 JobTitle

XML Tag: JobTitl

Presence: [0..1]

Definition: Title of the function.

Datatype: ["Max35Text" on page 333](#)

5.22.9 Responsibility

XML Tag: Rspnsblty

Presence: [0..1]

Definition: Role of a person in an organisation.

Datatype: ["Max35Text" on page 333](#)

5.22.10 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: ["Max70Text" on page 334](#)

5.22.11 Other

XML Tag: Othr

Presence: [0..*]

Definition: Contact details in another form.

The **Othr** block contains the following elements (see datatype ["OtherContact1" on page 173](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanlTp>		[1..1]		174
	Identification	<Id>		[0..1]		174

5.22.12 PreferredMethod

XML Tag: PrefrdMtd

Presence: [0..1]

Definition: Preferred method used to reach the contact.

Datatype: "PreferredContactMethod1Code" on page 336

5.23 CreditTransferTransaction36__1

Definition: Provide further details specific to the individual transaction(s) included in the message.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PaymentIdentification	<PmtId>		[1..1]		68
	PaymentTypeInformation	<PmtTplnf>		[0..1]		68
	InterbankSettlementAmount	<IntrBkSttlmAmt>		[1..1]	⚠	69
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]	M ⚠	69
	SettlementPriority	<SttlmPrty>		[0..1]		69
	SettlementTimeIndication	<SttlmTmIndctn>		[0..1]		70
	SettlementTimeRequest	<SttlmTmReq>		[0..1]		70
	PreviousInstructingAgent1	<PrvsInstgAgt1>		[0..1]	⚠	70
	PreviousInstructingAgent1Ac- count	<PrvsInstgAgt1Acct>		[0..1]		71
	PreviousInstructingAgent2	<PrvsInstgAgt2>		[0..1]	⚠	72
	PreviousInstructingAgent2Ac- count	<PrvsInstgAgt2Acct>		[0..1]		73
	PreviousInstructingAgent3	<PrvsInstgAgt3>		[0..1]	⚠	73
	PreviousInstructingAgent3Ac- count	<PrvsInstgAgt3Acct>		[0..1]		74
	InstructingAgent	<InstgAgt>		[0..1]	M	74
	InstructedAgent	<InstdAgt>		[0..1]	M	75
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]	⚠	75
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		76
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]	⚠	77
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		78
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]	⚠	78
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		79
	UltimateDebtor	<UltmtDbtr>		[0..1]	⊘	79
	Debtor	<Dbtr>		[1..1]	⚠	80
	DebtorAccount	<DbtrAcct>		[0..1]		81

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebtorAgent	<DbtrAgt>		[0..1]		81
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		82
	CreditorAgent	<CdtrAgt>		[0..1]		83
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		84
	Creditor	<Cdtr>		[1..1]		84
	CreditorAccount	<CdtrAcct>		[0..1]		85
	UltimateCreditor	<UltmtCdtr>		[0..1]		85
	InstructionForCreditorAgent	<InstrForCdtrAgt>		[0..*]	R[0..2]	86
	InstructionForNextAgent	<InstrForNxtAgt>		[0..*]	R[0..6]	86
	Purpose	<Purp>		[0..1]		87
	RemittanceInformation	<RmtInf>		[0..1]		87
	UnderlyingCustomerCreditTransfer	<UndrlygCstmrCdtTrf>		[0..1]		88
	SupplementaryData	<SplmtryData>		[0..*]		89

Rules

R27 IntermediaryAgent2Rule ✓

If IntermediaryAgent2 is present, then IntermediaryAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00056
- *Error Text:* Invalid message content for intermediary agent 2.

R28 IntermediaryAgent3Rule ✓

If IntermediaryAgent3 is present, then IntermediaryAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00057
- *Error Text:* Invalid message content for intermediary agent 3.

R29 IntermediaryAgent1Rule ✓

If IntermediaryAgent1 is present, then CreditorAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00060

- *Error Text:* Invalid message content for intermediary agent 1.

R30 IntermediaryAgent1AccountRule ✓

If IntermediaryAgent1Account is present, then IntermediaryAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00052
- *Error Text:* Invalid message content for intermediary agent 1 account.

R31 IntermediaryAgent2AccountRule ✓

If IntermediaryAgent2Account is present, then IntermediaryAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00053
- *Error Text:* Invalid message content for intermediary agent 2 account.

R32 IntermediaryAgent3AccountRule ✓

If IntermediaryAgent3Account is present, then IntermediaryAgent3 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00054
- *Error Text:* Invalid message content for intermediary agent 3 account.

R33 DebtorAgentAccountRule ✓

If DebtorAgentAccount is present, then DebtorAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00059
- *Error Text:* Invalid message content for debtor agent account.

R34 CreditorAgentAccountRule ✓

If CreditorAgentAccount is present, then CreditorAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00058
- *Error Text:* Invalid message content for creditor agent account.

R35 PreviousInstructingAgent1AccountRule ✓

If PreviousInstructingAgent1Account is present, then PreviousInstructingAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00411
- *Error Text:* Invalid message content for previous instructing agent account.

R36 PreviousInstructingAgent2AccountRule ✓

If PreviousInstructingAgent2Account is present, then PreviousInstructingAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00412
- *Error Text:* Invalid message content for previous instructing agent account.

R37 PreviousInstructingAgent3AccountRule ✓

If PreviousInstructingAgent3Account is present, then PreviousInstructingAgent3 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00413
- *Error Text:* Invalid message content for previous instructing agent account.

R38 PreviousInstructionAgent2Rule ✓

If PreviousInstructingAgent2 is present, then PreviousInstructingAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00415
- *Error Text:* Invalid message content for intermediary agent 1.

R39 PreviousInstructionAgent3Rule ✓

If PreviousInstructingAgent3 is present, then PreviousInstructingAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00416
- *Error Text:* Invalid message content for intermediary agent 1.

Guidelines

1. UltimateDebtorGuideline

UltimateDebtor may only be present if different from Debtor.

2. UltimateCreditorGuideline

UltimateCreditor may only be present if different from Creditor.

3. PreviousInstructingAgent1Guideline

It is recommended that, when present, PreviousInstructingAgent1 is the closest to the DebtorAgent in the payment chain.

Used in element(s)

"CreditTransferTransactionInformation" on page 20

5.23.1 PaymentIdentification

XML Tag: PmtId

Presence: [1..1]

Definition: Set of elements used to reference a payment instruction.

The **PmtId** block contains the following elements (see datatype "PaymentIdentification7__1" on page 191 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionIdentification	<InstrId>		[0..1]	M ⚠	192
	EndToEndIdentification	<EndToEndId>		[1..1]	⚠	193
	TransactionIdentification	<TxId>		[0..1]	⚠	194
	UETR	<UETR>		[0..1]	M ⚠	194
	ClearingSystemReference	<ClrSysRef>		[0..1]	⚠	194

5.23.2 PaymentTypeInformation

XML Tag: PmtTpInf

Presence: [0..1]

Definition: Set of elements used to further specify the type of transaction.

The **PmtTpInf** block contains the following elements (see datatype "PaymentTypeInformation28__1" on page 197 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		197
	ClearingChannel	<ClrChanl>		[0..1]		197
	ServiceLevel	<SvcLvl>		[0..*]	R[0..3]	197
	LocalInstrument	<LclInstrm>		[0..1]		198

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CategoryPurpose	<CtgyPurp>		[0..1]		198

5.23.3 InterbankSettlementAmount

XML Tag: IntrBkSttlmAmt

Presence: [1..1]

Definition: Amount of money moved between the instructing agent and the instructed agent.

Datatype: "CBPR_Amount" on page 302

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InterbankSettlementAmount
Type changed to: [CBPR_Amount on page 301](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/InterbankSettlementAmount
– CBPR_Interbank_Settlement_Currency_FormalRule:

The codes XAU, XAG, XPD and XPT are not allowed, as these are codes are only used for commodities.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/InterbankSettlementAmount], every occurrence of [InterbankSettlementAmount/Currency] must have value not included in the following list 'XAU' or 'XAG' or 'XPD' or 'XPT'

5.23.4 InterbankSettlementDate

XML Tag: IntrBkSttlmDt

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Datatype: "CBPR_Date" on page 302

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InterbankSettlementDate
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/InterbankSettlementDate
Type changed to: [CBPR_Date on page 302](#)

5.23.5 SettlementPriority

XML Tag: SttlmPrty

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the settlement instruction.

Datatype: "Priority3Code" on page 337

5.23.6 SettlementTimeIndication

XML Tag: SttlmTmIndctn

Presence: [0..1]

Definition: Provides information on the occurred settlement time(s) of the payment transaction.

The **SttlmTmIndctn** block contains the following elements (see datatype "[SettlementDateTimelndication1__1](#)" on page 255 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebitDateTime	<DbtDtTm>		[0..1]	⚠	255
	CreditDateTime	<CdtDtTm>		[0..1]	⚠	255

5.23.7 SettlementTimeRequest

XML Tag: SttlmTmReq

Presence: [0..1]

Definition: Provides information on the requested settlement time(s) of the payment instruction.

The **SttlmTmReq** block contains the following elements (see datatype "[SettlementTimeRequest2__1](#)" on page 263 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CLSTime	<CLSTm>		[0..1]	⚠	264
	TillTime	<TillTm>		[0..1]	⚠	264
	FromTime	<FrTm>		[0..1]	⚠	264
	RejectTime	<RjctTm>		[0..1]	⚠	265

5.23.8 PreviousInstructingAgent1

XML Tag: PrvsInstgAgt1

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt1** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__2](#)" on page 32 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on **pac.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1**
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on **pac.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1**
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on **pac.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1**
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on **pac.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1**
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)

5.23.9 PreviousInstructingAgent1Account

XML Tag: PrvsInstgAgt1Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt1Acct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 47 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		48
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]	⚠	49
	Proxy	<Prxy>		[0..1]		50

5.23.10 PreviousInstructingAgent2

XML Tag: PrvsInstgAgt2

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt2** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 32 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2
 - CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2
 - CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.23.11 PreviousInstructingAgent2Account

XML Tag: PrvsInstgAgt2Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt2Acct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 47 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		48
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]		49
	Proxy	<Prxy>		[0..1]		50

5.23.12 PreviousInstructingAgent3

XML Tag: PrvsInstgAgt3

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt3** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__2](#)" on page 32 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3
 - CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3
 - CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.23.13 PreviousInstructingAgent3Account

XML Tag: PrvsInstgAgt3Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt3Acct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 47 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		48
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]		49
	Proxy	<Prxy>		[0..1]		50

5.23.14 InstructingAgent

XML Tag: InstgAgt

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

The **InstgAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 30 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		30
	BranchIdentification	<BrnchId>		[0..1]		31

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent
This element is now mandatory, the minimum occurrence has been changed to : 1

5.23.15 InstructedAgent

XML Tag: InstdAgt

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

The **InstdAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 30 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		30
	BranchIdentification	<BrnchId>		[0..1]		31

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent
This element is now mandatory, the minimum occurrence has been changed to : 1

5.23.16 IntermediaryAgent1

XML Tag: IntrmyAgt1

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If more than one intermediary agent is present, then IntermediaryAgent1 identifies the agent between the DebtorAgent and the IntermediaryAgent2.

The **IntrmyAgt1** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 32 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1**
 - CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1**
 - CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1**
 - CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1**
 - CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.23.17 IntermediaryAgent1Account

XML Tag: IntrmyAgt1Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 1 at its servicing agent in the payment chain.

The **IntrmyAgt1Acct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 47 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		48

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]	⚠	49
	Proxy	<Prxy>		[0..1]		50

5.23.18 IntermediaryAgent2

XML Tag: IntrmyAgt2

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If more than two intermediary agents are present, then IntermediaryAgent2 identifies the agent between the IntermediaryAgent1 and the IntermediaryAgent3.

The **IntrmyAgt2** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_2](#)" on page 32 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2
 - CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2

– **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.23.19 IntermediaryAgent2Account

XML Tag: IntrmyAgt2Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 2 at its servicing agent in the payment chain.

The **IntrmyAgt2Acct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 47 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		48
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]	⚠	49
	Proxy	<Prxy>		[0..1]		50

5.23.20 IntermediaryAgent3

XML Tag: IntrmyAgt3

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If IntermediaryAgent3 is present, then it identifies the agent between the IntermediaryAgent 2 and the CreditorAgent.

The **IntrmyAgt3** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__2](#)" on page 32 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Usage Guideline details

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3**
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3**
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3**
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3**
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.23.21 IntermediaryAgent3Account

XML Tag: IntrmyAgt3Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 3 at its servicing agent in the payment chain.

The **IntrmyAgt3Acct** block contains the following elements (see datatype "CashAccount38__1" on page 47 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		48
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]	⚠	49
	Proxy	<Prxy>		[0..1]		50

5.23.22 UltimateDebtor

XML Tag: UltmtDbtr

Presence: [0..1]

Definition: Ultimate financial institution that owes an amount of money to the (ultimate) institutional creditor.

The **UltmtDbtr** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6" on page 28 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		29
	BranchIdentification	<BrnchId>		[0..1]		29

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UltimateDebtor) is removed.

5.23.23 Debtor

XML Tag: Dbtr

Presence: [1..1]

Definition: Financial institution that owes an amount of money to the (ultimate) financial institutional creditor.

The **Dbtr** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 32 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.23.24 DebtorAccount

XML Tag: DbtrAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor to which a debit entry will be made as a result of the transaction.

The **DbtrAcct** block contains the following elements (see datatype "CashAccount38__1" on page 47 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		48
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]		49
	Proxy	<Prxy>		[0..1]		50

5.23.25 DebtorAgent

XML Tag: DbtrAgt

Presence: [0..1]

Definition: Financial institution servicing an account for the debtor.

The **DbtrAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 32 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent

- CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent

- CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.23.26 DebtorAgentAccount

XML Tag: DbtrAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor agent at its servicing agent in the payment chain.

The **DbtrAgtAcct** block contains the following elements (see datatype "CashAccount38__1" on page 47 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		48
	Type	<Tp>		[0..1]		48

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]	⚠	49
	Proxy	<Prxy>		[0..1]		50

5.23.27 CreditorAgent

XML Tag: CdtrAgt

Presence: [0..1]

Definition: Financial institution servicing an account for the creditor.

The **CdtrAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_2](#)" on page 32 for details)

🚫 Removed - 🚫 Partial Removed - 🔹 Ignored - 🔹 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.23.28 CreditorAgentAccount

XML Tag: CdtrAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor agent at its servicing agent to which a credit entry will be made as a result of the payment transaction.

The **CdtrAgtAcct** block contains the following elements (see datatype "CashAccount38__1" on page 47 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		48
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]		49
	Proxy	<Prxy>		[0..1]		50

5.23.29 Creditor

XML Tag: Cdtr

Presence: [1..1]

Definition: Financial institution that receives an amount of money from the financial institutional debtor.

The **Cdtr** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 32 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor

- CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor

- CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.23.30 CreditorAccount

XML Tag: CdtrAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor to which a credit entry will be posted as a result of the payment transaction.

The **CdtrAcct** block contains the following elements (see datatype "CashAccount38__1" on page 47 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		48
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]		49
	Proxy	<Prxy>		[0..1]		50

5.23.31 UltimateCreditor

XML Tag: UltmtCdtr

Presence: [0..1]

Definition: Ultimate financial institution to which an amount of money is due.

The **UltmtCdtr** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6" on page 28 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		29
	BranchIdentification	<BrnchId>		[0..1]		29

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UltimateCreditor) is removed.

5.23.32 InstructionForCreditorAgent

XML Tag: InstrForCdtrAgt

Presence: [0..*]

Definition: Further information related to the processing of the payment instruction, provided by the initiating party, and intended for the creditor agent.

The **InstrForCdtrAgt** block contains the following elements (see datatype "InstructionForCreditorAgent2__1" on page 161 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]		161
	InstructionInformation	<InstrInf>		[0..1]		162

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InstructionForCreditorAgent
This element has change repeatability, the maximum occurrence has been changed to : 2

5.23.33 InstructionForNextAgent

XML Tag: InstrForNxtAgt

Presence: [0..*]

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by the next agent.

Usage: The next agent may not be the creditor agent.

The instruction can relate to a level of service, can be an instruction that has to be executed by the agent, or can be information required by the next agent.

The **InstrForNxtAgt** block contains the following elements (see datatype "InstructionForNextAgent1__1" on page 162 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]		162
	InstructionInformation	<InstrInf>		[0..1]		163

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InstructionForNextAgent
This element has change repeatability, the maximum occurrence has been changed to : 6

5.23.34 Purpose

XML Tag: Purp

Presence: [0..1]

Definition: Underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, that is initiating party, (ultimate) debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by any of the agents involved in the payment chain.

The **Purp** block contains the following elements (see datatype "[Purpose2Choice__1](#)" on page 244 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		244
	Proprietary	<Prtry>	Or}	[1..1]		244

5.23.35 RemittanceInformation

XML Tag: RmtInf

Presence: [0..1]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, such as commercial invoices in an accounts' receivable system.

The **RmtInf** block contains the following elements (see datatype "[RemittanceInformation2__1](#)" on page 253 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]	 R[0..1]	253

5.23.36 UnderlyingCustomerCreditTransfer

XML Tag: UndrlygCstmrCdtTrf

Presence: [0..1]

Definition: Provides information on the underlying customer credit transfer for which cover is provided.

The **UndrlygCstmrCdtTrf** block contains the following elements (see datatype "[CreditTransferTransaction37__1](#)" on page 89 for details)

🚫 Removed - 🚫 Partial Removed - 🔹 Ignored - 🔹 Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	UltimateDebtor	<UltmtDbtr>		[0..1]		93
	InitiatingParty	<InitgPty>		[0..1]		93
	Debtor	<Dbtr>		[1..1]		94
	DebtorAccount	<DbtrAcct>		[0..1]		94
	DebtorAgent	<DbtrAgt>		[1..1]		94
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		95
	PreviousInstructingAgent1	<PrvsInstgAgt1>		[0..1]		95
	PreviousInstructingAgent1Account	<PrvsInstgAgt1Acct>		[0..1]		96
	PreviousInstructingAgent2	<PrvsInstgAgt2>		[0..1]		96
	PreviousInstructingAgent2Account	<PrvsInstgAgt2Acct>		[0..1]		96
	PreviousInstructingAgent3	<PrvsInstgAgt3>		[0..1]		97
	PreviousInstructingAgent3Account	<PrvsInstgAgt3Acct>		[0..1]		97
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]		98
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		98
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]		98
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		99
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]		99
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		100
	CreditorAgent	<CdtrAgt>		[1..1]		100
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		100
	Creditor	<Cdtr>		[1..1]		101
	CreditorAccount	<CdtrAcct>		[0..1]		101
	UltimateCreditor	<UltmtCdtr>		[0..1]		102

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionForCreditorAgent	<InstrForCdtrAgt>		[0..*]		102
	InstructionForNextAgent	<InstrForNxtAgt>		[0..*]		103
	Tax	<Tax>		[0..1]		103
	RemittanceInformation	<RmtInf>		[0..1]		103
	InstructedAmount	<InstdAmt>		[0..1]		104

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer) is removed.

5.23.37 SupplementaryData

XML Tag: SplmtryData

Presence: [0..*]

Definition: Additional information that cannot be captured in the structured elements and/or any other specific block.

The **SplmtryData** block contains the following elements (see datatype "SupplementaryData1" on page 269 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		269
	Envelope	<Envlp>		[1..1]		270

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/SupplementaryData) is removed.

5.24 CreditTransferTransaction37__1

Definition: Provides further details specific to the individual transaction(s) included in the message.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	UltimateDebtor	<UltmtDbtr>		[0..1]		93

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InitiatingParty	<InitgPty>		[0..1]		93
	Debtor	<Dbtr>		[1..1]		94
	DebtorAccount	<DbtrAcct>		[0..1]		94
	DebtorAgent	<DbtrAgt>		[1..1]		94
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		95
	PreviousInstructingAgent1	<PrvsInstgAgt1>		[0..1]		95
	PreviousInstructingAgent1Ac- count	<PrvsInstgAgt1Acct>		[0..1]		96
	PreviousInstructingAgent2	<PrvsInstgAgt2>		[0..1]		96
	PreviousInstructingAgent2Ac- count	<PrvsInstgAgt2Acct>		[0..1]		96
	PreviousInstructingAgent3	<PrvsInstgAgt3>		[0..1]		97
	PreviousInstructingAgent3Ac- count	<PrvsInstgAgt3Acct>		[0..1]		97
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]		98
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		98
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]		98
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		99
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]		99
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		100
	CreditorAgent	<CdtrAgt>		[1..1]		100
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		100
	Creditor	<Cdtr>		[1..1]		101
	CreditorAccount	<CdtrAcct>		[0..1]		101
	UltimateCreditor	<UltmtCdtr>		[0..1]		102
	InstructionForCreditorAgent	<InstrForCdtrAgt>		[0..*]		102
	InstructionForNextAgent	<InstrForNxtAgt>		[0..*]		103
	Tax	<Tax>		[0..1]		103
	RemittanceInformation	<RmtInf>		[0..1]		103
	InstructedAmount	<InstdAmt>		[0..1]		104

Rules

R43 IntermediaryAgent2Rule ✓

If IntermediaryAgent2 is present, then IntermediaryAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00056
- *Error Text:* Invalid message content for intermediary agent 2.

R44 IntermediaryAgent3Rule ✓

If IntermediaryAgent3 is present, then IntermediaryAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00057
- *Error Text:* Invalid message content for intermediary agent 3.

R45 IntermediaryAgent1AccountRule ✓

If IntermediaryAgent1Account is present, then IntermediaryAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00052
- *Error Text:* Invalid message content for intermediary agent 1 account.

R46 IntermediaryAgent2AccountRule ✓

If IntermediaryAgent2Account is present, then IntermediaryAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00053
- *Error Text:* Invalid message content for intermediary agent 2 account.

R47 IntermediaryAgent3AccountRule ✓

If IntermediaryAgent3Account is present, then IntermediaryAgent3 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00054
- *Error Text:* Invalid message content for intermediary agent 3 account.

R48 PreviousInstructingAgent1AccountRule ✓

If PreviousInstructingAgent1Account is present, then PreviousInstructingAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00411

- *Error Text:* Invalid message content for previous instructing agent account.

R49 PreviousInstructingAgent2AccountRule ✓

If PreviousInstructingAgent2Account is present, then PreviousInstructingAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00412
- *Error Text:* Invalid message content for previous instructing agent account.

R50 PreviousInstructingAgent3AccountRule ✓

If PreviousInstructingAgent3Account is present, then PreviousInstructingAgent3 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00413
- *Error Text:* Invalid message content for previous instructing agent account.

R51 PreviousInstructionAgent2Rule ✓

If PreviousInstructingAgent2 is present, then PreviousInstructingAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00415
- *Error Text:* Invalid message content for intermediary agent 1.

R52 PreviousInstructionAgent3Rule ✓

If PreviousInstructingAgent3 is present, then PreviousInstructingAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00416
- *Error Text:* Invalid message content for intermediary agent 1.

Guidelines**1. UltimateDebtorGuideline**

UltimateDebtor may only be present if different from Debtor.

2. UltimateCreditorGuideline

UltimateCreditor may only be present if different from Creditor.

3. PreviousInstructingAgent1Guideline

It is recommended that, when present, `PreviousInstructingAgent1` is the closest to the `DebtorAgent` in the payment chain.

Used in element(s)

"[UnderlyingCustomerCreditTransfer](#)" on page 88

5.24.1 UltimateDebtor

XML Tag: `UltmtDbtr`

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor.

The **UltmtDbtr** block contains the following elements (see datatype "[PartyIdentification135__1](#)" on page 183 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		184
	PostalAddress	<PstlAdr>		[0..1]		184
	Identification	<Id>		[0..1]		185
	CountryOfResidence	<CtryOfRes>		[0..1]		185
	ContactDetails	<CtctDtls>		[0..1]		185

5.24.2 InitiatingParty

XML Tag: `InitgPty`

Presence: [0..1]

Definition: Party that initiates the payment.

Usage: This can be either the debtor or a party that initiates the credit transfer on behalf of the debtor.

The **InitgPty** block contains the following elements (see datatype "[PartyIdentification135__1](#)" on page 183 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		184
	PostalAddress	<PstlAdr>		[0..1]		184
	Identification	<Id>		[0..1]		185
	CountryOfResidence	<CtryOfRes>		[0..1]		185
	ContactDetails	<CtctDtls>		[0..1]		185

5.24.3 Debtor

XML Tag: Dbtr

Presence: [1..1]

Definition: Party that owes an amount of money to the (ultimate) creditor.

The **Dbtr** block contains the following elements (see datatype "[PartyIdentification135__2](#)" on page 186 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		186
	PostalAddress	<PstlAdr>		[0..1]		186
	Identification	<Id>		[0..1]		187
	CountryOfResidence	<CtryOfRes>		[0..1]		187
	ContactDetails	<CtctDtls>		[0..1]		188

5.24.4 DebtorAccount

XML Tag: DbtrAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor to which a debit entry will be made as a result of the transaction.

The **DbtrAcct** block contains the following elements (see datatype "[CashAccount38](#)" on page 45 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		46
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		47
	Proxy	<Prxy>		[0..1]		47

5.24.5 DebtorAgent

XML Tag: DbtrAgt

Presence: [1..1]

Definition: Financial institution servicing an account for the debtor.

The **DbtrAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__3](#)" on page 38 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		38
	BranchIdentification	<BrnchId>		[0..1]		38

5.24.6 DebtorAgentAccount

XML Tag: DbtrAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor agent at its servicing agent in the payment chain.

The **DbtrAgtAcct** block contains the following elements (see datatype "[CashAccount38](#)" on page 45 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		46
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		47
	Proxy	<Prxy>		[0..1]		47

5.24.7 PreviousInstructingAgent1

XML Tag: PrvsInstgAgt1

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt1** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 28 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		29
	BranchIdentification	<BrnchId>		[0..1]		29

5.24.8 PreviousInstructingAgent1Account

XML Tag: PrvsInstgAgt1Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt1Acct** block contains the following elements (see datatype "CashAccount38" on page 45 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		46
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		47
	Proxy	<Prxy>		[0..1]		47

5.24.9 PreviousInstructingAgent2

XML Tag: PrvsInstgAgt2

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt2** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6" on page 28 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		29
	BranchIdentification	<BrnchId>		[0..1]	🚫	29

5.24.10 PreviousInstructingAgent2Account

XML Tag: PrvsInstgAgt2Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt2Acct** block contains the following elements (see datatype "CashAccount38" on page 45 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		46
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		47
	Proxy	<Prxy>		[0..1]		47

5.24.11 PreviousInstructingAgent3

XML Tag: PrvsInstgAgt3

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt3** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 28 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		29
	BranchIdentification	<BrnchId>		[0..1]		29

5.24.12 PreviousInstructingAgent3Account

XML Tag: PrvsInstgAgt3Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt3Acct** block contains the following elements (see datatype "[CashAccount38](#)" on page 45 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		46
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		47
	Proxy	<Prxy>		[0..1]		47

5.24.13 IntermediaryAgent1

XML Tag: IntrmyAgt1

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If more than one intermediary agent is present, then IntermediaryAgent1 identifies the agent between the DebtorAgent and the IntermediaryAgent2.

The **IntrmyAgt1** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 28 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		29
	BranchIdentification	<BrnchId>		[0..1]		29

5.24.14 IntermediaryAgent1Account

XML Tag: IntrmyAgt1Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 1 at its servicing agent in the payment chain.

The **IntrmyAgt1Acct** block contains the following elements (see datatype "[CashAccount38](#)" on page 45 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		46
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		47
	Proxy	<Prxy>		[0..1]		47

5.24.15 IntermediaryAgent2

XML Tag: IntrmyAgt2

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If more than two intermediary agents are present, then IntermediaryAgent2 identifies the agent between the IntermediaryAgent1 and the IntermediaryAgent3.

The **IntrmyAgt2** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__3](#)" on page 38 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		38
	BranchIdentification	<BrnchId>		[0..1]		38

5.24.16 IntermediaryAgent2Account

XML Tag: IntrmyAgt2Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 2 at its servicing agent in the payment chain.

The **IntrmyAgt2Acct** block contains the following elements (see datatype "[CashAccount38](#)" on page 45 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		46
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		47
	Proxy	<Prxy>		[0..1]		47

5.24.17 IntermediaryAgent3

XML Tag: IntrmyAgt3

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If IntermediaryAgent3 is present, then it identifies the agent between the IntermediaryAgent 2 and the CreditorAgent.

The **IntrmyAgt3** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 28 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		29
	BranchIdentification	<BrnchId>		[0..1]		29

5.24.18 IntermediaryAgent3Account

XML Tag: IntrmyAgt3Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 3 at its servicing agent in the payment chain.

The **IntrmyAgt3Acct** block contains the following elements (see datatype "[CashAccount38](#)" on page 45 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		46
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		47
	Proxy	<Prxy>		[0..1]		47

5.24.19 CreditorAgent

XML Tag: CdtrAgt

Presence: [1..1]

Definition: Financial institution servicing an account for the creditor.

The **CdtrAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 28 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		29
	BranchIdentification	<BrnchId>		[0..1]		29

5.24.20 CreditorAgentAccount

XML Tag: CdtrAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor agent at its servicing agent to which a credit entry will be made as a result of the payment transaction.

The **CdtrAgtAcct** block contains the following elements (see datatype "[CashAccount38](#)" on page 45 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		46
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		47
	Proxy	<Prxy>		[0..1]		47

5.24.21 Creditor

XML Tag: Cdtr

Presence: [1..1]

Definition: Party to which an amount of money is due.

The **Cdtr** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 179 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		180
	PostalAddress	<PstlAdr>		[0..1]		180
	Identification	<Id>		[0..1]		181
	CountryOfResidence	<CtryOfRes>		[0..1]		182
	ContactDetails	<CtctDtls>		[0..1]		182

5.24.22 CreditorAccount

XML Tag: CdtrAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor to which a credit entry will be posted as a result of the payment transaction.

The **CdtrAcct** block contains the following elements (see datatype "[CashAccount38](#)" on page 45 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		46
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		47
	Proxy	<Prxy>		[0..1]		47

5.24.23 UltimateCreditor

XML Tag: UltmtCdtr

Presence: [0..1]

Definition: Ultimate party to which an amount of money is due.

The **UltmtCdtr** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 179 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		180
	PostalAddress	<PstlAdr>		[0..1]		180
	Identification	<Id>		[0..1]		181
	CountryOfResidence	<CtryOfRes>		[0..1]		182
	ContactDetails	<CtctDtls>		[0..1]		182

5.24.24 InstructionForCreditorAgent

XML Tag: InstrForCdtrAgt

Presence: [0..*]

Definition: Further information related to the processing of the payment instruction, provided by the initiating party, and intended for the creditor agent.

The **InstrForCdtrAgt** block contains the following elements (see datatype "[InstructionForCreditorAgent1](#)" on page 160 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]		161
	InstructionInformation	<InstrInf>		[0..1]		161

5.24.25 InstructionForNextAgent

XML Tag: InstrForNxtAgt

Presence: [0..*]

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by the next agent.

The **InstrForNxtAgt** block contains the following elements (see datatype "[InstructionForNextAgent1__2](#)" on page 163 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]	🚫	163
	InstructionInformation	<InstrInf>		[0..1]	⚠	164

5.24.26 Tax

XML Tag: Tax

Presence: [0..1]

Definition: Provides details on the tax.

The **Tax** block contains the following elements (see datatype "[TaxInformation8__1](#)" on page 278 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		279
	Debtor	<Dbtr>		[0..1]		279
	AdministrationZone	<AdmstnZone>		[0..1]		280
	ReferenceNumber	<RefNb>		[0..1]		280
	Method	<Mtd>		[0..1]		280
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		280
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		280
	Date	<Dt>		[0..1]		280
	SequenceNumber	<SeqNb>		[0..1]		281
	Record	<Rcrd>		[0..*]		281

5.24.27 RemittanceInformation

XML Tag: RmtInf

Presence: [0..1]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, such as commercial invoices in an accounts' receivable system.

The **RmtInf** block contains the following elements (see datatype "RemittanceInformation16__1" on page 252 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]		252
	Structured	<Strd>		[0..*]		252

5.24.28 InstructedAmount

XML Tag: InstdAmt

Presence: [0..1]

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Usage: This amount has to be transported unchanged through the transaction chain.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 297

5.25 CreditorReferenceInformation2

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		104
	Reference	<Ref>		[0..1]		105

Used in element(s)

"CreditorReferenceInformation" on page 266

5.25.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of creditor reference.

The **Tp** block contains the following elements (see datatype "CreditorReferenceType2" on page 106 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		106
	Issuer	<Issr>		[0..1]		106

5.25.2 Reference

XML Tag: Ref

Presence: [0..1]

Definition: Unique reference, as assigned by the creditor, to unambiguously refer to the payment transaction.

Usage: If available, the initiating party should provide this reference in the structured remittance information, to enable reconciliation by the creditor upon receipt of the amount of money.

If the business context requires the use of a creditor reference or a payment remit identification, and only one identifier can be passed through the end-to-end chain, the creditor's reference or payment remittance identification should be quoted in the end-to-end transaction identification.

Datatype: "Max35Text" on page 333

5.26 CreditorReferenceType1Choice

Definition: Specifies the type of document referred by the creditor.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		105
	Proprietary	<Prtry>	Or}	[1..1]		105

Used in element(s)

"CodeOrProprietary" on page 106

5.26.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of creditor reference, in a coded form.

Datatype: "DocumentType3Code" on page 312

5.26.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Creditor reference type, in a proprietary form.

Datatype: "Max35Text" on page 333

5.27 CreditorReferenceType2

Definition: Specifies the type of creditor reference.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		106
	Issuer	<Issr>		[0..1]		106

Used in element(s)

"Type" on page 104

5.27.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Coded or proprietary format creditor reference type.

The **CdOrPrtry** block contains the following elements (see datatype "[CreditorReferenceType1Choice](#)" on page 105 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		105
	Proprietary	<Prtry>	Or}	[1..1]		105

5.27.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the credit reference type.

Datatype: "Max35Text" on page 333

5.28 DateAndPlaceOfBirth1

Definition: Date and place of birth of a person.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		107
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		107
	CityOfBirth	<CityOfBirth>		[1..1]		107
	CountryOfBirth	<CtryOfBirth>		[1..1]		107

Used in element(s)

["DateAndPlaceOfBirth" on page 199](#)

5.28.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: ["ISODate" on page 328](#)

5.28.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: ["Max35Text" on page 333](#)

5.28.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["Max35Text" on page 333](#)

5.28.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode" on page 311](#)

5.29 DateAndPlaceOfBirth1__1

Definition: Date and place of birth of a person.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		108
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		108
	CityOfBirth	<CityOfBirth>		[1..1]		109
	CountryOfBirth	<CtryOfBirth>		[1..1]		109

Used in element(s)

"DateAndPlaceOfBirth" on page 200, "DateAndPlaceOfBirth" on page 201, "DateAndPlaceOfBirth" on page 203

5.29.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: "ISODate" on page 328

5.29.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**
 Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**
 Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**
 Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**
 Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 307

5.29.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended"](#) on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 307

5.29.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode"](#) on page 311

5.30 DatePeriod2

Definition: Range of time defined by a start date and an end date.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		110
	ToDate	<ToDt>		[1..1]		110

Used in element(s)

"FromToDate" on page 287

5.30.1 FromDate

XML Tag: FrDt

Presence: [1..1]

Definition: Start date of the range.

Datatype: "ISODate" on page 328

5.30.2 ToDate

XML Tag: ToDt

Presence: [1..1]

Definition: End date of the range.

Datatype: "ISODate" on page 328

5.31 DiscountAmountAndType1

Definition: Specifies the amount with a specific type.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		110
	Amount	<Amt>		[1..1]		111

Used in element(s)

"DiscountAppliedAmount" on page 248, "DiscountAppliedAmount" on page 250

5.31.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "[DiscountAmountType1Choice](#)" on page 111 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		111
	Proprietary	<Prtry>	Or}	[1..1]		111

5.31.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: "[ActiveOrHistoricCurrencyAndAmount](#)" on page 297

5.32 DiscountAmountType1Choice

Definition: Specifies the amount type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		111
	Proprietary	<Prtry>	Or}	[1..1]		111

Used in element(s)

"Type" on page 110

5.32.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: "[ExternalDiscountAmountType1Code](#)" on page 319

5.32.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: "[Max35Text](#)" on page 333

5.33 DocumentAdjustment1

Definition: Set of elements used to provide information on the amount and reason of the document adjustment.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		112
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		112
	Reason	<Rsn>		[0..1]		112
	AdditionalInformation	<AddtlInf>		[0..1]		112

Used in element(s)

"AdjustmentAmountAndReason" on page 249, "AdjustmentAmountAndReason" on page 251

5.33.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money of the document adjustment.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 297

5.33.2 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [0..1]

Definition: Specifies whether the adjustment must be subtracted or added to the total amount.

Datatype: "CreditDebitCode" on page 311

5.33.3 Reason

XML Tag: Rsn

Presence: [0..1]

Definition: Specifies the reason for the adjustment.

Datatype: "Max4Text" on page 333

5.33.4 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Provides further details on the document adjustment.

Datatype: "Max140Text" on page 331

5.34 DocumentLineIdentification1

Definition: Identifies the documents referred to in the remittance information.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		113
	Number	<Nb>		[0..1]		113
	RelatedDate	<RltdDt>		[0..1]		113

Used in element(s)

"Identification" on page 114

5.34.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of referred document line identification.

The **Tp** block contains the following elements (see datatype "[DocumentLineType1](#)" on page 115 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		115
	Issuer	<Issr>		[0..1]		116

5.34.2 Number

XML Tag: Nb

Presence: [0..1]

Definition: Identification of the type specified for the referred document line.

Datatype: "[Max35Text](#)" on page 333

5.34.3 RelatedDate

XML Tag: RltdDt

Presence: [0..1]

Definition: Date associated with the referred document line.

Datatype: "[ISODate](#)" on page 328

5.35 DocumentLineInformation1

Definition: Provides document line information.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..*]		114
	Description	<Desc>		[0..1]		114
	Amount	<Amt>		[0..1]		114

Used in element(s)

"LineDetails" on page 246

5.35.1 Identification

XML Tag: Id

Presence: [1..*]

Definition: Provides identification of the document line.

The **Id** block contains the following elements (see datatype "[DocumentLineIdentification1](#)" on page 113 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		113
	Number	<Nb>		[0..1]		113
	RelatedDate	<RltdDt>		[0..1]		113

5.35.2 Description

XML Tag: Desc

Presence: [0..1]

Definition: Description associated with the document line.

Datatype: "[Max2048Text](#)" on page 332

5.35.3 Amount

XML Tag: Amt

Presence: [0..1]

Definition: Provides details on the amounts of the document line.

The **Amt** block contains the following elements (see datatype "[RemittanceAmount3](#)" on page 250 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		250
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		250
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		251
	TaxAmount	<TaxAmt>		[0..*]		251
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		251
	RemittedAmount	<RmtdAmt>		[0..1]		251

5.36 DocumentLineType1

Definition: Specifies the type of the document line identification.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		115
	Issuer	<Issr>		[0..1]		116

Used in element(s)

"Type" on page 113

5.36.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the referred document line identification.

The **CdOrPrtry** block contains the following elements (see datatype "[DocumentLineType1Choice](#)" on page 116 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		116
	Proprietary	<Prtry>	Or}	[1..1]		116

5.36.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the reference document line identificationtype.

Datatype: "Max35Text" on page 333

5.37 DocumentLineType1Choice

Definition: Specifies the type of the document line identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		116
	Proprietary	<Prtry>	Or}	[1..1]		116

Used in element(s)

"CodeOrProprietary" on page 115

5.37.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Line identification type in a coded form.

Datatype: "ExternalDocumentLineType1Code" on page 320

5.37.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of the remittance document.

Datatype: "Max35Text" on page 333

5.38 FinancialIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		117

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		117

Used in element(s)

"SchemeName" on page 141

5.38.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalFinancialInstitutionIdentification1Code" on page 320

5.38.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 333

5.39 FinancialIdentificationSchemeName1Choice__1

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		117
	Proprietary	<Prtry>	Or}	[1..1]		117

Used in element(s)

"SchemeName" on page 142

5.39.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalFinancialInstitutionIdentification1Code" on page 320

5.39.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.40 FinancialInstitutionIdentification18

Definition: Specifies the details to identify a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		118
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		118
	LEI	<LEI>		[0..1]		119
	Name	<Nm>		[0..1]		119
	PostalAddress	<PstlAdr>		[0..1]		119
	Other	<Othr>		[0..1]		120

Used in element(s)

"FinancialInstitutionIdentification" on page 29

5.40.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 300

5.40.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "[ClearingSystemMemberIdentification2](#)" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		57
	MemberIdentification	<Mmbld>		[1..1]		57

5.40.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "[LEIIdentifier](#)" on page 331

5.40.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "[Max140Text](#)" on page 331

5.40.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "[PostalAddress24](#)" on page 206 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		207
	Department	<Dept>		[0..1]		208
	SubDepartment	<SubDept>		[0..1]		209
	StreetName	<StrtNm>		[0..1]		210
	BuildingNumber	<BldgNb>		[0..1]		210

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BuildingName	<BldgNm>		[0..1]		210
	Floor	<Flr>		[0..1]		210
	PostBox	<PstBx>		[0..1]		211
	Room	<Room>		[0..1]		211
	PostCode	<PstCd>		[0..1]		211
	TownName	<TwnNm>		[0..1]		211
	TownLocationName	<TwnLctnNm>		[0..1]		211
	DistrictName	<DstrctNm>		[0..1]		211
	CountrySubDivision	<CtrySubDvsn>		[0..1]		212
	Country	<Ctry>		[0..1]		212
	AddressLine	<AdrLine>		[0..7]		212

5.40.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericFinancialIdentification1](#)" on page 140 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		141
	SchemeName	<SchmeNm>		[0..1]		141
	Issuer	<Issr>		[0..1]		141

5.41 FinancialInstitutionIdentification18__1

Definition: Specifies the details to identify a financial institution.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		121

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		122
	LEI	<LEI>		[0..1]		122
	Name	<Nm>		[0..1]	⊘	122
	PostalAddress	<PstlAdr>		[0..1]	⊘	123
	Other	<Othr>		[0..1]	⊘	124

Used in element(s)

"FinancialInstitutionIdentification" on page 30

5.41.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 300

Usage Guideline details

- on pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.41.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2__1" on page 57 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		57
	MemberIdentification	<Mmbld>		[1..1]		59

5.41.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 331

5.41.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 331

Usage Guideline details

- This element(pacs.009.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.009.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.009.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/Name) is removed.

5.41.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 206 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		207
	Department	<Dept>		[0..1]		208
	SubDepartment	<SubDept>		[0..1]		209
	StreetName	<StrtNm>		[0..1]		210
	BuildingNumber	<BldgNb>		[0..1]		210
	BuildingName	<BldgNm>		[0..1]		210
	Floor	<Flr>		[0..1]		210
	PostBox	<PstBx>		[0..1]		211
	Room	<Room>		[0..1]		211
	PostCode	<PstCd>		[0..1]		211
	TownName	<TwnNm>		[0..1]		211
	TownLocationName	<TwnLctnNm>		[0..1]		211
	DistrictName	<DstrctNm>		[0..1]		211
	CountrySubDivision	<CtrySubDvsn>		[0..1]		212
	Country	<Ctry>		[0..1]		212
	AddressLine	<AdrLine>		[0..7]		212

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.

- This element(pacs.009.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/PostalAddress) is removed.

5.41.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericFinancialIdentification1" on page 140 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		141
	SchemeName	<SchmeNm>		[0..1]		141
	Issuer	<Issr>		[0..1]		141

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.

5.42 FinancialInstitutionIdentification18__2

Definition: Specifies the details to identify a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		125
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		125
	LEI	<LEI>		[0..1]		125
	Name	<Nm>		[0..1]	⚠	126
	PostalAddress	<PstlAdr>		[0..1]	⚠	127
	Other	<Othr>		[0..1]	🚫	129

Used in element(s)

"FinancialInstitutionIdentification" on page 32

5.42.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 300

5.42.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2_1" on page 57 for details)

🚫 Removed - 🚫 Partial Removed - ⬢ Ignored - ⬢ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]	M	57
	MemberIdentification	<Mmbld>		[1..1]	⚠	59

5.42.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 331

5.42.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 304

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 304
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 304
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 304
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 304
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 304
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 304
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 304
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 304
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 304
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 304

5.42.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 213 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		213
	Department	<Dept>		[0..1]		214
	SubDepartment	<SubDept>		[0..1]		215
	StreetName	<StrtNm>		[0..1]		216
	BuildingNumber	<BldgNb>		[0..1]		217
	BuildingName	<BldgNm>		[0..1]		218
	Floor	<Flr>		[0..1]		219
	PostBox	<PstBx>		[0..1]		220
	Room	<Room>		[0..1]		221
	PostCode	<PstCd>		[0..1]		222
	TownName	<TwnNm>		[0..1]	 	223
	TownLocationName	<TwnLctnNm>		[0..1]		225
	DistrictName	<DstrctNm>		[0..1]		226
	CountrySubDivision	<CtrySubDvsn>		[0..1]		227
	Country	<Ctry>		[0..1]		228
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2] R[0..2] R[0..2]	229

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress**

- **CBPR_Duplication_Postal_Address_TextualRule:**

- Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress**

- **CBPR_Duplication_Postal_Address_TextualRule:**

- Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress**

- **CBPR_Duplication_Postal_Address_TextualRule:**

- Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress**

- **CBPR_Duplication_Postal_Address_TextualRule:**

- Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress**

- **CBPR_Duplication_Postal_Address_TextualRule:**

- Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress**

- **CBPR_Duplication_Postal_Address_TextualRule:**

- Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress**

- **CBPR_Duplication_Postal_Address_TextualRule:**

- Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress**

– **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.42.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericFinancialIdentification1](#)" on [page 140](#) for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		141
	SchemeName	<SchmeNm>		[0..1]		141
	Issuer	<Issr>		[0..1]		141

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/Other) is removed.

- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/Other) is removed.

5.43 FinancialInstitutionIdentification18__3

Definition: Specifies the details to identify a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		130
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		130
	LEI	<LEI>		[0..1]		131
	Name	<Nm>		[0..1]		131
	PostalAddress	<PstlAdr>		[0..1]		131
	Other	<Othr>		[0..1]		132

Used in element(s)

"FinancialInstitutionIdentification" on page 38

5.43.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 300

5.43.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		57

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MemberIdentification	<Mmbld>		[1..1]		57

5.43.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 331

5.43.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 331

5.43.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 206 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		207
	Department	<Dept>		[0..1]		208
	SubDepartment	<SubDept>		[0..1]		209
	StreetName	<StrtNm>		[0..1]		210
	BuildingNumber	<BldgNb>		[0..1]		210
	BuildingName	<BldgNm>		[0..1]		210
	Floor	<Flr>		[0..1]		210
	PostBox	<PstBx>		[0..1]		211
	Room	<Room>		[0..1]		211
	PostCode	<PstCd>		[0..1]		211
	TownName	<TwnNm>		[0..1]		211

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TownLocationName	<TwnLctnNm>		[0..1]		211
	DistrictName	<DstrctNm>		[0..1]		211
	CountrySubDivision	<CtrySubDvsn>		[0..1]		212
	Country	<Ctry>		[0..1]		212
	AddressLine	<AdrLine>		[0..7]		212

5.43.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericFinancialIdentification1__1" on page 141 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		142
	SchemeName	<SchmeNm>		[0..1]		142
	Issuer	<Issr>		[0..1]		143

5.44 Garnishment3__1

Definition: Provides remittance information about a payment for garnishment-related purposes.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		133
	Garnishee	<Gmshee>		[0..1]		133
	GarnishmentAdministrator	<GrnshmtAdmstr>		[0..1]		133
	ReferenceNumber	<RefNb>		[0..1]		134
	Date	<Dt>		[0..1]		134
	RemittedAmount	<RmtdAmt>		[0..1]		134
	FamilyMedicalInsuranceIndicator	<FmlyMdclInsrncInd>		[0..1]		134
	EmployeeTerminationIndicator	<MplyeeTermntnInd>		[0..1]		135

Used in element(s)

"GarnishmentRemittance" on page 268

5.44.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specifies the type of garnishment.

The **Tp** block contains the following elements (see datatype "GarnishmentType1__1" on page 136 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		136
	Issuer	<Issr>		[0..1]		136

5.44.2 Garnishee

XML Tag: Grnshee

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor, in this case, to the garnisher.

The **Grnshee** block contains the following elements (see datatype "PartyIdentification135__3" on page 188 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		189
	PostalAddress	<PstlAdr>		[0..1]		189
	Identification	<Id>		[0..1]		190
	CountryOfResidence	<CtryOfRes>		[0..1]		190
	ContactDetails	<CtctDtls>		[0..1]		190

5.44.3 GarnishmentAdministrator

XML Tag: GrnshmtAdmstr

Presence: [0..1]

Definition: Party on the credit side of the transaction who administers the garnishment on behalf of the ultimate beneficiary.

The **GrnshmtAdmstr** block contains the following elements (see datatype "[PartyIdentification135_3](#)" on page 188 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		189
	PostalAddress	<PstlAdr>		[0..1]		189
	Identification	<Id>		[0..1]		190
	CountryOfResidence	<CtryOfRes>		[0..1]		190
	ContactDetails	<CtctDtls>		[0..1]		190

5.44.4 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Reference information that is specific to the agency receiving the garnishment.

Datatype: "[CBPR_RestrictedFINXMax140Text_Extended](#)" on page 304

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/ReferenceNumber
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 304

5.44.5 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date of payment which garnishment was taken from.

Datatype: "[ISODate](#)" on page 328

5.44.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted for the referred document.

Datatype: "[ActiveOrHistoricCurrencyAndAmount](#)" on page 297

5.44.7 FamilyMedicalInsuranceIndicator

XML Tag: FmlyMdclInsrnclnd

Presence: [0..1]

Definition: Indicates if the person to whom the garnishment applies (that is, the ultimate debtor) has family medical insurance coverage available.

Datatype: ["TrueFalseIndicator" on page 341](#)

5.44.8 EmployeeTerminationIndicator

XML Tag: MplyeeTermntnInd

Presence: [0..1]

Definition: Indicates if the employment of the person to whom the garnishment applies (that is, the ultimate debtor) has been terminated.

Datatype: ["TrueFalseIndicator" on page 341](#)

5.45 GarnishmentType1Choice__1

Definition: Specifies the type of garnishment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		135
	Proprietary	<Prtry>	Or}	[1..1]		135

Used in element(s)

["CodeOrProprietary" on page 136](#)

5.45.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Garnishment type in a coded form.

Would suggest this to be an External Code List to contain:

GNCS Garnishment from a third party payer for Child Support

GNDP Garnishment from a Direct Payer for Child Support

GTPP Garnishment from a third party payer to taxing agency.

Datatype: ["ExternalGarnishmentType1Code" on page 321](#)

5.45.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of garnishment.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 307](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Type/CodeOrProprietary/Proprietary](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

5.46 GarnishmentType1__1

Definition: Specifies the type of garnishment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		136
	Issuer	<Issr>		[0..1]		136

Used in element(s)

["Type" on page 133](#)

5.46.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the garnishment.

The **CdOrPrtry** block contains the following elements (see datatype ["GarnishmentType1Choice__1" on page 135](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		135
	Proprietary	<Prtry>	Or}	[1..1]		135

5.46.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the garnishment type.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 307](#)

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Type/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.47 GenericAccountIdentification1

Definition: Information related to a generic account identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		137
	SchemeName	<SchmeNm>		[0..1]		137
	Issuer	<Issr>		[0..1]		137

Used in element(s)

"Other" on page 24

5.47.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "Max34Text" on page 332

5.47.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "AccountSchemeName1Choice" on page 25 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		26
	Proprietary	<Prtry>	Or}	[1..1]		26

5.47.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: ["Max35Text" on page 333](#)

5.48 GenericAccountIdentification1__1

Definition: Information related to a generic account identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		138
	SchemeName	<SchmeNm>		[0..1]		139
	Issuer	<Issr>		[0..1]		139

Used in element(s)

["Other" on page 25](#)

5.48.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: ["CBPR_RestrictedFINXMax34Text" on page 306](#)

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Identification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax34Text on page 306](#)
- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Identification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax34Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Identification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax34Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Identification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax34Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text on page 306](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text on page 306](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text on page 306](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text on page 306](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text on page 306](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text on page 306](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text on page 306](#)

5.48.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[AccountSchemeName1Choice_1](#)" on page 26 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		26
	Proprietary	<Prtry>	Or}	[1..1]		27

5.48.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)

5.49 GenericFinancialIdentification1

Definition: Information related to an identification of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		141
	SchemeName	<SchmeNm>		[0..1]		141
	Issuer	<Issr>		[0..1]		141

Used in element(s)

"Other" on page 124, "Other" on page 129, "Other" on page 120

5.49.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "Max35Text" on page 333

5.49.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "FinancialIdentificationScheme-Name1Choice" on page 116 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		117
	Proprietary	<Prtry>	Or}	[1..1]		117

5.49.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 333

5.50 GenericFinancialIdentification1__1

Definition: Information related to an identification of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		142
	SchemeName	<SchmeNm>		[0..1]		142
	Issuer	<Issr>		[0..1]		143

Used in element(s)

"Other" on page 132

5.50.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/Other/Identification
 Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/Other/Identification
 Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.50.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "FinancialIdentificationScheme-Name1Choice__1" on page 117 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		117
	Proprietary	<Prtry>	Or}	[1..1]		117

5.50.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/Other/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/Other/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.51 GenericIdentification30

Definition: Information related to an identification, for example, party identification or account identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		143
	Issuer	<Issr>		[1..1]		143
	SchemeName	<SchmeNm>		[0..1]		144

Used in element(s)

"Proprietary" on page 28

5.51.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Proprietary information, often a code, issued by the data source scheme issuer.

Datatype: "Exact4AlphaNumericText" on page 315

5.51.2 Issuer

XML Tag: Issr

Presence: [1..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 333

5.51.3 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Short textual description of the scheme.

Datatype: "Max35Text" on page 333

5.52 GenericOrganisationIdentification1

Definition: Information related to an identification of an organisation.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		144
	SchemeName	<SchmeNm>		[0..1]		144
	Issuer	<Issr>		[0..1]		145

Used in element(s)

"Other" on page 166

5.52.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "Max35Text" on page 333

5.52.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "OrganisationIdentificationSchemeName1Choice" on page 171 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		171

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		171

5.52.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 333

5.53 GenericOrganisationIdentification1__1

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		145
	SchemeName	<SchmeNm>		[0..1]		145
	Issuer	<Issr>		[0..1]		146

Used in element(s)

"Other" on page 168

5.53.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/OrganisationIdentification/Other/Identification
 Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/OrganisationIdentification/Other/Identification
 Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.53.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[OrganisationIdentificationSchemeName1Choice__1](#)" on page 171 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		172
	Proprietary	<Prtry>	Or}	[1..1]	⚠	172

5.53.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 306

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/OrganisationIdentification/Other/Issuer](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 306
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/OrganisationIdentification/Other/Issuer](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 306

5.54 GenericOrganisationIdentification1__2

Definition: Information related to an identification of an organisation.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	147
	SchemeName	<SchmeNm>		[0..1]	M	147
	Issuer	<Issr>		[0..1]	⚠	147

Used in element(s)

"Other" on page 169

5.54.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/OrganisationIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.54.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "OrganisationIdentificationSchemeName1Choice" on page 171 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		171
	Proprietary	<Prtry>	Or}	[1..1]		171

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.54.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/OrganisationIdentification/Other/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.55 GenericOrganisationIdentification1__3

Definition: Information related to an identification of an organisation.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	148
	SchemeName	<SchmeNm>		[0..1]		148
	Issuer	<Issr>		[0..1]	⚠	149

Used in element(s)

"Other" on page 170

5.55.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.55.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[OrganisationIdentificationSchemeName1Choice__2](#)" on page 172 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		173
	Proprietary	<Prtry>	Or}	[1..1]		173

5.55.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on page 307

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/Or-organisationIdentification/Other/Issuer](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 307

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/Issuer](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 307

5.56 GenericPersonIdentification1

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		149
	SchemeName	<SchmeNm>		[0..1]		150
	Issuer	<Issr>		[0..1]		150

Used in element(s)

"Other" on page 199

5.56.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "Max35Text" on page 333

5.56.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[PersonIdentificationScheme-Name1Choice](#)" on page 204 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		204
	Proprietary	<Prtry>	Or}	[1..1]		204

5.56.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 333

5.57 GenericPersonIdentification1__1

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		150
	SchemeName	<SchmeNm>		[0..1]		151
	Issuer	<Issr>		[0..1]		151

Used in element(s)

"Other" on page 200

5.57.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/PrivateIdentification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/PrivateIdentification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.57.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "PersonIdentificationScheme-Name1Choice__1" on page 205 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		205
	Proprietary	<Prtry>	Or}	[1..1]		205

5.57.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/PrivateIdentification/Other/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text on page 306
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/PrivateIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)

5.58 GenericPersonIdentification1__2

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		152
	SchemeName	<SchmeNm>		[0..1]		152
	Issuer	<Issr>		[0..1]		153

Used in element(s)

"Other" on page 202

5.58.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 306](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/PrivateIdentification/Other/Identification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)

5.58.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype ["PersonIdentificationScheme-Name1Choice" on page 204](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		204

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		204

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.58.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/PrivateIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.59 GenericPersonIdentification1__3

Definition: Information related to an identification of a person.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		153
	SchemeName	<SchmeNm>		[0..1]		154
	Issuer	<Issr>		[0..1]		154

Used in element(s)

"Other" on page 203

5.59.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

5.59.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "PersonIdentificationScheme-Name1Choice__2" on page 205 for details)

❌ Removed - ⚡ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		206
	Proprietary	<Prtry>	Or}	[1..1]	⚠	206

5.59.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.60 GroupHeader93__1

Definition: Set of characteristics shared by all individual transactions included in the message.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]		155
	CreationDateTime	<CreDtTm>		[1..1]		156
	BatchBooking	<BtchBookg>		[0..1]		156
	NumberOfTransactions	<NbOfTxs>		[1..1]		156
	ControlSum	<CtrlSum>		[0..1]		157
	TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>		[0..1]		157
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		157
	SettlementInformation	<SttlmInf>		[1..1]		157
	PaymentTypeInformation	<PmtTpInf>		[0..1]		158
	InstructingAgent	<InstgAg>		[0..1]		159
	InstructedAgent	<InstdAg>		[0..1]		159

Rules

R14 TotalInterbankSettlementAmountAndDateRule ✓

If TotalInterbankSettlementAmount is present, then InterbankSettlementDate must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00044
- *Error Text:* Invalid message content for group header interbank settlement date.

Used in element(s)

"GroupHeader" on page 20

5.60.1 MessageIdentification

XML Tag: MsgId

Presence: [1..1]

Definition: Point to point reference, as assigned by the instructing party, and sent to the next party in the chain to unambiguously identify the message.

Usage: The instructing party has to make sure that MessageIdentification is unique per instructed party for a pre-agreed period.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- **on pacs.009.001.08/GroupHeader/MessageIdentification**
Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.60.2 CreationDateTime

XML Tag: CreDtTm

Presence: [1..1]

Definition: Date and time at which the message was created.

Datatype: "CBPR_DateTime" on page 303

Usage Guideline details

- **on pacs.009.001.08/GroupHeader/CreationDateTime**
Type changed to: CBPR_DateTime on page 303

5.60.3 BatchBooking

XML Tag: BtchBookg

Presence: [0..1]

Definition: Identifies whether a single entry per individual transaction or a batch entry for the sum of the amounts of all transactions within the group of a message is requested.

Usage: Batch booking is used to request and not order a possible batch booking.

Datatype: "BatchBookingIndicator" on page 301

Usage Guideline details

- **This element(pacs.009.001.08/GroupHeader/BatchBooking) is removed.**

5.60.4 NumberOfTransactions

XML Tag: NbOfTxS

Presence: [1..1]

Definition: Number of individual transactions contained in the message.

Datatype: "Max15NumericText" on page 332

Usage Guideline details

- on pacs.009.001.08/GroupHeader/NumberOfTransactions

Single value: 1

5.60.5 ControlSum

XML Tag: CtrlSum

Presence: [0..1]

Definition: Total of all individual amounts included in the message, irrespective of currencies.

Datatype: "DecimalNumber" on page 312

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/ControlSum) is removed.

5.60.6 TotalInterbankSettlementAmount

XML Tag: TtlIntrBkSttlmAmt

Presence: [0..1]

Definition: Total amount of money moved between the instructing agent and the instructed agent.

Datatype: "ActiveCurrencyAndAmount" on page 296

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/TotalInterbankSettlementAmount) is removed.

5.60.7 InterbankSettlementDate

XML Tag: IntrBkSttlmDt

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Datatype: "ISODate" on page 328

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/InterbankSettlementDate) is removed.

5.60.8 SettlementInformation

XML Tag: SttlmInf

Presence: [1..1]

Definition: Specifies the details on how the settlement of the transaction(s) between the instructing agent and the instructed agent is completed.

The **SttlmInf** block contains the following elements (see datatype "[SettlementInstruction7__1](#)" on page 256 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SettlementMethod	<SttlmMtd>		[1..1]		259
	SettlementAccount	<SttlmAcct>		[0..1]	⚠	259
	ClearingSystem	<ClrSys>		[0..1]	🚫	260
	InstructingReimbursementAgent	<InstgRmbrsmntAgt>		[0..1]	🚫	260
	InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>		[0..1]	🚫	261
	InstructedReimbursementAgent	<InstdRmbrsmntAgt>		[0..1]	🚫	261
	InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>		[0..1]	🚫	262
	ThirdReimbursementAgent	<ThrdRmbrsmntAgt>		[0..1]	🚫	262
	ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>		[0..1]	🚫	263

5.60.9 PaymentTypeInformation

XML Tag: PmtTpInf

Presence: [0..1]

Definition: Set of elements used to further specify the type of transaction.

The **PmtTpInf** block contains the following elements (see datatype "[PaymentTypeInformation28](#)" on page 195 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		195
	ClearingChannel	<ClrChanl>		[0..1]		195
	ServiceLevel	<SvcLvl>		[0..*]		196
	LocalInstrument	<LclInstrm>		[0..1]		196
	CategoryPurpose	<CtgyPurp>		[0..1]		196

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/PaymentTypeInfoInformation) is removed.

5.60.10 InstructingAgent

XML Tag: InstgAgt

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

The **InstgAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 30 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		30
	BranchIdentification	<BrnchId>		[0..1]		31

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/InstructingAgent) is removed.

5.60.11 InstructedAgent

XML Tag: InstdAgt

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

The **InstdAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 30 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		30
	BranchIdentification	<BrnchId>		[0..1]		31

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/InstructedAgent) is removed.

5.61 ImplementationSpecification1

Definition: Identifies the implementation specification to which the ISO 20022 message conforms.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Registry	<Regy>		[1..1]		160
	Identification	<Id>		[1..1]		160

Used in element(s)

"MarketPractice" on page 16

5.61.1 Registry

XML Tag: Regy

Presence: [1..1]

Definition: Name of the implementation specification registry in which the implementation specification of the ISO 20022 message is maintained.

For example, "MyStandards".

Datatype: "Max350Text" on page 333

5.61.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identifier which unambiguously identifies, within the implementation specification registry, the implementation specification to which the ISO 20022 message is compliant. This can be done via a URN. It can also contain a version number or date.

For instance, "2018-01-01 - Version 2" or "urn:uuid:6e8bc430-9c3a-11d9-9669-0800200c9a66".

Datatype: "Max2048Text" on page 332

5.62 InstructionForCreditorAgent1

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by the creditor's agent. The instruction may relate to a level of service, or may be an instruction that has to be executed by the creditor's agent, or may be information required by the creditor's agent.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]		161

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionInformation	<InstrInf>		[0..1]		161

Used in element(s)

"InstructionForCreditorAgent" on page 102

5.62.1 Code

XML Tag: Cd

Presence: [0..1]

Definition: Coded information related to the processing of the payment instruction, provided by the initiating party, and intended for the creditor's agent.

Datatype: "Instruction3Code" on page 329

5.62.2 InstructionInformation

XML Tag: InstrInf

Presence: [0..1]

Definition: Further information complementing the coded instruction or instruction to the creditor's agent that is bilaterally agreed or specific to a user community.

Datatype: "Max140Text" on page 331

5.63 InstructionForCreditorAgent2__1

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by the creditor's agent. The instruction may relate to a level of service, or may be an instruction that has to be executed by the creditor's agent, or may be information required by the creditor's agent.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]		161
	InstructionInformation	<InstrInf>		[0..1]		162

Used in element(s)

"InstructionForCreditorAgent" on page 86

5.63.1 Code

XML Tag: Cd

Presence: [0..1]

Definition: Coded information related to the processing of the payment instruction, provided by the initiating party, and intended for the creditor's agent.

Datatype: "Instruction5Code" on page 329

5.63.2 InstructionInformation

XML Tag: InstrInf

Presence: [0..1]

Definition: Further information complementing the coded instruction or instruction to the creditor's agent that is bilaterally agreed or specific to a user community.

Datatype: "CBPR_RestrictedFINXMax140Text" on page 303

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InstructionForCreditorAgent/InstructionInformation

Type changed to: CBPR_RestrictedFINXMax140Text on page 303

- on pacs.009.001.08/CreditTransferTransactionInformation/InstructionForCreditorAgent/InstructionInformation

– CBPR_Instruction_Information_TextualRule:

If the pacs.009 is used to settle a pacs.009 Advice, the last available occurrence (of the element Instruction For Creditor Agent/Instruction Information) preceded by /UDLC/ must be used to capture the /UDLC/ (Underlying Creditor) provided in the pacs.009 Advice.

5.64 InstructionForNextAgent1__1

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by an other agent. The instruction may relate to a level of service, or may be an instruction that has to be executed by the creditor's agent, or may be information required by the other agent.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]	🚫	162
	InstructionInformation	<InstrInf>		[0..1]	⚠	163

Used in element(s)

"InstructionForNextAgent" on page 86

5.64.1 Code

XML Tag: Cd

Presence: [0..1]

Definition: Coded information related to the processing of the payment instruction, provided by the initiating party, and intended for the next agent in the payment chain.

Datatype: ["Instruction4Code" on page 329](#)

Usage Guideline details

- This element([pacs.009.001.08/CreditTransferTransactionInformation/InstructionForNextAgent/Code](#)) is removed.

5.64.2 InstructionInformation

XML Tag: InstrInf

Presence: [0..1]

Definition: Further information complementing the coded instruction or instruction to the next agent that is bilaterally agreed or specific to a user community.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 306](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/InstructionForNextAgent/InstructionInformation](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)

5.65 InstructionForNextAgent1__2

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by an other agent. The instruction may relate to a level of service, or may be an instruction that has to be executed by the creditor's agent, or may be information required by the other agent.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]	🚫	163
	InstructionInformation	<InstrInf>		[0..1]	⚠	164

Used in element(s)

["InstructionForNextAgent" on page 103](#)

5.65.1 Code

XML Tag: Cd

Presence: [0..1]

Definition: Coded information related to the processing of the payment instruction, provided by the initiating party, and intended for the next agent in the payment chain.

Datatype: ["Instruction4Code" on page 329](#)

Usage Guideline details

- This element([pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InstructionForNextAgent/Code](#)) is removed.

5.65.2 InstructionInformation

XML Tag: InstrInf

Presence: [0..1]

Definition: Further information complementing the coded instruction or instruction to the next agent that is bilaterally agreed or specific to a user community.

Datatype: ["CBPR_RestrictedFINXMax140Text" on page 303](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InstructionForNextAgent/InstructionInformation](#)

Type changed to: [CBPR_RestrictedFINXMax140Text on page 303](#)

5.66 LocalInstrument2Choice

Definition: Set of elements that further identifies the type of local instruments being requested by the initiating party.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		164
	Proprietary	<Prtry>	Or}	[1..1]		164

Used in element(s)

["LocalInstrument" on page 196](#)

5.66.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the local instrument, as published in an external local instrument code list.

Datatype: ["ExternalLocalInstrument1Code" on page 322](#)

5.66.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the local instrument, as a proprietary code.

Datatype: ["Max35Text" on page 333](#)

5.67 LocalInstrument2Choice__1

Definition: Set of elements that further identifies the type of local instruments being requested by the initiating party.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		165
	Proprietary	<Prtry>	Or}	[1..1]		165

Used in element(s)

["LocalInstrument" on page 198](#)

5.67.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the local instrument, as published in an external local instrument code list.

Datatype: ["ExternalLocalInstrument1Code" on page 322](#)

5.67.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the local instrument, as a proprietary code.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 306](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/PaymentTypeInfoInformation/LocalInstrument/Proprietary](#)
- Type changed to:** [CBPR_RestrictedFINXMax35Text on page 306](#)

5.68 OrganisationIdentification29

Definition: Unique and unambiguous way to identify an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]	🚫	166
	LEI	<LEI>		[0..1]		166
	Other	<Othr>		[0..*]	🚫	166

Used in element(s)

"OrganisationIdentification" on page 174

5.68.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "AnyBICDec2014Identifier" on page 300

Usage Guideline details

- This element(pacs.009.001.08/.header/From/OrganisationIdentification/Identification/OrganisationIdentification/AnyBIC) is removed.

5.68.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 331

5.68.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericOrganisationIdentification1" on page 144 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		144
	SchemeName	<SchmeNm>		[0..1]		144

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Issuer	</Issr>		[0..1]		145

Usage Guideline details

- This element(pacs.009.001.08/.header/To/OrganisationIdentification/Identification/OrganisationIdentification/Other) is removed.
- This element(pacs.009.001.08/.header/From/OrganisationIdentification/Identification/OrganisationIdentification/Other) is removed.
- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification/Identification/OrganisationIdentification/Other) is removed.
- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification/Identification/OrganisationIdentification/Other) is removed.

5.69 OrganisationIdentification29__1

Definition: Unique and unambiguous way to identify an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		167
	LEI	<LEI>		[0..1]		167
	Other	<Othr>		[0..*]	R[0..2] R[0..2]	168

Used in element(s)

"OrganisationIdentification" on page 176

5.69.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "AnyBICDec2014Identifier" on page 300

5.69.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 331

5.69.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericOrganisationIdentification1__1](#)" on page 145 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		145
	SchemeName	<SchmeNm>		[0..1]		145
	Issuer	<Issr>		[0..1]		146

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/OrganisationIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/OrganisationIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2

5.70 OrganisationIdentification29__2

Definition: Unique and unambiguous way to identify an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		168
	LEI	<LEI>		[0..1]		169
	Other	<Othr>		[0..*]	R[0..2]	169

Used in element(s)

"[OrganisationIdentification](#)" on page 177

5.70.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "AnyBICDec2014Identifier" on page 300

5.70.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 331

5.70.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericOrganisationIdentification1__2" on page 146 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		147
	SchemeName	<SchmeNm>		[0..1]		147
	Issuer	<Issr>		[0..1]		147

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.71 OrganisationIdentification29__3

Definition: Unique and unambiguous way to identify an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		170
	LEI	<LEI>		[0..1]		170

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Other	<Othr>		[0..*]	R[0..2] R[0..2]	170

Used in element(s)

"OrganisationIdentification" on page 178

5.71.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "AnyBICDec2014Identifier" on page 300

5.71.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 331

5.71.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericOrganisationIdentification1__3" on page 148 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	148
	SchemeName	<SchmeNm>		[0..1]		148
	Issuer	<Issr>		[0..1]	⚠	149

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/Or-organisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.72 OrganisationIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		171
	Proprietary	<Prtry>	Or}	[1..1]		171

Used in element(s)

"SchemeName" on page 147, "SchemeName" on page 144

5.72.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalOrganisationIdentification1Code" on page 323

5.72.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 333

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/Or-OrganisationIdentification/Other/SchemeName/Proprietary) is removed.

5.73 OrganisationIdentificationScheme-Name1Choice__1

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		172
	Proprietary	<Prtry>	Or}	[1..1]		172

Used in element(s)

"SchemeName" on page 145

5.73.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalOrganisationIdentification1Code" on page 323

5.73.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)

5.74 OrganisationIdentificationScheme-Name1Choice__2

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		173

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		173

Used in element(s)

"SchemeName" on page 148

5.74.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalOrganisationIdentification1Code" on page 323

5.74.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.75 OtherContact1

Definition: Communication device number or electronic address used for communication.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -

 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanTp>		[1..1]		174
	Identification	<Id>		[0..1]		174

Used in element(s)

"Other" on page 63

5.75.1 ChannelType

XML Tag: ChanlTp

Presence: [1..1]

Definition: Method used to contact the financial institution's contact for the specific tax region.

Datatype: "Max4Text" on page 333

5.75.2 Identification

XML Tag: Id

Presence: [0..1]

Definition: Communication value such as phone number or email address.

Datatype: "Max128Text" on page 331

5.76 Party38Choice

Definition: Nature or use of the account.

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		174
	PrivateIdentification	<PrvtId>	Or}	[1..1]	🚫	175

Used in element(s)

"Identification" on page 181

5.76.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29" on page 165 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]	🚫	166
	LEI	<LEI>		[0..1]		166

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Other	<Othr>		[0..*]		166

5.76.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "[PersonIdentification13](#)" on page 199 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		199
	Other	<Othr>		[0..*]		199

Usage Guideline details

- This element(pacs.009.001.08/.header/From/OrganisationIdentification/Identification/PrivateIdentification) is removed.
- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification/Identification/PrivateIdentification) is removed.
- This element(pacs.009.001.08/.header/To/OrganisationIdentification/Identification/PrivateIdentification) is removed.
- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification/Identification/PrivateIdentification) is removed.

5.77 Party38Choice__1

Definition: Nature or use of the account.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		176
	PrivateIdentification	<PrvtId>	Or}	[1..1]		176

Used in element(s)

"[Identification](#)" on page 185

5.77.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__1" on page 167 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		167
	LEI	<LEI>		[0..1]		167
	Other	<Othr>		[0..*]	R[0..2] R[0..2]	168

5.77.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13__1" on page 200 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		200
	Other	<Othr>		[0..*]	R[0..2] R[0..2]	200

5.78 Party38Choice__2

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		177
	PrivateIdentification	<PrvtId>	Or}	[1..1]		177

Used in element(s)

"Identification" on page 187

5.78.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "[OrganisationIdentification29__2](#)" on page 168 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		168
	LEI	<LEI>		[0..1]		169
	Other	<Othr>		[0..*]	R[0..2]	169

5.78.2 PrivateIdentification

XML Tag: PrvId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvId** block contains the following elements (see datatype "[PersonIdentification13__2](#)" on page 201 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		201
	Other	<Othr>		[0..*]	R[0..2]	202

5.79 Party38Choice__3

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		178
	PrivateIdentification	<PrvId>	Or}	[1..1]		178

Used in element(s)

"Identification" on page 190

5.79.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__3" on page 169 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		170
	LEI	<LEI>		[0..1]		170
	Other	<Othr>		[0..*]	R[0..2] R[0..2]	170

5.79.2 PrivateIdentification

XML Tag: PrvId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvId** block contains the following elements (see datatype "PersonIdentification13__3" on page 202 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		203
	Other	<Othr>		[0..*]	R[0..2] R[0..2]	203

5.80 Party44Choice__1

Definition: Identification of a person, an organisation or a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		179
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		179

Used in element(s)

"From" on page 14, "From" on page 41, "To" on page 15, "To" on page 42

5.80.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **OrgId** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 179 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		180
	PostalAddress	<PstlAdr>		[0..1]		180
	Identification	<Id>		[0..1]		181
	CountryOfResidence	<CtryOfRes>		[0..1]		182
	ContactDetails	<CtctDtls>		[0..1]		182

Usage Guideline details

- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification) is removed.
- This element(pacs.009.001.08/.header/To/OrganisationIdentification) is removed.
- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification) is removed.
- This element(pacs.009.001.08/.header/From/OrganisationIdentification) is removed.

5.80.2 FinancialInstitutionIdentification

XML Tag: FIId

Presence: [1..1]

Definition: Identification of a financial institution.

The **FIId** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 30 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		30
	BranchIdentification	<BrnchId>		[0..1]		31

5.81 PartyIdentification135

Definition: Specifies the identification of a person or an organisation.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	🚫	180
	PostalAddress	<PstlAdr>		[0..1]	🚫	180
	Identification	<Id>		[0..1]	🚫	181
	CountryOfResidence	<CtryOfRes>		[0..1]	🚫	182
	ContactDetails	<CtctDtls>		[0..1]	🚫	182

Used in element(s)

"Creditor" on page 101, "Invoicee" on page 267, "Invoicer" on page 267, "OrganisationIdentification" on page 179, "UltimateCreditor" on page 102

5.81.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "Max140Text" on page 331

Usage Guideline details

- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification/Name) is removed.
- This element(pacs.009.001.08/.header/From/OrganisationIdentification/Name) is removed.
- This element(pacs.009.001.08/.header/To/OrganisationIdentification/Name) is removed.
- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification/Name) is removed.

5.81.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 206 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		207
	Department	<Dept>		[0..1]		208
	SubDepartment	<SubDept>		[0..1]		209
	StreetName	<StrtNm>		[0..1]		210
	BuildingNumber	<BldgNb>		[0..1]		210
	BuildingName	<BldgNm>		[0..1]		210
	Floor	<Flr>		[0..1]		210
	PostBox	<PstBx>		[0..1]		211
	Room	<Room>		[0..1]		211
	PostCode	<PstCd>		[0..1]		211
	TownName	<TwnNm>		[0..1]		211
	TownLocationName	<TwnLctnNm>		[0..1]		211
	DistrictName	<DstrctNm>		[0..1]		211
	CountrySubDivision	<CtrySubDvsn>		[0..1]		212
	Country	<Ctry>		[0..1]		212
	AddressLine	<AdrLine>		[0..7]		212

Usage Guideline details

- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/.header/To/OrganisationIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/.header/From/OrganisationIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification/PostalAddress) is removed.

5.81.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "Party38Choice" on page 174 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		174
	PrivateIdentification	<PrvtId>	Or}	[1..1]		175

Usage Guideline details

- This element(pacs.009.001.08/.header/From/OrganisationIdentification/Identification) is removed.
- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification/Identification) is removed.
- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification/Identification) is removed.

5.81.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 311

Usage Guideline details

- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification/CountryOfResidence) is removed.
- This element(pacs.009.001.08/.header/To/OrganisationIdentification/CountryOfResidence) is removed.
- This element(pacs.009.001.08/.header/From/OrganisationIdentification/CountryOfResidence) is removed.
- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification/CountryOfResidence) is removed.

5.81.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "Contact4" on page 61 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		61
	Name	<Nm>		[0..1]		62
	PhoneNumber	<PhneNb>		[0..1]		62
	MobileNumber	<MobNb>		[0..1]		62
	FaxNumber	<FaxNb>		[0..1]		62
	EmailAddress	<EmailAdr>		[0..1]		62
	EmailPurpose	<EmailPurp>		[0..1]		62
	JobTitle	<JobTitl>		[0..1]		63
	Responsibility	<Rspnsblty>		[0..1]		63
	Department	<Dept>		[0..1]		63
	Other	<Othr>		[0..*]		63
	PreferredMethod	<PrefrdMtd>		[0..1]		63

Usage Guideline details

- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification/ContactDetails) is removed.
- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification/ContactDetails) is removed.
- This element(pacs.009.001.08/.header/To/OrganisationIdentification/ContactDetails) is removed.
- This element(pacs.009.001.08/.header/From/OrganisationIdentification/ContactDetails) is removed.

5.82 PartyIdentification135__1

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		184
	PostalAddress	<PstlAdr>		[0..1]		184
	Identification	<Id>		[0..1]		185
	CountryOfResidence	<CtryOfRes>		[0..1]		185
	ContactDetails	<CtctDtls>		[0..1]		185

Used in element(s)

"InitiatingParty" on page 93, "UltimateDebtor" on page 93

5.82.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "Max140Text" on page 331

5.82.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 206 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		207
	Department	<Dept>		[0..1]		208
	SubDepartment	<SubDept>		[0..1]		209
	StreetName	<StrtNm>		[0..1]		210
	BuildingNumber	<BldgNb>		[0..1]		210
	BuildingName	<BldgNm>		[0..1]		210
	Floor	<Flr>		[0..1]		210
	PostBox	<PstBx>		[0..1]		211
	Room	<Room>		[0..1]		211
	PostCode	<PstCd>		[0..1]		211
	TownName	<TwnNm>		[0..1]		211
	TownLocationName	<TwnLctnNm>		[0..1]		211
	DistrictName	<DstrctNm>		[0..1]		211
	CountrySubDivision	<CtrySubDvsn>		[0..1]		212
	Country	<Ctry>		[0..1]		212
	AddressLine	<AdrLine>		[0..7]		212

5.82.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice__1](#)" on page 175 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		176
	PrivateIdentification	<PrvtId>	Or}	[1..1]		176

5.82.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 311

5.82.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 61 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		61
	Name	<Nm>		[0..1]		62
	PhoneNumber	<PhneNb>		[0..1]		62
	MobileNumber	<MobNb>		[0..1]		62
	FaxNumber	<FaxNb>		[0..1]		62
	EmailAddress	<EmailAdr>		[0..1]		62
	EmailPurpose	<EmailPurp>		[0..1]		62
	JobTitle	<JobTitl>		[0..1]		63

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Responsibility	<Rspnsblty>		[0..1]		63
	Department	<Dept>		[0..1]		63
	Other	<Othr>		[0..*]		63
	PreferredMethod	<PrefrdMtd>		[0..1]		63

5.83 PartyIdentification135__2

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		186
	PostalAddress	<PstlAdr>		[0..1]		186
	Identification	<Id>		[0..1]		187
	CountryOfResidence	<CtryOfRes>		[0..1]		187
	ContactDetails	<CtctDtls>		[0..1]		188

Used in element(s)

"Debtor" on page 94

5.83.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "Max140Text" on page 331

5.83.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 206 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		207
	Department	<Dept>		[0..1]		208
	SubDepartment	<SubDept>		[0..1]		209
	StreetName	<StrtNm>		[0..1]		210
	BuildingNumber	<BldgNb>		[0..1]		210
	BuildingName	<BldgNm>		[0..1]		210
	Floor	<Flr>		[0..1]		210
	PostBox	<PstBx>		[0..1]		211
	Room	<Room>		[0..1]		211
	PostCode	<PstCd>		[0..1]		211
	TownName	<TwnNm>		[0..1]		211
	TownLocationName	<TwnLctnNm>		[0..1]		211
	DistrictName	<DstrctNm>		[0..1]		211
	CountrySubDivision	<CtrySubDvsn>		[0..1]		212
	Country	<Ctry>		[0..1]		212
	AddressLine	<AdrLine>		[0..7]		212

5.83.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice__2](#)" on page 176 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -

📌 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		177
	PrivateIdentification	<PrvtId>	Or}	[1..1]		177

5.83.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 311

5.83.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "Contact4" on page 61 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		61
	Name	<Nm>		[0..1]		62
	PhoneNumber	<PhneNb>		[0..1]		62
	MobileNumber	<MobNb>		[0..1]		62
	FaxNumber	<FaxNb>		[0..1]		62
	EmailAddress	<EmailAdr>		[0..1]		62
	EmailPurpose	<EmailPurp>		[0..1]		62
	JobTitle	<JobTitt>		[0..1]		63
	Responsibility	<Rspnsblty>		[0..1]		63
	Department	<Dept>		[0..1]		63
	Other	<Othr>		[0..*]		63
	PreferredMethod	<PrefrdMtd>		[0..1]		63

5.84 PartyIdentification135__3

Definition: Specifies the identification of a person or an organisation.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	189
	PostalAddress	<PstlAdr>		[0..1]		189
	Identification	<Id>		[0..1]		190
	CountryOfResidence	<CtryOfRes>		[0..1]		190

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ContactDetails	<CtctDtls>		[0..1]		190

Used in element(s)

"Garnishee" on page 133, "GarnishmentAdministrator" on page 133

5.84.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 304

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 304
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 304

5.84.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__2" on page 231 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		232
	Department	<Dept>		[0..1]		232
	SubDepartment	<SubDept>		[0..1]		233
	StreetName	<StrtNm>		[0..1]		233
	BuildingNumber	<BldgNb>		[0..1]		233
	BuildingName	<BldgNm>		[0..1]		234

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Floor	<Flr>		[0..1]	⚠	234
	PostBox	<PstBx>		[0..1]	⚠	235
	Room	<Room>		[0..1]	⚠	235
	PostCode	<PstCd>		[0..1]	⚠	236
	TownName	<TwnNm>		[0..1]	⚠	236
	TownLocationName	<TwnLctnNm>		[0..1]	⚠	236
	DistrictName	<DstrctNm>		[0..1]	⚠	237
	CountrySubDivision	<CtrySubDvsn>		[0..1]	⚠	237
	Country	<Ctry>		[0..1]		238
	AddressLine	<AdrLine>		[0..7]	🚫	238

5.84.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice__3](#)" on page 177 for details)

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - ⚠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		178
	PrivateIdentification	<PrvtId>	Or}	[1..1]		178

5.84.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 311

5.84.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 61 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -

 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		61
	Name	<Nm>		[0..1]		62
	PhoneNumber	<PhneNb>		[0..1]		62
	MobileNumber	<MobNb>		[0..1]		62
	FaxNumber	<FaxNb>		[0..1]		62
	EmailAddress	<EmailAdr>		[0..1]		62
	EmailPurpose	<EmailPurp>		[0..1]		62
	JobTitle	<JobTitl>		[0..1]		63
	Responsibility	<Rspnsblty>		[0..1]		63
	Department	<Dept>		[0..1]		63
	Other	<Othr>		[0..*]		63
	PreferredMethod	<PrefrdMtd>		[0..1]		63

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails) is removed.

5.85 PaymentIdentification7__1

Definition: Provides further means of referencing a payment transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -

 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionIdentification	<InstrId>		[0..1]	 	192
	EndToEndIdentification	<EndToEndId>		[1..1]		193
	TransactionIdentification	<TxId>		[0..1]		194
	UETR	<UETR>		[0..1]	 	194

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemReference	<ClrSysRef>		[0..1]		194

Rules

R41 TransactionIdentificationPresenceRule

TransactionIdentification or UETR must be present. Both may be present

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00420
- *Error Text:* No transaction identification is present

Used in element(s)

"PaymentIdentification" on page 68

5.85.1 InstructionIdentification

XML Tag: InstrId

Presence: [0..1]

Definition: Unique identification, as assigned by an instructing party for an instructed party, to unambiguously identify the instruction.

Usage: The instruction identification is a point to point reference that can be used between the instructing party and the instructed party to refer to the individual instruction. It can be included in several messages related to the instruction.

Datatype: "CBPR_RestrictedFINXMax16Text" on page 304

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/InstructionIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/InstructionIdentification
Type changed to: CBPR_RestrictedFINXMax16Text on page 304
- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/InstructionIdentification
Synonym (Transaction Reference Number): 20
- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/InstructionIdentification
 - **CBPR_Instruction_Identification_FormaRule:**

This element must not start or end with a slash '/' and must not contain two consecutive slashes '//'.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentIdentification/InstructionIdentification],
 the value of every occurrence of [InstructionIdentification] must not comply with the following XML pattern : '(/.*)|(.*/)|(.*/.*)'

5.85.2 EndToEndIdentification

XML Tag: EndToEndId

Presence: [1..1]

Definition: Unique identification, as assigned by the initiating party, to unambiguously identify the transaction. This identification is passed on, unchanged, throughout the entire end-to-end chain.

Usage: The end-to-end identification can be used for reconciliation or to link tasks relating to the transaction. It can be included in several messages related to the transaction.

Usage: In case there are technical limitations to pass on multiple references, the end-to-end identification must be passed on throughout the entire end-to-end chain.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/EndToEndIdentification

Type changed to: CBPR_RestrictedFINXMax35Text on page 306

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/EndToEndIdentification

– CBPR_E2E_CORE_ADV_TextualRule:

If pacs.009CORE is used to cover pacs.009ADV, the E2E identification should transport the instruction identification of the underlying pacs.009 ADV.

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/EndToEndIdentification

– CBPR_End_To_End_Identification_FormalRule:

For the E2E identification, the below restrictions apply to the first 16 characters:

- The first one and the 16th one cannot be "/" and
 - The string of 16 characters cannot contain "//"
-

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/PaymentIdentification/EndToEndIdentification], the value of every occurrence of [EndToEndIdentification] must not comply with the following XML pattern : `'/.*'` and the value of every occurrence of [EndToEndIdentification] must not comply with the following XML pattern : `'.{15}/.*'` and the value of every occurrence of [EndToEndIdentification] must not comply with the following XML pattern : `'.{0,14}/.*'`

5.85.3 TransactionIdentification

XML Tag: TxId

Presence: [0..1]

Definition: Unique identification, as assigned by the first instructing agent, to unambiguously identify the transaction that is passed on, unchanged, throughout the entire interbank chain.

Usage: The transaction identification can be used for reconciliation, tracking or to link tasks relating to the transaction on the interbank level.

Usage: The instructing agent has to make sure that the transaction identification is unique for a pre-agreed period.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/TransactionIdentification

Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.85.4 UETR

XML Tag: UETR

Presence: [0..1]

Definition: Universally unique identifier to provide an end-to-end reference of a payment transaction.

Datatype: "UUIDv4Identifier" on page 342

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/UETR

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/UETR

– **CBPR_UETR_TextualRule:**

If the pacs.009 is used to settle a pacs.009 Advice, the UETR should transport the UETR of the underlying pacs.009 Advice.

5.85.5 ClearingSystemReference

XML Tag: ClrSysRef

Presence: [0..1]

Definition: Unique reference, as assigned by a clearing system, to unambiguously identify the instruction.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/ClearingSystemReference

Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.86 PaymentTypeInformation28

Definition: Provides further details of the type of payment.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -

📌 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		195
	ClearingChannel	<ClrChanl>		[0..1]		195
	ServiceLevel	<SvcLvl>		[0..*]		196
	LocalInstrument	<LclInstrm>		[0..1]		196
	CategoryPurpose	<CtgyPurp>		[0..1]		196

Used in element(s)

"PaymentTypeInformation" on page 158

5.86.1 InstructionPriority

XML Tag: InstrPrty

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.

Datatype: "Priority2Code" on page 337

5.86.2 ClearingChannel

XML Tag: ClrChanl

Presence: [0..1]

Definition: Specifies the clearing channel to be used to process the payment instruction.

Datatype: "ClearingChannel2Code" on page 309

5.86.3 ServiceLevel

XML Tag: SvcLvl

Presence: [0..*]

Definition: Agreement under which or rules under which the transaction should be processed.

The **SvcLvl** block contains the following elements (see datatype "[ServiceLevel8Choice](#)" on page 253 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		254
	Proprietary	<Prtry>	Or}	[1..1]		254

5.86.4 LocalInstrument

XML Tag: LclInstrm

Presence: [0..1]

Definition: User community specific instrument.

Usage: This element is used to specify a local instrument, local clearing option and/or further qualify the service or service level.

The **LclInstrm** block contains the following elements (see datatype "[LocalInstrument2Choice](#)" on page 164 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		164
	Proprietary	<Prtry>	Or}	[1..1]		164

5.86.5 CategoryPurpose

XML Tag: Ctgypurp

Presence: [0..1]

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

The **Ctgypurp** block contains the following elements (see datatype "[CategoryPurpose1Choice](#)" on page 52 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		53
	Proprietary	<Prtry>	Or}	[1..1]		53

5.87 PaymentTypeInformation28__1

Definition: Provides further details of the type of payment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		197
	ClearingChannel	<ClrChanl>		[0..1]		197
	ServiceLevel	<SvcLvl>		[0..*]	R[0..3]	197
	LocalInstrument	<LclInstrm>		[0..1]		198
	CategoryPurpose	<CtgyPurp>		[0..1]		198

Used in element(s)

"PaymentTypeInformation" on page 68

5.87.1 InstructionPriority

XML Tag: InstrPrty

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.

Datatype: "Priority2Code" on page 337

5.87.2 ClearingChannel

XML Tag: ClrChanl

Presence: [0..1]

Definition: Specifies the clearing channel to be used to process the payment instruction.

Datatype: "ClearingChannel2Code" on page 309

5.87.3 ServiceLevel

XML Tag: SvcLvl

Presence: [0..*]

Definition: Agreement under which or rules under which the transaction should be processed.

The **SvcLvl** block contains the following elements (see datatype "[ServiceLevel8Choice__1](#)" on [page 254](#) for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		254
	Proprietary	<Prtry>	Or}	[1..1]		255

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel

This element has change repeatability, the maximum occurrence has been changed to : 3

5.87.4 LocalInstrument

XML Tag: LclInstrm

Presence: [0..1]

Definition: User community specific instrument.

Usage: This element is used to specify a local instrument, local clearing option and/or further qualify the service or service level.

The **LclInstrm** block contains the following elements (see datatype "[LocalInstrument2Choice__1](#)" on [page 165](#) for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		165
	Proprietary	<Prtry>	Or}	[1..1]		165

5.87.5 CategoryPurpose

XML Tag: CtgyPurp

Presence: [0..1]

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

The **CtgyPurp** block contains the following elements (see datatype "[CategoryPurpose1Choice__1](#)" on [page 53](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		53
	Proprietary	<Prtry>	Or}	[1..1]		53

5.88 PersonIdentification13

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		199
	Other	<Othr>		[0..*]		199

Used in element(s)

"PrivateIdentification" on page 175

5.88.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1](#)" on [page 106](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		107
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		107
	CityOfBirth	<CityOfBirth>		[1..1]		107
	CountryOfBirth	<CtryOfBirth>		[1..1]		107

5.88.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericPersonIdentification1](#)" on page 149 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		149
	SchemeName	<SchmeNm>		[0..1]		150
	Issuer	<Issr>		[0..1]		150

5.89 PersonIdentification13__1

Definition: Unique and unambiguous way to identify a person.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		200
	Other	<Othr>		[0..*]	R[0..2] R[0..2]	200

Used in element(s)

"[PrivateIdentification](#)" on page 176

5.89.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1__1](#)" on page 107 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		108
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]	⚠	108
	CityOfBirth	<CityOfBirth>		[1..1]	⚠	109
	CountryOfBirth	<CtryOfBirth>		[1..1]		109

5.89.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericPersonIdentification1__1](#)" on [page 150](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		150
	SchemeName	<SchmeNm>		[0..1]		151
	Issuer	<Issr>		[0..1]		151

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2

5.90 PersonIdentification13__2

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		201
	Other	<Othr>		[0..*]	R[0..2]	202

Used in element(s)

"[PrivateIdentification](#)" on [page 177](#)

5.90.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "DateAndPlaceOfBirth1__1" on page 107 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		108
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]	⚠	108
	CityOfBirth	<CityOfBirth>		[1..1]	⚠	109
	CountryOfBirth	<CtryOfBirth>		[1..1]		109

5.90.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1__2" on page 152 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	152
	SchemeName	<SchmeNm>		[0..1]	M	152
	Issuer	<Issr>		[0..1]	⚠	153

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.91 PersonIdentification13__3

Definition: Unique and unambiguous way to identify a person.

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		203

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Other	<Othr>		[0..*]	R[0..2] R[0..2]	203

Used in element(s)

"PrivateIdentification" on page 178

5.91.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "DateAndPlaceOfBirth1__1" on page 107 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		108
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		108
	CityOfBirth	<CityOfBirth>		[1..1]		109
	CountryOfBirth	<CtryOfBirth>		[1..1]		109

5.91.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1__3" on page 153 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		153
	SchemeName	<SchmeNm>		[0..1]		154
	Issuer	<Issr>		[0..1]		154

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.92 PersonIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the identification scheme.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		204
	Proprietary	<Prtry>	Or}	[1..1]	🚫	204

Used in element(s)

["SchemeName" on page 152](#), ["SchemeName" on page 150](#)

5.92.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalPersonIdentification1Code" on page 323](#)

5.92.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text" on page 333](#)

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.

5.93 PersonIdentificationSchemeName1Choice__1

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		205
	Proprietary	<Prtry>	Or}	[1..1]		205

Used in element(s)

"SchemeName" on page 151

5.93.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalPersonIdentification1Code" on page 323

5.93.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/PrivateIdentification/Other/SchemeName/Proprietary
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/PrivateIdentification/Other/SchemeName/Proprietary
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)

5.94 PersonIdentificationSchemeName1Choice__2

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		206
	Proprietary	<Prtry>	Or}	[1..1]	⚠	206

Used in element(s)

"SchemeName" on page 154

5.94.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalPersonIdentification1Code" on page 323

5.94.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.95 PostalAddress24

Definition: Information that locates and identifies a specific address, as defined by postal services.

ⓧ Removed - ⓧ Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]	ⓧ	207
	Department	<Dept>		[0..1]	ⓧ	208

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SubDepartment	<SubDept>		[0..1]		209
	StreetName	<StrtNm>		[0..1]		210
	BuildingNumber	<BldgNb>		[0..1]		210
	BuildingName	<BldgNm>		[0..1]		210
	Floor	<Flr>		[0..1]		210
	PostBox	<PstBx>		[0..1]		211
	Room	<Room>		[0..1]		211
	PostCode	<PstCd>		[0..1]		211
	TownName	<TwnNm>		[0..1]		211
	TownLocationName	<TwnLctnNm>		[0..1]		211
	DistrictName	<DstrctNm>		[0..1]		211
	CountrySubDivision	<CtrySubDvsn>		[0..1]		212
	Country	<Ctry>		[0..1]		212
	AddressLine	<AdrLine>		[0..7]		212

Used in element(s)

"PostalAddress" on page 123, "PostalAddress" on page 184, "PostalAddress" on page 186,
 "PostalAddress" on page 131, "PostalAddress" on page 40, "PostalAddress" on page 119,
 "PostalAddress" on page 180

5.95.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "AddressType3Choice" on page 28 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		28
	Proprietary	<Prtry>	Or}	[1..1]		28

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/BranchIdentification/PostalAddress/AddressType) is removed.

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent1/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/DebtorAgent/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.

5.95.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "Max70Text" on page 334

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification/PostalAddress/Department) is removed.

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/DebtorAgent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent1/BranchIdentification/PostalAddress/Department) is removed.

5.95.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: "Max70Text" on page 334

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/BranchIdentification/PostalAddress/SubDepartment) is removed.

- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent1/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/DebtorAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.

5.95.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: "Max70Text" on page 334

5.95.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: "Max16Text" on page 332

5.95.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: "Max35Text" on page 333

5.95.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: ["Max70Text" on page 334](#)

5.95.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["Max16Text" on page 332](#)

5.95.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: ["Max70Text" on page 334](#)

5.95.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["Max16Text" on page 332](#)

5.95.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: ["Max35Text" on page 333](#)

5.95.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: ["Max35Text" on page 333](#)

5.95.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: ["Max35Text" on page 333](#)

5.95.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: ["Max35Text" on page 333](#)

5.95.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: ["CountryCode" on page 311](#)

5.95.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: ["Max70Text" on page 334](#)

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/DebtorAgent/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/BranchIdentification/PostalAddress/AddressLine) is removed.

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent1/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursement-Agent/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/PostalAddress/AddressLine) is removed.

5.96 PostalAddress24__1

Definition: Information that locates and identifies a specific address, as defined by postal services.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		213
	Department	<Dept>		[0..1]		214
	SubDepartment	<SubDept>		[0..1]		215
	StreetName	<StrtNm>		[0..1]		216
	BuildingNumber	<BldgNb>		[0..1]		217
	BuildingName	<BldgNm>		[0..1]		218
	Floor	<Flr>		[0..1]		219
	PostBox	<PstBx>		[0..1]		220
	Room	<Room>		[0..1]		221
	PostCode	<PstCd>		[0..1]		222
	TownName	<TwnNm>		[0..1]		223
	TownLocationName	<TwnLctnNm>		[0..1]		225
	DistrictName	<DstrctNm>		[0..1]		226
	CountrySubDivision	<CtrySubDvsn>		[0..1]		227
	Country	<Ctry>		[0..1]		228
	AddressLine	<AdrLine>		[0..7]	R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2]	229

Used in element(s)

"PostalAddress" on page 127

5.96.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "AddressType3Choice" on page 28 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		28
	Proprietary	<Prtry>	Or}	[1..1]		28

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.

5.96.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 308

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308

5.96.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 308

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308

5.96.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 308

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308

5.96.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: "CBPR_RestrictedFINXMax16Text_Extended" on page 305

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305

5.96.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.96.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 308

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308

5.96.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: "CBPR_RestrictedFINXMax16Text_Extended" on page 305

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305

5.96.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 308

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308

5.96.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: "CBPR_RestrictedFINXMax16Text_Extended" on page 305

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 305

5.96.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownName**

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

5.96.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 307](#)

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.96.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

5.96.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 307](#)

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.96.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: "CountryCode" on page 311

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

5.96.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 308

Usage Guideline details

- **on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 308](#)

- on [pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine](#)

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 308](#)

- on [pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine](#)

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 308](#)

- on [pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine](#)

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 308](#)

- on [pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine](#)

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 308](#)

5.97 PostalAddress24__2

Definition: Information that locates and identifies a specific address, as defined by postal services.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		232
	Department	<Dept>		[0..1]		232
	SubDepartment	<SubDept>		[0..1]		233
	StreetName	<StrtNm>		[0..1]		233
	BuildingNumber	<BldgNb>		[0..1]		233
	BuildingName	<BldgNm>		[0..1]		234
	Floor	<Flr>		[0..1]		234
	PostBox	<PstBx>		[0..1]		235
	Room	<Room>		[0..1]		235
	PostCode	<PstCd>		[0..1]		236
	TownName	<TwnNm>		[0..1]		236
	TownLocationName	<TwnLctnNm>		[0..1]		236
	DistrictName	<DstrctNm>		[0..1]		237
	CountrySubDivision	<CtrySubDvsn>		[0..1]		237
	Country	<Ctry>		[0..1]		238

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressLine	<AdrLine>		[0..7]		238

Used in element(s)

"PostalAddress" on page 189

5.97.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "AddressType3Choice" on page 28 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		28
	Proprietary	<Prtry>	Or}	[1..1]		28

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Postal-Address/AddressType) is removed.

5.97.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 308

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Department

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 308

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Department

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 308

5.97.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended"](#) on page 308

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 308

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 308

5.97.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended"](#) on page 308

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 308

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 308

5.97.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: "CBPR_RestrictedFINXMax16Text_Extended" on page 305

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 305](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 305](#)

5.97.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/BuildingName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/BuildingName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

5.97.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 308

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 308
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 308

5.97.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended"](#) on page 305

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 305

5.97.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended"](#) on page 308

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 308

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 308

5.97.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended"](#) on page 305

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/PostCode
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 305

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 305

5.97.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended"](#) on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/TownName
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 307

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 307

5.97.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

5.97.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

5.97.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/CountrySubDivision

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/CountrySubDivision

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.97.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: "CountryCode" on page 311

5.97.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "Max70Text" on page 334

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressLine) is removed.

5.98 ProxyAccountIdentification1

Definition: Information related to a proxy identification of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		239

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		239

Used in element(s)

"Proxy" on page 47

5.98.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Type of the proxy identification.

The **Tp** block contains the following elements (see datatype "ProxyAccountType1Choice" on page 242 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		242
	Proprietary	<Prtry>	Or}	[1..1]		242

5.98.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification used to indicate the account identification under another specified name.

Datatype: "Max2048Text" on page 332

5.99 ProxyAccountIdentification1__1

Definition: Information related to a proxy identification of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		239
	Identification	<Id>		[1..1]		241

Used in element(s)

"Proxy" on page 50

5.99.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Type of the proxy identification.

The **Tp** block contains the following elements (see datatype "ProxyAccountType1Choice__1" on page 242 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		243
	Proprietary	<Prtry>	Or}	[1..1]		243

Usage Guideline details

- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Proxy/Type**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Proxy/Type**

This element is now mandatory, the minimum occurrence has been changed to : 1

5.99.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification used to indicate the account identification under another specified name.

Datatype: "CBPR_RestrictedFINXMax320Text_Extended" on page 305

Usage Guideline details

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Proxy/Identification**
Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 305
- **on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Proxy/Identification**
Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 305
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Proxy/Identification**
Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 305
- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Proxy/Identification**
Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 305
- **on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Proxy/Identification**
Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 305
- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Proxy/Identification**
Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 305
- **on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Proxy/Identification**
Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 305
- **on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Proxy/Identification**
Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 305
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Proxy/Identification**
Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 305

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended](#) on page 305
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended](#) on page 305

5.100 ProxyAccountType1Choice

Definition: Specifies the scheme used for the identification of an account alias.

⊖ Removed - ⊖ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		242
	Proprietary	<Prtry>	Or}	[1..1]		242

Used in element(s)

"Type" on page 239

5.100.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalProxyAccountType1Code"](#) on page 324

5.100.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text"](#) on page 333

5.101 ProxyAccountType1Choice__1

Definition: Specifies the scheme used for the identification of an account alias.

⊖ Removed - ⊖ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		243

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		243

Used in element(s)

["Type" on page 239](#)

5.101.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalProxyAccountType1Code" on page 324](#)

5.101.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 306](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Proxy/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Proxy/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Proxy/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Proxy/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Proxy/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Proxy/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)

5.102 Purpose2Choice__1

Definition: Specifies the underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, that is initiating party, (ultimate) debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by any of the agents involved in the payment chain.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		244
	Proprietary	<Prtry>	Or}	[1..1]		244

Used in element(s)

["Purpose" on page 87](#)

5.102.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Underlying reason for the payment transaction, as published in an external purpose code list.

Datatype: ["ExternalPurpose1Code" on page 325](#)

5.102.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Purpose, in a proprietary form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/Purpose/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.103 ReferredDocumentInformation7

Definition: Set of elements used to identify the documents referred to in the remittance information.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		245
	Number	<Nb>		[0..1]		245
	RelatedDate	<RltdDt>		[0..1]		246
	LineDetails	<LineDtls>		[0..*]		246

Used in element(s)

"ReferredDocumentInformation" on page 265

5.103.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of referred document.

The **Tp** block contains the following elements (see datatype "ReferredDocumentType4" on page 247 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		247
	Issuer	<Issr>		[0..1]		247

5.103.2 Number

XML Tag: Nb

Presence: [0..1]

Definition: Unique and unambiguous identification of the referred document.

Datatype: "Max35Text" on page 333

5.103.3 RelatedDate

XML Tag: RltdDt

Presence: [0..1]

Definition: Date associated with the referred document.

Datatype: "ISODate" on page 328

5.103.4 LineDetails

XML Tag: LineDtls

Presence: [0..*]

Definition: Set of elements used to provide the content of the referred document line.

The **LineDtls** block contains the following elements (see datatype "DocumentLineInformation1" on page 114 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..*]		114
	Description	<Desc>		[0..1]		114
	Amount	<Amt>		[0..1]		114

5.104 ReferredDocumentType3Choice

Definition: Specifies the type of the document referred in the remittance information.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		246
	Proprietary	<Prtry>	Or}	[1..1]		247

Used in element(s)

"CodeOrProprietary" on page 247

5.104.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Document type in a coded form.

Datatype: ["DocumentType6Code" on page 312](#)

5.104.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of the remittance document.

Datatype: ["Max35Text" on page 333](#)

5.105 ReferredDocumentType4

Definition: Specifies the type of the document referred in the remittance information.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		247
	Issuer	<Issr>		[0..1]		247

Used in element(s)

["Type" on page 245](#)

5.105.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the referred document.

The **CdOrPrtry** block contains the following elements (see datatype ["ReferredDocumentType3Choice" on page 246](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		246
	Proprietary	<Prtry>	Or}	[1..1]		247

5.105.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the reference document type.

Datatype: "Max35Text" on page 333

5.106 RemittanceAmount2

Definition: Nature of the amount and currency on a document referred to in the remittance section, typically either the original amount due/payable or the amount actually remitted for the referenced document.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		248
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		248
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		249
	TaxAmount	<TaxAmt>		[0..*]		249
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		249
	RemittedAmount	<RmtdAmt>		[0..1]		249

Used in element(s)

"ReferredDocumentAmount" on page 266

5.106.1 DuePayableAmount

XML Tag: DuePyblAmt

Presence: [0..1]

Definition: Amount specified is the exact amount due and payable to the creditor.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 297

5.106.2 DiscountAppliedAmount

XML Tag: DscntApldAmt

Presence: [0..*]

Definition: Amount specified for the referred document is the amount of discount to be applied to the amount due and payable to the creditor.

The **DscntApldAmt** block contains the following elements (see datatype "DiscountAmountAndType1" on page 110 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		110
	Amount	<Amt>		[1..1]		111

5.106.3 CreditNoteAmount

XML Tag: CdtNoteAmt

Presence: [0..1]

Definition: Amount specified for the referred document is the amount of a credit note.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 297

5.106.4 TaxAmount

XML Tag: TaxAmt

Presence: [0..*]

Definition: Quantity of cash resulting from the calculation of the tax.

The **TaxAmt** block contains the following elements (see datatype "TaxAmountAndType1" on page 271 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		271
	Amount	<Amt>		[1..1]		272

5.106.5 AdjustmentAmountAndReason

XML Tag: AdjstmntAmtAndRsn

Presence: [0..*]

Definition: Specifies detailed information on the amount and reason of the document adjustment.

The **AdjstmntAmtAndRsn** block contains the following elements (see datatype "DocumentAdjustment1" on page 112 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		112
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		112
	Reason	<Rsn>		[0..1]		112
	AdditionalInformation	<AddtlInf>		[0..1]		112

5.106.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted for the referred document.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 297

5.107 RemittanceAmount3

Definition: Nature of the amount and currency on a document referred to in the remittance section, typically either the original amount due/payable or the amount actually remitted for the referenced document.

⊗ Removed - ⊗ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		250
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		250
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		251
	TaxAmount	<TaxAmt>		[0..*]		251
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		251
	RemittedAmount	<RmtdAmt>		[0..1]		251

Used in element(s)

"Amount" on page 114

5.107.1 DuePayableAmount

XML Tag: DuePyblAmt

Presence: [0..1]

Definition: Amount specified is the exact amount due and payable to the creditor.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 297

5.107.2 DiscountAppliedAmount

XML Tag: DscntApldAmt

Presence: [0..*]

Definition: Amount of discount to be applied to the amount due and payable to the creditor.

The **DscntApldAmt** block contains the following elements (see datatype "DiscountAmountAndType1" on page 110 for details)

⊗ Removed - ⊗ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		110
	Amount	<Amt>		[1..1]		111

5.107.3 CreditNoteAmount

XML Tag: CdtNoteAmt

Presence: [0..1]

Definition: Amount of a credit note.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 297

5.107.4 TaxAmount

XML Tag: TaxAmt

Presence: [0..*]

Definition: Amount of the tax.

The **TaxAmt** block contains the following elements (see datatype "TaxAmountAndType1" on page 271 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		271
	Amount	<Amt>		[1..1]		272

5.107.5 AdjustmentAmountAndReason

XML Tag: AdjstmntAmtAndRsn

Presence: [0..*]

Definition: Specifies detailed information on the amount and reason of the adjustment.

The **AdjstmntAmtAndRsn** block contains the following elements (see datatype "DocumentAdjustment1" on page 112 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		112
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		112
	Reason	<Rsn>		[0..1]		112
	AdditionalInformation	<AddtlInf>		[0..1]		112

5.107.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 297

5.108 RemittanceInformation16__1

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]		252
	Structured	<Strd>		[0..*]		252

Used in element(s)

"RemittanceInformation" on page 103

5.108.1 Unstructured

XML Tag: Ustrd

Presence: [0..*]

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in an unstructured form.

Datatype: "Max140Text" on page 331

5.108.2 Structured

XML Tag: Strd

Presence: [0..*]

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.

The **Strd** block contains the following elements (see datatype "StructuredRemittanceInformation16__1" on page 265 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferredDocumentInformation	<RfrdDocInf>		[0..*]		265
	ReferredDocumentAmount	<RfrdDocAmt>		[0..1]		266
	CreditorReferenceInformation	<CdtrRefInf>		[0..1]		266
	Invoicer	<Invcr>		[0..1]		267
	Invoicee	<Invcee>		[0..1]		267

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxRemittance	<TaxRmt>		[0..1]		268
	GarnishmentRemittance	<GrnshmtRmt>		[0..1]		268
	AdditionalRemittanceInformation	<AddtlRmtInf>		[0..3]		269

5.109 RemittanceInformation2__1

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]	 R[0..1]	253

Used in element(s)

"RemittanceInformation" on page 87

5.109.1 Unstructured

XML Tag: Ustrd

Presence: [0..*]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, for example, commercial invoices in an accounts' receivable system in an unstructured form.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 304

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/RemittanceInformation/Unstructured
This element has change repeatability, the maximum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/RemittanceInformation/Unstructured
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 304

5.110 ServiceLevel8Choice

Definition: Specifies the service level of the transaction.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		254
	Proprietary	<Prtry>	Or}	[1..1]		254

Used in element(s)

["ServiceLevel" on page 196](#)

5.110.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as published in an external service level code list.

Datatype: ["ExternalServiceLevel1Code" on page 326](#)

5.110.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as a proprietary code.

Datatype: ["Max35Text" on page 333](#)

5.111 ServiceLevel8Choice__1

Definition: Specifies the service level of the transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		254
	Proprietary	<Prtry>	Or}	[1..1]		255

Used in element(s)

["ServiceLevel" on page 197](#)

5.111.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as published in an external service level code list.

Datatype: ["ExternalServiceLevel1Code" on page 326](#)

5.111.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as a proprietary code.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.112 SettlementDateTimelndication1__1

Definition: Information on the occurred settlement time(s) of the payment transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebitDateTime	<DbtDtTm>		[0..1]		255
	CreditDateTime	<CdtDtTm>		[0..1]		255

Used in element(s)

"SettlementTimeIndication" on page 70

5.112.1 DebitDateTime

XML Tag: DbtDtTm

Presence: [0..1]

Definition: Date and time at which a payment has been debited at the transaction administrator. In the case of TARGET, the date and time at which the payment has been debited at the central bank, expressed in Central European Time (CET).

Datatype: "CBPR_DateTime" on page 303

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/SettlementTimeIndication/Debit-DateTime

Type changed to: CBPR_DateTime on page 303

5.112.2 CreditDateTime

XML Tag: CdtDtTm

Presence: [0..1]

Definition: Date and time at which a payment has been credited at the transaction administrator. In the case of TARGET, the date and time at which the payment has been credited at the receiving central bank, expressed in Central European Time (CET).

Datatype: "CBPR_DateTime" on page 303

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/SettlementTimeIndication/Credit-DateTime

Type changed to: CBPR_DateTime on page 303

5.113 SettlementInstruction7__1

Definition: Provides further details on the settlement of the instruction.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SettlementMethod	<SttlmMtd>		[1..1]		259
	SettlementAccount	<SttlmAcct>		[0..1]	⚠	259
	ClearingSystem	<ClrSys>		[0..1]	⊘	260
	InstructingReimbursementAgent	<InstgRmbrsmntAgt>		[0..1]	⊘	260
	InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>		[0..1]	⊘	261
	InstructedReimbursementAgent	<InstdRmbrsmntAgt>		[0..1]	⊘	261
	InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>		[0..1]	⊘	262
	ThirdReimbursementAgent	<ThrdRmbrsmntAgt>		[0..1]	⊘	262
	ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>		[0..1]	⊘	263

Rules

R16 ThirdReimbursementAgentRule ✓

If ThirdReimbursementAgent is present, then InstructingReimbursementAgent and InstructedReimbursementAgent must both be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00040
- *Error Text:* Invalid message content for third reimbursement agent.

Usage Guideline restrictions for this element

- This rule(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentRule) is removed.

R17 SettlementMethodAgentRule ✓

If SettlementMethod is equal to INDA or INGA, then ReimbursementAgent(s) and ClearingSystem are not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00018
- *Error Text:* Invalid message content for settlement method INGA or INDA.

Usage Guideline restrictions for this element

- This rule(pacs.009.001.08/GroupHeader/SettlementInformation/SettlementMethodAgentRule) is removed.

R18 SettlementMethodCoverRule ✓

If SettlementMethod is equal to COVE, then SettlementAccount and ClearingSystem are not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00075
- *Error Text:* Invalid message content for cover settlement method with settlement account and clearing system.

Usage Guideline restrictions for this element

- This rule(pacs.009.001.08/GroupHeader/SettlementInformation/SettlementMethodCoverRule) is removed.

R19 SettlementMethodCoverAgentRule ✓

If SettlementMethod is equal to COVE, then InstructedReimbursementAgent or InstructingReimbursementAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00076
- *Error Text:* Invalid message content for cover settlement method and reimbursement agents.

Usage Guideline restrictions for this element

- This rule(pacs.009.001.08/GroupHeader/SettlementInformation/Settlement-MethodCoverAgentRule) is removed.

R20 SettlementMethodClearingRule ✓

If SettlementMethod is equal to CLRG, then SettlementAccount and ReimbursementAgent(s) are not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00019
- *Error Text:* Invalid message content for settlement method CLRG.

Usage Guideline restrictions for this element

- This rule(pacs.009.001.08/GroupHeader/SettlementInformation/Settlement-MethodClearingRule) is removed.

R21 InstructingReimbursementAgentAccountRule ✓

If InstructingReimbursementAgentAccount is present, then InstructingReimbursementAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00038
- *Error Text:* Invalid message content for instructing reimbursement agent account.

Usage Guideline restrictions for this element

- This rule(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgentAccountRule) is removed.

R22 InstructedReimbursementAgentAccountRule ✓

If InstructedReimbursementAgentAccount is present, then InstructedReimbursementAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00037
- *Error Text:* Invalid message content for instructed reimbursement agent account.

Usage Guideline restrictions for this element

- This rule(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgentAccountRule) is removed.

R23 ThirdReimbursementAgentAccountRule ✓

If ThirdReimbursementAgentAccount is present, then ThirdReimbursementAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00039
- *Error Text:* Invalid message content for third reimbursement agent account.

Usage Guideline restrictions for this element

- This rule(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentAccountRule) is removed.

Used in element(s)

"SettlementInformation" on page 157

5.113.1 SettlementMethod

XML Tag: SttlmMtd

Presence: [1..1]

Definition: Method used to settle the (batch of) payment instructions.

Datatype: "SettlementMethod1Code" on page 338

5.113.2 SettlementAccount

XML Tag: SttlmAcct

Presence: [0..1]

Definition: A specific purpose account used to post debit and credit entries as a result of the transaction.

The **SttlmAcct** block contains the following elements (see datatype "CashAccount38__1" on page 47 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		48
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]		49
	Proxy	<Prxy>		[0..1]		50

Usage Guideline details

- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount

Synonym (Sender's Correspondent (option 53B - account to be debited)): 53B

5.113.3 ClearingSystem

XML Tag: ClrSys

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSys** block contains the following elements (see datatype "[ClearingSystemIdentification3Choice](#)" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		56
	Proprietary	<Prtry>	Or}	[1..1]		56

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ClearingSystem) is removed.

5.113.4 InstructingReimbursementAgent

XML Tag: InstgRmbrsmntAgt

Presence: [0..1]

Definition: Agent through which the instructing agent will reimburse the instructed agent.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

The **InstgRmbrsmntAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 28 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		29
	BranchIdentification	<BrnchId>		[0..1]		29

Usage Guideline details

- This element([pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent](#)) is removed.

5.113.5 InstructingReimbursementAgentAccount

XML Tag: InstgRmbrsmntAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructing reimbursement agent account at its servicing agent in the payment chain.

The **InstgRmbrsmntAgtAcct** block contains the following elements (see datatype "[CashAccount38](#)" on [page 45](#) for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		46
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		47
	Proxy	<Prxy>		[0..1]		47

Usage Guideline details

- This element([pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgentAccount](#)) is removed.

5.113.6 InstructedReimbursementAgent

XML Tag: InstdRmbrsmntAgt

Presence: [0..1]

Definition: Agent at which the instructed agent will be reimbursed.

Usage: If InstructedReimbursementAgent contains a branch of the InstructedAgent, then the party in InstructedAgent will claim reimbursement from that branch/will be paid by that branch.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

The **InstdRmbrsmntAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on [page 28](#) for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		29
	BranchIdentification	<BrnchId>		[0..1]		29

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursement-Agent) is removed.

5.113.7 InstructedReimbursementAgentAccount

XML Tag: InstdRmbrsmntAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructed reimbursement agent account at its servicing agent in the payment chain.

The **InstdRmbrsmntAgtAcct** block contains the following elements (see datatype "[CashAccount38](#)" on [page 45](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		46
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		47
	Proxy	<Prxy>		[0..1]		47

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursement-AgentAccount) is removed.

5.113.8 ThirdReimbursementAgent

XML Tag: ThrdRmbrsmntAgt

Presence: [0..1]

Definition: Agent at which the instructed agent will be reimbursed.

Usage: If ThirdReimbursementAgent contains a branch of the InstructedAgent, then the party in InstructedAgent will claim reimbursement from that branch/will be paid by that branch.

The **ThrdRmbrsmntAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 28 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		29
	BranchIdentification	<BrnchId>		[0..1]		29

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent) is removed.

5.113.9 ThirdReimbursementAgentAccount

XML Tag: ThrdRmbrsmntAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the third reimbursement agent account at its servicing agent in the payment chain.

The **ThrdRmbrsmntAgtAcct** block contains the following elements (see datatype "[CashAccount38](#)" on page 45 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		46
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		47
	Proxy	<Prxy>		[0..1]		47

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentAccount) is removed.

5.114 SettlementTimeRequest2__1

Definition: Provides information on the requested settlement time(s) of the payment instruction.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CLSTime	<CLSTm>		[0..1]		264
	TillTime	<TillTm>		[0..1]		264
	FromTime	<FrTm>		[0..1]		264
	RejectTime	<RjctTm>		[0..1]		265

Used in element(s)

"SettlementTimeRequest" on page 70

5.114.1 CLSTime

XML Tag: CLSTm

Presence: [0..1]

Definition: Time by which the amount of money must be credited, with confirmation, to the CLS Bank's account at the central bank.

Usage: Time must be expressed in Central European Time (CET).

Datatype: "CBPR_Time" on page 308

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/SettlementTimeRequest/CLSTime
Type changed to: CBPR_Time on page 308

5.114.2 TillTime

XML Tag: TillTm

Presence: [0..1]

Definition: Time until when the payment may be settled.

Datatype: "CBPR_Time" on page 308

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/SettlementTimeRequest/TillTime
Type changed to: CBPR_Time on page 308

5.114.3 FromTime

XML Tag: FrTm

Presence: [0..1]

Definition: Time as from when the payment may be settled.

Datatype: "CBPR_Time" on page 308

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/SettlementTimeRequest/FromTime
Type changed to: CBPR_Time on page 308

5.114.4 RejectTime

XML Tag: RjctTm

Presence: [0..1]

Definition: Time by when the payment must be settled to avoid rejection.

Datatype: "CBPR_Time" on page 308

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/SettlementTimeRequest/RejectTime
Type changed to: CBPR_Time on page 308

5.115 StructuredRemittanceInformation16__1

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferredDocumentInformation	<RfrdDocInf>		[0..*]		265
	ReferredDocumentAmount	<RfrdDocAmt>		[0..1]		266
	CreditorReferenceInformation	<CdtrRefInf>		[0..1]		266
	Invoicer	<Invcr>		[0..1]		267
	Invoicee	<Invcee>		[0..1]		267
	TaxRemittance	<TaxRmt>		[0..1]		268
	GarnishmentRemittance	<GrnshmtRmt>		[0..1]		268
	AdditionalRemittanceInformation	<AddtlRmtInf>		[0..3]		269

Used in element(s)

"Structured" on page 252

5.115.1 ReferredDocumentInformation

XML Tag: RfrdDocInf

Presence: [0..*]

Definition: Provides the identification and the content of the referred document.

The **RfrdDocInf** block contains the following elements (see datatype "[ReferredDocumentInformation7](#)" on page 245 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		245
	Number	<Nb>		[0..1]		245
	RelatedDate	<RltdDt>		[0..1]		246
	LineDetails	<LineDtls>		[0..*]		246

5.115.2 ReferredDocumentAmount

XML Tag: RfrdDocAmt

Presence: [0..1]

Definition: Provides details on the amounts of the referred document.

The **RfrdDocAmt** block contains the following elements (see datatype "[RemittanceAmount2](#)" on page 248 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		248
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		248
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		249
	TaxAmount	<TaxAmt>		[0..*]		249
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		249
	RemittedAmount	<RmtdAmt>		[0..1]		249

5.115.3 CreditorReferenceInformation

XML Tag: CdtrRefInf

Presence: [0..1]

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

The **CdtrRefInf** block contains the following elements (see datatype "[CreditorReferenceInformation2](#)" on page 104 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		104
	Reference	<Ref>		[0..1]		105

5.115.4 Invoicer

XML Tag: Invcr

Presence: [0..1]

Definition: Identification of the organisation issuing the invoice, when it is different from the creditor or ultimate creditor.

The **Invcr** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 179 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		180
	PostalAddress	<PstlAdr>		[0..1]		180
	Identification	<Id>		[0..1]		181
	CountryOfResidence	<CtryOfRes>		[0..1]		182
	ContactDetails	<CtctDtls>		[0..1]		182

5.115.5 Invoicee

XML Tag: Invicee

Presence: [0..1]

Definition: Identification of the party to whom an invoice is issued, when it is different from the debtor or ultimate debtor.

The **Invicee** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 179 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		180
	PostalAddress	<PstlAdr>		[0..1]		180
	Identification	<Id>		[0..1]		181
	CountryOfResidence	<CtryOfRes>		[0..1]		182
	ContactDetails	<CtctDtls>		[0..1]		182

5.115.6 TaxRemittance

XML Tag: TaxRmt

Presence: [0..1]

Definition: Provides remittance information about a payment made for tax-related purposes.

The **TaxRmt** block contains the following elements (see datatype "[TaxInformation7__1](#)" on page 274 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		275
	Debtor	<Dbtr>		[0..1]		275
	UltimateDebtor	<UltmtDbtr>		[0..1]		276
	AdministrationZone	<AdmstnZone>		[0..1]	⚠	276
	ReferenceNumber	<RefNb>		[0..1]	⚠	277
	Method	<Mtd>		[0..1]	⚠	277
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		277
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		277
	Date	<Dt>		[0..1]		277
	SequenceNumber	<SeqNb>		[0..1]		278
	Record	<Rcrd>		[0..*]		278

5.115.7 GarnishmentRemittance

XML Tag: GrnshmtRmt

Presence: [0..1]

Definition: Provides remittance information about a payment for garnishment-related purposes.

The **GrnshmtRmt** block contains the following elements (see datatype "[Garnishment3__1](#)" on page 132 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		133
	Garnishee	<Grnshee>		[0..1]		133
	GarnishmentAdministrator	<GrnshmtAdmstr>		[0..1]		133
	ReferenceNumber	<RefNb>		[0..1]	⚠	134

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>		[0..1]		134
	RemittedAmount	<RmtdAmt>		[0..1]		134
	FamilyMedicalInsuranceIndicator	<FmlyMdclInsrnclnd>		[0..1]		134
	EmployeeTerminationIndicator	<MplyeeTermntnlnd>		[0..1]		135

5.115.8 AdditionalRemittanceInformation

XML Tag: AddtlRmtInf

Presence: [0..3]

Definition: Additional information, in free text form, to complement the structured remittance information.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 304

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/AdditionalRemittanceInformation

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 304

5.116 SupplementaryData1

Definition: Additional information that can not be captured in the structured fields and/or any other specific block.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		269
	Envelope	<Envlp>		[1..1]		270

Rules

R55 SupplementaryDataRule

This component may not be used without the explicit approval of a SEG and submission to the RA of ISO 20022 compliant structure(s) to be used in the Envelope element.

Error handling: Undefined

Used in element(s)

"SupplementaryData" on page 22, "SupplementaryData" on page 89

5.116.1 PlaceAndName

XML Tag: PlcAndNm

Presence: [0..1]

Definition: Unambiguous reference to the location where the supplementary data must be inserted in the message instance.

In the case of XML, this is expressed by a valid XPath.

Datatype: "Max350Text" on page 333

5.116.2 Envelope

XML Tag: Envp

Presence: [1..1]

Definition: Technical element wrapping the supplementary data.

5.117 TaxAmount2

Definition: Set of elements used to provide information on the tax amount(s) of tax record.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		270
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		270
	TotalAmount	<TtlAmt>		[0..1]		271
	Details	<Dtls>		[0..*]		271

Used in element(s)

"TaxAmount" on page 290, "TaxAmount" on page 294

5.117.1 Rate

XML Tag: Rate

Presence: [0..1]

Definition: Rate used to calculate the tax.

Datatype: "PercentageRate" on page 335

5.117.2 TaxableBaseAmount

XML Tag: TaxblBaseAmt

Presence: [0..1]

Definition: Amount of money on which the tax is based.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 297

5.117.3 TotalAmount

XML Tag: TtlAmt

Presence: [0..1]

Definition: Total amount that is the result of the calculation of the tax for the record.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 297

5.117.4 Details

XML Tag: Dtls

Presence: [0..*]

Definition: Set of elements used to provide details on the tax period and amount.

The **Dtls** block contains the following elements (see datatype "TaxRecordDetails2" on page 294 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		295
	Amount	<Amt>		[1..1]		295

5.118 TaxAmountAndType1

Definition: Specifies the amount with a specific type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		271
	Amount	<Amt>		[1..1]		272

Used in element(s)

"TaxAmount" on page 249, "TaxAmount" on page 251

5.118.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "TaxAmountType1Choice" on page 272 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		272
	Proprietary	<Prtry>	Or}	[1..1]		272

5.118.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 297

5.119 TaxAmountType1Choice

Definition: Specifies the amount type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		272
	Proprietary	<Prtry>	Or}	[1..1]		272

Used in element(s)

"Type" on page 271

5.119.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: "ExternalTaxAmountType1Code" on page 327

5.119.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: "Max35Text" on page 333

5.120 TaxAuthorisation1__1

Definition: Details of the authorised tax paying party.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		273
	Name	<Nm>		[0..1]		273

Used in element(s)

"Authorisation" on page 284

5.120.1 Title

XML Tag: Titl

Presence: [0..1]

Definition: Title or position of debtor or the debtor's authorised representative.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Debtor/Authorisation/Title

Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.120.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the debtor or the debtor's authorised representative.

Datatype: "CBPR_RestrictedFINXMax140Text" on page 303

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Debtor/Authorisation/Name

Type changed to: CBPR_RestrictedFINXMax140Text on page 303

5.121 TaxAuthorisation1__2

Definition: Details of the authorised tax paying party.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		274
	Name	<Nm>		[0..1]		274

Used in element(s)

["Authorisation" on page 286](#)

5.121.1 Title

XML Tag: Titl

Presence: [0..1]

Definition: Title or position of debtor or the debtor's authorised representative.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 307](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Debtor/Authorisation/Title](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/Authorisation/Title](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

5.121.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the debtor or the debtor's authorised representative.

Datatype: ["CBPR_RestrictedFINXMax140Text_Extended" on page 304](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/Authorisation/Name](#)
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 304](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Debtor/Authorisation/Name](#)
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 304](#)

5.122 TaxInformation7__1

Definition: Details about tax paid, or to be paid, to the government in accordance with the law, including pre-defined parameters such as thresholds and type of account.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		275
	Debtor	<Dbtr>		[0..1]		275
	UltimateDebtor	<UltmtDbtr>		[0..1]		276
	AdministrationZone	<AdmstnZone>		[0..1]	⚠	276
	ReferenceNumber	<RefNb>		[0..1]	⚠	277
	Method	<Mtd>		[0..1]	⚠	277
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		277
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		277
	Date	<Dt>		[0..1]		277
	SequenceNumber	<SeqNb>		[0..1]		278
	Record	<Rcrd>		[0..*]		278

Used in element(s)

"TaxRemittance" on page 268

5.122.1 Creditor

XML Tag: Cdtr

Presence: [0..1]

Definition: Party on the credit side of the transaction to which the tax applies.

The **Cdtr** block contains the following elements (see datatype "TaxParty1__1" on page 282 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	283
	RegistrationIdentification	<RegnId>		[0..1]	⚠	283
	TaxType	<TaxTp>		[0..1]	⚠	283

5.122.2 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Identifies the party on the debit side of the transaction to which the tax applies.

The **Dbtr** block contains the following elements (see datatype "TaxParty2__2" on page 285 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	285
	RegistrationIdentification	<RegnId>		[0..1]	⚠	285
	TaxType	<TaxTp>		[0..1]	⚠	286
	Authorisation	<Authstn>		[0..1]		286

5.122.3 UltimateDebtor

XML Tag: UltmtDbtr

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor, in this case, to the taxing authority.

The **UltmtDbtr** block contains the following elements (see datatype "TaxParty2__2" on page 285 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	285
	RegistrationIdentification	<RegnId>		[0..1]	⚠	285
	TaxType	<TaxTp>		[0..1]	⚠	286
	Authorisation	<Authstn>		[0..1]		286

5.122.4 AdministrationZone

XML Tag: AdmstnZone

Presence: [0..1]

Definition: Territorial part of a country to which the tax payment is related.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/AdministrationZone
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.122.5 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Tax reference information that is specific to a taxing agency.

Datatype: ["CBPR_RestrictedFINXMax140Text_Extended" on page 304](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/ReferenceNumber](#)

Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 304](#)

5.122.6 Method

XML Tag: Mtd

Presence: [0..1]

Definition: Method used to indicate the underlying business or how the tax is paid.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 307](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Method](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

5.122.7 TotalTaxableBaseAmount

XML Tag: TtlTaxblBaseAmt

Presence: [0..1]

Definition: Total amount of money on which the tax is based.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 297](#)

5.122.8 TotalTaxAmount

XML Tag: TtlTaxAmt

Presence: [0..1]

Definition: Total amount of money as result of the calculation of the tax.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 297](#)

5.122.9 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date by which tax is due.

Datatype: "ISODate" on page 328

5.122.10 SequenceNumber

XML Tag: SeqNb

Presence: [0..1]

Definition: Sequential number of the tax report.

Datatype: "Number" on page 335

5.122.11 Record

XML Tag: Rcrd

Presence: [0..*]

Definition: Record of tax details.

The **Rcrd** block contains the following elements (see datatype "TaxRecord2__2" on page 291 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]	⚠	292
	Category	<Ctgy>		[0..1]	⚠	292
	CategoryDetails	<CtgyDtls>		[0..1]	⚠	292
	DebtorStatus	<DbtrSts>		[0..1]	⚠	292
	CertificateIdentification	<CertId>		[0..1]	⚠	293
	FormsCode	<FrmsCd>		[0..1]	⚠	293
	Period	<Prd>		[0..1]		293
	TaxAmount	<TaxAmt>		[0..1]		294
	AdditionalInformation	<AddtlInf>		[0..1]	⚠	294

5.123 TaxInformation8__1

Definition: Details about tax paid, or to be paid, to the government in accordance with the law, including pre-defined parameters such as thresholds and type of account.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		279

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Debtor	<Dbtr>		[0..1]		279
	AdministrationZone	<AdmstnZone>		[0..1]		280
	ReferenceNumber	<RefNb>		[0..1]		280
	Method	<Mtd>		[0..1]		280
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		280
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		280
	Date	<Dt>		[0..1]		280
	SequenceNumber	<SeqNb>		[0..1]		281
	Record	<Rcrd>		[0..*]		281

Used in element(s)

"Tax" on page 103

5.123.1 Creditor

XML Tag: Cdtr

Presence: [0..1]

Definition: Party on the credit side of the transaction to which the tax applies.

The **Cdtr** block contains the following elements (see datatype "TaxParty1" on page 281 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		282
	RegistrationIdentification	<RegnId>		[0..1]		282
	TaxType	<TaxTp>		[0..1]		282

5.123.2 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Party on the debit side of the transaction to which the tax applies.

The **Dbtr** block contains the following elements (see datatype "TaxParty2__1" on page 283 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		284
	RegistrationIdentification	<RegnId>		[0..1]		284
	TaxType	<TaxTp>		[0..1]		284
	Authorisation	<Authstn>		[0..1]		284

5.123.3 AdministrationZone

XML Tag: AdmstnZone

Presence: [0..1]

Definition: Territorial part of a country to which the tax payment is related.

Datatype: ["Max35Text" on page 333](#)

5.123.4 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Tax reference information that is specific to a taxing agency.

Datatype: ["Max140Text" on page 331](#)

5.123.5 Method

XML Tag: Mtd

Presence: [0..1]

Definition: Method used to indicate the underlying business or how the tax is paid.

Datatype: ["Max35Text" on page 333](#)

5.123.6 TotalTaxableBaseAmount

XML Tag: TtlTaxblBaseAmt

Presence: [0..1]

Definition: Total amount of money on which the tax is based.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 297](#)

5.123.7 TotalTaxAmount

XML Tag: TtlTaxAmt

Presence: [0..1]

Definition: Total amount of money as result of the calculation of the tax.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 297](#)

5.123.8 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date by which tax is due.

Datatype: ["ISODate" on page 328](#)

5.123.9 SequenceNumber

XML Tag: SeqNb

Presence: [0..1]

Definition: Sequential number of the tax report.

Datatype: ["Number" on page 335](#)

5.123.10 Record

XML Tag: Rcrd

Presence: [0..*]

Definition: Record of tax details.

The **Rcrd** block contains the following elements (see datatype ["TaxRecord2__1" on page 288](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		288
	Category	<Ctgy>		[0..1]		288
	CategoryDetails	<CtgyDtls>		[0..1]		289
	DebtorStatus	<DbtrSts>		[0..1]		289
	CertificateIdentification	<CertId>		[0..1]		289
	FormsCode	<FrmsCd>		[0..1]		290
	Period	<Prd>		[0..1]		290
	TaxAmount	<TaxAmt>		[0..1]		290
	AdditionalInformation	<AddtlInf>		[0..1]		291

5.124 TaxParty1

Definition: Details about the entity involved in the tax paid or to be paid.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		282
	RegistrationIdentification	<RegnId>		[0..1]		282
	TaxType	<TaxTp>		[0..1]		282

Used in element(s)

"Creditor" on page 279

5.124.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the creditor.

Datatype: "Max35Text" on page 333

5.124.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "Max35Text" on page 333

5.124.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: "Max35Text" on page 333

5.125 TaxParty1__1

Definition: Details about the entity involved in the tax paid or to be paid.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		283
	RegistrationIdentification	<RegnId>		[0..1]		283
	TaxType	<TaxTp>		[0..1]		283

Used in element(s)

"Creditor" on page 275

5.125.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the creditor.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Creditor/TaxIdentification
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.125.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Creditor/RegistrationIdentification
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.125.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Creditor/TaxType
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.126 TaxParty2__1

Definition: Details about the entity involved in the tax paid or to be paid.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		284
	RegistrationIdentification	<RegnId>		[0..1]		284
	TaxType	<TaxTp>		[0..1]		284
	Authorisation	<Authstn>		[0..1]		284

Used in element(s)

"Debtor" on page 279

5.126.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the debtor.

Datatype: "Max35Text" on page 333

5.126.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "Max35Text" on page 333

5.126.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: "Max35Text" on page 333

5.126.4 Authorisation

XML Tag: Authstn

Presence: [0..1]

Definition: Details of the authorised tax paying party.

The **Authstn** block contains the following elements (see datatype "TaxAuthorisation1__1" on page 272 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		273
	Name	<Nm>		[0..1]		273

5.127 TaxParty2__2

Definition: Details about the entity involved in the tax paid or to be paid.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		285
	RegistrationIdentification	<RegnId>		[0..1]		285
	TaxType	<TaxTp>		[0..1]		286
	Authorisation	<Authstn>		[0..1]		286

Used in element(s)

"Debtor" on page 275, "UltimateDebtor" on page 276

5.127.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the debtor.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/TaxIdentification
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Debtor/TaxIdentification
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.127.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Debtor/RegistrationIdentification
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/RegistrationIdentification
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 307

5.127.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/TaxType
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 307
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Debtor/TaxType
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 307

5.127.4 Authorisation

XML Tag: Authstn

Presence: [0..1]

Definition: Details of the authorised tax paying party.

The **Authstn** block contains the following elements (see datatype "[TaxAuthorisation1_2](#)" on page 273 for details)

❌ Removed - ⊗ Partial Removed - ◇ Ignored - ⊗ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]	⚠	274
	Name	<Nm>		[0..1]	⚠	274

5.128 TaxPeriod2

Definition: Period of time details related to the tax payment.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		287
	Type	<Tp>		[0..1]		287
	FromDate	<FrToDt>		[0..1]		287

Used in element(s)

"Period" on page 290, "Period" on page 293, "Period" on page 295

5.128.1 Year

XML Tag: Yr

Presence: [0..1]

Definition: Year related to the tax payment.

Datatype: "ISODate" on page 328

5.128.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Identification of the period related to the tax payment.

Datatype: "TaxRecordPeriod1Code" on page 339

5.128.3 FromToDate

XML Tag: FrToDt

Presence: [0..1]

Definition: Range of time between a start date and an end date for which the tax report is provided.

The **FrToDt** block contains the following elements (see datatype "DatePeriod2" on page 109 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		110
	ToDate	<ToDt>		[1..1]		110

5.129 TaxRecord2__1

Definition: Set of elements used to define the tax record.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		288
	Category	<Ctgy>		[0..1]		288
	CategoryDetails	<CtgyDtls>		[0..1]		289
	DebtorStatus	<DbtrSts>		[0..1]		289
	CertificateIdentification	<CertId>		[0..1]		289
	FormsCode	<FrmsCd>		[0..1]		290
	Period	<Prd>		[0..1]		290
	TaxAmount	<TaxAmt>		[0..1]		290
	AdditionalInformation	<AddtlInf>		[0..1]		291

Used in element(s)

"Record" on page 281

5.129.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: High level code to identify the type of tax details.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Record/Type

Type changed to: CBPR_RestrictedFINXMax35Text on page 306

5.129.2 Category

XML Tag: Ctgy

Presence: [0..1]

Definition: Specifies the tax code as published by the tax authority.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 306

Usage Guideline details

- on `pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Record/Category`
Type changed to: `CBPR_RestrictedFINXMax35Text` on page 306

5.129.3 CategoryDetails

XML Tag: CtgDtls

Presence: [0..1]

Definition: Provides further details of the category tax code.

Datatype: `"CBPR_RestrictedFINXMax35Text"` on page 306

Usage Guideline details

- on `pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Record/CategoryDetails`
Type changed to: `CBPR_RestrictedFINXMax35Text` on page 306

5.129.4 DebtorStatus

XML Tag: DbtrSts

Presence: [0..1]

Definition: Code provided by local authority to identify the status of the party that has drawn up the settlement document.

Datatype: `"CBPR_RestrictedFINXMax35Text"` on page 306

Usage Guideline details

- on `pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Record/DebtorStatus`
Type changed to: `CBPR_RestrictedFINXMax35Text` on page 306

5.129.5 CertificateIdentification

XML Tag: CertId

Presence: [0..1]

Definition: Identification number of the tax report as assigned by the taxing authority.

Datatype: `"CBPR_RestrictedFINXMax35Text"` on page 306

Usage Guideline details

- on `pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Record/CertificateIdentification`

Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)

5.129.6 FormsCode

XML Tag: FrmsCd

Presence: [0..1]

Definition: Identifies, in a coded form, on which template the tax report is to be provided.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 306](#)

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Record/FormsCode

Type changed to: [CBPR_RestrictedFINXMax35Text on page 306](#)

5.129.7 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype ["TaxPeriod2" on page 287](#) for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		287
	Type	<Tp>		[0..1]		287
	FromDate	<FrToDt>		[0..1]		287

5.129.8 TaxAmount

XML Tag: TaxAmt

Presence: [0..1]

Definition: Set of elements used to provide information on the amount of the tax record.

The **TaxAmt** block contains the following elements (see datatype ["TaxAmount2" on page 270](#) for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		270

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxableBaseAmount	<Taxb/BaseAmt>		[0..1]		270
	TotalAmount	<TtlAmt>		[0..1]		271
	Details	<Dtls>		[0..*]		271

5.129.9 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Further details of the tax record.

Datatype: "CBPR_RestrictedFINXMax140Text" on page 303

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Record/AdditionalInformation

Type changed to: CBPR_RestrictedFINXMax140Text on page 303

5.130 TaxRecord2__2

Definition: Set of elements used to define the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		292
	Category	<Ctgy>		[0..1]		292
	CategoryDetails	<CtgyDtls>		[0..1]		292
	DebtorStatus	<DbtrSts>		[0..1]		292
	CertificateIdentification	<CertId>		[0..1]		293
	FormsCode	<FrmsCd>		[0..1]		293
	Period	<Prd>		[0..1]		293
	TaxAmount	<TaxAmt>		[0..1]		294
	AdditionalInformation	<AddtlInf>		[0..1]		294

Used in element(s)

"Record" on page 278

5.130.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: High level code to identify the type of tax details.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on **pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/Type**

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.130.2 Category

XML Tag: Ctgy

Presence: [0..1]

Definition: Specifies the tax code as published by the tax authority.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on **pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/Category**

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.130.3 CategoryDetails

XML Tag: CtgyDtls

Presence: [0..1]

Definition: Provides further details of the category tax code.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 307

Usage Guideline details

- on **pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/CategoryDetails**

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 307

5.130.4 DebtorStatus

XML Tag: DbtrSts

Presence: [0..1]

Definition: Code provided by local authority to identify the status of the party that has drawn up the settlement document.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 307](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/DebtorStatus](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

5.130.5 CertificateIdentification

XML Tag: CertId

Presence: [0..1]

Definition: Identification number of the tax report as assigned by the taxing authority.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 307](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/CertificateIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

5.130.6 FormsCode

XML Tag: FrmsCd

Presence: [0..1]

Definition: Identifies, in a coded form, on which template the tax report is to be provided.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 307](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/FormsCode](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 307](#)

5.130.7 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype ["TaxPeriod2" on page 287](#) for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		287
	Type	<Tp>		[0..1]		287
	FromToDate	<FrToDt>		[0..1]		287

5.130.8 TaxAmount

XML Tag: TaxAmt

Presence: [0..1]

Definition: Set of elements used to provide information on the amount of the tax record.

The **TaxAmt** block contains the following elements (see datatype "[TaxAmount2](#)" on page 270 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		270
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		270
	TotalAmount	<TtlAmt>		[0..1]		271
	Details	<Dtls>		[0..*]		271

5.130.9 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Further details of the tax record.

Datatype: "[CBPR_RestrictedFINXMax140Text_Extended](#)" on page 304

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/AdditionalInformation](#)
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 304

5.131 TaxRecordDetails2

Definition: Provides information on the individual tax amount(s) per period of the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		295
	Amount	<Amt>		[1..1]		295

Used in element(s)

["Details" on page 271](#)

5.131.1 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype ["TaxPeriod2"](#) on page 287 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		287
	Type	<Tp>		[0..1]		287
	FromToDate	<FrToDt>		[0..1]		287

5.131.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Underlying tax amount related to the specified period.

Datatype: ["ActiveOrHistoricCurrencyAndAmount"](#) on page 297

6 Message Datatypes

Note The following chapter identifies the datatypes that are used in the message.

6.1 ActiveCurrencyAndAmount

Definition: A number of monetary units specified in an active currency where the unit of currency is explicit and compliant with ISO 4217.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveCurrencyCode" on page 296

Format

fractionDigits	5
minInclusive	0
totalDigits	18

Rules

R15 CurrencyAmount ✓

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits.

Used in element(s)

"TotalInterbankSettlementAmount" on page 157

6.2 ActiveCurrencyCode

Definition: A code allocated to a currency by a Maintenance Agency under an international identification scheme as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds".

Type: CodeSet

Format

pattern	[A-Z]{3,3}
---------	------------

Rules**R2 ActiveCurrency ✓**

The currency code must be a valid active currency code, not yet withdrawn on the day the message containing the currency is exchanged. Valid active currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and are not yet withdrawn on the day the message containing the Currency is exchanged.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00005
- *Error Text:* Invalid currency code

Used in attribute(s)

"CBPR_Amount" on page 301, "ActiveCurrencyAndAmount" on page 296, "CBPR_Amount" on page 302

Restricts

"ParentCurrencyCode" on page 335

6.3 ActiveOrHistoricCurrencyAndAmount

Definition: A number of monetary units specified in an active or a historic currency where the unit of currency is explicit and compliant with ISO 4217.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveOrHistoricCurrencyCode" on page 298

Format

fractionDigits	5
minInclusive	0
totalDigits	18

Rules**R53 CurrencyAmount ✓**

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits.

Used in element(s)

"Amount" on page 111, "Amount" on page 112, "Amount" on page 272, "Amount" on page 295, "CreditNoteAmount" on page 249, "CreditNoteAmount" on page 251, "DuePayableAmount" on page 248, "DuePayableAmount" on page 250, "InstructedAmount" on page 104, "RemittedAmount" on page 134, "RemittedAmount" on page 249, "RemittedAmount" on page 251, "TaxableBaseAmount" on page 270, "TotalAmount" on page 271, "TotalTaxAmount" on page 280, "TotalTaxAmount" on page 277, "TotalTaxableBaseAmount" on page 280, "TotalTaxableBaseAmount" on page 277

6.4 ActiveOrHistoricCurrencyCode

Definition: A code allocated to a currency by a Maintenance Agency under an international identification scheme, as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds".

Type: CodeSet

Format

pattern [A-Z]{3,3}

Rules**R24 ActiveOrHistoricCurrency ✓**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00006
- *Error Text:* Invalid currency code.

Used in element(s)

"Currency" on page 48, "Currency" on page 46

Used in attribute(s)

"ActiveOrHistoricCurrencyAndAmount" on page 297

Restricts

"ParentCurrencyCode" on page 335

6.5 AddressType2Code

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.

Code	Name	Definition
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Used in element(s)

["Code" on page 28](#)

Restricts

["AddressTypeCode" on page 299](#)

6.6 AddressTypeCode

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Is restricted by

["AddressType2Code" on page 298](#)

6.7 AmountDirectionCode

Definition: Specifies if an operation is an increase or a decrease or the result of a reversal operation.

Type: CodeSet

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.
RVCD	ReversalCredit	Debit entry used to reverse a previously booked credit entry.

Code	Name	Definition
RVDB	ReversalDebit	Credit entry used to reverse a previously booked debit entry.

Is restricted by

"CreditDebitCode" on page 311

6.8 AnyBICDec2014Identifier

Definition: Code allocated to a financial or non-financial institution by the ISO 9362 Registration Authority, as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules

R54 AnyBIC ✓

Only a valid Business identifier code is allowed. Business identifier codes for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous characters.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00008
- *Error Text:* Invalid BIC.

Used in element(s)

"AnyBIC" on page 167, "AnyBIC" on page 168, "AnyBIC" on page 170, "AnyBIC" on page 166

6.9 BICFIDec2014Identifier

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules

R26 BICFI ✓

Valid BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consist of eight (8) or eleven (11) contiguous characters.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00001
- *Error Text:* Invalid FI BIC.

Used in element(s)

["BICFI" on page 121](#), ["BICFI" on page 125](#), ["BICFI" on page 130](#), ["BICFI" on page 118](#)

6.10 BatchBookingIndicator

Definition: Identifies whether the sending party requests a single debit or credit entry per individual transaction or a batch entry for the sum of the amounts of all transactions.

Type: Indicator

Meaning When True: Identifies that a batch entry for the sum of the amounts of all transactions in the batch or message is requested.

Meaning When False: Identifies that a single entry for each of the transactions in the batch or message is requested.

Used in element(s)

["BatchBooking" on page 156](#)

6.11 CBPR_Amount

Definition:

This datatype has been created by the Publisher of this Usage Guideline.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveCurrencyCode" on page 296

Format

fractionDigits	5
minInclusive	0
totalDigits	14

Rules

R1 CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits

6.12 CBPR_Amount

Definition:

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveCurrencyCode" on page 296

Format

fractionDigits	5
minInclusive	0
totalDigits	14

Rules

R40 CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits

Used in element(s)

"InterbankSettlementAmount" on page 69

6.13 CBPR_Date

Definition: This Type restricts the base ISODate to YYYY (exactly 4 digits for the Year) and does not allow use of UTC offset or Zulu indicator with a date.

This datatype has been created by the Publisher of this Usage Guideline.

Type: Date

Format

pattern [0-9]{4}-[0-9]{2}-[0-9]{2}

Used in element(s)

"InterbankSettlementDate" on page 69

6.14 CBPR_DateTime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm).

This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Example: 2020-07-16T19:20:30.45+01:00

This datatype has been created by the Publisher of this Usage Guideline.

Type: DateTime

Format

pattern .*(\+|-)((0[0-9])|(1[0-4])):[0-5][0-9]

Used in element(s)

"CreationDate" on page 44, "CreationDateTime" on page 156, "CreditDateTime" on page 255, "DebitDateTime" on page 255

6.15 CBPR_RestrictedFINXMax140Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 140 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	140
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,\'+]+

Used in element(s)

["AdditionalInformation" on page 291](#), ["InstructionInformation" on page 162](#), ["InstructionInformation" on page 164](#), ["Name" on page 273](#)

6.16 CBPR_RestrictedFINXMax140Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 140 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	140
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,\'+ !#\$%&*='^_`{ }~";<>@[\\]]+

Used in element(s)

["AdditionalInformation" on page 294](#), ["AdditionalRemittanceInformation" on page 269](#), ["Name" on page 126](#), ["Name" on page 274](#), ["Name" on page 189](#), ["ReferenceNumber" on page 277](#), ["ReferenceNumber" on page 134](#), ["Unstructured" on page 253](#)

6.17 CBPR_RestrictedFINXMax16Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 16 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	16
minLength	1

pattern [0-9a-zA-Z/\-!\?:\(\)\.,'+]+

Used in element(s)

"InstructionIdentification" on page 192

6.18 CBPR_RestrictedFINXMax16Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 16 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	16
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'+ !#\$%&*^_`{ }~";<>@[\\]]+

Used in element(s)

"BuildingNumber" on page 217, "BuildingNumber" on page 233, "PostBox" on page 220, "PostBox" on page 235, "PostCode" on page 222, "PostCode" on page 236

6.19 CBPR_RestrictedFINXMax28Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 28 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	28
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'+]+

Used in element(s)

"MemberIdentification" on page 59

6.20 CBPR_RestrictedFINXMax320Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 320 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*^_`{|}~";<>@[\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	320
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,'+ !#\$%&!*^_`{ }\}~";<>@[\]]+

Used in element(s)

["Identification" on page 241](#)

6.21 CBPR_RestrictedFINXMax34Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 34 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . and disable the use of slash "/" at the beginning and end of line and double slash "/" within the line.

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	34
minLength	1
pattern	(([0-9a-zA-Z/\-!\?:(\)\.,'+]([0-9a-zA-Z/\-!\?:(\)\.,'+])*([0-9a-zA-Z/\-!\?:(\)\.,'+])?)*)

Used in element(s)

["Identification" on page 138](#)

6.22 CBPR_RestrictedFINXMax35Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 35 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
-----------	----

minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,\'+]+

Used in element(s)

["BusinessMessageIdentifier" on page 42](#), ["BusinessService" on page 43](#), ["Category" on page 288](#), ["CategoryDetails" on page 289](#), ["CertificateIdentification" on page 289](#), ["ClearingSystemReference" on page 194](#), ["DebtorStatus" on page 289](#), ["EndToEndIdentification" on page 193](#), ["FormsCode" on page 290](#), ["Identification" on page 145](#), ["Identification" on page 150](#), ["Identification" on page 147](#), ["Identification" on page 152](#), ["Identification" on page 142](#), ["InstructionInformation" on page 163](#), ["Issuer" on page 139](#), ["Issuer" on page 146](#), ["Issuer" on page 151](#), ["Issuer" on page 147](#), ["Issuer" on page 153](#), ["Issuer" on page 143](#), ["MessageDefinitionIdentifier" on page 43](#), ["MessageIdentification" on page 155](#), ["Proprietary" on page 27](#), ["Proprietary" on page 51](#), ["Proprietary" on page 243](#), ["Proprietary" on page 255](#), ["Proprietary" on page 165](#), ["Proprietary" on page 53](#), ["Proprietary" on page 244](#), ["Proprietary" on page 172](#), ["Proprietary" on page 205](#), ["Proprietary" on page 117](#), ["Title" on page 273](#), ["TransactionIdentification" on page 194](#), ["Type" on page 288](#)

6.23 CBPR_RestrictedFINXMax35Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 35 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,\'+ !#\$%&!*^_`{ }~";<>@[\\]]+

Used in element(s)

["AdministrationZone" on page 276](#), ["BuildingName" on page 218](#), ["BuildingName" on page 234](#), ["Category" on page 292](#), ["CategoryDetails" on page 292](#), ["CertificateIdentification" on page 293](#), ["CityOfBirth" on page 109](#), ["CountrySubDivision" on page 227](#), ["CountrySubDivision" on page 237](#), ["DebtorStatus" on page 292](#), ["DistrictName" on page 226](#), ["DistrictName" on page 237](#), ["FormsCode" on page 293](#), ["Identification" on page 148](#), ["Identification" on page 153](#), ["Issuer" on page 136](#), ["Issuer" on page 149](#), ["Issuer" on page 154](#), ["Method" on page 277](#), ["Proprietary" on page 135](#), ["Proprietary" on page 173](#), ["Proprietary" on page 206](#), ["ProvinceOfBirth" on page 108](#), ["RegistrationIdentification" on page 283](#), ["RegistrationIdentification" on page 285](#), ["TaxIdentification" on page 283](#), ["TaxIdentification" on page 285](#), ["TaxType" on page 283](#), ["TaxType" on page 286](#), ["Title" on page 274](#), ["TownLocationName" on page 225](#), ["TownLocationName" on page 236](#), ["TownName" on page 223](#), ["TownName" on page 236](#), ["Type" on page 292](#)

6.24 CBPR_RestrictedFINXMax70Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 70 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	70
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,'+]+

Used in element(s)

"Name" on page 49

6.25 CBPR_RestrictedFINXMax70Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 70 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*=_`{ } ~ - ; < > @ [\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	70
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,'+ !#\$%&*=_`{ } ~ - ; < > @ [\]]+

Used in element(s)

"AddressLine" on page 229, "Department" on page 214, "Department" on page 232, "Floor" on page 219, "Floor" on page 234, "Room" on page 221, "Room" on page 235, "StreetName" on page 216, "StreetName" on page 233, "SubDepartment" on page 215, "SubDepartment" on page 233

6.26 CBPR_Time

Definition: A particular point in the progression of time defined by a mandatory time component, expressed in local time with UTC offset format (hh:mm:ss.sss+/-hh:mm).

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Example: 19:20:30.45+01:00

This datatype has been created by the Publisher of this Usage Guideline.

Type: Time

Format

pattern `.*(\+|-)((0[0-9])|(1[0-4])):[0-5][0-9]`

Used in element(s)

["CLSTime" on page 264](#), ["FromTime" on page 264](#), ["RejectTime" on page 265](#), ["TillTime" on page 264](#)

6.27 ClearingChannel2Code

Definition: Specifies the clearing channel for the routing of the transaction, as part of the payment type identification.

Type: CodeSet

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

Used in element(s)

["ClearingChannel" on page 197](#), ["ClearingChannel" on page 195](#)

Restricts

["ClearingChannelCode" on page 309](#)

6.28 ClearingChannelCode

Definition: Specifies the clearing channel for the routing of the transaction, as part of the payment type identification.

Type: CodeSet

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.

Code	Name	Definition
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

Is restricted by

"ClearingChannel2Code" on page 309

6.29 CopyDuplicate1Code

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of a copy.

Type: CodeSet

Code	Name	Definition
CODU	CopyDuplicate	Message is being sent as a copy to a party other than the account owner, for information purposes and the message is a duplicate of a message previously sent.
COPY	Copy	Message is being sent as a copy to a party other than the account owner, for information purposes.
DUPL	Duplicate	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

Used in element(s)

"CopyDuplicate" on page 44

Restricts

"CopyDuplicateCode" on page 310

6.30 CopyDuplicateCode

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of a copy.

Type: CodeSet

Code	Name	Definition
CODU	CopyDuplicate	Message is being sent as a copy to a party other than the account owner, for information purposes and the message is a duplicate of a message previously sent.
COPY	Copy	Message is being sent as a copy to a party other than the account owner, for information purposes.

Code	Name	Definition
DUPL	Duplicate	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

Is restricted by

["CopyDuplicate1Code" on page 310](#)

6.31 CountryCode

Definition: Code to identify a country, a dependency, or another area of particular geopolitical interest, on the basis of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Type: CodeSet

Format

pattern [A-Z]{2,2}

Rules

R42 Country ✓

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00004
- *Error Text:* Invalid Country Code.

Used in element(s)

["Country" on page 228](#), ["Country" on page 238](#), ["Country" on page 212](#), ["CountryOfBirth" on page 109](#), ["CountryOfBirth" on page 107](#), ["CountryOfResidence" on page 185](#), ["CountryOfResidence" on page 187](#), ["CountryOfResidence" on page 190](#), ["CountryOfResidence" on page 182](#)

6.32 CreditDebitCode

Definition: Specifies if an operation is an increase or a decrease.

Type: CodeSet

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

Used in element(s)

["CreditDebitIndicator" on page 112](#)

Restricts

["AmountDirectionCode" on page 299](#)

6.33 DecimalNumber

Definition: Number of objects represented as a decimal number, for example 0.75 or 45.6.

Type: Quantity

Format

fractionDigits	17
totalDigits	18

Used in element(s)

["ControlSum" on page 157](#)

6.34 DocumentType3Code

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
DISP	DispatchAdvice	Document is a dispatch advice.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, for example, in a cover scenario.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

Used in element(s)

["Code" on page 105](#)

Restricts

["DocumentTypeCode" on page 313](#)

6.35 DocumentType6Code

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
AROI	AccountReceivableOpenItem	Document is a payment that applies to a specific source document.
BOLD	BillOfLading	Document is a shipping notice.
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, for example gas or electricity supplied to a fixed meter.
PUOR	PurchaseOrder	Document is a purchase order.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.
TSUT	TradeServicesUtilityTransaction	Document is a transaction identifier as assigned by the Trade Services Utility.
VCHR	Voucher	Document is an electronic payment document.

Used in element(s)

"Code" on page 246

Restricts

"DocumentTypeCode" on page 313

6.36 DocumentTypeCode

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
AROI	AccountReceivableOpenItem	Document is a payment that applies to a specific source document.
BOLD	BillOfLading	Document is a shipping notice.
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CRCP	CustomerReceipt	When the Sale System requires the POI system to print the Customer receipt.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
HRCP	CashierReceipt	When the Sale system print the Cashier copy of the Payment receipt.
JNRL	Journal	When the POI or the Sale System wants to store a message on the journal printer or electronic journal of the Sale Terminal (it is sometimes a Sale Logging/Journal Printer).
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, for example gas or electricity supplied to a fixed meter.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, for example, in a cover scenario.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

Code	Name	Definition
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.
SRCP	SaleReceipt	When the Sale System requires the POI system to print the Sale receipt.
TSUT	TradeServicesUtilityTransaction	Document is a transaction identifier as assigned by the Trade Services Utility.
VCHR	Voucher	Document is an electronic payment document.

Is restricted by

"DocumentType3Code" on page 312, "DocumentType6Code" on page 312

6.37 Exact4AlphaNumericText

Definition: Specifies an alphanumeric string with a length of 4 characters.

Type: Text

Format

pattern [a-zA-Z0-9]{4}

Used in element(s)

"Identification" on page 143

6.38 ExternalAccountIdentification1Code

Definition: Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength 4
minLength 1

Used in element(s)

"Code" on page 26, "Code" on page 26

Restricts

"ExternalAccountIdentificationCode" on page 316

6.39 ExternalAccountIdentificationCode

Definition: Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalAccountIdentification1Code" on page 315

6.40 ExternalCashAccountType1Code

Definition: Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 51, "Code" on page 50

Restricts

"ExternalCashAccountTypeCode" on page 316

6.41 ExternalCashAccountTypeCode

Definition: Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalCashAccountType1Code" on page 316

6.42 ExternalCashClearingSystem1Code

Definition: Specifies the cash clearing system, as published in an external cash clearing system code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	3
minLength	1

Used in element(s)

"Code" on page 56

Restricts

"ExternalCashClearingSystemCode" on page 317

6.43 ExternalCashClearingSystemCode

Definition: Specifies the cash clearing system, as published in an external cash clearing system code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalCashClearingSystem1Code" on page 317

6.44 ExternalCategoryPurpose1Code

Definition: Specifies the category purpose, as published in an external category purpose code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 53, "Code" on page 53

Restricts

"ExternalCategoryPurposeCode" on page 318

6.45 ExternalCategoryPurposeCode

Definition: Specifies the category purpose, as published in an external category purpose code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalCategoryPurpose1Code" on page 317

6.46 ExternalClearingSystemIdentification1Code

Definition: Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	5
minLength	1

Used in element(s)

"Code" on page 54

Restricts

"ExternalClearingSystemIdentificationCode" on page 319

6.47 ExternalClearingSystemIdentificationCode

Definition: Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	5
minLength	1

Is restricted by

"ExternalClearingSystemIdentification1Code" on page 318

6.48 ExternalDiscountAmountType1Code

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 111

Restricts

"ExternalDiscountAmountTypeCode" on page 319

6.49 ExternalDiscountAmountTypeCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalDiscountAmountType1Code" on page 319

6.50 ExternalDocumentLineType1Code

Definition: Specifies the document line type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 116

Restricts

"ExternalDocumentLineTypeCode" on page 320

6.51 ExternalDocumentLineTypeCode

Definition: Specifies the document line type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalDocumentLineType1Code" on page 320

6.52 ExternalFinancialInstitutionIdentification1Code

Definition: Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 117](#), ["Code" on page 117](#)

Restricts

["ExternalFinancialInstitutionIdentificationCode" on page 321](#)

6.53 ExternalFinancialInstitutionIdentificationCode

Definition: Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalFinancialInstitutionIdentification1Code" on page 320](#)

6.54 ExternalGarnishmentType1Code

Definition: Specifies the garnishment type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 135](#)

Restricts

["ExternalGarnishmentTypeCode" on page 321](#)

6.55 ExternalGarnishmentTypeCode

Definition: Specifies the garnishment type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalGarnishmentType1Code" on page 321

6.56 ExternalLocalInstrument1Code

Definition: Specifies the external local instrument code in the format of character string with a maximum length of 35 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	35
minLength	1

Used in element(s)

"Code" on page 165, "Code" on page 164

Restricts

"ExternalLocalInstrumentCode" on page 322

6.57 ExternalLocalInstrumentCode

Definition: Specifies the external local instrument code in the format of character string with a maximum length of 35 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	35
minLength	1

Is restricted by

"ExternalLocalInstrument1Code" on page 322

6.58 ExternalOrganisationIdentification1Code

Definition: Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 172, "Code" on page 173, "Code" on page 171

Restricts

"ExternalOrganisationIdentificationCode" on page 323

6.59 ExternalOrganisationIdentificationCode

Definition: Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalOrganisationIdentification1Code" on page 323

6.60 ExternalPersonIdentification1Code

Definition: Specifies the external person identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 205](#), ["Code" on page 206](#), ["Code" on page 204](#)

Restricts

["ExternalPersonIdentificationCode" on page 324](#)

6.61 ExternalPersonIdentificationCode

Definition: Specifies the external person identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalPersonIdentification1Code" on page 323](#)

6.62 ExternalProxyAccountType1Code

Definition: Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 243](#), ["Code" on page 242](#)

Restricts

["ExternalProxyAccountTypeCode" on page 325](#)

6.63 ExternalProxyAccountTypeCode

Definition: Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalProxyAccountType1Code" on page 324](#)

6.64 ExternalPurpose1Code

Definition: Specifies the external purpose code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 244](#)

Restricts

["ExternalPurposeCode" on page 325](#)

6.65 ExternalPurposeCode

Definition: Specifies the external purpose code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalPurpose1Code" on page 325

6.66 ExternalServiceLevel1Code

Definition: Specifies the external service level code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 254, "Code" on page 254

Restricts

"ExternalServiceLevelCode" on page 326

6.67 ExternalServiceLevelCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalServiceLevel1Code" on page 326

6.68 ExternalTaxAmountType1Code

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 272](#)

Restricts

["ExternalTaxAmountTypeCode" on page 327](#)

6.69 ExternalTaxAmountTypeCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalTaxAmountType1Code" on page 327](#)

6.70 IBAN2007Identifier

Definition: The International Bank Account Number is a code used internationally by financial institutions to uniquely identify the account of a customer at a financial institution as described in the 2007 edition of the ISO 13616 standard "Banking and related financial services - International Bank Account Number (IBAN)" and replaced by the more recent edition of the standard.

Type: IdentifierSet

Format

pattern [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}

Rules**R25 IBAN ✓**

A valid IBAN consists of all three of the following components: Country Code, check digits and BBAN.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00003
- *Error Text:* Invalid IBAN format or invalid check digits.

Used in element(s)

"IBAN" on page 25, "IBAN" on page 24

6.71 ISODate

Definition: A particular point in the progression of time in a calendar year expressed in the YYYY-MM-DD format. This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Type: Date

Used in element(s)

"BirthDate" on page 108, "BirthDate" on page 107, "Date" on page 280, "Date" on page 277, "Date" on page 134, "FromDate" on page 110, "InterbankSettlementDate" on page 157, "RelatedDate" on page 113, "RelatedDate" on page 246, "ToDate" on page 110, "Year" on page 287

6.72 ISODateTime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in either UTC time format (YYYY-MM-DDThh:mm:ss.sssZ), local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm), or local time format (YYYY-MM-DDThh:mm:ss.sss). These representations are defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Type: DateTime

6.73 Instruction3Code

Definition: Specifies further instructions concerning the processing of a payment instruction, provided by the sending clearing agent to the next agent(s).

Type: CodeSet

Code	Name	Definition
CHQB	PayCreditorByCheque	(Ultimate) creditor must be paid by cheque.
HOLD	HoldCashForCreditor	Amount of money must be held for the (ultimate) creditor, who will call. Pay on identification.
PHOB	PhoneBeneficiary	Please advise/contact (ultimate) creditor/claimant by phone.
TELB	Telecom	Please advise/contact (ultimate) creditor/claimant by the most efficient means of telecommunication.

Used in element(s)

["Code" on page 161](#)

Restricts

["InstructionCode" on page 330](#)

6.74 Instruction4Code

Definition: Specifies further instructions concerning the processing of a payment instruction, provided by the sending clearing agent to the next agent(s).

Type: CodeSet

Code	Name	Definition
PHOA	PhoneNextAgent	Please advise/contact next agent by phone.
TELA	TelecomNextAgent	Please advise/contact next agent by the most efficient means of telecommunication.

Used in element(s)

["Code" on page 162](#), ["Code" on page 163](#)

Restricts

["InstructionCode" on page 330](#)

6.75 Instruction5Code

Definition: Specifies further instructions concerning the processing of a payment instruction, provided by the sending clearing agent to the next agent(s).

Type: CodeSet

Code	Name	Definition
PHOB	PhoneBeneficiary	Please advise/contact (ultimate) creditor/claimant by phone.
TELB	Telecom	Please advise/contact (ultimate) creditor/claimant by the most efficient means of telecommunication.

Used in element(s)

"Code" on page 161

Restricts

"InstructionCode" on page 330

6.76 InstructionCode

Definition: Specifies further instructions concerning the processing of a payment instruction.

Type: CodeSet

Code	Name	Definition
CHQB	PayCreditorByCheque	(Ultimate) creditor must be paid by cheque.
HOLD	HoldCashForCreditor	Amount of money must be held for the (ultimate) creditor, who will call. Pay on identification.
PBEN	PayTheBeneficiary	(Ultimate) creditor to be paid only after verification of identity.
PHOA	PhoneNextAgent	Please advise/contact next agent by phone.
PHOB	PhoneBeneficiary	Please advise/contact (ultimate) creditor/claimant by phone.
TELA	TelecomNextAgent	Please advise/contact next agent by the most efficient means of telecommunication.
TELB	Telecom	Please advise/contact (ultimate) creditor/claimant by the most efficient means of telecommunication.
TFRO	TimeFrom	Payment instruction will be valid and eligible for execution from the date and time stipulated.
TTIL	TimeTill	Payment instruction is valid and eligible for execution until the date and time stipulated. Otherwise, the payment instruction will be rejected.

Is restricted by

["Instruction3Code" on page 329](#), ["Instruction4Code" on page 329](#), ["Instruction5Code" on page 329](#)

6.77 LEIIdentifier

Definition: Legal Entity Identifier is a code allocated to a party as described in ISO 17442 "Financial Services - Legal Entity Identifier (LEI)".

Type: IdentifierSet

Format

pattern	[A-Z0-9]{18,18}[0-9]{2,2}
---------	---------------------------

Used in element(s)

["LEI" on page 122](#), ["LEI" on page 125](#), ["LEI" on page 167](#), ["LEI" on page 169](#), ["LEI" on page 131](#), ["LEI" on page 170](#), ["LEI" on page 39](#), ["LEI" on page 119](#), ["LEI" on page 166](#)

6.78 Max128Text

Definition: Specifies a character string with a maximum length of 128 characters.

Type: Text

Format

maxLength	128
minLength	1

Used in element(s)

["Identification" on page 174](#)

6.79 Max140Text

Definition: Specifies a character string with a maximum length of 140 characters.

Type: Text

Format

maxLength	140
minLength	1

Used in element(s)

["AdditionalInformation" on page 112](#), ["InstructionInformation" on page 161](#), ["Name" on page 122](#), ["Name" on page 184](#), ["Name" on page 186](#), ["Name" on page 131](#), ["Name" on page 40](#), ["Name" on page 62](#), ["Name" on page 119](#), ["Name" on page 180](#), ["ReferenceNumber" on page 280](#), ["Unstructured" on page 252](#)

6.80 Max15NumericText

Definition: Specifies a numeric string with a maximum length of 15 digits.

Type: Text

Format

pattern	[0-9]{1,15}
---------	-------------

Used in element(s)

"NumberOfTransactions" on page 156

6.81 Max16Text

Definition: Specifies a character string with a maximum length of 16 characters.

Type: Text

Format

maxLength	16
minLength	1

Used in element(s)

"BuildingNumber" on page 210, "PostBox" on page 211, "PostCode" on page 211

6.82 Max2048Text

Definition: Specifies a character string with a maximum length of 2048 characters.

Type: Text

Format

maxLength	2048
minLength	1

Used in element(s)

"Description" on page 114, "EmailAddress" on page 62, "Identification" on page 160, "Identification" on page 239

6.83 Max34Text

Definition: Specifies a character string with a maximum length of 34 characters.

Type: Text

Format

maxLength	34
-----------	----

minLength	1
-----------	---

Used in element(s)

["Identification" on page 137](#)

6.84 Max350Text

Definition: Specifies a character string with a maximum length of 350 characters.

Type: Text

Format

maxLength	350
minLength	1

Used in element(s)

["PlaceAndName" on page 269](#), ["Registry" on page 160](#)

6.85 Max35Text

Definition: Specifies a character string with a maximum length of 35 characters.

Type: Text

Format

maxLength	35
minLength	1

Used in element(s)

["AdministrationZone" on page 280](#), ["BuildingName" on page 210](#), ["CityOfBirth" on page 107](#), ["CountrySubDivision" on page 212](#), ["DistrictName" on page 211](#), ["EmailPurpose" on page 62](#), ["Identification" on page 39](#), ["Identification" on page 141](#), ["Identification" on page 144](#), ["Identification" on page 149](#), ["Issuer" on page 106](#), ["Issuer" on page 116](#), ["Issuer" on page 137](#), ["Issuer" on page 141](#), ["Issuer" on page 143](#), ["Issuer" on page 145](#), ["Issuer" on page 150](#), ["Issuer" on page 247](#), ["JobTitle" on page 63](#), ["MemberIdentification" on page 57](#), ["Method" on page 280](#), ["Number" on page 113](#), ["Number" on page 245](#), ["Proprietary" on page 26](#), ["Proprietary" on page 51](#), ["Proprietary" on page 53](#), ["Proprietary" on page 54](#), ["Proprietary" on page 56](#), ["Proprietary" on page 105](#), ["Proprietary" on page 111](#), ["Proprietary" on page 116](#), ["Proprietary" on page 117](#), ["Proprietary" on page 164](#), ["Proprietary" on page 171](#), ["Proprietary" on page 204](#), ["Proprietary" on page 242](#), ["Proprietary" on page 247](#), ["Proprietary" on page 254](#), ["Proprietary" on page 272](#), ["ProvinceOfBirth" on page 107](#), ["Reference" on page 105](#), ["RegistrationIdentification" on page 284](#), ["RegistrationIdentification" on page 282](#), ["Responsibility" on page 63](#), ["SchemeName" on page 144](#), ["TaxIdentification" on page 284](#), ["TaxIdentification" on page 282](#), ["TaxType" on page 284](#), ["TaxType" on page 282](#), ["TownLocationName" on page 211](#), ["TownName" on page 211](#)

6.86 Max4Text

Definition: Specifies a character string with a maximum length of 4 characters.

Type: Text

Format

maxLength	4
minLength	1

Used in element(s)

"ChannelType" on page 174, "Reason" on page 112

6.87 Max70Text

Definition: Specifies a character string with a maximum length of 70characters.

Type: Text

Format

maxLength	70
minLength	1

Used in element(s)

"AddressLine" on page 238, "AddressLine" on page 212, "Department" on page 63, "Department" on page 208, "Floor" on page 210, "Name" on page 47, "Room" on page 211, "StreetName" on page 210, "SubDepartment" on page 209

6.88 NamePrefix2Code

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Used in element(s)

"NamePrefix" on page 61

Restricts

"NamePrefixCode" on page 334

6.89 NamePrefixCode

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Is restricted by

"NamePrefix2Code" on page 334

6.90 Number

Definition: Number of objects represented as an integer.

Type: Quantity

Format

fractionDigits	0
totalDigits	18

Used in element(s)

"SequenceNumber" on page 281, "SequenceNumber" on page 278

6.91 ParentCurrencyCode

Definition: Code allocated to a currency, by a maintenance agency, under an international identification scheme as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds". Valid currency codes are registered with the ISO 4217 Maintenance Agency, and consist of three contiguous letters.

Type: CodeSet

Format

pattern	[A-Z]{3,3}
---------	------------

Is restricted by

"ActiveCurrencyCode" on page 296, "ActiveOrHistoricCurrencyCode" on page 298

6.92 PercentageRate

Definition: Rate expressed as a percentage, that is, in hundredths, for example, 0.7 is 7/10 of a percent, and 7.0 is 7%.

Type: Rate

Format

fractionDigits	10
totalDigits	11

Used in element(s)

"Rate" on page 270

6.93 PhoneNumber

Definition: The collection of information which identifies a specific phone or FAX number as defined by telecom services.

It consists of a "+" followed by the country code (from 1 to 3 characters) then a "-" and finally, any combination of numbers, "(", ")", "+ and "-" (up to 30 characters).

Type: Text

Format

pattern	\+[0-9]{1,3}-[0-9()+\-]{1,30}
---------	-------------------------------

Used in element(s)

"FaxNumber" on page 62, "MobileNumber" on page 62, "PhoneNumber" on page 62

6.94 PreferredContactMethod1Code

Definition: Preferred method used to reach the individual contact within an organisation.

Type: CodeSet

Code	Name	Definition
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
MAIL	Email	Preferred method used to reach the contact is per email.
PHON	Phone	Preferred method used to reach the contact is per phone.

Used in element(s)

"PreferredMethod" on page 63

Restricts

"PreferredContactMethodCode" on page 337

6.95 PreferredContactMethodCode

Definition: Preferred method used to reach the individual contact within an organisation.

Type: CodeSet

Code	Name	Definition
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
MAIL	Email	Preferred method used to reach the contact is per email.
ONLI	Online	Preferred method used to reach the contact is online.
PHON	Phone	Preferred method used to reach the contact is per phone.

Is restricted by

"PreferredContactMethod1Code" on page 336

6.96 Priority2Code

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

Used in element(s)

"InstructionPriority" on page 197, "InstructionPriority" on page 195, "Priority" on page 45

Restricts

"PriorityCode" on page 338

6.97 Priority3Code

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

Code	Name	Definition
URGT	Urgent	Priority level is urgent (highest priority possible).

Used in element(s)

"SettlementPriority" on page 69

Restricts

"PriorityCode" on page 338

6.98 PriorityCode

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
LOWW	Low	Priority level is low.
NORM	Normal	Priority level is normal.
URGT	Urgent	Priority level is urgent (highest priority possible).

Is restricted by

"Priority2Code" on page 337, "Priority3Code" on page 337

6.99 SettlementMethod1Code

Definition: Specifies the method used to settle the credit transfer instruction.

Type: CodeSet

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system. Usage Guideline restrictions for this code • This code(pacs.009.001.08/Group-Header/SettlementInformation/SettlementMethod/ClearingSystem) is removed.
COVE	CoverMethod	Settlement is done through a cover payment.

Code	Name	Definition
		Usage Guideline restrictions for this code • This code(pacs.009.001.08/Group-Header/SettlementInformation/SettlementMethod/CoverMethod) is removed.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

Used in element(s)

["SettlementMethod" on page 259](#)

Restricts

["SettlementMethodCode" on page 339](#)

6.100 SettlementMethodCode

Definition: Specifies the method used to settle the payment instruction.

Type: CodeSet

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system.
COVE	CoverMethod	Settlement is done through a cover payment.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

Is restricted by

["SettlementMethod1Code" on page 338](#)

6.101 TaxRecordPeriod1Code

Definition: Specifies the period related to the tax payment.

Type: CodeSet

Code	Name	Definition
HLF1	FirstHalf	Tax is related to the first half of the period.
HLF2	SecondHalf	Tax is related to the second half of the period.
MM01	FirstMonth	Tax is related to the second month of the period.
MM02	SecondMonth	Tax is related to the first month of the period.
MM03	ThirdMonth	Tax is related to the third month of the period.
MM04	FourthMonth	Tax is related to the fourth month of the period.
MM05	FifthMonth	Tax is related to the fifth month of the period.
MM06	SixthMonth	Tax is related to the sixth month of the period.
MM07	SeventhMonth	Tax is related to the seventh month of the period.
MM08	EighthMonth	Tax is related to the eighth month of the period.
MM09	NinthMonth	Tax is related to the ninth month of the period.
MM10	TenthMonth	Tax is related to the tenth month of the period.
MM11	EleventhMonth	Tax is related to the eleventh month of the period.
MM12	TwelfthMonth	Tax is related to the twelfth month of the period.
QTR1	FirstQuarter	Tax is related to the first quarter of the period.
QTR2	SecondQuarter	Tax is related to the second quarter of the period.
QTR3	ThirdQuarter	Tax is related to the third quarter of the period.
QTR4	FourthQuarter	Tax is related to the forth quarter of the period.

Used in element(s)

"Type" on page 287

Restricts

"TaxRecordPeriodCode" on page 340

6.102 TaxRecordPeriodCode

Definition: Specifies the period related to the tax payment.

Type: CodeSet

Code	Name	Definition
HLF1	FirstHalf	Tax is related to the first half of the period.
HLF2	SecondHalf	Tax is related to the second half of the period.
MM01	FirstMonth	Tax is related to the second month of the period.
MM02	SecondMonth	Tax is related to the first month of the period.
MM03	ThirdMonth	Tax is related to the third month of the period.
MM04	FourthMonth	Tax is related to the fourth month of the period.
MM05	FifthMonth	Tax is related to the fifth month of the period.
MM06	SixthMonth	Tax is related to the sixth month of the period.
MM07	SeventhMonth	Tax is related to the seventh month of the period.
MM08	EighthMonth	Tax is related to the eighth month of the period.
MM09	NinthMonth	Tax is related to the ninth month of the period.
MM10	TenthMonth	Tax is related to the tenth month of the period.
MM11	EleventhMonth	Tax is related to the eleventh month of the period.
MM12	TwelfthMonth	Tax is related to the twelfth month of the period.
QTR1	FirstQuarter	Tax is related to the first quarter of the period.
QTR2	SecondQuarter	Tax is related to the second quarter of the period.
QTR3	ThirdQuarter	Tax is related to the third quarter of the period.
QTR4	FourthQuarter	Tax is related to the forth quarter of the period.

Is restricted by

"TaxRecordPeriod1Code" on page 339

6.103 TrueFalseIndicator

Definition: A flag indicating a True or False value.

Type: Indicator

Meaning When True: True

Meaning When False: False

Used in element(s)

"EmployeeTerminationIndicator" on page 135, "FamilyMedicalInsuranceIndicator" on page 134

6.104 UUIDv4Identifier

Definition: Universally Unique Identifier (UUID) version 4, as described in IETF RFC 4122 "Universally Unique Identifier (UUID) URN Namespace".

Type: IdentifierSet

Format

pattern [a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12}

Used in element(s)

"UETR" on page 194

6.105 UnicodeChartsCode

*Definition:*odelist containing the names of the UNICODE code block name as specified on <http://unicode.org/Public/UNIDATA/Blocks.txt>.

Type: CodeSet

Rules

R4 ValidationByTable

Error handling: Undefined

Used in element(s)

"CharacterSet" on page 41

6.106 YesNoIndicator

Definition: Indicates a "Yes" or "No" type of answer for an element.

Type: Indicator

Meaning When True: Yes

Meaning When False: No

Used in element(s)

"PossibleDuplicate" on page 44

Legal Notices

Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.