



Usage Guideline

CBPRPlus- pacs.009.001.08_FinancialInstitutionCredit Transfer

CBPRPlus SR2026 (Combined)

This document describes a usage guideline restricting the base message pacs.009.001.08. You can also consult this [information online](#).

Published by Cross Border Payments and Reporting Plus (CBPR+) and generated by [MyStandards](#).

Version: SR2026

Status: Final

20 February 2026

Table of Content	2
Message Functionality	3
About this document	8
Usage Guideline	9
Rule Definitions	47
Legal Notices	57

Message Functionality

Collection Description

CBPRPlus SR2026 (Combined) ([link](#))

This is the Cross Border Payment and Reporting Collection for SR2026.

These are FINAL usage guidelines.

The usage guidelines are available on the CBPR+ SR2026 Readiness Portal for testing.

The Collection contains:

30 Usage Guidelines that will be live on the network as of November 2026.

Usage Guideline Description

CBPRPlus-pacs.009.001.08_FinancialInstitutionCreditTransfer ([link](#))

Principles:

1. AGENTS IDENTIFICATION - Textual Rules

-> If BICFI is present, then (Name & Postal Address) is NOT allowed (ClearingSystemMemberIdentification and LEI may complement) – However, in case of conflicting information, the BICFI will always take precedence.

-> If BICFI is absent, (Name & Postal Address) OR [(Name & Postal Address) and ClearingSystemMemberIdentification] must be present.

Exception: If BICFI is absent, whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

Note: "Instructing/ Instructed Agents" must be identified with a BICFI - Clearing System Members Identification and LEI are optional.

2. Single transactions only are allowed.

3. Character Set:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance

Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

!#\$%&*='^_{}~";<>@[\\]

< is replaced with <

> is replaced with >

4. CBPR_Agent_PointToPointOnSWIFT:

If the transaction is exchanged on the SWIFT network (ie if the instructing agent/sender and instructed agent/receiver of the message are on SWIFT), then BICFI is mandatory and other elements are optional, eg LEI

Outline

In the Collection CBPRPlus SR2026 (Combined), the message CBPRPlus-pacs.009.001.08_FinancialInstitutionCreditTransfer is composed of a mandatory Business Application Header V02 (head.001.001.02) and a Document.

Business Application Header V02 (head.001.001.02)

The Business Application Header V02 (head.001.001.02) is composed of 15 elements.

a - Character Set

Contains the character set of the text-based elements used in the Business Message.

b - From

The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

c - To

The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

d - Business Message Identifier

Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

e - Message Definition Identifier

Contains the MessageIdentifier that defines the BusinessMessage.
It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

f - Business Service

Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

g - Market Practice

Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

h - Creation Date

Date and time when this Business Message (header) was created.

i - Business Processing Date

Processing date and time indicated by the sender for the receiver of the business message.

This date may be different from the date and time provided in the CreationDate.

Usage: Market practice or bilateral agreement should specify how this element should be used.

j - Copy Duplicate

Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

k - Possible Duplicate

Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level retransmission.

l - Priority

Relative indication of the processing precedence of the message over a (set of) Business

Messages with assigned priorities.

m - Signature

Contains the digital signature of the Business Entity authorised to sign this Business Message.

n - Related

Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

o - CrossElementComplexRule : RelatedPresentWhenCopyDupl

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

Document - Financial Institution Credit Transfer V08 (pacs.009.001.08)

The Document - Financial Institution Credit Transfer V08 (pacs.009.001.08) is composed of 11 elements.

a - Group Header

Set of characteristics shared by all individual transactions included in the message.

b - Credit Transfer Transaction Information

Set of elements providing information specific to the individual credit transfer(s).

c - Supplementary Data

Additional information that cannot be captured in the structured elements and/or any other specific block.

d - CrossElementComplexRule : InstructedAgentRule

If GroupHeader/InstructedAgent is present, then

CreditTransferTransactionInformation/InstructedAgent is not allowed.

e - CrossElementComplexRule : InstructingAgentRule

If GroupHeader/InstructingAgent is present, then

CreditTransferTransactionInformation/InstructingAgent is not allowed.

f - CrossElementComplexRule : TotalInterbankSettlementAmountRule

If GroupHeader/TotalInterbankSettlementAmount is present, then all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount must have the same currency as the currency of GroupHeader/TotalInterbankSettlementAmount.

g - CrossElementComplexRule : TotalInterbankSettlementAmountAndSumRule

If GroupHeader/TotalInterbankSettlementAmount is present, then it must equal the sum of all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount.

h - CrossElementComplexRule : GroupHeaderInterbankSettlementDateRule

If GroupHeader/InterbankSettlementDate is present, then

CreditTransferTransactionInformation/InterbankSettlementDate is not allowed.

i - CrossElementComplexRule : TransactionInterbankSettlementDateRule

If GroupHeader/InterbankSettlementDate is not present, then
CreditTransferTransactionInformation/InterbankSettlementDate must be present.

j - CrossElementComplexRule : PaymentTypeInformationRule

If GroupHeader/PaymentTypeInformation is present, then
CreditTransferTransactionInformation/PaymentTypeInformation is not allowed.

k - Textual : SupplementaryDataRule

The SupplementaryData building block at message level must not be used to provide additional information about a transaction. The SupplementaryData element at transaction level should be used for that purpose.

About this document

Legend

Abbreviation	Term	Description
X	Excluded	An optional field or element must not be populated.
I	Ignored	A field or element could be populated but is ignored by the receiver.
[x..y]	Multiplicity	A field or element multiplicity has changed.
FV	Fixed Value	A field or element must contain a given value.
T/C	Type / Code Change	A user-defined datatype replaces an existing simple datatype.
A	Element Added	A field or element has been added.

Header	Description
Index	Element reference
LvL	Element nesting in tree hierarchy
Name	Element name
XML Tag	Element XML tag
Mult	Element multiplicity
Type / Code	Element formatting
Rest	Restriction type
Additional details	Other restriction specifics

Type/Code Notation	Describes the Element	Examples
text{m,M}	minimum (m) and maximum (M) length	text{1,35}
text{L}	maximum (L) length, minimum length is 0	test{10}
m <= decimal <= M	minimum (m) and maximum (M) values	0.01 <= decimal <= 9999.99
fd = F, td = T	maximum fractional (F) and total (T) number of digits	fd = 2, td = 11
<<regular expression>>	regular expression pattern	[A-Z]{6,6}([A-Z0-9]{3,3}){0,1}

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	0	Full Message		[1..1]			Rules: R1, R2, R3, R4, R5
	1	Business Application Header V02 (head.001.001.02)	<AppHdr>	[1..1]			
	2	Character Set	<CharSet>	[0..1]	text		
	2	From	<Fr>	[1..1]	Choice		
	3	Financial Institution Identification	<FIId>	[1..1]			
	4	Financial Institution Identification	<FinInstnId>	[1..1]			
	5	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R5
	5	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	6	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,5}		
	6	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	2	To	<To>	[1..1]	Choice		
	3	Financial Institution Identification	<FIId>	[1..1]			
	4	Financial Institution Identification	<FinInstnId>	[1..1]			
	5	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R3, R4
	5	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	6	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-?:(\)\.,'\+]+
	5	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	2	Business Message Identifier	<BizMsgIdr>	[1..1]	text{1,35}	T/C	Rules: R1 ----- Type Changed: text{1,35} [0-9a-zA-Z/\-?:(\)\.,'\+]+
	2	Message Definition Identifier	<MsgDefIdr>	[1..1]	text{1,35}	FV	FixedValue: pacs.009.001.08
	2	Business Service	<BizSvc>	[0..1]	text{1,35}	FV [1..1]	FixedValue: swift.cbprplus.04
	2	Market Practice	<MktPrctc>	[0..1]			
	3	Registry	<Regy>	[1..1]	text{1,350}		
	3	Identification	<Id>	[1..1]	text{1,2048}		
	2	Creation Date	<CreDt>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	2	Copy Duplicate	<CpyDplct>	[0..1]	text		Rules: R3, R4
	3	Copy Duplicate			CODU		
	3	Copy			COPY		
	3	Duplicate			DUPL		
	2	Possible Duplicate	<PssblDplct>	[0..1]	boolean		
	2	Priority	<Prty>	[0..1]	text	T/C	Rules: R2 ----- Type Changed: One of the following code values must be used: HIGH (High) NORM (Normal)
	3	High			HIGH		
	3	Normal			NORM		
	2	Related	<Rltd>	[0..*]		[0..1]	Rules: R6
	3	Character Set	<CharSet>	[0..1]	text		
	3	From	<Fr>	[1..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	4	Financial Institution Identification	<FIId>	[1..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\.\, '\+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	3	To	<To>	[1..1]	Choice		
	4	Financial Institution Identification	<FIId>	[1..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\.\, '\+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	3	Business Message Identifier	<BizMsgIdr>	[1..1]	text{1,35}	T/C	Rules: R7 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	3	Message Definition Identifier	<MsgDefIdr>	[1..1]	text{1,35}	T/C	Rules: R8 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	3	Business Service	<BizSvc>	[0..1]	text{1,35}	T/C	Rules: R9 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	3	Creation Date	<CreDt>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	3	Copy Duplicate	<CpyDplct>	[0..1]	text		
	4	Copy Duplicate			CODU		
	4	Copy			COPY		
	4	Duplicate			DUPL		
	3	Priority	<Prty>	[0..1]	text	T/C	Type Changed: One of the following code values must be used: HIGH (High) NORM (Normal)
	4	High			HIGH		
	4	Normal			NORM		
	1	Document		[1..1]			
	2	Financial Institution Credit Transfer V08 (pacs.009.001.08)	<FICdtTrf>				Rules: R10
	3	Group Header	<GrpHdr>	[1..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	4	Message Identification	<MsgId>	[1..1]	text{1,35}	T/C	Rules: R1 ----- Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,'\+]+
	4	Creation Date Time	<CreDtTm>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)(([0-9]) (1[0-4])):[0-5][0-9]
	4	Number Of Transactions	<NbOfTx>	[1..1]	text [0-9]{1,15}	FV	FixedValue: 1
	4	Settlement Information	<SttlmInf>	[1..1]			
	5	Settlement Method	<SttlmMtd>	[1..1]	text		
	6	Instructed Agent			INDA		
	6	Instructing Agent			INGA		
	5	Settlement Account	<SttlmAcct>	[0..1]			Synonym: 53B (in context : Sender's Correspondent (option 53B - account to be debited))
	6	Identification	<Id>	[1..1]	Choice		
	7	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	7	Other	<Othr>	[1..1]			
	8	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!?:\(\)\.,'\+]([0-9a-zA-Z\-\!?:\(\)\.,'\+]*(/[0-9a-zA-Z\-\!?:\(\)\.,'\+])?*))
	8	Scheme Name	<SchmeNm>	[0..1]	Choice		
	9	Code	<Cd>	[1..1]	text{1,4}		
	9	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,'\+]+
	8	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,'\+]+
	6	Type	<Tp>	[0..1]	Choice		
	7	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	6	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Proxy	<Prxy>	[0..1]			
	7	Type	<Tp>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	7	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'\+ !#\$%&!*^_`{ }~"-;<>@\[\]]+
	3	Credit Transfer Transaction Information	<CdtTrfTxInf>	[1..*]		[1..1]	Rules: R11
	4	Payment Identification	<PmtId>	[1..1]			
	5	Instruction Identification	<InstrId>	[0..1]	text{1,35}	[1..1] T/C	Rules: R12 ----- Synonym: 20 (in context : Transaction Reference Number) ----- Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	End To End Identification	<EndToEndId>	[1..1]	text{1,35}	T/C	Rules: R13, R14 ----- Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Transaction Identification	<TxId>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	5	UETR	<UETR>	[0..1]	text [a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12}	[1..1]	Rules: R15
	5	Clearing System Reference	<ClrSysRef>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	4	Payment Type Information	<PmtTpInf>	[0..1]			
	5	Instruction Priority	<InstrPrty>	[0..1]	text		Rules: R2
	6	High			HIGH		
	6	Normal			NORM		
	5	Clearing Channel	<ClrChanI>	[0..1]	text		
	6	Real Time Gross Settlement System			RTGS		
	6	Real Time Net Settlement System			RTNS		
	6	Mass Payment Net System			MPNS		
	6	Book Transfer			BOOK		
	5	Service Level	<SvcLvl>	[0..*]	Choice	[0..3]	Rules: R10
	6	Code	<Cd>	[1..1]	text{1,4}		Rules: R10
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Local Instrument	<LclInstrm>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,35}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Category Purpose	<CtgyPurp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	4	Interbank Settlement Amount	<IntrBkSttlmAmt>	[1..1]	0 <= decimal td = 18 fd = 5	T/C	Rules: R16 ----- Type Changed: 0 <= decimal td = 14 fd = 5
	5	Xml Attribute Currency	<Ccy>		text [A-Z]{3,3}		Rules: R16
	4	Interbank Settlement Date	<IntrBkSttlmDt>	[0..1]	date	[1..1] T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	4	Settlement Priority	<SttlmPrty>	[0..1]	text		
	5	Urgent			URGT		
	5	High			HIGH		
	5	Normal			NORM		
	4	Settlement Time Indication	<SttlmTmIndctn>	[0..1]			
	5	Debit Date Time	<DbtDtTm>	[0..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	5	Credit Date Time	<CdtDtTm>	[0..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	4	Settlement Time Request	<SttlmTmReq>	[0..1]			
	5	CLS Time	<CLSTm>	[0..1]	time	T/C	Type Changed: time .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	5	Till Time	<TillTm>	[0..1]	time	T/C	Type Changed: time .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	5	From Time	<FrTm>	[0..1]	time	T/C	Type Changed: time .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	5	Reject Time	<RjctTm>	[0..1]	time	T/C	Type Changed: time .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	4	Previous Instructing Agent 1	<PrvsInstgAgt1>	[0..1]			Rules: R17, R18, R19, R20
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R21

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R21 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R22, R21
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'\/\ }~";<>@\ \\\]+
	4	Account	Previous Instructing Agent 1	<PrvsInstgAgt1A cct>	[0..1]		
	5		Identification	<Id>	[1..1]	Choice	
	6		IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}	
	6		Other	<Othr>	[1..1]		
	7		Identification	<Id>	[1..1]	text{1,34}	T/C Type Changed: text{1,34} ([0-9a-zA-Z\-\!?:\(\)\.,\'+\]([0-9a-zA-Z\-\!?:\(\)\.,\'+\]*(/[0-9a-zA-Z\-\!?:\(\)\.,\'+\])?*))
	7		Scheme Name	<SchmeNm>	[0..1]	Choice	
	8		Code	<Cd>	[1..1]	text{1,4}	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'\+ !#\$%&!*='^ `\'\/\}\~";<>@\ \\\]]+]
	4	Previous Instructing Agent 2	<PrvsInstgAgt2>	[0..1]			Rules: R20, R18, R17, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R23
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}[A-Z0-9]{3,3}{0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R23 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+]
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R22, R23
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+]
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+]
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+]
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+]
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+]
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+]
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+]
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+]
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\` \{\}\}~";<>@\ \\\]]+]

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	4	Previous Instructing Agent 2 Account	<PrvsInstgAgt2A cct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,\'+]([0-9a-zA-Z\-\!\?:\(\)\.,\'+]*)/([0-9a-zA-Z\-\!\?:\(\)\.,\'+])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^_`{ }~"-;<>@\[\]]+]
	4	Previous Instructing Agent 3	<PrvsInstgAgt3>	[0..1]			Rules: R18, R20, R17, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R24
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0- 9]{18,18}[0- 9]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R24 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R22, R24
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,'\+ !#\$%&!*='^ _`{ }~"-;<>@\ \\\]]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,'\+ !#\$%&!*='^ _`{ }~"-;<>@\ \\\]]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,'\+ !#\$%&!*='^ _`{ }~"-;<>@\ \\\]]+
	4	Previous Instructing Agent 3 Account	<PrvsInstgAgt3A cct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\. ,'\+]([0-9a-zA-Z\-\!\?:\(\)\. ,'\+])*([0-9a-zA-Z\-\!\?:\(\)\. ,'\+])?*)
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,'\+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,'\+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,'\+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	4	Instructing Agent	<InstgAgt>	[0..1]		[1..1]	
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R5
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Instructed Agent	<InstdAgt>	[0..1]		[1..1]	
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R3, R4

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Intermediary Agent 1	<IntrmyAgt1>	[0..1]			Rules: R20, R18, R17, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R25
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R25 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\ `\'\/\}\~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R22, R25

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'+ !#\$%&!*='^ \\\ }~";<>@\ \\\]+
	4	Intermediary Agent 1 Account	<IntrmyAgt1Acct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,'+]([0-9a-zA-Z\-\!\?:\(\)\.,'+]*([0-9a-zA-Z\-\!\?:\(\)\.,'+])?*))
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'{}~";<>@\ \\]+
	4	Intermediary Agent 2	<IntrmyAgt2>	[0..1]			Rules: R18, R20, R17, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R26
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R26 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'{}~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R22, R26
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'{}~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'{}~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'{}~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	4	Intermediary Agent 2 Account	<IntrmyAgt2Acct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\?\:\(\)\.\,'+]([0-9a-zA-Z\-\?\:\(\)\.\,'+])*([0-9a-zA-Z\-\?\:\(\)\.\,'+])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\?\:\(\)\.\,'+]!#\$%&!*='^ \\\ }~";<>@\ \\]+
	4	Intermediary Agent 3	<IntrmyAgt3>	[0..1]			Rules: R18, R20, R17, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R27

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R27 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R22, R27
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'\/\ }~";<>@\ \\\]]+
	4	Intermediary Agent 3 Account	<IntrmyAgt3Acct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,\'+\]([0-9a-zA-Z\-\!\?:\(\)\.,\'+\]*([0-9a-zA-Z\-\!\?:\(\)\.,\'+\])?*))
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\- ?:\(\)\.,\'+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\- ?:\(\)\.,\'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\- ?:\(\)\.,\'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\- ?:\(\)\.,\'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\- ?:\(\)\.,\'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\- ?:\(\)\.,\'+ !#\$%&\'*^=\^ \\\ }~";<>@\ \\]+
	4	Debtor	<Dbtr>	[1..1]			Rules: R18, R20, R17, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R28
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R28 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R28, R22
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=\^`\'~";<>@\ \\]]+]
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=\^`\'~";<>@\ \\]]+]
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=\^`\'~";<>@\ \\]]+]
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=\^`\'~";<>@\ \\]]+]
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=\^`\'~";<>@\ \\]]+]
	4	Debtor Account	<DbtrAcct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!?:\(\)\.,\'+\]([0-9a-zA-Z\-\!?:\(\)\.,\'+\]*)/([0-9a-zA-Z\-\!?:\(\)\.,\'+\])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+\]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^_`{ }~"-;<>@\[\]]+]
	4	Debtor Agent	<DbtrAgt>	[0..1]			Rules: R18, R20, R17, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R29
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0- 9]{18,18}[0- 9]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R29 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R22, R29
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\}\~";<>@\ \\\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\}\~";<>@\ \\\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\}\~";<>@\ \\\]+
	4	Debtor Agent Account	<DbtrAgtAcct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]([0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]*)/([0-9a-zA-Z\-\!\?:\(\)\.,\'+\!])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	4	Creditor Agent	<CdtrAgt>	[0..1]			Rules: R18, R20, R17, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R30
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R30 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R30, R22

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'+ !#\$%&!*='^ \\\ }~";<>@\ \\]+
	4	Creditor Agent Account	<CdtrAgtAcct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:\(\)\.,'+]([0-9a-zA-Z\-\!\?:\(\)\.,'+]*([0-9a-zA-Z\-\!\?:\(\)\.,'+])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+
	4	Creditor	<Cdtr>	[1..1]			Rules: R18, R20, R17, R19
	5	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R31
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	6	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R31 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+
	6	Postal Address	<PstlAdr>	[0..1]			Rules: R31, R22
	7	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+
	7	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+
	7	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	7	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	7	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\]+
	4	Creditor Account	<CdtrAcct>	[0..1]			
	5	Identification	<Id>	[1..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\?\:\(\)\. ,\'+]([0-9a-zA-Z\-\?\:\(\)\. ,\'+])*([0-9a-zA-Z\-\?\:\(\)\. ,\'+])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	5	Type	<Tp>	[0..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	5	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	5	Proxy	<Prxy>	[0..1]			
	6	Type	<Tp>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\. ,\'+]+
	6	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\?\:\(\)\. ,\'+ !#\$%&!*='^ \\\ }~";<>@\ \\]+
	4	Instruction For Creditor Agent	<InstrForCdtrAgt>	[0..*]		[0..2]	
	5	Code	<Cd>	[0..1]	text		Rules: R11

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Phone Beneficiary			PHOB		
	6	Telecom			TELB		
	5	Instruction Information	<InstrInf>	[0..1]	text{1,140}	T/C	Rules: R32 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	4	Instruction For Next Agent	<InstrForNxtAgt>	[0..*]		[0..6]	
	5	Instruction Information	<InstrInf>	[0..1]	text{1,140}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	4	Purpose	<Purp>	[0..1]	Choice		
	5	Code	<Cd>	[1..1]	text{1,4}		
	5	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	4	Remittance Information	<RmtInf>	[0..1]			
	5	Unstructured	<Ustrd>	[0..*]	text{1,140}	[0..1] T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*='^ \\\ }~";<>@\[\ \\]+

Rule Definitions

Index	Name	Description	Formal Rule Definition
R1	Rule "CBPR_BusinessMessageIdentifier_Formal Rule"	The Business Message Identifier must match the Message Identification in the Group Header.	For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/BusinessMessageIdentifier] value must be equal to every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/GroupHeader/MessageIdentification] value
R2	Rule "CBPR_Priority_Instruction_Priority_Formal Rule"	If "Priority" is used in the BAH for pacs messages, the value should be identical to the one in the "Payment Type Information/InstructionPriority" if present.	For each [Full Message], if at least one occurrence of the following element(s) [Full Message/BusinessApplicationHeaderV02/Priority] and [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority] is (are) present, then every occurrence of [Full Message/BusinessApplicationHeaderV02/Priority] must have the same value than every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority]
R3	Rule "CBPR_To_Instructed Agent_BIC_1_Formal Rule"	BAH "To" BIC must match "Instructed Agent" BIC, except where BAH CopyDuplicate = COPY or = CODU	For each [Full Message], if every occurrence of [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] has value not included in the following list 'COPY' or 'CODU', then every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]

R4	Rule "CBPR_To_Instructed_Agent_BIC_2_FormaIRule"	BAH "To" BIC must match "Instructed Agent" BIC if CopyDuplicate is absent.	For each [Full Message], if the following element(s) [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] is (are) absent, then every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]
R5	Rule "CBPR_From_Instructing_Agent_BIC_FormaIRule"	BAH "From" BIC must match "Instructing Agent" BIC	For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] value must be equal to every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/BICFI] value
R6	Rule "CBPR_Related_Business_Application_Header_TextualRule"	If used, the Related BAH must transport the exact same information as in the BAH of the related message.	
R7	Rule "CBPR_Business_Message_Identifier_TextualRule"	The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system. Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this element must contain the unique identifier of the Business Message instance.	

R8	Rule "CBPR_Message_Definition_Identifier_TextualRule"	The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.	
R9	Rule "CBPR_Related_BAH_Business_Service_TextualRule"	If related BAH is present, it should transport the element Business Service.	
R10	Rule "CBPR_GPI_ServiceLevel_Code_FormalRule"	The GPI ServiceLevel Code in pacs.009 CORE must be 'G004'.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08], if at least one occurrence of the following element(s) [FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel] is (are) present , then the value of every occurrence of [FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel/Code] must not comply with the following XML pattern : '(G001 G002 G003 G005 G006 G007 G009)'
R11	Rule "CBPR_Instruction_For_Creditor_Presence_Code_FormalRule"	Each code can only be used once for element "Instruction For Creditor Agent".	For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation], if at least one occurrence of the following element(s) [CreditTransferTransactionInformation/InstructionForCreditorAgent/Code] is (are) present , then every occurrence of [CreditTransferTransactionInformation/InstructionForCreditorAgent/Code] must have the same value than between '1' and '1' occurrences of [CreditTransferTransactionInformation/InstructionForCreditorAgent/Code]

R18	Rule "CBPR_Agent_National_only_TextualRule"	Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.	
R19	Rule "CBPR_Agent_Option_3_TextualRule"	Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.	
R20	Rule "CBPR_Agent_Option_1_TextualRule"	BICFI, complemented optionally with a LEI (preferred option)	
R21	Rule "CBPR_Agent_Name_Postal_Address_FormalRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PreviousInstructing Agent1/FinancialInstitutionIdentification], if for each [FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and for each [FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R22	Rule "CBPR_Duplication_Postal_Address_TextualRule"	Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.	

R23	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/PreviousInstructing Agent2/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R24	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/PreviousInstructing Agent3/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R25	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/IntermediaryAgent 1/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R26	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/IntermediaryAgent 2/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R27	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/IntermediaryAgent 3/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R28	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/Debtor/FinancialIns titutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R29	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/DebtorAgent/Finan cialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R30	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/CreditorAgent/Fina cialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

R31	Rule "CBPR_Agent_Name_ Postal_Address_Form alRule"	Name and Address must always be present together.	For each [Full Message/Document/FinancialInstitutionCreditTransferV08 /CreditTransferTransactionInformation/Creditor/FinancialIn stitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R32	Rule "CBPR_Instruction_Inf ormation_TextualRule "	If the pacs.009 is used to settle a pacs.009 Advice, the last available occurrence (of the element Instruction For Creditor Agent/Instruction Information) preceded by /UDLC/ must be used to capture the /UDLC/ (Underlying Creditor) provided in the pacs.009 Advice.	

Legal Notices

Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR.

Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.