



# Folios — Changelog

FOLIOS · FOLIOSHQ.COM

---

LAST UPDATED: 2026-05-31

Notable releases and capability shipments. Reverse chronological.

For the day-to-day commit history, see git log on the production branch.

---

## May 2026

### Gauge template total turnaround time

Templates now carry a `total_duration_days` field so you can see upfront how long a project type typically takes. The `TemplatePickerModal` shows "Est. Xd" next to each template name when set. When a project is created from a template with a known duration, `expected_complete_date` is automatically set to today + duration days. Project cards surface the expected completion date (amber when past due). The duration auto-derives from the max `due_offset_days` across stages as a placeholder if not set manually; manual override is always respected.

SQL: `supabase/gauge_template_duration.sql` — run in production.

### Gauge V3 — Phase 2: lens system

Foundation for the three role-based views (AM / Leader / Admin) that will reshape Gauge and the homepage. Adds `default_lens` column to

`folio_org_members` (check-constrained to 'am'|'leader'|'admin', default 'am').

Migration backfills owners/admins to 'leader' and everyone else to 'am'.

Invite modal grows a "Default view" dropdown next to role with smart pre-fill (Leadership role → Leader lens; Member role → AM lens) and a `lensTouched` ref so manual picks aren't overwritten by subsequent role changes. `useOrg` exposes the current user's lens; `inviteMember` accepts an optional lens arg; `createOrg` defaults the owner row to 'leader'.

Pip's prompt branches per lens via a new `renderLensNote(lens)` helper on the API proxy. Lens framing rides in ephemeralNotes (tail block) so it doesn't break PIP\_STATIC\_SYSTEM caching. `callPipApi` accepts `opts.lens`; `PipView` reads `props.lens` and forwards it to every `askPip` call. `App.jsx` threads `lens` from `useOrg` through to `PipView`.

SQL: `supabase/gauge_v3_default_lens.sql` (run in production) + canonical `schema.sql` updated.

### Gauge V3 — Phase 1: folio\_tasks foundation

The first phase of the unified-tasks rewrite. Creates the `folio_tasks` table that will eventually replace `folio_items` and absorb the `gauge_projects.stages` jsonb arrays. Schema includes `project_id` (nullable for loose tasks), `parent_step_index`, `custom_fields`, `status`, `task_status` (kanban column id), `assignee_email`, `source_meeting_id`, `pip_created_at`, and `user_added` flag.

Pip's plan-apply path now dual-writes: every `new_item` and `new_task` also lands in `folio_tasks` (best-effort, swallows errors so the canonical write path is never blocked). The new `useTasks(userId, opts)` hook reads from `folio_tasks` with the same shape as `useItems`. SQL migration in `supabase/gauge_v3_folio_tasks.sql` (mirrored into canonical `schema.sql`). Existing UI continues operating on `folio_items` and `gauge_projects.stages` during the transition; Phases 2-6 will migrate consumers and eventually drop the legacy tables.

### V2 brain — Pip learning loop foundation

The intelligence layer that makes Folios different.

- `pip_correction_log` table with 6 correction types (summary\_edit, rejected\_row, item\_text\_edit, task\_text\_edit, missed\_item, routed\_account\_changed)
- Compression pass distills correction log into per-account `pip_account_state.lessons_learned` paragraphs
- Archive table for older corrections
- Read-back of last 10 corrections per summarize call
- `pip_glossary` table for user-taught vocabulary
- Cross-account routing via `target_account_id` on plan rows
- Internal-meeting prior (when `account_type` is `internal_team`)
- Source backref ( `source_meeting_id` on `folio_items` ) — every Pip-created item links back to the meeting that produced it
- `pip_created_at` marker so the V2 brain detects post-creation edits

### Pip — cost optimization push

Reducing API costs as feature surface grew.

- 4-breakpoint stacked prompt caching (system / glossary / roster / items+tasks)
- ~70% cache hit rate on multi-call sessions
- Trivial-draft short-circuit: drafts <100 chars never call the API
- Lessons-learned preference (read distilled paragraph instead of raw corrections when fresh enough)
- Per-call telemetry to `folio_pip_usage` with cache-tokens visibility
- `max_tokens` bumped to 3072 for summary mode to prevent mid-JSON truncation on long meetings

### Pip — summarize-preview modal polish

Making the human-approval gate clearer and more powerful.

- Custom visible checkboxes (replaced near-invisible native input)
- Inline-editable row titles (fix wording before applying)

- "See source" expander per row (shows the slice of notes that triggered the row; editable to feed back as correction reason)
- Side-by-side current vs. proposed diff for update-item rows
- Cancel confirmation (auto-skip if no edits made)
- "+ Add missed item" affordance for things Pip didn't catch
- TargetAccountChip per row for cross-account routing override

### Pip — visual upgrades

Pip now feels alive.

- Idle: gentle breathing animation
- Thinking: yellow tint + faster pulse during any Pip API call
- Speaking: bobbing head/tail dots while streaming a response
- Alert: red tint when there's an unresolved error
- State broadcast via PipStateProvider; every PipOrb on the page reflects the same mood
- Respects `prefers-reduced-motion`

### Gauge — Past Due stats tile

Stats grid now shows in-progress projects with overdue due dates. Click to filter the list to just those projects.

### Diagnostics — Copy-all button

Expanded error rows now have a one-click "Copy all" button that bundles type, time, URL, message, stack, and context into a clipboard payload for sending to support.

### Auto-recover stale-chunk Lazy import failures

Post-deploy edge case where the browser tries to import HTML as JS now detected in three error surfaces (`window.onerror`, `unhandledrejection`, `ErrorBoundary`). Triggers immediate reload instead of waiting for the 3-min version poll. Marked auto-resolved so they don't clutter Diagnostics.

## Mobile layout polish

- Floating Pip orb hidden on home view (centerpiece orb is already Pip)
- Touchpoint/Task pill bar restored to full width
- Bottom nav tabs equal-weighted with 2px top-border indicator
- Workspaces chevron now inline with label

## Documentation suite

Presentation-ready docs at `docs/` : one-pager, product overview, security, data handling, architecture, AI governance, reliability, roadmap, changelog. Discipline rule added to CLAUDE.md ensures docs stay in sync with capability changes.

## Light theme

Full design-system translation supporting light mode alongside dark. Token swap via CSS custom properties; pre-mount script prevents flash-of-wrong-theme. Settings → Appearance toggle.

## Inactive / archive + account merge

No hard deletes. Inactive flag is reversible. Merge flow for acquisitions re-parents all child rows to the target account atomically.

## Workspaces — Departments + Partners

`account_type` extended to `'internal_team'` and `'partner'` alongside the existing types. Conditional UI per type; same underlying model.

## Account owners + Mine filter

Per-account ownership via `owner_user_id` . Owner-initial chip on account headers. "Mine" filter on workspace lists.

## Activity audit trail

Per-user activity feed in Settings. Owner-role users see org-wide; non-owner users see their own actions.

## Cadence Hub V2

Pre-call command center experience. Pip brief, big "Start Meeting" CTA, inline-expanding Gauge project cards, open items, follow-ups, widened history with CADENCE/AD-HOC tags. Start Meeting opens full-screen `CadenceMeetingMode`.

## Unified Log Conversation flow

Ad-hoc conversations now use the same full-screen meeting mode as cadence meetings. `StartConversationModal` with searchable account picker. End & Summarize routes through the same `PipSummarizePreview` plan flow.

## Revenue-impact Update Calendar V1

Manual change-event log per account with categories, owners, and observed impact tracking. New "Updates" tab on `AccountDetail`.

## Folios design system refresh

Unified Mark component with animated glyphs per nav section. `LitPill` component for desktop rail CTAs. Mist background tokens for sidebar. Tier-tinted stat-tile halos. Inline-style consolidation onto C tokens.

## Cadence meeting reminders

`useCadenceReminders` hook fires reminders at 30m/5m/start thresholds. In-app banners + optional browser notifications. Start- tone CTA auto-opens meeting mode.

## Gauge — Standing Projects + Custom Columns + Admin Queue

Gauge gained two project models: discrete (linear, AM-owned) and standing (kanban, admin-owned reactive queue). Custom field schema per project. Unified

TaskDetailPanel. MyQueueView for personal queues.

### Multi-phase hardening pass

8-phase production hardening: RLS holes patched, Pip prompt-injection guards, autosave-failure backups, fetch timeouts and retries, ErrorBoundary at App + per-Suspense, observability stack, accessibility audit, multi-device realtime sync.

### Pip cost telemetry

`folio_pip_usage` table tracking per-call tokens and mode. User-facing cost dashboard in Settings.

### Sub-accounts (parent-child)

`parent_account_id` on accounts. MSO accounts hold child shops; parent customers hold child divisions. Nested display in lists.

### Pip Voice Chat

Mic button for input (Web Speech API). Speaker toggle for output (SpeechSynthesis). Silence auto-send. Premium TTS planned for later.

---

---

## Earlier (2025-2026 pre-launch)

### Initial production launch — May 2026

Folios goes live at folioshq.com with:

- Accounts, contacts, meetings, items, cadences
- Pip V1 (meeting summarize, brief me, ask)
- Gauge V1 (project stages, request-from-Folios, multi-assignee)
- PWA with offline shell
- Supabase Auth with RLS

- Two-theme support
- Mobile-first responsive layout

## Migration from Lanyard

11 ABPA 2026 partner accounts and 8 meetings imported from Lanyard with Pip summaries and draft emails attached. Validates the cross-product data-flow story.

---

---

## Conventions

- **Notable** means user-visible or architectural. Bug fixes and refactors aren't in here unless they changed a documented capability.
  - **Reverse chronological** within each month — most recent first.
  - **Future versioning** will adopt semantic version tags (v0.1.0, v0.2.0, etc.) once the multi-user phase begins. Until then, "May 2026" granularity is the unit.
- 
- 

## Contact

[chris.vasconcellos97@gmail.com](mailto:chris.vasconcellos97@gmail.com)