

Gottfried Wilhelm Leibniz Universität Hannover Faculty of Electrical Engineering and Computer Science

Master Thesis
International Mechatronics (M.Sc.)

Knowledge Production and Control of a Black Box Using Machine Learning

Student: Christopher W. Blake

First Supervisor: Prof. Eirini Ntoutsi

Second Supervisor: Prof. Avishek Anand

Date: July 21, 2019

## **Declaration of Authorship**

I hereby certify that this thesis has been composed by me and is based on my own work, unless stated otherwise. No other person's work has been used without due acknowledgement in this thesis. All references and verbatim extracts have been quoted, and all sources of information have been specifically acknowledged.

	Hanover, July 21, 2019
Christopher W. Blake	·

### **Abstract**

An adaptive template has been created for semi-automating the formatting of a master thesis. This LaTeX template serves to create two versions, one for Leibniz University Hannover and one for Peter the Great Saint Petersburg Polytechnic University. A user must only produce the content pages and define the structure in a main file and that same content will be used in both thesis reports.

**Keywords:** black box, knowledge extraction, control, machine learning, decision tree

## **Contents**

1.1 1.2	Problem Statement	1
1.2	Objective	
	Objective	1
1.3	History and Overview	2
1.4	Applications	2
1.5	Scope and Limitations	2
Rela	ated Work	3
Guid	delines	4
3.1	SPBPU Paper Format	5
3.2	SPBPU Structure	5
Exa	mples	6
4.1	Figures	6
4.2	Tables	7
4.3	Equations	8
4.4	Algorithms	8
The	sis Main Content	10
5.1	Part 1	10
	5.1.1 Content Subsection	10
	5.1.2 Content Subsection	10
5.2	Part 2	10
	5.2.1 Content Subsection	10
	5.2.2 Content Subsection	10
Ехр	eriments Setup	11
6.1	Datasets	11
	6.1.1 Datasets Subsection	11
	6.1.2 Datasets Subsection	11
6.2		11
	1.4 1.5 Rela 3.1 3.2 Exa 4.1 4.2 4.3 4.4 The 5.1 5.2	1.4 Applications 1.5 Scope and Limitations  Related Work  Guidelines 3.1 SPBPU Paper Format 3.2 SPBPU Structure  Examples 4.1 Figures 4.2 Tables 4.3 Equations 4.4 Algorithms  Thesis Main Content 5.1 Part 1 5.1.1 Content Subsection 5.1.2 Content Subsection 5.1.2 Content Subsection 5.2.2 Content Subsection 5.2.2 Content Subsection 5.2.2 Content Subsection 5.2.3 Experiments Setup 6.1 Datasets 6.1.1 Datasets Subsection

		6.2.1	Equipment Subsection	. 11
		6.2.2	Equipment Subsection	. 11
	6.3	Proces	sses	. 11
		6.3.1	Processes Subsection	. 11
		6.3.2	Processes Subsection	. 11
7	Res	ults		12
	7.1	Result	ts Section	. 12
		7.1.1	Results Subsection	. 12
		7.1.2	results Subsection	. 12
	7.2	Result	ts Section	. 12
		7.2.1	Results Subsection	. 12
		7.2.2	results Subsection	
8	Futu	ıre Cor	nsiderations	13
	8.1	Topic I	Points	. 13
	8.2	•	sed Extensions	
9	Con	clusior	ns	15
Α	Title	of A		16
	A.1	Abrevi	iations	. 16
	A.2		are Used	
			es	
В	Title	of B		17
_		_	1	
	B.2	Code		
				,

# **List of Figures**

4.1	Example figure																															6
-----	----------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---

## **List of Tables**

3.1	SPBPU General Paper Format	5
4.1	Figure format	6
4.2	Figure format	7
4.3	Example instances of knowledge with descriptions	7
4.4	Figure format	8

# **List of Algorithms**

4.1	LUH Algorithm Example																									9
T. I	Lon Algorithm Example	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	J



### Introduction

This document is intended to serve as a template for the dual master's degree program between Leibniz University Hannover and Peter the Great Saint Petersburg Polytechnic University. It includes two "main.tex" files that already include the required formatting rules, which automates most of the work. It also includes examples of tables, equations and figures for the difficult to automate parts.

A full workings of LaTeX will not be described here. However for reference to newer users, the main advantage of LaTeX, is the automation of several tedious items like figure numbering, table numbering, figure placement, tracking references, creating table of contents, and creating the bibliography. Make sure to learn these commands are look through examples to save time!

### 1.1 Problem Statement

Students at the end of a master's degree program must produce a document outlining and describing the full details of a project. The university requires documentation for such projects to relatively similar and thus follow the same formatting rules. Additionally all such papers are expected to have certain content. A template with the correct requirements will aid students in this goal, producing professional quality documents and saving time.

### 1.2 Objective

This work plans to describe a process for using a template for the documentation of a single master thesis, producing two different versions for two different universities at the same time. It will provide templates as well as examples, outlining the major differences and clarifying the requirements.

- Create a template for both universities.
- Show required sections.
- Provide examples of figures, tables and equations.

### 1.3 History and Overview

A background of why the thesis topic is relevant and can make a difference.

### 1.4 Applications

Below are three example usage scenarios for using latex templates. However, only the first will be explored during the development of this work.

- Multiple Document Formats Sometimes documents required several different versions. Rather than maintain multiple copies fo the same content, content can be seperated from formatting. This enables applications like an abbridged version, normal version, commented version or large-font version.
- Parrallel Work By seperating the content and formatting into several files, multiple people can contribute independently and at the same time. A master editor can focus on layout while different writers focus on different chapters such as theory or experimental results.
- 3. Versioning Sections of a book can be quickly and easily be replaced, without effecting the rest of the document. Randomization functions can also be used for selecting random content as well. Examples could be randomly sampling employee reports or randomly selecting 10 questions to create a new unique exam.

### 1.5 Scope and Limitations

This document is only relevant for the dual master's degree program between Leibniz University Hannover and Peter the Great Saint Petersburg Polytechnic University. Any other usage may have unintended consequences. Also, this template should be verified by your professor at both locations. It provides only a getting started point with no guarantees of formatting requirements.

## **Related Work**

A major requirement of all research work is to discuss existing work and the discovered gaps in knowledge or capability. After establishing the prior work, this naturally leads into discussing what the new work (that you produced) is contributing.

## **Guidelines**

The two "main.tex" files of this template includes 6 areas. As a user, it is not recommended to modify "Formatting Rules" or "Generic Setup", as these define the rules of the template and make it work properly.

The content of the thesis is specified in the "Content" section at the end of the "main.tex" file. The front matter and back matter should not need modified and will create the table of contents, table of figures, and bibliography. The main matter will be the most modified section and will specify the chapters, sections and subsections.

- 1. Name and Title Specifies the title page and authors/professors.
- 2. Formatting Rules Defines rules for the university.
- 3. Generic Setup Defines rules for general latex functioning. Necessary packages are included here.
- 4. Packages Allows installing of additional packages for the thesis.
- 5. New Commands Allows specifying shortcuts for the thesis.
- 6. Content Defines the structure and thesis sections.

#### **LUH Requirements**

Having spoken to a few professors, there does not appear to be a university standard. Some departments are different and have there own. However, having looked at several example thesis document, the developed template seems to match several of those.

#### **SPBPU Requirements**

A copy of the original formatting rules document [1] in russian and english (google translated) is available in the reference folder of this repository.

### 3.1 SPBPU Paper Format

Table 3.1: SPBPU General Paper Format

Name	Requirement
Paper Size	A4
Font	Times New Roman or Arial
Font Size	14pt
Line Spacing Interval	1.5
Margins	left:30mm, right:10mm, top:20mm, bottom:20mm
Printing	One-sided
Page Numbering	Arabic numerals
Page Number Location	top-right, 10mm from right edge

### 3.2 SPBPU Structure

The title page and task-list page are provided from the department as .doc files. Simply open them up, edit them, and save them as PDFs with the same name. The template will automatically load them into the correct locations.

- 1. Title Page Provided by SPBPU as a seperate .doc file.
- 2. Task Page Provided by SPBPU as a seperate .doc file. If necessary, print on both sides.
- Abstract in English and Russian. An example is available on page 43 of the official document. [1]
- 4. Content The table of contents. This <u>must</u> physically be page 4, but not have a page number. An example is available on pages 44/45 of the official document. [1]
- 5. Introduction
- 6. Main Content of Thesis
- 7. Conclusion
- 8. References
- 9. Appendices


## **Examples**

### 4.1 Figures

Figures should automatically be adjusted by the template. Table 4.1 shows the important rules and Fig. 4.1 provides an example.

Table 4.1: Figure format

Item	LUH	SPBPU						
Title Font	Normal	Italic						
Title Location	Below	Below						
Title Alignment	Centered	Centered						
Number	7.3	7.3						
Seperator	:	-						



### 4.2 Tables

Tables should automatically be adjusted by the template. Table 4.2 shows the important rules and Table 4.3 provides an example.

Table 4.2: Figure format

Item	LUH	SPBPU					
Title Font	Normal	Italic					
Title Location	Above	Above					
Title Alignment	Centered	Left					
Number	7.3	7.3					
Seperator	:	-					

Table 4.3: Example instances of knowledge with descriptions

Instance	Knowledge Content	Description
$c_1$	$(x_1 = 0.0)$	Input $x_1$ has a value 0.0.
$c_2$	$(x_1 = 1.0)$	Input $x_1$ has a value 1.0.
$c_3$	$(x_2 = 0.0)$	Input $x_2$ has a value 0.0.
$c_4$	$(x_2 = 1.0)$	Input $x_2$ has a value 1.0.
$c_5$	$(y_1 = 0.0)$	Output $y_1$ has a value 0.0
$c_6$	$(y_1 = 1.0)$	Output $y_1$ has a value 1.0
$c_7$	$(c_1, c_3)$	$x_1 = 0$ and $x_2$ =0 simultaneously.
$c_8$	$(c_1, c_4)$	$x_1 = 0$ and $x_2$ =1 simultaneously.
<i>C</i> 9	$(c_2, c_3)$	$x_1 = 1$ and $x_2$ =0 simultaneously.
$c_{10}$	$(c_2, c_4)$	$x_1 = 1$ and $x_2$ =1 simultaneously.
$c_{11}$	$(c_2, c_4, c_5)$	$x_1$ =1, $x_2$ =1, $y_1$ =0 simultaneously.
$c_{12}$	$(c_1, c_4, c_5)$	$x_1$ =1, $x_2$ =1, $y_1$ =1 simultaneously.
$c_{13}$	$(c_1; c_2)$	$x_1$ set to 1 then 0.
$c_{14}$	$(c_2; c_1)$	$x_1$ set to 0 then 1.
$c_{15}$	$(c_{14}; 3c_2; c_{13})$	$x_1$ switched from 0 to 1, held for 3 $t$ then switched to 0.

#### 4.3 **Equations**

Equations are partly automatic. The number scheme is automatic, but the commas and period must be manually added/removed for the two versions. Table 4.4 shows the important rules and the below equations provide an example.

Item	LUH	SPBPU
Suffix	None	commas ending with period
Eq. Location	Centered	Centered
Number Location	Right	Right
Number Style	(7.3)	(7-3)

Table 4.4: Figure format

$$N = \sum 1_t \tag{4.1}$$

$$N = \sum 1_t \tag{4.1}$$

$$Sum = \sum v_t \tag{4.2}$$

$$SqSum = \sum_{t} v_t^2 \tag{4.3}$$

$$\mu = Sum/N \tag{4.4}$$

$$\sigma = SqSum - 2N\mu + N\mu^2 \tag{4.5}$$

$$N = \sum 1_t, \tag{4.6}$$

$$Sum = \sum v_t, \tag{4.7}$$

$$SqSum = \sum v_t^2, \tag{4.8}$$

$$\mu = Sum/N, \tag{4.9}$$

$$\sigma = SqSum - 2N\mu + N\mu^2. \tag{4.10}$$

#### **Algorithms** 4.4

Algorithms are not automatic. LUH prefers the algorithmic style while SPBPU requires figures. Below are examples of both.

Note: The caption of the below figure has been overridden to follow the SPBPU format.

Warning: This changes the list of figures/algorithms as well as the counts.

### Algorithm 4.1 LUH Algorithm Example

- 1: //Global variable
- **2**:  $R \leftarrow rangesList$
- 3: **procedure** SplitRange(r, value)
- 4: //Create new ranges
- 5:  $rLow \leftarrow range(r.Low, value)$
- 6:  $rHigh \leftarrow range(value, r.High)$
- 7: //Remove old range and add new ranges
- 8: R.Remove(r)
- 9: R.Add(rLow)
- 10: R.Add(rHigh)
- 11: end procedure
- 1: //Global variable
- **2**:  $R \leftarrow rangesList$
- 3: **procedure** SPLITRANGE(r, value)
- 4: //Create new ranges
- 5:  $rLow \leftarrow range(r.Low, value)$
- 6:  $rHigh \leftarrow range(value, r.High)$
- 7: //Remove old range and add new ranges
- 8: R.Remove(r)
- 9: R.Add(rLow)
- 10: R.Add(rHigh)
- 11: end procedure

Figure X.X - SPBPU Algorithm Example

## **Thesis Main Content**

Below are example sections for defining the main content. They are not necessarily required.

### 5.1 Part 1

- 5.1.1 Content Subsection
- 5.1.2 Content Subsection
- 5.2 Part 2
- 5.2.1 Content Subsection
- 5.2.2 Content Subsection

# **Experiments Setup**

Below are example sections for defining the experimental setup. They are not necessarily required.

### 6.1 Datasets

- 6.1.1 Datasets Subsection
- 6.1.2 Datasets Subsection
- 6.2 Equipment
- 6.2.1 Equipment Subsection
- 6.2.2 Equipment Subsection
- 6.3 Processes
- 6.3.1 Processes Subsection
- 6.3.2 Processes Subsection

## Results

Below are example sections for defining the experimental results. They are not necessarily required.

### 7.1 Results Section

- 7.1.1 Results Subsection
- 7.1.2 results Subsection
- 7.2 Results Section
- 7.2.1 Results Subsection
- 7.2.2 results Subsection

### **Future Considerations**

### 8.1 Topic Points

It is very likely that the new thesis will solve all problems and have no room for development or improvements. As such, these ideas should be documented and briefly introduced here to encourage others to build upon the new work described in the thesis. The formatting here is only for example.

Below is a list of topics that became apparent during development and testing of this work. They are not meant to be extensive, but rather to provide insight about any future developments. Entries in **bold** have proposed extensions in section 8.2.

- Algorithms SPBPU requires algorithms to be figures and generally other scientific writers prefer the algorithmic format. This is not part of the automatic formatting.
- 2. **Equations** SPBPU requires equations to be the end of a sentence and be seperated by commas. LUH does not have this requirement. This is not part of the automatic formatting.

### 8.2 Proposed Extensions

Algorithms - SPBPU requires algorithms to be displayed as figures. Normally algorithms are displayed via the algorithm enviornment. A new environment could be created for changing the location of the figure name and number automatically as well as placing the content in a box.

2. **Equations** - SPBPU requires equations to be formatted as the end of a sentance with commas and a period. A new enviornment could be created with an option to turn these commas and period on/off. This would enable all this format to be adjust from the template, rather than in the content itself.

### **Conclusions**

An adaptive template has been created for semi-automating the formatting of a master thesis. This LaTeX template serves to create two versions, one for Leibniz University Hannover and one for Peter the Great Saint Petersburg Polytechnic University.

A main.tex file is created for both universities, which defines the standard formatting rules for each university and then references various content files with minimal formatting. When compiled two seperated documents are produced from the same content.

To support further development, this work is available at https://github.com/chriswblake/ThesisTemplate\_LUH\_SPBSTU

# **Appendix A**

## Title of A

- A.1 Abreviations
- A.2 Software Used
- A.3 Figures

# **Appendix B**

# Title of B

- B.1 Code 1
- B.2 Code 2

# **Bibliography**

[1] Peter the Great St. Petersburg Polytechnic University. Procedure for conducting state final certification. Technical report, 2019.