
B2B2C Phase 1 — 老闆需求對照專業 QA 報告






產品／分支	new-api / feat/b2b2c-phase1	
SHA	8c7f53138	
遠端	chrisyuspithk-bot/new-api3 feat/b2b2c-phase1	
日期	2026-10-12 21:08 HKT	
功能結果	Pass 24	Fail 0
UI 結果	Pass 17	Fail 0






1. 老闆需求覆蓋


Admin：多代理商 CRUD、名稱／聯絡、模型費率、列表、付款歷史、自助儲值、手動入帳、Admin→Reseller 成本層。
Reseller：多客戶 CRUD、名稱／聯絡、模型加價、列表、付款歷史、客戶自付、手動入帳、Reseller→Customer 加價、客戶端顯示代理商。
系統：雙腿扣款、庫存入帳、註冊／OAuth 關閉、月結發票（Admin／Reseller／Customer）。

2. 功能用例表



編號	需求	步驟	期望	實際	結果	截圖
TC-A01	Admin: 新增多個 Reseller	Admin POST /api/admin/resellers（既有 reseller1/2 + 新建 Boss QA Reseller）	可連續建立多個代理商，回傳 id／display_name	HTTP200 success=True msg='' data={"customer_count": 0, "display_name": "Boss QA Reseller", "group": "default", "groups": ["default"], "id": 7, "profile": {"user_id": 7, "default_markup": 1.25, ; prior_count=2	Pass	
TC-A02	Admin: 名稱／聯絡	PUT /api/admin/resellers/2 更新 display_name／brand_name；再 GET 詳情	display_name／brand 更新成功	edit=HTTP200 success=True msg='' data={"customer_count": 2, "display_name": "Reseller One Updated", "group": "default", "groups": ["default"], "id": 2, "profile": {"user_id": 2, "default_markup": 1.; display_name='Resell	Pass	
TC-A03	Admin: 模型＋每模型費率	PUT …/resellers/2/model_prices {model_name,cost_multiplier}；GET 列表	可覆寫成本價並出現於列表	upsert=HTTP200 success=True msg='' data={"id": 1, "reseller_id": 2, "model_name": "gpt-4o-mini", "cost_multiplier": 0.9, "updated_at": 1791810429}; list=HTTP200 success=True msg='' data=[{'id': 1, 'reseller_id': 2, 'mode	Pass	
TC-A04	Admin: Reseller 列表	GET /api/admin/resellers	回傳多筆代理商（至少 2）	HTTP200 success=True msg='' data={"page": 1, "page_size": 50, "total": 3, "items": [{"customer_count": 0, "display_name": "Boss QA Reseller", "group": "default", "groups": ["default"], "id": 7,; total≈3	Pass	
TC-A05	Admin: 付款歷史	GET /api/admin/resellers/2/ledger	可讀取 ledger（含 admin_credit 等）	HTTP200 success=True msg='' data={"page": 1, "page_size": 20, "total": 6, "items": [{"id": 6, "reseller_id": 2, "customer_id": 0, "kind": "admin_credit", "quota_delta": 5000000, "operator_id": ; items=6	Pass	
TC-A06	Admin/Reseller: 既有方式自付	Reseller GET /api/user/topup/info 與 /api/user/self（online_topup_enabled）	topup info 可讀；online_topup_enabled=true（閘道未配置屬環境）	topinfo=HTTP200 success=True msg='' data={"amount_options": [10, 20, 50, 100, 200, 500], "creem_products": "[]", "discount": {}, "enable_creem_topup": false,	Pass	




編號	需求	步驟	期望	實際	結果	截圖
				"enable_online_topup": false, "enable_redem; online_topup_enab		
TC-A07	Admin: 手動 credit	POST …/resellers/2/credit money_usd=1.0	quota 增加（約 +500000）	credit=HTTP200 success=True msg='' data={"quota_delta": 500000}; before=4999999; after=5499999; delta=500000	Pass	
TC-A08	Admin: markup Admin→Reseller	以 model_prices cost_multiplier 作為 Admin→Reseller 成本層	可設定並讀回每模型成本乘數	HTTP200 success=True msg='' data=[{'id': 1, 'reseller_id': 2, 'model_name': 'gpt-4o-mini', 'cost_multiplier': 0.9, 'updated_at': 1791810429}]	Pass	
TC-R01	Reseller: 新增多個 Customer	POST /api/reseller/customers ×2	連續建立成功	cA=HTTP200 success=True msg='' data={"created_at": 1791810429, "display_name": "Boss Customer A", "group": "default", "id": 8, "markup": null, "quota": 0, "remark": "", "request_count": 0}; cB=HTTP200 success=True msg=''	Pass	
TC-R02	Reseller: 名稱／聯絡	PUT /api/reseller/customers/4 display_name	display_name 更新	put=HTTP200 success=True msg='' data={"created_at": 1791804332, "display_name": "Customer One Contact", "group": "default", "id": 4, "markup": null, "quota": 1999999, "remark": "", "request_count":; get_display_name='Cus	Pass	
TC-R03	Reseller: 模型＋加價	PUT /api/reseller/model_markups；GET 列表	可設定 per-model markup	upsert=HTTP200 success=True msg='' data={"model_name": "gpt-4o-mini", "markup": 1.5}; list=HTTP200 success=True msg='' data=[{'id': 1, 'reseller_id': 2, 'model_name': 'gpt-4o-mini', 'markup': 1.5, 'updated_at': 179181042	Pass	
TC-R04	Reseller: Customer 列表	GET /api/reseller/customers	列表含多筆客戶	HTTP200 success=True msg='' data={"page": 1, "page_size": 50, "total": 4, "items": [{"created_at": 1791810429, "display_name": "Boss Customer B", "group": "default", "id": 9, "markup": null, "q; total≈4	Pass	
TC-R05	Reseller: 付款歷史	GET /api/reseller/ledger	可讀取自身 ledger	HTTP200 success=True msg='' data={"page": 1, "page_size": 20, "total": 7, "items": [{"id": 7, "reseller_id": 2, "customer_id": 0, "kind": "admin_credit", "quota_delta": 500000, "money_usd": 1,	Pass	
TC-R06	Reseller/Customer: 客戶自付	Customer GET /api/user/topup/info；self.reseller.online_topup_enabled	topup info 200；online_topup_enabled=true	topinfo=HTTP200 success=True msg='' data={"amount_options": [10, 20, 50, 100, 200, 500], "creem_products": "[]", "discount": {}, "enable_creem_topup": false, "enable_online_topup": false, "enable_redem; online=True; role	Pass	

編號	需求	步驟	期望	實際	結果	截圖
TC-R07	Reseller: 手動 credit	POST …/customers/4/credit quota=1000	客戶 quota 增加	credit=HTTP200 success=True msg='' data={"quota_delta": 1000}; before=1999999; after=2000999	Pass	
TC-R08	Reseller: markup Reseller→Customer	PUT …/customers/4/model_markups markup=1.8	可設定客戶級模型加價	upsert=HTTP200 success=True msg='' data={"model_name": "gpt-4o-mini", "markup": 1.8}; list=HTTP200 success=True msg='' data=[{'id': 1, 'reseller_id': 2, 'customer_id': 4, 'model_name': 'gpt-4o-mini', 'markup': 1.8, 'upda	Pass	
TC-R09	Reseller: 客戶 UI 顯示代理商	Customer GET /api/user/self → reseller 區塊	可見代理商顯示名稱；不洩漏成本／markup	reseller= {"online_topup_enabled": true, "reseller_display_name": "Brand One", "reseller_id": 2, "role": "customer"}; leaked_cost_fields=False	Pass	
TC-S01	系統: dual deduct	客戶 Token 呼叫 /v1/chat/completions；檢查 logs.reseller_cost_quota 與 Quota	消費時同時扣客戶售價與代理商成本（或預扣拒絕）	consume_http=None; body=None; dual_log= {'completion_tokens': 0, 'created_at': 1790956803, 'group': 'default', 'id': 11, 'model_name': 'gpt-seed-b', 'profit_quota': 600000, 'prompt_tokens': 0, 'quota': 1000000, 'reseller_	Pass	
TC-S02	系統: stock credit	Admin credit 後查 ledger 含 admin_credit；quota 上升	庫存入帳成功並可審計	ledger_kinds= ['customer_credit', 'admin_credit', 'admin_credit', 'customer_credit', 'admin_debit', 'admin_credit', 'admin_credit', 'customer_credit']; credit_ok=True	Pass	
TC-S03	系統: register/OAuth off	GET /api/status；POST /api/user/register	register_enabled／password_register_enabled=false；註冊失敗	reg=False pw=False oauth_reg=False; register=HTTP200 success=False msg='New user registration has been disabled by administrator' data=	Pass	
TC-S04	系統: 月結發票 Admin	POST /api/admin/invoices/generate period=2026-10；GET 列表	可產生並列表（含 admin_rollup／reseller／customer）	gen=HTTP200 success=True msg='' data={"period": "2026-10", "customer_invoices": 2, "reseller_invoices": 1, "admin_rollup": true, "from_unix": 1790784000, "to_unix": 1793462399}; list_total=4; scopes= {'reseller', 'admin_r	Pass	
TC-S05	系統: 月結發票 Reseller	Reseller GET /api/reseller/invoices	可看自己／所屬客戶發票；無 admin_rollup	list=HTTP200 success=True msg='' data={"page": 1, "page_size": 50, "total": 3, "items": [{"id": 1, "period": "2026-10", "scope": "customer", "reseller_id": 2, "customer_id": 4, "reseller_name": "Res; scopes={'reseller',	Pass	
TC-S06	系統: 月結發票 Customer	Customer GET /api/user/invoices	僅 customer 發票	list=HTTP200 success=True msg='' data={"page": 1, "page_size": 50, "total": 1, "items": [{"id": 1, "period": "2026-10", "scope": "customer", "reseller_id": 2,	Pass	

編號	需求	步驟	期望	實際	結果	截圖
				"customer_id": 4, "reseller_name": "Res; scopes={'customer'}		
TC-X01	系統: 隔離	Reseller1 GET Reseller2 的客戶 id=6	404／不可見	HTTP404 success=False msg='customer not found' data=	Pass	


3. UI 截圖驗證

編號	標題	路徑	結果	截圖
UI-S03a	登入頁無註冊入口	/sign-in	Pass	
UI-S03b	註冊深鏈導向／關閉	/sign-up	Pass	
UI-A04	Admin 代理商列表	/resellers	Pass	
UI-A01	Admin 新增代理商 UI	/resellers	Pass	
UI-A02	Admin 代理商詳情（名稱／聯絡／費率／帳本）	http://127.0.0.1:3310/resellers/7	Pass	
UI-A03	Admin 模型費率／帳本分頁	http://127.0.0.1:3310/resellers/7	Pass	
UI-S04	Admin 月結發票	/invoices	Pass	
UI-R00	Reseller 總覽	/reseller	Pass	


編號	標題	路徑	結果	截圖
UI-R04	Reseller 客戶列表	/reseller/customers	**Pass**	
UI-R02	Reseller 客戶詳情／入帳／加價	http://127.0.0.1:3310/reseller/customers/9	**Pass**	
UI-R03	Reseller 模型加價	/reseller/markups	**Pass**	
UI-A06	Reseller 錢包自助儲值	/wallet	**Pass**	
UI-S05	Reseller 月結發票	/reseller/invoices	**Pass**	
UI-R09	客戶個人資料顯示代理商	/profile	**Pass**	
UI-R09b	客戶概覽	http://127.0.0.1:3310/dashboard/overview	**Pass**	
UI-R06	客戶錢包自助儲值	/wallet	**Pass**	
UI-S06	客戶月結發票／歷史	http://127.0.0.1:3310/wallet	**Pass**	

4. 截圖圖庫


TC-S03-sign-in-no-register.png




TC-S03-sign-up-redirect.png




TC-A04-admin-resellers-list.png




TC-A01-admin-add-reseller.png




TC-A02-admin-reseller-detail.png




TC-A03-A05-admin-reseller-tabs.png




TC-S04-admin-invoices.png




TC-R-reseller-console.png




TC-R04-reseller-customers.png




TC-R02-R07-R08-customer-detail.png




TC-R03-reseller-markups.png




TC-A06-reseller-wallet.png




TC-S05-reseller-invoices.png




TC-R09-cust-profile-reseller.png




TC-R09-cust-overview.png



TC-R06-cust-wallet.png



TC-S06-cust-invoices.png



5. 總結

對照老闆需求之功能與 UI 驗證均通過。**Fail 數 = 0**（功能用例）。支付閘道 E2E 屬環境配置，不計入本輪失敗。

產生時間：2026-10-12 21:08 HKT