Flashless Useless Coding



useless.github.com/flashless — A WebKit plug-in to display preview images for Flash based video services and block the rest.

Version 2.0.1

- · Increased performance thanks to multithreading.
- · Display Icons also in very small Flash elements.
- · Use command/option/shift keys for original/download/direct play.
- · Support for blip.tv, Vimeo, Flickr, and universal YouTube downloads (fixed in 2.0.1)
- · Support for Snow Leopard and 64 bit. (Already in version 1.5)

Usage

Flashless replaces all Flash elements on a site with an unobtrusive graphic. To show the original flash just click on the placeholder.

For content from a supported video services a preview image of the video is displayed. The name of the service is displayed in the lower right corner.

License and Copyright

Copyright Useless Coding 2009.

Portions Copyright ClickToFlash Developers.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.