Energy Wave

The power supply for humanoid robots.

SEED ROUND — RESEARCH VENTURE

energywave.ai

CONFIDENTIAL — DRAFT — FOR DISCUSSION

ONE IMPORTANT TRUTH

> *"What important truth do very few people agree with you on?"*

The last forty years compounded bits, not watts — and the inflection point to the physical-world future is energy density at the point of use.

Look around: the world software built is everywhere; the world it was supposed to power is not. EnergyWave exists to determine whether the next step in portable power is physically achievable — and to own the IP if it is.

The objective is not to prove a theory. It is to discover whether reality supports one. The seed round funds that discovery to its first decision, and pays for the next decision only if the first one says go.

THE PROBLEM

The energy layer never had its Moore’s Law.

Information technology rode decades of exponential gains. The power that drives the physical world — motors, robots, vehicles — did not. The gap between the two curves is the opportunity.

Lithium-ion sits at a practical 150–250 Wh/kg against a 400–500 Wh/kg theoretical range; industry planning assumes about 4 % a year, a doubling in roughly eighteen years. Platform makers are engineering around it — swappable packs, docks, inductive pads in the feet — not through it. *Attributed published figures (DoW white paper v2.0, sources [5]–[7]); not company measurements.*

~10^6×+

Growth in compute per dollar since 1990

~3–4×

Improvement in portable energy density over the same period

Directional, not to scale — orders of magnitude illustrate the divergence.

THE CAPABILITY

A humanoid is a power problem.

To sense and move like a person, a humanoid must run human-grade systems at once — not a few proximity sensors and a battery clock.

Sight & sound

Cameras and microphones.

Smell & taste

Gas-sensor and electrochemical arrays — electronic nose and tongue.

Touch

Tactile arrays and electronic skin, at nerve-level granularity.

Motion

Dense actuators, at muscle-level granularity.

Whether that simultaneous load exceeds what a lithium pack delivers is a question to quantify for a defined platform — the power-budget specification (a capital-readiness deliverable, drafted with its platform inputs tagged) is built to answer it. **EnergyWave sets out to build the power supply for that load. Nothing else.**

WHERE WE ARE

The bridge before this round — and what it had to deliver.

The proposed $60,000 capital-readiness SAFE is to buy three months and three objectives — proposed, not yet raised. This deck is used only once the objectives are closed; today each is marked as it stands.

#	CAPITAL-READINESS OBJECTIVE	EVIDENCE THAT CLOSES IT	TODAY
1	Form both entities; IP strategy with K&L Gates; initial provisional protection	Delaware certificate and file number; EIN; a coversheet provisional filed in the inventors' names; 501(c)(3) formation documents	OPEN
2	Technical review of the first module; humanoid power-budget specification	A characterization plan with pre-registered pass / kill criteria; the power-budget specification — both drafted, inputs tagged	DRAFTED
3	Measurable go / no-go criteria; the next round prepared	Gate criteria published before any result; this round's amount, milestones and use of funds built on a validated model	DRAFTED

Capital raised to date: approximately **$10,000** including founder contributions; no outside debt or equity (founder's statement, 9 Oct 2026). Entity formation: **not formed** as of 14 Oct 2026 (founder's statement); counsel's formation work pending — a condition of closing (D3).

THE RESEARCH QUESTION

Three threads. One protocol. No thread feeds another.

Do engineered structures — a conditioned solid-state magnetic core, a Casimir cavity, a metal–insulator–metal junction — produce any repeatable, artifact-free electrical output whose energy accounting cannot be closed by known sources? Expected answer on the mainstream prior: no. The company exists to obtain that answer to a standard that survives review, and to publish it either way.

THREAD A

Founder's solid-state module

Floyd Sweet's vacuum triode amplifier as the named first module. No specimen selected, no hardware ordered, no measured result. Characterization plan drafted; specimen, magnetization, winding axis and conditioning are inventor-defined. **[Needs Input from Ian or Chip: thread A inputs]**

THREAD B

Independent replication

Pre-registered replication of Moddel et al. 2021 — MIM diode under a Casimir cavity, cavity / no-cavity twins from one wafer, blinded. Published claim 1.4 pW, one lab, unreplicated; Maclay 2024 predicts the opposite sign. *Claimed, not replicated.*

THREAD C

The measurement platform

Shielded isothermal enclosure, calorimetric accounting, lock-in measurement to the picowatt floor, blinded handling, open data. Published as a methods paper before any result. Residual value if every thread fails.

Which thread leads is the founder's decision (D2). [Needs Input from Ian or Chip: which thread leads for investors]

THE GATE PROTOCOL

Research first, claims last.

GATE	QUESTION	PASS	KILL
Gate 1 Characterize	Can the reported effects be reproduced, and are they artifacts?	Repeatable output above the fully characterized noise and artifact floor at ≥ 5σ in blinded runs, surviving every control.	Nothing above the floor, or output explained by a known source. Published with data.
Gate 2 Conservation test	If something is there, where does the energy come from?	Net output whose closed-system balance cannot be closed by known sources, replicated by a second laboratory contracted in advance.	The balance closes, or replication fails. Effect retired publicly.
Gate 3 Extract or retire	Can it be engineered?	Independently validated, repeatable performance under third-party observation — the first point at which EnergyWave would ever state a number.	Scaling, lifetime or stability fails.

$E_{\text{all inputs}} = E_{\text{load}} + E_{\text{heat and other outputs}} + \Delta U_{\text{device}}$. DC input is $\int v \cdot i \, dt$, never average V × average I; probe deskew in a high-Q circuit can turn +50 mW of dissipation into a false −75 mW “generation” reading at 1 MHz. A null result bounds the tested configuration at its demonstrated sensitivity; it does not identify an origin.

WHAT THE SEED FUNDS

Capital follows evidence. Tranche A at close; B and C in escrow.

TRANCHE	FUNDS	RELEASED ON	MODEL'S STORED CUMULATIVE NEED
A · at close	Gate 1 — commission the artifact-exclusion bench and publish its error budget (C); run the pre-registered replication (B); characterize the founder's module under the same protocol (A); hire the principal investigator — a condition of Tranche A.	Close. **[Needs Input from Ian or Chip: Tranche A amount]**	$6,573,330 by month 9
B · escrowed	Gate 2 — closed-system calorimetry; mechanism discrimination; independent replication at a second laboratory contracted before Gate 2 begins.	Written Gate-1 report, advisory-board certification, publication. **[Needs Input from Ian or Chip: Tranche B amount]**	$12,753,010 by month 21 (+ $6,179,680)
C · escrowed	Gate 3 — engineering characterization, lifetime and stability, third-party validation; the anti-tamper paperweight test.	Written Gate-2 report, certification, publication. **[Needs Input from Ian or Chip: Tranche C amount]**	$20,487,610 by month 36 (+ $7,734,600)

Right-hand column: **stored Base-scenario outputs of Raise Model v1.1-corrected on placeholder inputs** (UseOfFunds!D24:D26) — shown so the shape of the need is visible, not as raise figures; every placeholder awaits validation, including two theoretical-physicist agreements modelled at $500k per year *each*. Investors receive the same gate reports the public does. Unspent escrow is returned on a kill.

USE OF FUNDS — 36-MONTH PLAN, AS THE MODEL STORES IT

Where the money would go, on placeholder inputs.

CATEGORY (BASE SCENARIO)	YEAR 1	YEARS 2–3	36 MONTHS
Payroll — 18 roles, five applied physicists	2,220,708	4,684,800	6,905,508
Consulting — incl. two theoretical physicists at $500k/yr each	1,126,667	2,420,000	3,546,667
Equipment — instrumentation, additive manufacturing	1,255,000	140,000	1,395,000
Facilities — 6,000 sq ft near UC Irvine	636,500	636,000	1,272,500
Research · Legal · G&A · Finance · Operations	1,521,333	2,432,000	3,953,333
Plan spend	**6,760,208**	**10,312,800**	**17,073,008**
20 % reserve (on the whole plan)			3,414,602
Raise including reserve			**20,487,610**

ORIGIN OF EVERY NUMBER HERE

Model outputs on placeholder inputs — Raise Model v1.1-corrected (Sept 2026 inputs; saved Base scenario). Not validated, not a raise figure. One-time spend $2,145,000; recurring $14,928,008; monthly burn at the model's snapshot months 6 / 12 / 24 / 36: $423,867 / $429,700 / $429,700 / $429,700 (UseOfFunds!C35:F35 — point-month outputs, not an average).

BEFORE ANY OF IT IS A NUMBER

Founder salary, engineer bases, rent, build-out, the instrumentation package, the additive-manufacturing system, insurance, recruiting, and the $500k-each question — validated by finance. **[Needs Input from Ian or Chip: validated inputs, or a finance owner]**

MILESTONES

Three decisions, on the model’s clock.

9 MONTH 9 · GATE 1

Characterize

- Measurement platform commissioned on known-null samples; error budget published for external review
- Thread B replication run blinded; thread A characterized under the same protocol
- Gate-1 report; advisory-board certification; publication — go, or wind-down with escrow returned

21 MONTH 21 · GATE 2

Conservation test

- Closed-system calorimetry on anything that survived Gate 1
- Mechanism discrimination against known-source models
- Second-laboratory replication, contracted before the gate begins — go, or the effect is retired publicly

36 MONTH 36 · GATE 3

Extract or retire

- Engineering characterization; lifetime and stability
- Third-party validation under observation — the first performance statement, if any
- Anti-tamper paperweight test passed; Series A becomes possible

Gate months are the model’s placeholder inputs (Assumptions!B11–B13; plan start 1 Jan 2027). The August 2026 white paper phases them as 0–6, 6–18 and 18–36 months. Same three decisions.

TEAM & COUNSEL

Built to be checked, not just believed.

Ian McLean Founder & CEO

Founded Statpedia; FDIC (2008 crisis); Wolfram Research; Avnet venture tech — early Anduril, Wrap (NASDAQ: WRAP). DoW white paper author; NDA consulting, U.S. intelligence org.

Chip Story Co-Founder

B.S. geological engineering (South Dakota School of Mines); M.S. geophysics (Colorado School of Mines); 50+ years in energy exploration — published researcher. Director, Zero Point Energy Project Group.

Jack Sarfatti Theoretical physicist

B.A. physics, Cornell — trained under Hans Bethe; Ph.D. physics, UC Riverside. Birkbeck College with David Bohm; ICTP Trieste with Abdus Salam. Fundamental Fysiks Group. Role title: none asserted (founder's direction, 14 Oct); his own wording pending. A critic of the premise by the company's account — attributed only with his permission.

Alan Crunkleton Technical & financial advisor

MIT Ph.D. (mech. eng., 1987); co-inventor of the Boreas cycle; co-founder and president of Boreas, Inc.; R&D 100 award (1994). 35+ years, concept to commercialization.

K&L Gates LLP — patent counsel. Brian Novak; Dennis Majewski (titles as printed on the Oct-13 deck, to be confirmed). · Biographical lines are the founder's and the advisors' own statements; the verification status of each is in *Team and Counsel* — the founder's degree line is omitted here pending transcript wording, Chip Story's degrees and Director role are as published by ZPEPG, Crunkleton's line is limited to MIT-published items. Written consent to be named is not yet on file for anyone. **[Needs Input from Ian or Chip: consents — D4]**

RISKS — STATED BEFORE AN INVESTOR'S PHYSICIST FRIEND STATES THEM

Why physicists expect "no", and what the structure does about it.

The physics prior

The vacuum is the ground state; the Casimir force is conservative; steady work from one equilibrium reservoir is a perpetual-motion machine of the second kind. Even the best single-use Casimir stack holds ≈ 2 J/kg against ≈ 9×10^5 J/kg in the lithium cell a humanoid already carries. **Mitigation:** Gate 1 finds this out for the price of Tranche A, and publishes it.

Measurement artifacts

Probe deskew, thermal gradients, RF pickup, stored-energy depletion masquerading as generation — the history of the field. **Mitigation:** thread C exists to exclude them; error budget published; blinded runs; ≥ 5σ above a characterized floor.

Replication fails

One laboratory's result is not a result. **Mitigation:** replication contracted before each gate; a second laboratory before Gate 2; kill criteria pre-registered.

Entity, IP, consents

Formation, the provisional's successor, the ALG agreement and advisor consents are open on the release date. **Mitigation:** all are conditions of closing, not aspirations; nothing circulates until they close.

Key person

A founder-led research venture. **Mitigation:** the principal-investigator hire is a condition of Tranche A; the advisory board holds a veto over performance statements.

Capital

Every number in the model is a placeholder. **Mitigation:** tranches sized only after validation; escrow returns unspent capital on a kill; investors see the same reports the public does.

EIGHT COMMITMENTS, WRITTEN IN FROM DAY ONE

The rules the money is subject to.

1. Pre-registration of every protocol, public and timestamped.
2. Null results published, with data, every time.
3. Replication budgeted and contracted before each gate, never assumed.
4. External scientific advisory board with veto over any performance statement — at least one declared critic.
5. No performance claim before Gate-3 third-party validation.
6. Capital released by gate — escrowed tranches.
7. Clean entity separation: EnergyWave, Inc. / McLean Companies LLC / GovThink.
8. Open methods: bench design and error-budget methodology published.

The two-question filter governs every document: **what is the net energy source — and where is the colder sink?** A claim that cannot answer both is documented and set down. Legitimate adjacent science — Casimir effect, Lamb shift, metamaterials, ion-wind propulsion — is never conflated with the contested leap of continuous net extraction.

Proposed structure, safety requirements and financing terms.

EnergyWave, Inc. proposed Delaware C-corp — not yet formed

Would be the operating company — the power supply for humanoid robots, nothing else. Not formed as of 14 Oct 2026 (founder, S-38); formation pending with counsel (D3). Intended to pursue strategic investment from In-Q-Tel — an intent, not a relationship.

GovThink proposed, separate 501(c)(3) policy organization

Proposed to make the safety and competitiveness case to government and engage on technology-transfer policy. Not filed, and no formal tie to EnergyWave (founder's statement, 14 Oct 2026).

Safety is a design requirement. Proposed requirements, not features of any existing unit: scoped to humanoid robots only, keyed to its platform like a cartridge, designed to self-disable into an inert form if tampered with — tested at Gate 3 (the paperweight test).

TERM	VALUE
Instrument · pre-money	**[Needs Input from Ian or Chip: priced equity or SAFE; pre-money]**
Escrow for B and C	To be confirmed directly before close: agent, agreement and bank; release only on gate report, certification and publication; no fee to release — a proposed structure. **[Needs Input from counsel via Ian: escrow structure]**
Securities exemption	Rule 506(b) or 506(c) — governs whether this deck may reach anyone who has not heard from the company first. **[Needs Input from counsel via Ian: 506(b) or 506(c)]**

THE ASK

A seed round that buys a decision, not a three-year belief.

An investor underwrites Tranche A and Gate 1. Tranches B and C sit in escrow from the close and are released only on a written gate report, advisory-board certification and publication. “Too early for us” — the objection the company has already heard from one fund — becomes a staged option.

The amount, the pre-money and the instrument are the founder’s decisions with counsel and are not stated in this draft. The model’s stored cumulative need at each gate month is on slide 8, labelled for what it is.

[Needs Input from Ian or Chip: seed amount]

Seed · Tranche A at close · B and C escrowed

36-month plan to Gate 3 on the model’s clock

Fund the first gate.
Learn the answer either way.

Ian McLean · EnergyWave, Inc.
ian@energywave.ai · 949-280-0936 · energywave.ai

Early-stage research venture. Forward-looking statements about future technology are not proven capabilities or guarantees. For discussion only; not an offer to sell securities. Sources for every figure: SOURCE_LEDGER.md; Raise Model v1.1-corrected (stored Base values); DoW white paper v2.0; Oct-13 deck. · DD-2026-10-15-r5.3-draft · 16 / 16