

goxpyriment — Installation

Contents

Installing Goxpyriment to create your own experiments 1

Installing Goxpyriment to create your own experiments

1. Install [Git](#), then [Go](#) on your computer (if you are new to this, consult the [detailed instructions](#)).

2. clone [goxpyriment Github repository](#), by opening a Terminal (App Git Bash under Windows), and executing the command-line

```
git clone https://github.com/chrplr/goxpyriment.git
```

Later, a simple `git pull` will suffice to upgrade to the most recent version.

Alternatively you can just download the [ZIP](#) and unzip it.

3. In the Terminal, execute:

```
cd goxpyriment
./build-all.sh
```

This compiles the codes in [examples/](#)*. If all goes well, the `_build` folder should now contain executable (apps) for many experiments. (On Linux/macOS you can also use `make all`.)

The first time, this will take a while because Go needs to download several libraries. Once done, compilation will be fast.

4. Install optional additional tools

To install a local web server on port 8080 on your computer to access goxperiment's documentation install [pkgsite](#) with:

```
go install golang.org/x/pkgsite/cmd/pkgsite@latest
```

Then

```
cd goexpyriment
pkgsite
```

and open <http://127.0.0.1:8080> in your browser.

If you like to use debuggers, you can install [delve](#).

Program your own experiment

Once goxpyriment is installed, follow the step-by-step guide in [Creating Your Own Experiment](#), which walks you through writing, running, building, and sharing your own experiment. For background and reference, see [Getting Started](#), the examples' [source codes](#), and the [available functions](#).