SANRITSU GREAT INTERNATIONAL CORP.
ORIGINAL COPY

1. Document History

Established By: Ms. J Tindugan		Date: October 05, 2019	
Revision Level	Reason for Revision	Description of Change	Effective Date
00	Not Applicable	First Released	Octobe 08, 2019
01	General Revision	Update the procedure based on the actual process	Octobe 16, 2019
02	General Revision	Procedural details updates based on the actual process implemented and inclusion of additional form.	August 22, 2026

2. Review and Approval

Prepared by	Checked by	Approved by
SGIC Joshua Toledaño WH - IE ATM - EMD MR. J. TOLEDANO	SGIC Radencio Laxamana Jr. ELECTRONICS MFG. DEPARTMENT MR. R. LAXAMANA JR.	SGIC Hiroyuki Yamaguchi ELECTRONICS MFG. DEPARTMENT MR. H. YAMAGUCHI
Date : August 18, 2026	Date : August 18, 2026	Date : August 18, 2026

3. Purpose

The purpose of this procedure is to establish standardized controls for the receipt, storage, handling, inventory management, and issuance of raw materials and components, ensuring material availability, inventory accuracy, operational efficiency, and support for uninterrupted manufacturing operations.

4. Scope

This procedure applies to all manufacturing warehouse activities, including the receipt, inspection, storage, handling, inventory control, issuance, and movement of raw materials and components. It covers all personnel involved in warehouse operations and supports the efficient flow of materials to meet manufacturing and business requirements.

5. Reference/s

N/A

6. Terms and Definition

6.1 Industrial Engineer (IE) – refers to the personnel of Industrial Engineering section working inside the engineering office.

6.2 PEZA – Philippine Economic Zone Authority.

This document is a sole property of Sanritsu Great International Corp. Unauthorized reproduction is strictly prohibited.

SANRITSU GREAT INTERNATIONAL CORP.
ORIGINAL COPY

6.3 BOC – Bureau of Customs

6.4 Picking Ticket – Identification of Parts that indicates the part number, quantity, revision, manufacturing number and product number.

6.5 Trace Code – Identification of model and for traceability.

6.6 Discrepancy report - is a report used to document and explain a difference, mismatch, or inconsistency between the expected/recorded information and the actual result.

7. Procedure Details

7.1 Receiving of Parts

7.1.1 Upon the arrival of a customer delivery truck, the Guard on Duty shall notify the assigned IE Personnel and direct the vehicle to the designated receiving area.

7.1.2 Upon receiving the notification, the IE Personnel shall coordinate with the Parts Checker and a certified Forklift Operator to facilitate the receiving, inspection, and unloading activities.

7.1.3 The certified Forklift Operator shall unload the parts from the delivery truck and place them in the designated receiving area.

7.1.4 During unloading, the Parts Checker shall verify the completeness and accuracy of all required delivery documents, including the Gate Pass and PEZA Form 8106, and ensure that the necessary PEZA and BOC incoming stamps are present.

7.1.5 If any required PEZA or BOC stamp is missing, the Parts Checker shall immediately coordinate with the delivery personnel and report the discrepancy to the immediate superior for proper disposition before accepting the shipment.

7.1.6 The Parts Checker shall inspect the condition of the pallet stretch film, packaging materials, and boxes to ensure there are no signs of damage, breakage, tampering, or shortage.

7.1.7 If damaged packaging or parts are identified, the Parts Checker shall notify the responsible Team Leader to document the damage through photographs prior to acceptance of the shipment. The matter shall then be escalated to the Supervisor/Engineer, who shall coordinate with the customer regarding the disposition of the affected items.

7.1.8 Once all documents are verified and the shipment has passed the visual inspection, the Parts Checker shall accept the items and sign the delivery documents as proof of receipt and acceptance of the Farm-In shipment.

7.1.9 After acceptance, the Forklift Operator shall transfer the parts to the designated area inside P3 using a pallet jack and arrange them properly to facilitate parts inspection and verification.

Note: To ensure safe handling and transportation, the stacking height of boxes shall not exceed the height of the push cart handle.

This document is a sole property of Sanritsu Great International Corp. Unauthorized reproduction is strictly prohibited.

SANRITSU GREAT INTERNATIONAL CORP.
ORIGINAL COPY

7.2 Parts Checking

7.2.1 The Parts Checker shall receive the Delivery Receipt (DR), Masterlist, and corresponding control number for the incoming parts.

7.2.2 The Parts Checker shall perform incoming verification by comparing the actual parts received against the information stated in the Delivery Receipt and Masterlist.

7.2.3 The following items shall be verified during the checking process:

7.2.3.1 Part Number

7.2.3.2 Part Revision

7.2.3.3 Delivery Quantity

7.2.3.4 Actual Quantity Received

7.2.3.5 Packaging Identification and Label Information

7.2.4 Upon completion of verification, the Parts Checker shall mark the verified quantity by encircling the corresponding quantity on the Masterlist as evidence of inspection and verification.

7.2.4.1 The Parts Checker shall record the packaging breakdown, including the quantity per package and the total number of tickets or packages corresponding to the Masterlist.

7.2.5 The Parts Checker shall review the Trace Code Monitoring Record and assign the next available trace code to the newly received parts in accordance with the traceability requirements.

7.2.6 If any abnormality or nonconformity is identified during the checking process, including but not limited to:

7.2.6.1 Missing labels;

7.2.6.2 Incomplete, incorrect, or illegible label information;

7.2.6.3 Unauthorized or special labels;

7.2.6.4 Damaged, deteriorated, or nonconforming packaging;

7.2.6.5 Mixed parts; or

7.2.6.6 Wrong parts received,

7.2.7 The Parts Checker shall immediately segregate the affected parts and report the issue to the Warehouse In-Charge and immediate superior for further evaluation and customer coordination.

7.2.8 If any quantity discrepancy such as shortage, excess quantity, mixed parts, wrong parts, or nonconforming (NG) packaging is detected, the Parts Checker shall prepare a Discrepancy Report and submit it to the Warehouse In-Charge and concerned superior for verification.

7.2.9 The Warehouse In-Charge and concerned superior shall review and verify the reported discrepancy, determine the affected quantity, and ensure that the affected parts are properly identified and controlled to prevent unintended use.

This document is a sole property of Sanritsu Great International Corp. Unauthorized reproduction is strictly prohibited.

SANRITSU GREAT INTERNATIONAL CORP.
ORIGINAL COPY

7.2.10 Upon verification, the Discrepancy Report shall be forwarded to the customer via email to obtain disposition instructions and appropriate corrective action for the affected parts.

7.2.11 The affected parts shall remain on hold and properly identified until the customer's disposition has been received and implemented.

7.3 Parts Encoding

7.3.1 The Parts Encoder shall receive the approved Picking Ticket and encode all required part information into the inventory database system details in picking ticket will input in data base.

7.3.2 Prior to encoding, the Parts Encoder shall verify the accuracy of the following information:

7.3.2.1 Part Number

7.3.2.2 Part Revision

7.3.2.3 Date Received

7.3.2.4 Quantity Received

7.3.2.5 Trace Code

7.3.2.6 Assigned Storage Location

7.3.3 The encoding process shall include:

7.3.3.1 Scanning the part barcode;

7.3.3.2 Entering or confirming the designated storage location in the system;

7.3.3.3 Recording all required transaction details in the database; and

7.3.3.4 Signing or initialing the Picking Ticket as evidence that the information has been successfully encoded and verified.

7.3.4 If a revision discrepancy is identified between the Picking Ticket and the existing database record, the Parts Encoder shall immediately report the discrepancy to the Warehouse In-Charge and suspend the transaction pending evaluation.

7.3.5 The Warehouse In-Charge shall endorse the revision discrepancy to the Quality Assurance (QA) Department for investigation and verification.

7.3.6 QA shall coordinate with the supplier or customer, as applicable, to verify the revision discrepancy and determine the appropriate disposition of the affected parts. The affected parts shall be placed on hold and shall not be issued or used until disposition has been received.

7.3.7 Upon receipt of the approved disposition, QA shall communicate the results to the Warehouse In-Charge for implementation of the required actions.

7.3.8 For parts designated as Plant 3, all inventory transactions shall be recorded in:

7.3.8.1 The Part Incoming and Parts Issuance Database; and

7.3.8.2 The Plant 3 Pallet Lot System Database maintained by the Plant 3 Custodian.

This document is a sole property of Sanritsu Great International Corp. Unauthorized reproduction is strictly prohibited.

SANRITSU GREAT INTERNATIONAL CORP.
ORIGINAL COPY

7.3.9 Both databases shall be updated accurately and consistently to ensure proper inventory control, traceability, and accountability of all Plant 3 parts and related transactions.

7.4 Parts Locating

7.4.1 The Parts Locator shall receive the approved Picking Ticket and verify that it has been signed or initialed by the Database Encoder, indicating that the parts information has been successfully encoded into the inventory system.

7.4.2 The Parts Locator shall transfer the parts to the assigned storage location using the appropriate material handling equipment, such as a pushcart or jack lift, while ensuring the parts are handled safely and without damage.

7.4.3 Prior to storage, the Parts Locator shall confirm that the designated storage location matches the location indicated in the database and on the Picking Ticket.

7.4.4 Parts Upon storing the parts, the Parts Locator shall update the Bin Card with the following information:

7.4.4.1 Date Received

7.4.4.2 Quantity Received

7.4.4.3 Manufacturing/Lot Number (if applicable)

7.4.4.4 Locator's Initials or Signature.

7.4.5 If the Bin Card has no remaining space for entries, the Parts Locator shall obtain a new Bin Card, transfer the necessary information, and continue updating the inventory records.

7.4.6 Parts shall be arranged and stored in accordance with the First-In, First-Out (FIFO) principle to ensure proper stock rotation and inventory control.

7.4.7 If the assigned storage location lacks sufficient space, the Parts Locator shall immediately inform the Warehouse In-Charge. The Warehouse In-Charge shall evaluate available storage options and assign an alternative approved location.

7.4.8 For parts designated for Plant 3, all storage transactions shall be coordinated with the Plant 3 Custodian. The parts must be properly recorded in the inventory system and assigned to an approved Plant 3 storage location to maintain traceability and inventory control.

7.4.9 The Plant 3 Custodian shall assign an available Plant 3 storage location and ensure that the assigned location is accurately updated in the applicable database(s).

7.4.10 A pallet identification label, pallet number, and required part identification tag shall be prepared and attached prior to transferring the parts into the Plant 3 storage area.

7.4.11 The parts shall then be transferred using appropriate material handling equipment and stored in the designated Plant 3 location.

This document is a sole property of Sanritsu Great International Corp. Unauthorized reproduction is strictly prohibited.

SANRITSU GREAT INTERNATIONAL CORP.
ORIGINAL COPY

7.5 Parts Issuance

7.5.1 The Parts Issuer shall identify the parts required for production based on the production schedule, line requirements, or approved material request.

7.5.2 The Parts Issuer shall review the inventory database to verify the required part numbers, quantities, and assigned storage locations.

7.5.3 Parts shall be selected and issued in accordance with the First-In, First-Out (FIFO) principle by prioritizing inventory with the earliest receiving date, unless otherwise specified by the customer or Quality Assurance (QA).

7.5.4 Before retrieving the parts, the Parts Issuer shall verify the complete part number, revision level (if applicable), and quantity requested to ensure the correct parts are selected and to prevent issuance errors.

7.5.5 After retrieval, the Parts Issuer shall present the parts, Bin Card, and Picking Ticket to the Database Encoder for transaction processing and issuance verification.

7.5.6 The Database Encoder shall verify the following before completing the issuance transaction:

7.5.6.1 Part Number

7.5.6.2 Quantity Issued

7.5.6.3 Storage Location

7.5.6.4 FIFO Compliance

7.5.7 Upon successful verification, the issuance transaction shall be recorded in the inventory database, and the inventory records and Bin Card shall be updated accordingly.

7.5.8 The requested parts shall be processed in the inventory database and approved by the Plant 3 Custodian before release.

7.5.9 Upon successful verification, the issuance transaction shall be recorded in the inventory database, and the inventory records and Bin Card shall be updated accordingly.

7.5.10 For parts stored in the Plant 3 area, the Parts Issuer shall prepare a Pull-Out Form indicating the required part numbers and quantities.

7.5.11 The requested parts shall be processed in the inventory database and approved by the Plant 3 Custodian before release.

7.5.12 After database processing, the Pull-Out Form shall be submitted to the Plant 3 Guard for verification. The Plant 3 Guard shall confirm that the part numbers and quantities being released match the details stated on the approved Pull-Out Form.

7.5.13 The authorized personnel shall retrieve the approved parts and transfer them to the designated Plant 1 storage location. Upon receipt, the transfer transaction shall be recorded in the inventory system before the parts are issued to production.

This document is a sole property of Sanritsu Great International Corp. Unauthorized reproduction is strictly prohibited.

SANRITSU GREAT INTERNATIONAL CORP.
ORIGINAL COPY

7.6 Critical Parts Review and Reporting

7.6.1 The Parts Issuer and Database Encoder shall continuously monitor inventory levels and daily consumption rates to ensure adequate stock availability for production requirements.

7.6.2 If inventory reaches the established critical stock level or is projected to become insufficient based on consumption trends and incoming deliveries, a Critical Stock Form shall be prepared immediately.

7.6.3 The completed Critical Stock Form shall be submitted to the Parts Coordinator for review and endorsement to the supplier.

7.6.4 The Parts Coordinator shall coordinate with the supplier to obtain confirmation of the delivery schedule and committed quantity. The status of the supplier's commitment shall be monitored to ensure timely replenishment and prevent production shortages.

7.6.5 For parts stored in the Plant 3 area, the Parts Issuer shall prepare a Pull-Out Form indicating the required part numbers and quantities. Parts located at Plant 3, the parts issuer must prepare a Pull-Out Form indicating all required part numbers. The requested parts must still be properly recorded and processed for pull-out in the database, with the approval and acknowledgment of the Plant 3 Custodian before the parts are released.

02

7.6.6 Once the parts have been successfully processed and released in the database, the Pull-Out Form shall be submitted to the Plant 3 Guard for verification. The assigned personnel responsible for collecting the parts shall then retrieve them based on the part numbers listed on the Pull-Out Form. The Plant 3 Guard shall verify that the parts being released match the details indicated on the form before allowing them to be taken out.

7.6.7 After the parts have been collected from Plant 3, they shall be brought to Plant 1 and placed in their designated storage location. Once properly stored and recorded, the parts may be issued to the production line as needed.

7.6.8 The Parts Issuer shall monitor and maintain an accurate understanding of the daily usage and consumption rate of each part. This information shall be used to calculate the estimated remaining stock and determine how long the available inventory will last.

7.6.9 Once the Critical Stock Form has been completed, it shall be submitted to the Parts coordinator for proper coordination to customer.

7.6.10 The Parts coordinator shall coordinate with the customer to obtain a confirmed commitment regarding the delivery schedule and the quantity of parts to be supplied. The customer commitment shall be monitored to ensure that the required parts are delivered within the agreed timeline and in the required quantity.

This document is a sole property of Sanritsu Great International Corp. Unauthorized reproduction is strictly prohibited.

SANRITSU GREAT INTERNATIONAL CORP.
ORIGINAL COPY

8. Forms

8.1 Form_Parts Check Process Status (PR-BI00000-01)

8.2 Delivery Document Logsheet (PR-BI00000-02)

8.3 Parts Bin Card (PR-BI00000-03)

8.4 Reach Truck Borrowers Key Log Sheet (PR-BI00000-04)

8.5 Warehouse Parts Rack Library (PR-BI00000-05)

8.6 Critical Parts Escalation Report (PR-BI00000-06)

8.7 Form_Parts Issuance & Parts Retrieval Checksheet (PR-BI00000-07)

8.8 Drop Parts Verification Record (PR-BI00000-08)

8.9 Discrepancy Report Monitoring (PR-BI00000-09)

02 **8.10** Material Pull In/Out Request Form (BI00000-10)

This document is a sole property of Sanritsu Great International Corp. Unauthorized reproduction is strictly prohibited.

SANRITSU
Great International Corporation

DOCUMENT REQUEST SLIP

To:	DOCUMENT CONTROL CENTER	No. RS	268-007	Date	8/18/2026

Document Request Slip for:

☐ ESTABLISHMENT ☑ REVISION ☐ OBSOLESCENCE

Document Classification:

☐ INSPECTION GUIDE ☐ WORK INSTRUCTION
☐ PROCESS FLOWCHART ☐ VISUAL GUIDE
☑ PROCEDURE ☐ FORM - Specify the Mother Procedure: _____

For Forms:

☐ NEED TO REVISED THE PROCEDURE
☐ NO NEED TO REVISED THE PROCEDURE

Document Control No.	TITLE	Revision
PR-BI00000	ATM WAREHOUSE OPERATION PROCEDURE	02

Kindly dispose the document specified below as per the following request.

☐ The following document has been established. Please distribute a copy to concerned section upon registration.

☑ The following document has been revised. Please distribute a copy to concerned section upon registration and retrieve the superseded document.

☐ The following document has been abolished. Please retrieved the abolished copy to all concerned section.

APPROVAL

Preparing Section			DCC	
ATM-IE				
Person-In-charge	Section Head	Department Manager	DCC In-Charge	Section Head
SGIC Joshua Toledaño WH - IE ATM - EMD	-	SGIC Radencio Laxamana Jr. ELECTRONICS MFG. DEPARTMENT	SGIC Helen Tipay TR - QPE PCBA - EMD	-
Mr. J. Toledano		Mr. R. Laxamana Jr.	Ms. H. Tipay	

SANRITSU
Great International Corporation

DOCUMENT INFORMATION UPDATE

DIU NO. :	**268-007**		
DOCUMENT NO.	**PR-BI00000**	**REVISION NO.**	**02**
DOCUMENT TITLE	**ATM WAREHOUSE OPERATION PROCEDURE**		
DOCUMENT STATUS	☐ **ESTABLISH**	☐ **REVISED**	☐ **ABOLISHED**
REQUESTED BY :	**Mr. J. Toledano**	**DATE ISSUED :**	**August 22, 2026**

PERSONNEL INFORMED

NAME	POSITION/DESIGNATION	SIGNATURE	DATE INFORMED
Ms. C. Gaspar	**QA Eng'r**	SGIC Cayle Gaspar QA - QPE ATM - EMD	**August 22, 2026**
Ms. J. Corpus	**Prdn. Line Leader**	SGIC Jessica Corpus PRODUCTION ATM - EMD	**August 22, 2026**
Mr. J. Espedido	**PPIC**	SGIC Jerome Espedido PPIC - IE ATM - EMD	**August 22, 2026**

CHECKED BY:	SGIC Helen Tipay TR - QPE PCBA - EMD	**APPROVED BY:**	SGIC Radencio Laxamana Jr. ELECTRONICS MFG. DEPARTMENT
	Ms. H. Tipay		**Mr. R. Laxamana Jr.**
	DCC-IN-CHARGE		**DEPARTMENT MANAGER**