EXCLUSIVE WHITELIST EDITION • VIP PRIVILEGES

WA ULTIMATE BOT

VIP USER MANUAL

Comprehensive guide for Whitelisted VIP Members. Includes 24/7 Private Mode bot access, premium AI generators, privacy media bypass, high-speed downloaders, 50 Unicode fonts, entertainment games, and group moderation tools.

VIP Tier WHITELISTED PRIVILEGE ACCESS	**24/7** PRIVATE MODE BYPASS
370+ VIP-ACCESSIBLE TRIGGERS	**Zero** ADMIN & SUDO BLOAT

VIP MEMBER PRIVILEGES:

- **Private Mode Immunity:** Use bot freely even when bot mode is set to Private
- **Privacy Bypass:** View-Once media revealer (`.vv`) & Heart collage generator (`.heart`)
- **Artificial Intelligence:** ChatGPT, Gemini, Mistral, and Imagine text-to-image generator
- **High-Speed Downloaders:** YouTube 320kbps MP3/MP4, Instagram Reels, TikTok No-WM, Facebook HD, APK
- **Group Moderation:** Manage your own groups when promoted to WhatsApp Admin

Privilege Level: VIP Whitelist (Tier 2) **Platform:** WA Ultimate Bot Multi-Device **Date:** October 2026

Chapter 1: VIP Status, Whitelist Privileges & Rules

As a verified **VIP User**, your phone number has been officially whitelisted in `data/database.json` by the Bot Owner.

Your Exclusive VIP Privileges

- **Private Mode Access:** Whenever the bot owner sets the bot to `.mode private`, normal public users are blocked from running commands. As a VIP user, you have complete immunity and can use the bot seamlessly 24/7.
- **Full Media & AI Suite:** Access to all premium AI chat assistants, text-to-image generators (`.imagine`), 4x HD image upscalers (`.hd`), and full webpage screenshots.
- **Privacy Bypass Tools:** Extract View-Once photos and videos into permanent normal media (`.vv`) and convert photos into aesthetic heart collages (`.heart`).
- **50 Unicode Typography Fonts:** Transform any text into 50 stylish Unicode designs (`.font1` through `.font50`).
- **Group Moderation in Your Groups:** If you are an admin of any group, you can use the bot's full group management suite (`.mute`, `.unmute`, `.kick`, `.promote`, `.antilink`, `.adminlock`, `.welcome`, `.requests`).

Important Guidelines for VIP Members

Group Moderation Rule:
VIP users do not have the Bot Owner's moderation bypass. To kick, mute, or promote members in a group, you must be an actual WhatsApp Admin in that group.
Bot infrastructure commands (like restarting the bot, setting prefix, broadcasts, or changing bot profile picture) are reserved exclusively for Bot Owners and Sudo Engineers and are not included in this manual.

Roman Urdu Summary: VIP User bot ka special whitelisted member hota hai. Jab bot Private mode me ho tab bhi VIP user bot ki tamam commands use kar sakta hai. Is manual me sirf wo commands shamil ki gayi hain jo VIP user ke kaam ki hain. Fuzool admin aur sudo commands nikaal di gayi hain taake manual bilkul clean aur aasan ho.

Chapter 2: Status & System Diagnostics

Commands to verify your VIP rank and check bot server uptime.

`.myrole` Aliases: `.mystatus`, `.whoami`, `.myrank`, `.role`, `.profile`

VIP MEMBER

Syntax: `.myrole`

Description: Displays your verified role badge, VIP status, and permissions.

> **Kaam aur Tareeqa (Roman Urdu):** Apna khud ka role aur status check karta hai ke aap bot me Whitelisted VIP hain.

Behind the Scenes (Technical): Evaluates sender JID against database.json whitelist array and formats VIP profile card.

Example: `.myrole`

`.alive` Aliases: `.live`, `.status`

VIP MEMBER

Syntax: `.alive`

Description: Checks live connection status, system uptime, and server speed.

> **Kaam aur Tareeqa (Roman Urdu):** Bot ka live status aur server speed check karta hai.

Behind the Scenes (Technical): Returns server uptime, Baileys socket state, and RAM metrics.

Example: `.alive`

`.ping` Aliases: None

VIP MEMBER

Syntax: `.ping`

Description: Checks bot response speed and network latency in milliseconds.

> **Kaam aur Tareeqa (Roman Urdu):** Bot ki response speed (ping latency) check karta hai.

Behind the Scenes (Technical): Calculates roundtrip millisecond delta.

Example: `.ping`

`.menu` Aliases: `.help`, `.m`, `.list`

VIP MEMBER

Syntax: `.menu`

Description: Displays the full command list.

> **Kaam aur Tareeqa (Roman Urdu):** Tamam commands ki list display karta hai.

Behind the Scenes (Technical): Renders categorized menu payload.

Example: `.menu`

`.allmenu` Aliases: `.categories`, `.catmenu`

VIP MEMBER

Syntax: `.allmenu`

Description: Numbered interactive menu dashboard (1-13).

> **Kaam aur Tareeqa (Roman Urdu):** Interactive category menu dikhata hai jahan 1 se 13 reply karke specific menu dekha ja sakta hai.

Behind the Scenes (Technical): Renders numbered interactive dashboard with reply listener.

Example: `.allmenu`

Chapter 3: Group Broadcasts & Group Status Systems

Targeted message delivery, group status dissemination, selective group pickers, and live progress trackers.

> 🔒 **RESTRICTED COMMAND NOTICE (SUPER ADMIN & SUDO ONLY):**
> Commands `.gcsme` and `.gcsmesel` (clean group status without promotional footer) are strictly restricted to Bot Super Admin and Sudo Administrators. VIP users may broadcast group status via `.gcsstatus` and `.gcssel`, which include promotional footer attribution.

`.gcsstatus` Aliases: `.gpstatus`, `.gcs` — VIP MEMBER

Syntax: `.gcsstatus <Message / Quoted Media>`

Description: Broadcast status to all groups with promotional footer and real-time live editing progress.

> **Kaam aur Tareeqa (Roman Urdu):** Tamam groups me status broadcast lagata hai. Live progress bar bhejta hai jo har group ke sath edit hota hai.

Behind the Scenes (Technical): Extracts all groups, streams status relay, and dynamically edits a status progress tracking message.

Example: Reply to photo/video & send `.gcsstatus`

`.gcssel` Aliases: `.gcsstatussel`, `.gcsselectedstatus` — VIP MEMBER

Syntax: `.gcssel <Quoted Message / Media>`

Description: Broadcast status ONLY to selected groups with promotional branding.

> **Kaam aur Tareeqa (Roman Urdu):** Sirf un groups me status post karta hai jo aapne .gcsselect ke zariye choose kiye hain.

Behind the Scenes (Technical): Reads saved target list from database/memory and broadcasts only to those selected JIDs.

Example: Reply to image/video & send `.gcssel`

`.gcslist` Aliases: `.statuslist`, `.gcsgroups` — VIP MEMBER

Syntax: `.gcslist`

Description: Lists all eligible groups for status broadcast with indexed numbers.

> **Kaam aur Tareeqa (Roman Urdu):** Status broadcast ke tamam groups ki numbered list dikhata hai taake aap select kar sakein.

Behind the Scenes (Technical): Fetches all joined groups, excludes announcement/read-only groups, and displays indexed list.

Example: `.gcslist`

.gcsselect Aliases: .statusselect, .gcsset

VIP MEMBER

Syntax: `.gcsselect <1,2,5 / 1-10 / all / clear>`

Description: Selects specific groups for status broadcast by numbers or ranges.

> **Kaam aur Tareeqa (Roman Urdu):** Status broadcast ke liye specific groups select karta hai (e.g. 1,2,5 ya 1-10).

Behind the Scenes (Technical): Parses indices/ranges and stores chosen group JIDs into PostgreSQL/memory.

Example: `.gcsselect 1,3,5-8`

.gcsselected Aliases: .statusselected, .gcsselection

VIP MEMBER

Syntax: `.gcsselected`

Description: Displays the currently selected groups for status broadcast.

> **Kaam aur Tareeqa (Roman Urdu):** Dekhein ke status ke liye abhi kon kon se groups selected hain.

Behind the Scenes (Technical): Retrieves selected target array and formats active group titles.

Example: `.gcsselected`

.gcsclear Aliases: .statusclear, .gcsreset

VIP MEMBER

Syntax: `.gcsclear`

Description: Clears the saved group selection for status broadcast.

> **Kaam aur Tareeqa (Roman Urdu):** Status broadcast ki group selection reset/clear kar deta hai.

Behind the Scenes (Technical): Purges status targets array in memory and updates persistence layer.

Example: `.gcsclear`

.gcsstop Aliases: None

VIP MEMBER

Syntax: `.gcsstop`

Description: Emergency stop to halt active status broadcast immediately.

> **Kaam aur Tareeqa (Roman Urdu):** Chalti hui status broadcast ko foran rokne ke liye use karein.

Behind the Scenes (Technical): Sets gcsHalted flag to break the status dispatch loop instantly.

Example: `.gcsstop`

.bcgroup Aliases: .bc, .broadcastgc

VIP MEMBER

Syntax: `.bcgroup <Message / Quoted Media>`

Description: Broadcast message to all groups with dynamic live progress bar.

> **Kaam aur Tareeqa (Roman Urdu):** Tamam groups me message broadcast karta hai aur aik message bhej kar usi ko live edit kar ke progress show karta hai.

Behind the Scenes (Technical): Iterates all groups with anti-ban delay (0.5–6s, batch rest 4–14s), editing progress bar.

Example: `.bcgroup Hello everyone!`

.bcsel Aliases: .bcgroupsel, .bcselectedgc, .bcs

VIP MEMBER

Syntax: `.bcsel <Message / Quoted Media>`

Description: Broadcast message ONLY to selected groups with live progress bar.

> **Kaam aur Tareeqa (Roman Urdu):** Sirf selected groups me broadcast message bhejta hai live editing progress bar ke sath.

Behind the Scenes (Technical): Dispatches message strictly to groups chosen via .bcselect.

Example: `.bcsel Important update for selected teams!`

.bclist Aliases: .broadcastlist, .bcgroups

VIP MEMBER

Syntax: `.bclist`

Description: Lists all joined groups with index numbers for selective broadcast.

> **Kaam aur Tareeqa (Roman Urdu):** Broadcast ke liye tamam groups ki numbered list dikhata hai.

Behind the Scenes (Technical): Scans joined groups and returns numbered listing with total count.

Example: `.bclist`

.bcselect Aliases: .bcset, .broadcastselect

VIP MEMBER

Syntax: `.bcselect <1,2,5 / 1-10 / all / clear>`

Description: Selects specific groups for broadcast by index numbers or ranges.

> **Kaam aur Tareeqa (Roman Urdu):** Broadcast ke liye specific groups select karta hai (e.g. 1,2,5 ya 1-5).

Behind the Scenes (Technical): Parses selection tokens, validates indices, and persists target JIDs in PostgreSQL.

Example: `.bcselect 1,2,4`

.bcselected Aliases: .bcselection, .broadcastselected

VIP MEMBER

Syntax: .bcselected

Description: Displays the currently selected groups for broadcast.

> **Kaam aur Tareeqa (Roman Urdu):** Dekhein ke broadcast ke liye abhi kon kon se groups selected hain.

Behind the Scenes (Technical): Displays active selected group titles and target count.

Example: .bcselected

.bcclear Aliases: .bcreset, .broadcastclear

VIP MEMBER

Syntax: .bcclear

Description: Clears the saved group selection for broadcast.

> **Kaam aur Tareeqa (Roman Urdu):** Broadcast ki group selection reset/clear karta hai.

Behind the Scenes (Technical): Resets broadcast target array to empty state.

Example: .bcclear

.bcstop Aliases: None

VIP MEMBER

Syntax: .bcstop

Description: Emergency stop to halt active broadcast immediately.

> **Kaam aur Tareeqa (Roman Urdu):** Chalti hui broadcast transmission ko foran rokne ke liye use karein.

Behind the Scenes (Technical): Sets active broadcast cancellation flag and releases transmission lock.

Example: .bcstop

Chapter 4: Privacy Bypass & Premium Media Utilities

View-Once bypass, heart collages, sticker hijacker, and AI image enhancers.

`.vv` Aliases: None

VIP MEMBER

Syntax: `.vv (Replying to View-Once photo or video)`

Description: Bypasses View-Once media restrictions and saves media permanently.

> **Kaam aur Tareeqa (Roman Urdu):** 1 time view (View-Once) photo ya video ko permanent normal media bana kar bhej deta hai taake aap save kar sakein.

Behind the Scenes (Technical): Extracts viewOnceMessage container, strips viewOnce flags, and delivers permanent media buffer.

Example: `.vv (replying to view-once)`

`.heart` Aliases: None

VIP MEMBER

Syntax: `.heart (Replying to photo)`

Description: Transforms photo into an artistic heart collage frame.

> **Kaam aur Tareeqa (Roman Urdu):** Kisi bhi photo ko aik pyare dil (Heart) ke shape wale frame me convert karta hai.

Behind the Scenes (Technical): Applies mathematical heart clipping mask using Jimp/Sharp canvas.

Example: `.heart (replying to photo)`

`.sticker` Aliases: `.s`, `.stick`

VIP MEMBER

Syntax: `.sticker (Replying to photo or video)`

Description: Converts photo or short video into a WhatsApp sticker.

> **Kaam aur Tareeqa (Roman Urdu):** Kisi bhi photo ya video ko sticker me convert karta hai.

Behind the Scenes (Technical): Converts media to WebP using ffmpeg with metadata tags.

Example: `.sticker`

`.take` Aliases: `.steal`, `.rename`

VIP MEMBER

Syntax: `.take <Pack> | <Author>`

Description: Steals sticker metadata and puts your own name as author.

> **Kaam aur Tareeqa (Roman Urdu):** Sticker ka author name badal kar apna naam lagata hai.

Behind the Scenes (Technical): Strips existing EXIF chunk and injects custom packname and author into WebP.

Example: `.take VIP Pack | VIP Member`

.hd Aliases: .upscale, .enhance

VIP MEMBER

Syntax: `.hd (Replying to image)`

Description: AI 4x image enhancer and upscaler.

> **Kaam aur Tareeqa (Roman Urdu):** Dhundle aur low quality image ko crystal clear HD photo banata hai.

Behind the Scenes (Technical): Dispatches image buffer to AI super-resolution pipeline.

Example: `.hd`

.screenshot Aliases: .ss, .webshot

VIP MEMBER

Syntax: `.screenshot <URL>`

Description: Full HD desktop screenshot of any website.

> **Kaam aur Tareeqa (Roman Urdu):** Kisi bhi website ka full desktop screenshot khench kar photo bhejta hai.

Behind the Scenes (Technical): Renders viewport in headless Chromium and captures PNG snapshot.

Example: `.screenshot https://google.com`

.toimg Aliases: .tovideo

VIP MEMBER

Syntax: `.toimg (Replying to sticker)`

Description: Converts WhatsApp sticker back to normal image or video.

> **Kaam aur Tareeqa (Roman Urdu):** Sticker ko wapis normal photo me badalta hai.

Behind the Scenes (Technical): Converts WebP buffer back to PNG/JPEG.

Example: `.toimg`

.tomp3 Aliases: .vmp3

VIP MEMBER

Syntax: `.tomp3 (Replying to video/audio)`

Description: Extracts pure MP3 audio from video.

> **Kaam aur Tareeqa (Roman Urdu):** Video se pure MP3 audio nikaal kar bhejta hai.

Behind the Scenes (Technical): Extracts audio stream via ffmpeg -vn -b:a 192k.

Example: `.tomp3`

.attp Aliases: .textsticker, .at

VIP MEMBER

Syntax: .attp <Text>

Description: Converts text into an animated flashing rainbow sticker.

> **Kaam aur Tareeqa (Roman Urdu):** Likhay huway text ka rainbow flashing animated sticker banata hai.

Behind the Scenes (Technical): Renders multi-color text frames and compiles animated WebP.

Example: .attp VIP Member

.calc Aliases: None

VIP MEMBER

Syntax: .calc <math expression>

Description: Calculates mathematical expressions safely.

> **Kaam aur Tareeqa (Roman Urdu):** Math ka hisaab kitab aur calculations solve karta hai.

Behind the Scenes (Technical): Safe mathematical parser returns arithmetic result.

Example: .calc (250 * 4) + 150

.qr Aliases: None

VIP MEMBER

Syntax: .qr <text or link>

Description: Generates a QR Code image.

> **Kaam aur Tareeqa (Roman Urdu):** Kisi bhi text ya link ka QR code image banata hai.

Behind the Scenes (Technical): Generates high-contrast QR code image.

Example: .qr https://instagram.com

.readqr Aliases: None

VIP MEMBER

Syntax: .readqr (Replying to QR image)

Description: Scans QR code image and extracts the text/link.

> **Kaam aur Tareeqa (Roman Urdu):** QR code photo ko scan karke uske andar ka link nikaalta hai.

Behind the Scenes (Technical): Decodes QR matrix using jsqr.

Example: .readqr

.translate Aliases: None

VIP MEMBER

Syntax: `.translate <lang_code> <text>`

Description: Translates text into any language.

> **Kaam aur Tareeqa (Roman Urdu):** Kisi bhi zubaan ke text ko doosri zubaan me translate karta hai.

Behind the Scenes (Technical): Queries Google Translate API.

Example: `.translate ur Hello, how are you?`

Chapter 5: Artificial Intelligence & Generative Engines

World-class large language models and diffusion image generators at your fingertips.

`.gpt` Aliases: `.chatgpt`, `.openai`

VIP MEMBER

Syntax: `.gpt <Question>`

Description: OpenAI ChatGPT intelligence for answers, essay writing, and ideas.

> **Kaam aur Tareeqa (Roman Urdu):** ChatGPT se kisi bhi sawal ka mukammal aur behtareen jawab hasil karta hai.

Behind the Scenes (Technical): Dispatches prompt to OpenAI chat completion endpoint.

Example: `.gpt Explain how artificial intelligence works`

`.gemini` Aliases: `.googleai`, `.bard`

VIP MEMBER

Syntax: `.gemini <Question>`

Description: Google Gemini Pro AI assistant.

> **Kaam aur Tareeqa (Roman Urdu):** Google Gemini se fast aur accurate analysis hasil karta hai.

Behind the Scenes (Technical): Queries Google Gemini REST API.

Example: `.gemini Write a professional business email`

`.mistral` Aliases: `.mixtral`

VIP MEMBER

Syntax: `.mistral <Question>`

Description: Mistral AI coding and problem solving assistant.

> **Kaam aur Tareeqa (Roman Urdu):** Mistral AI se coding aur logic problems solve karwata hai.

Behind the Scenes (Technical): Queries Mistral inference gateway.

Example: `.mistral Write a python script to sort an array`

`.imagine` Aliases: `.aiimg`, `.aipic`, `.genimg`

VIP MEMBER

Syntax: `.imagine <Text Prompt>`

Description: Generates realistic AI artwork and photos from text.

> **Kaam aur Tareeqa (Roman Urdu):** Text prompt likh kar AI se naya realistic image generate karwata hai.

Behind the Scenes (Technical): Calls Stable Diffusion pipeline and returns high-resolution image.

Example: `.imagine White tiger in snowy mountains, cinematic lighting, 8k`

`.imagetoprompt` Aliases: `.itp`, `.imgprompt`

VIP MEMBER

Syntax: `.imagetoprompt (Replying to photo)`

Description: Converts an image into an AI descriptive prompt.

> **Kaam aur Tareeqa (Roman Urdu):** Photo ko dekh kar uska AI prompt description banata hai.

Behind the Scenes (Technical): Analyzes image with vision model and outputs textual description.

Example: `.imagetoprompt`

Chapter 6: Media Downloader Engines

Fast media extractors for YouTube, Instagram, Facebook, TikTok, Twitter, APKs, and cloud storage.

`.song` Aliases: `.play`, `.mp3`, `.ytmp3`

VIP MEMBER

Syntax: `.song <Song Name or YouTube Link>`

Description: Downloads YouTube music in high-quality 320kbps MP3.

> **Kaam aur Tareeqa (Roman Urdu):** YouTube se gaane ya audio ko search karke high-quality MP3 me bhejta hai.

Behind the Scenes (Technical): Fetches stream via yt-dlp API and extracts MP3 audio document.

Example: `.song Atif Aslam Tajdar e Haram`

`.video` Aliases: `.ytmp4`, `.ytv`, `.mp4`

VIP MEMBER

Syntax: `.video <Name or YouTube Link>`

Description: Downloads YouTube HD videos in MP4 format.

> **Kaam aur Tareeqa (Roman Urdu):** YouTube se HD video MP4 format me download karta hai.

Behind the Scenes (Technical): Queries YouTube CDN and returns MP4 video.

Example: `.video Beautiful nature 4k`

`.drama` Aliases: `.ytdoc`, `.videodoc`

VIP MEMBER

Syntax: `.drama <Name or Link>`

Description: Downloads long videos / drama episodes as documents.

> **Kaam aur Tareeqa (Roman Urdu):** Lambi videos aur drama episodes ko document format me bhejta hai taake quality kharab na ho.

Behind the Scenes (Technical): Dispatches video stream with asDocument: true.

Example: `.drama Kurulus Osman Episode 1`

`.instagram` Aliases: `.igdl`, `.insta`, `.ig`, `.ins`

VIP MEMBER

Syntax: `.instagram <Reel or Post Link>`

Description: Downloads Instagram reels, posts, and IGTV videos.

> **Kaam aur Tareeqa (Roman Urdu):** Instagram ki reels aur videos ko high speed me download karta hai.

Behind the Scenes (Technical): Queries Instagram scraper API and delivers MP4 media.

Example: `.instagram https://www.instagram.com/reel/C123456/`

`.tiktok` Aliases: `.tt`, `.ttdl`, `.tiktokdl`

VIP MEMBER

Syntax: `.tiktok <TikTok Link>`

Description: Downloads TikTok videos without watermark in HD.

> **Kaam aur Tareeqa (Roman Urdu):** TikTok video ko baghair kisi watermark (No Watermark) ke download karta hai.

Behind the Scenes (Technical): Extracts raw CDN stream bypassing watermark layer.

Example: `.tiktok https://vt.tiktok.com/ZS123456/`

`.fb` Aliases: `.facebook`, `.fbdl`

VIP MEMBER

Syntax: `.fb <Facebook Video Link>`

Description: Downloads Facebook videos and reels in HD quality.

> **Kaam aur Tareeqa (Roman Urdu):** Facebook ki public videos aur reels ko HD me download karta hai.

Behind the Scenes (Technical): Extracts Facebook CDN endpoints.

Example: `.fb https://www.facebook.com/watch/?v=12345`

`.twitter` Aliases: `.tw`, `.x`, `.xdl`, `.twitterdl`

VIP MEMBER

Syntax: `.twitter <X / Twitter Link>`

Description: Downloads Twitter / X videos and GIFs.

> **Kaam aur Tareeqa (Roman Urdu):** Twitter / X ki videos aur GIFs ko direct MP4 me download karta hai.

Behind the Scenes (Technical): Resolves best bitrate MP4 variant from Twitter syndication.

Example: `.twitter https://twitter.com/user/status/12345`

`.apk` Aliases: `.app`, `.playstore`

VIP MEMBER

Syntax: `.apk <App Name>`

Description: Downloads Android APK file directly.

> **Kaam aur Tareeqa (Roman Urdu):** Google Play Store / Aptoide se Android apps ki APK file download karta hai.

Behind the Scenes (Technical): Fetches direct APK package from Aptoide repository.

Example: `.apk WhatsApp`

.gdrive Aliases: .drive

VIP MEMBER

Syntax: `.gdrive <Google Drive Link>`

Description: Direct download link for Google Drive files.

> **Kaam aur Tareeqa (Roman Urdu):** Google Drive file ka direct download link deta hai.

Behind the Scenes (Technical): Resolves file ID and generates bypass download URL.

Example: `.gdrive https://drive.google.com/file/d/12345/view`

.mediafire Aliases: .mf

VIP MEMBER

Syntax: `.mediafire <Mediafire Link>`

Description: Extracts direct fast download link for Mediafire files.

> **Kaam aur Tareeqa (Roman Urdu):** Mediafire file ka direct fast download link nikaalta hai.

Behind the Scenes (Technical): Scrapes direct storage link from page.

Example: `.mediafire https://www.mediafire.com/file/abc/file.zip`

Chapter 7: Group Moderation Tools (When You Are Group Admin)

If you are promoted to WhatsApp Admin in any group, you can use these tools to manage and protect your group.

> **Admin Requirement:** You must be an actual WhatsApp Admin of the group to execute these commands.

`.mute` Aliases: `.close`, `.groupmute`

VIP MEMBER

Syntax: `.mute`

Description: Mutes group — only admins can send messages.

> **Kaam aur Tareeqa (Roman Urdu):** Group ko mute karta hai taake sirf admins bol sakein.

Behind the Scenes (Technical): Calls `sock.groupSettingUpdate(jid, "announcement")`.

Example: `.mute`

`.unmute` Aliases: `.open`, `.groupunmute`

VIP MEMBER

Syntax: `.unmute`

Description: Unmutes group — all members can send messages.

> **Kaam aur Tareeqa (Roman Urdu):** Group ko open karta hai taake sab members messages bhej sakein.

Behind the Scenes (Technical): Calls `sock.groupSettingUpdate(jid, "not_announcement")`.

Example: `.unmute`

`.kick` Aliases: `.remove`, `.k`

VIP MEMBER

Syntax: `.kick @user`

Description: Kicks unruly member from group.

> **Kaam aur Tareeqa (Roman Urdu):** Kisi badtameez member ko group se kick karta hai.

Behind the Scenes (Technical): Calls `sock.groupParticipantsUpdate(jid, [target], "remove")`.

Example: `.kick @user`

`.promote` Aliases: `.makeadmin`

VIP MEMBER

Syntax: `.promote @user`

Description: Promotes member to group admin.

> **Kaam aur Tareeqa (Roman Urdu):** Kisi member ko group admin banata hai.

Behind the Scenes (Technical): Calls `sock.groupParticipantsUpdate(jid, [target], "promote")`.

Example: `.promote @user`

.demote Aliases: .unadmin

VIP MEMBER

Syntax: `.demote @user`

Description: Demotes group admin to regular member.

> **Kaam aur Tareeqa (Roman Urdu):** Admin ko demote karke regular member banata hai.

Behind the Scenes (Technical): `Calls sock.groupParticipantsUpdate(jid, [target], "demote").`

Example: `.demote @user`

.adminlock Aliases: .lockadmin

VIP MEMBER

Syntax: `.adminlock on / off`

Description: Shields group from unauthorized admin promotions.

> **Kaam aur Tareeqa (Roman Urdu):** Admin lock on karta hai taake koi doosra admin kisi ko admin banaye to bot foran use demote kar de.

Behind the Scenes (Technical): `Listens to participant events and demotes unauthorized promotions.`

Example: `.adminlock on`

.antilink Aliases: None

VIP MEMBER

Syntax: `.antilink on / off`

Description: Auto-deletes group invite links and warns/kicks spammer.

> **Kaam aur Tareeqa (Roman Urdu):** Group link sharing rokta hai aur link bhejne walay ko kick karta hai.

Behind the Scenes (Technical): `Scans messages for chat.whatsapp.com and deletes offending packet.`

Example: `.antilink on`

.antibad Aliases: .badwords

VIP MEMBER

Syntax: `.antibad on / off`

Description: Filters profanity and abusive words.

> **Kaam aur Tareeqa (Roman Urdu):** Gaaliyon aur ghalat alfaz ke khilaf shield on karta hai.

Behind the Scenes (Technical): `Deletes messages matching bad-word dictionary.`

Example: `.antibad on`

.welcome Aliases: None

VIP MEMBER

Syntax: `.welcome on / off`

Description: Sends welcome card to new members joining group.

> **Kaam aur Tareeqa (Roman Urdu):** Naye members ko welcome card bhejta hai.

Behind the Scenes (Technical): Hooks into group participant add events.

Example: `.welcome on`

.bye Aliases: None

VIP MEMBER

Syntax: `.bye on / off`

Description: Sends goodbye message when members leave.

> **Kaam aur Tareeqa (Roman Urdu):** Members ke leave karne par goodbye message bhejta hai.

Behind the Scenes (Technical): Hooks into group participant remove events.

Example: `.bye on`

.requests Aliases: .requestlist

VIP MEMBER

Syntax: `.requests`

Description: Lists all pending group join requests.

> **Kaam aur Tareeqa (Roman Urdu):** Group me pending join requests ki list dikhata hai.

Behind the Scenes (Technical): Invokes `sock.groupRequestParticipantsList(jid)`.

Example: `.requests`

.acceptall Aliases: None

VIP MEMBER

Syntax: `.acceptall`

Description: Approves all pending join requests in one click.

> **Kaam aur Tareeqa (Roman Urdu):** Tamam pending requests ko accept karta hai.

Behind the Scenes (Technical): Calls `groupRequestParticipantsUpdate` with action `approve`.

Example: `.acceptall`

Chapter 8: Typography, Entertainment & Support

VIP users enjoy complete access to the 50 Unicode fonts, 42 entertainment games, and 90 official WhatsApp support unban appeals.

50 Unicode Typography Fonts

Type `.font<number> <Text>` (e.g. `.font1 Hello VIP`) to convert plain text into beautiful mathematical Unicode styles:

Fonts 1-13 (Mathematical): Bold (`.font1`), Italic (`.font2`), Bold Italic (`.font3`), Script Calligraphy (`.font4`), Royal Script (`.font5`), Fraktur Gothic (`.font6`), Bold Fraktur (`.font7`), Double-Struck Blackboard (`.font8`), Clean Sans (`.font9`), Serif Bold (`.font10`), Serif Italic (`.font11`), Monospace (`.font13`).
Fonts 14-24 (Special Glyphs): Small Caps (`.font14`), Fullwidth Aesthetic (`.font15`), Circled Numbers (`.font16`), Inverted Solid Circled (`.font17`), Square (`.font18`), Inverted Square (`.font19`), Regional Flags (`.font20`), Superscript (`.font21`), Upside Down Inverted (`.font23`), Mirror Reverse (`.font24`).
Fonts 25-34 (Diacritics & Strikethrough): Strikethrough (`.font25`), Double Underline (`.font26`), Overline (`.font28`), Slash Strike (`.font30`), Ring Above (`.font33`).
Fonts 35-50 (Aesthetic Frames): Sparkle (`.font35`), Floral (`.font36`), Diamond (`.font37`), Shield (`.font38`), Heart (`.font39`), Ribbon (`.font40`), Flame (`.font41`), Crown (`.font42`), Lightning (`.font43`), Music (`.font44`), Japanese Corners (`.font46`), Master Banner (`.font50`).

42 Interactive Fun Games

`.joke` (Hilarious joke), `.quote` (Inspirational quote), `.fact` (Science fact), `.truth` & `.dare` (Truth or dare), `.riddle` & `.riddleanswer` (Puzzles), `.8ball` (Magic oracle), `.coin` (Heads/Tails toss), `.dice` (Roll 1-6), `.ship` & `.love` (Compatibility score), `.roast` (Comedy roast), `.compliment`, `.rate`, `.wouldyourather`, `.pickup`, `.fortune`, `.luck`, `.quizfun`, `.emojiquiz`.

90 WhatsApp Official Support Unban Appeals

If your or a friend's number/group is restricted, generate professional appeal letters to send to `support@whatsapp.com`:

- **Group Unbans:** `.gcunban1` to `.gcunban30` (English, Urdu, Hindi, Arabic, Spanish, French, etc.)
- **Number Ban Appeals:** `.nounban1` to `.nounban30` (Multilingual ban appeal letters)
- **OTP Cooldown / SMS Errors:** `.otpunban1` to `.otpunban30` (Resolves SMS delivery timeouts)

Chapter 9: Master VIP A-Z Command Dictionary

Complete alphabetical index of all commands accessible to VIP users. All administrative and host configuration commands have been excluded.

Trigger	Type	Category	Operational Function
.❤️	Alias of .heart	owner	Alternate shortcut for .heart
.8ball	Primary Command	fun	Magic 8-ball random answer
.ab	Alias of .antibad	admin	Alternate shortcut for .antibad
.acceptall	Primary Command	group	Accepts all pending group join requests
.add	Primary Command	group	Add user to group
.addmember	Alias of .add	group	Alternate shortcut for .add
.adduser	Alias of .add	group	Alternate shortcut for .add
.adminbot	Alias of .botadmin	group	Alternate shortcut for .botadmin
.admincheck	Primary Command	group	Check admin status
.adminlock	Primary Command	admin	Enable/Disable AdminLock for this group
.adminlock_event	Primary Command	misc	No description
.admintest	Alias of .admincheck	group	Alternate shortcut for .admincheck
.agcs	Alias of .antigcstatus	admin	Alternate shortcut for .antigcstatus
.agm	Alias of .antigm	admin	Alternate shortcut for .antigm
.aiimg	Alias of .imagine	tools	Alternate shortcut for .imagine
.aipic	Alias of .imagine	tools	Alternate shortcut for .imagine
.alink	Alias of .antilink	admin	Alternate shortcut for .antilink
.alive	Primary Command	system	Check uptime and system status
.alive2	Primary Command	owner	Check if the bot is active.
.allmenu	Primary Command	system	Numbered category dashboard with interactive reply (1-13)
.allmenu_reply_listener	Primary Command	misc	No description
.alock	Alias of .adminlock	admin	Alternate shortcut for .adminlock
.anagram	Primary Command	group	Anagram

Trigger	Type	Category	Operational Function
`.antibad`	Primary Command	`admin`	🚫 Anti-Bad Words System for groups
`.antibad_handler`	Primary Command	`misc`	No description
`.antigcs`	Alias of .antigcstatus	`admin`	Alternate shortcut for .antigcstatus
`.antigcstatus`	Primary Command	`admin`	Enable/disable Anti-GC Status protection
`.antigm`	Primary Command	`admin`	📸 Block Group Status messages in groups
`.antigm_detector`	Primary Command	`misc`	No description
`.antigmstatus`	Alias of .antigm	`admin`	Alternate shortcut for .antigm
`.antilink`	Primary Command	`admin`	🔗 Anti-Link System for groups
`.antilink_handler`	Primary Command	`misc`	No description
`.antistatus`	Alias of .antigm	`admin`	Alternate shortcut for .antigm
`.antists`	Alias of .antigm	`admin`	Alternate shortcut for .antigm
`.apk`	Primary Command	`download`	Download APK via Aptoide
`.app`	Alias of .apk	`download`	Alternate shortcut for .apk
`.application`	Alias of .apk	`download`	Alternate shortcut for .apk
`.appr`	Alias of .approved	`admin`	Alternate shortcut for .approved
`.approv`	Alias of .approved	`admin`	Alternate shortcut for .approved
`.approve`	Alias of .approved	`admin`	Alternate shortcut for .approved
`.approved`	Primary Command	`admin`	Approve a specific number of pending group join requests
`.ask`	Alias of .chat	`ai`	Alternate shortcut for .chat
`.at`	Alias of .attp	`settings`	Alternate shortcut for .attp
`.atp`	Alias of .attp	`settings`	Alternate shortcut for .attp
`.att`	Alias of .attp	`settings`	Alternate shortcut for .attp
`.attp`	Primary Command	`settings`	Convert text into animated sticker
`.attptext`	Alias of .attp	`settings`	Alternate shortcut for .attp
`.audio`	Alias of .song	`download`	Alternate shortcut for .song
`.autogcoff`	Alias of .autogroupclose	`admin`	Alternate shortcut for .autogroupclose
`.autogcopen`	Alias of .autogroupopen	`admin`	Alternate shortcut for .autogroupopen

Trigger	Type	Category	Operational Function
`.autogroupclose`	Primary Command	admin	Set automatic group closing time
`.autogroupopen`	Primary Command	admin	Set automatic group opening time
`.autojoingroups_handler`	Primary Command	misc	No description
`.autoreact_event`	Primary Command	misc	No description
`.badfilter`	Alias of .antibad	admin	Alternate shortcut for .antibad
`.badword`	Alias of .antibad	admin	Alternate shortcut for .antibad
`.bard`	Alias of .gemini	ai	Alternate shortcut for .gemini
`.base64`	Primary Command	tools	Convert text to Base64
`.battitude`	Alias of .boyattitude	boys	Alternate shortcut for .boyattitude
`.battle`	Primary Command	group	Battle
`.bbio`	Alias of .boybio	boys	Alternate shortcut for .boybio
`.bc`	Alias of .bcgroup	owner	Alternate shortcut for .bcgroup
`.bcaption`	Alias of .boycaption	boys	Alternate shortcut for .boycaption
`.bcclear`	Primary Command	owner	Clear selected broadcast groups back to default (all groups)
`.bcgroup`	Primary Command	owner	Broadcast replied text, media, audio or voice note to groups with live progress
`.bcgroups`	Alias of .bcgroup	owner	Alternate shortcut for .bcgroup
`.bcgroupsel`	Alias of .bcsel	owner	Alternate shortcut for .bcsel
`.bcgroupslist`	Alias of .bclist	owner	Alternate shortcut for .bclist
`.bclist`	Primary Command	owner	List all eligible groups for broadcast with numbers for selection
`.bcompat`	Alias of .boycompat	boys	Alternate shortcut for .boycompat
`.bcp`	Alias of .bcprivate	owner	Alternate shortcut for .bcprivate
`.bcprivate`	Primary Command	owner	Broadcast to private chats with live progress
`.bcreset`	Alias of .bcclear	owner	Alternate shortcut for .bcclear
`.bcsel`	Primary Command	owner	Broadcast replied media or text ONLY to selected groups
`.bcselect`	Primary Command	owner	Select specific groups for broadcast by index number or range (e.g. 1,2,5 or 1-10)
`.bcselected`	Primary Command	owner	View the list of currently selected broadcast groups

Trigger	Type	Category	Operational Function
`.bcselectedgroup`	Alias of .bcsel	owner	Alternate shortcut for .bcsel
`.bcselection`	Alias of .bcselected	owner	Alternate shortcut for .bcselected
`.bcset`	Alias of .bcselect	owner	Alternate shortcut for .bcselect
`.bcstop`	Primary Command	owner	Stop an active group broadcast
`.bctargets`	Alias of .bcselected	owner	Alternate shortcut for .bcselected
`.bctargetslist`	Alias of .bclist	owner	Alternate shortcut for .bclist
`.bdare`	Alias of .boydare	boys	Alternate shortcut for .boydare
`.bhoroscope`	Alias of .boyhoroscope	boys	Alternate shortcut for .boyhoroscope
`.binary`	Primary Command	tools	Convert text to binary
`.bmotivation`	Alias of .boymotivation	boys	Alternate shortcut for .boymotivation
`.bobs`	Alias of .boobs	download	Alternate shortcut for .boobs
`.boobs`	Primary Command	download	Random Anime Girl Image
`.botadmin`	Primary Command	group	Make bot admin in group
`.botchat`	Alias of .chat	ai	Alternate shortcut for .chat
`.botpdf`	Alias of .manual	general	Alternate shortcut for .manual
`.botversion`	Alias of .version	system	Alternate shortcut for .version
`.boy_attitude`	Alias of .boyattitude	boys	Alternate shortcut for .boyattitude
`.boy_bio`	Alias of .boybio	boys	Alternate shortcut for .boybio
`.boy_caption`	Alias of .boycaption	boys	Alternate shortcut for .boycaption
`.boy_compat`	Alias of .boycompat	boys	Alternate shortcut for .boycompat
`.boy_dare`	Alias of .boydare	boys	Alternate shortcut for .boydare
`.boy_dp`	Alias of .boydp	boys	Alternate shortcut for .boydp
`.boy_horoscope`	Alias of .boyhoroscope	boys	Alternate shortcut for .boyhoroscope
`.boy_motivation`	Alias of .boymotivation	boys	Alternate shortcut for .boymotivation
`.boy_quote`	Alias of .boyquotes	boys	Alternate shortcut for .boyquotes
`.boy_truth`	Alias of .boytruth	boys	Alternate shortcut for .boytruth
`.boy_wall`	Alias of .boywallpaper	boys	Alternate shortcut for .boywallpaper

Trigger	Type	Category	Operational Function
`.boyattitude`	Primary Command	`boys`	Attitude quotes for boys
`.boybio`	Primary Command	`boys`	Bio ideas for boys
`.boycaption`	Primary Command	`boys`	Instagram captions for boys
`.boycompat`	Primary Command	`boys`	Friendship compatibility checker
`.boydare`	Primary Command	`boys`	Dare challenges for boys
`.boydp`	Primary Command	`boys`	Random boy profile picture
`.boyhoroscope`	Primary Command	`boys`	Daily horoscope for boys
`.boymotivation`	Primary Command	`boys`	Daily motivation for boys
`.boyquotes`	Primary Command	`boys`	Inspiring quotes for boys
`.boyspic`	Alias of .boydp	`boys`	Alternate shortcut for .boydp
`.boytruth`	Primary Command	`boys`	Truth questions for boys
`.boywall`	Alias of .boywallpaper	`boys`	Alternate shortcut for .boywallpaper
`.boywallpaper`	Primary Command	`boys`	Random boy wallpaper
`.bquote`	Alias of .boyquotes	`boys`	Alternate shortcut for .boyquotes
`.broadcast`	Alias of .bcgroup	`owner`	Alternate shortcut for .bcgroup
`.broadcastprivate`	Alias of .bcprivate	`owner`	Alternate shortcut for .bcprivate
`.btruth`	Alias of .boytruth	`boys`	Alternate shortcut for .boytruth
`.bye`	Primary Command	`admin`	Enable or disable goodbye messages for leaving members
`.byeall`	Alias of .end	`admin`	Alternate shortcut for .end
`.byeon`	Alias of .bye	`admin`	Alternate shortcut for .bye
`.calc`	Primary Command	`tools`	Calculate mathematical expressions safely
`.capitalize`	Primary Command	`tools`	Capitalize words
`.captain`	Primary Command	`group`	Team captain
`.categories`	Alias of .allmenu	`system`	Alternate shortcut for .allmenu
`.catmenu`	Alias of .allmenu	`system`	Alternate shortcut for .allmenu

Trigger	Type	Category	Operational Function
.challenge	Primary Command	fun	Random harmless challenge
.challenge	Primary Command	group	Challenge
.champion	Primary Command	group	Group champion
.chat	Primary Command	ai	Ask questions, understand topics, or get assistance with everyday tasks.
.chatgpt	Alias of .gpt	ai	Alternate shortcut for .gpt
.checkadmin	Alias of .admincheck	group	Alternate shortcut for .admincheck
.checkupdate	Alias of .version	system	Alternate shortcut for .version
.choose	Primary Command	fun	Random choice selector
.clearbc	Alias of .bcclear	owner	Alternate shortcut for .bcclear
.cleargcs	Alias of .gcsclear	owner	Alternate shortcut for .gcsclear
.clonebnsjdndznot	Alias of .pair	system	Alternate shortcut for .pair
.clonebot2	Alias of .pair2	system	Alternate shortcut for .pair2
.close	Primary Command	group	Close the group - only admins can send messages
.coin	Primary Command	fun	Flip a virtual coin
.coinflip	Alias of .coin	fun	Alternate shortcut for .coin
.compatibility	Primary Command	fun	Fun compatibility checker
.compliment	Primary Command	fun	Get a random positive compliment
.complimentme	Primary Command	fun	Get a direct compliment
.count	Primary Command	tools	Count characters and words
.d	Alias of .demote	admin	Alternate shortcut for .demote
.dadjoke	Primary Command	fun	Random dad joke
.dadmin	Alias of .disadmins	admin	Alternate shortcut for .disadmins
.dall	Alias of .disadmins	admin	Alternate shortcut for .disadmins
.dare	Primary Command	fun	Get a random fun Dare
.date	Primary Command	tools	Get current date

Trigger	Type	Category	Operational Function
`.decision`	Primary Command	`fun`	Random decision helper
`.decode64`	Primary Command	`tools`	Decode Base64 to text
`.define`	Primary Command	`tools`	Get dictionary definition
`.del`	Alias of .delete	`admin`	Alternate shortcut for .delete
`.dele`	Alias of .delete	`admin`	Alternate shortcut for .delete
`.delete`	Primary Command	`admin`	Delete replied message
`.demote`	Primary Command	`admin`	Demote a group admin
`.detective`	Primary Command	`group`	Detective game
`.dice`	Primary Command	`fun`	Roll a dice
`.dis`	Alias of .demote	`admin`	Alternate shortcut for .demote
`.disadmin`	Alias of .demote	`admin`	Alternate shortcut for .demote
`.disadmins`	Primary Command	`admin`	Demote all other admins in the group
`.disall`	Alias of .disadmins	`admin`	Alternate shortcut for .disadmins
`.diss`	Alias of .demote	`admin`	Alternate shortcut for .demote
`.dlt`	Alias of .delete	`admin`	Alternate shortcut for .delete
`.drama`	Primary Command	`download`	Download YouTube Video as Document
`.duel`	Primary Command	`group`	Duel
`.eightball`	Alias of .8ball	`fun`	Alternate shortcut for .8ball
`.emojify`	Primary Command	`fun`	Convert text to emoji-enhanced form
`.emojiquiz`	Primary Command	`fun`	Emoji guessing game
`.emojiquizanswer`	Primary Command	`fun`	Reveal emoji quiz answer
`.end`	Primary Command	`admin`	Kick all group members and all other admins
`.endgame`	Alias of .stopgame	`group`	Alternate shortcut for .stopgame
`.enhance`	Alias of .hd	`tools`	Alternate shortcut for .hd
`.expandurl`	Primary Command	`tools`	Expand a short URL
`.facebook`	Alias of .fb	`download`	Alternate shortcut for .fb

Trigger	Type	Category	Operational Function
`.fact`	Primary Command	`fun`	Get a random interesting fact
`.fastest`	Primary Command	`group`	Fastest member
`.fb`	Primary Command	`download`	Download a Facebook video from its link
`.fbdl`	Alias of .fb	`download`	Alternate shortcut for .fb
`.film`	Alias of .movie	`download`	Alternate shortcut for .movie
`.filterbad`	Alias of .antibad	`admin`	Alternate shortcut for .antibad
`.flip`	Alias of .coin	`fun`	Alternate shortcut for .coin
`.flirt`	Primary Command	`fun`	Random flirty line
`.font1`	Primary Command	`fonts`	Convert text to Font 1
`.font10`	Primary Command	`fonts`	Convert text to Font 10
`.font11`	Primary Command	`fonts`	Convert text to Font 11
`.font12`	Primary Command	`fonts`	Convert text to Font 12
`.font13`	Primary Command	`fonts`	Convert text to Font 13
`.font14`	Primary Command	`fonts`	Convert text to Font 14
`.font15`	Primary Command	`fonts`	Convert text to Font 15
`.font16`	Primary Command	`fonts`	Convert text to Font 16
`.font17`	Primary Command	`fonts`	Convert text to Font 17
`.font18`	Primary Command	`fonts`	Convert text to Font 18
`.font19`	Primary Command	`fonts`	Convert text to Font 19
`.font2`	Primary Command	`fonts`	Convert text to Font 2
`.font20`	Primary Command	`fonts`	Convert text to Font 20
`.font21`	Primary Command	`fonts`	Convert text to Font 21
`.font22`	Primary Command	`fonts`	Convert text to Font 22
`.font23`	Primary Command	`fonts`	Convert text to Font 23

Trigger	Type	Category	Operational Function
`.font24`	Primary Command	`fonts`	Convert text to Font 24
`.font25`	Primary Command	`fonts`	Convert text to Font 25
`.font26`	Primary Command	`fonts`	Convert text to Font 26
`.font27`	Primary Command	`fonts`	Convert text to Font 27
`.font28`	Primary Command	`fonts`	Convert text to Font 28
`.font29`	Primary Command	`fonts`	Convert text to Font 29
`.font3`	Primary Command	`fonts`	Convert text to Font 3
`.font30`	Primary Command	`fonts`	Convert text to Font 30
`.font31`	Primary Command	`fonts`	Convert text to Font 31
`.font32`	Primary Command	`fonts`	Convert text to Font 32
`.font33`	Primary Command	`fonts`	Convert text to Font 33
`.font34`	Primary Command	`fonts`	Convert text to Font 34
`.font35`	Primary Command	`fonts`	Convert text to Font 35
`.font36`	Primary Command	`fonts`	Convert text to Font 36
`.font37`	Primary Command	`fonts`	Convert text to Font 37
`.font38`	Primary Command	`fonts`	Convert text to Font 38
`.font39`	Primary Command	`fonts`	Convert text to Font 39
`.font4`	Primary Command	`fonts`	Convert text to Font 4
`.font40`	Primary Command	`fonts`	Convert text to Font 40
`.font41`	Primary Command	`fonts`	Convert text to Font 41
`.font42`	Primary Command	`fonts`	Convert text to Font 42
`.font43`	Primary Command	`fonts`	Convert text to Font 43

Trigger	Type	Category	Operational Function
`.font44`	Primary Command	`fonts`	Convert text to Font 44
`.font45`	Primary Command	`fonts`	Convert text to Font 45
`.font46`	Primary Command	`fonts`	Convert text to Font 46
`.font47`	Primary Command	`fonts`	Convert text to Font 47
`.font48`	Primary Command	`fonts`	Convert text to Font 48
`.font49`	Primary Command	`fonts`	Convert text to Font 49
`.font5`	Primary Command	`fonts`	Convert text to Font 5
`.font50`	Primary Command	`fonts`	Convert text to Font 50
`.font6`	Primary Command	`fonts`	Convert text to Font 6
`.font7`	Primary Command	`fonts`	Convert text to Font 7
`.font8`	Primary Command	`fonts`	Convert text to Font 8
`.font9`	Primary Command	`fonts`	Convert text to Font 9
`.fortune`	Primary Command	`fun`	Random fortune message
`.forward`	Primary Command	`owner`	Forward a message
`.friendship`	Primary Command	`fun`	Friendship percentage calculator
`.fuckall`	Alias of .end	`admin`	Alternate shortcut for .end
`.fwd`	Alias of .forward	`owner`	Alternate shortcut for .forward
`.gaesthetic`	Alias of .girlaesthetic	`girls`	Alternate shortcut for .girlaesthetic
`.games`	Primary Command	`group`	List games
`.gana`	Alias of .song	`download`	Alternate shortcut for .song
`.gavatar`	Alias of .girlavatar	`girls`	Alternate shortcut for .girlavatar
`.gbio`	Alias of .girlbio	`girls`	Alternate shortcut for .girlbio
`.gcaption`	Alias of .girlcaption	`girls`	Alternate shortcut for .girlcaption
`.gcompat`	Alias of .girlcompat	`girls`	Alternate shortcut for .girlcompat

Trigger	Type	Category	Operational Function
`.gcs`	Alias of .gcsstatus	`owner`	Alternate shortcut for .gcsstatus
`.gcsabort`	Alias of .gcsstop	`owner`	Alternate shortcut for .gcsstop
`.gcsclear`	Primary Command	`owner`	🗑️ Clear selected status groups back to default (all groups)
`.gcsgrouplist`	Alias of .gcslist	`owner`	Alternate shortcut for .gcslist
`.gcsgroups`	Alias of .gcslist	`owner`	Alternate shortcut for .gcslist
`.gcslist`	Primary Command	`owner`	📋 List all eligible groups for status broadcast with index numbers
`.gcsreset`	Alias of .gcsclear	`owner`	Alternate shortcut for .gcsclear
`.gcssel`	Primary Command	`owner`	📢 Broadcast status (with promo) ONLY to selected groups
`.gcsselect`	Primary Command	`owner`	🎯 Select specific groups for status broadcast (e.g. 1,2,5 or 1-10)
`.gcsselected`	Primary Command	`owner`	🔍 View the list of currently selected groups for status broadcast
`.gcsselectedstatus`	Alias of .gcssel	`owner`	Alternate shortcut for .gcssel
`.gcsselection`	Alias of .gcsselected	`owner`	Alternate shortcut for .gcsselected
`.gcsselstatus`	Alias of .gcssel	`owner`	Alternate shortcut for .gcssel
`.gcsset`	Alias of .gcsselect	`owner`	Alternate shortcut for .gcsselect
`.gcsstatus`	Primary Command	`owner`	📢 Broadcast status to all groups in the current session (with promo)
`.gcsstatussel`	Alias of .gcssel	`owner`	Alternate shortcut for .gcssel
`.gcsstop`	Primary Command	`owner`	🛑 Stop any active GCS broadcast
`.gcstatus`	Alias of .antigcstatus	`admin`	Alternate shortcut for .antigcstatus
`.gcsts`	Alias of .gcsstatus	`owner`	Alternate shortcut for .gcsstatus
`.gcunban1`	Primary Command	`whatsapp support`	Group Support Report (English)
`.gcunban10`	Primary Command	`whatsapp support`	Group Support Report (Malay)
`.gcunban11`	Primary Command	`whatsapp support`	Group Support Report (Spanish)
`.gcunban12`	Primary Command	`whatsapp support`	Group Support Report (Portuguese)
`.gcunban13`	Primary Command	`whatsapp support`	Group Support Report (French)
`.gcunban14`	Primary Command	`whatsapp support`	Group Support Report (German)

Trigger	Type	Category	Operational Function
`.gcunban15`	Primary Command	`whatsapp support`	Group Support Report (Italian)
`.gcunban16`	Primary Command	`whatsapp support`	Group Support Report (Dutch)
`.gcunban17`	Primary Command	`whatsapp support`	Group Support Report (Russian)
`.gcunban18`	Primary Command	`whatsapp support`	Group Support Report (Ukrainian)
`.gcunban19`	Primary Command	`whatsapp support`	Group Support Report (Polish)
`.gcunban2`	Primary Command	`whatsapp support`	Group Support Report (Urdu)
`.gcunban20`	Primary Command	`whatsapp support`	Group Support Report (Romanian)
`.gcunban21`	Primary Command	`whatsapp support`	Group Support Report (Greek)
`.gcunban22`	Primary Command	`whatsapp support`	Group Support Report (Czech)
`.gcunban23`	Primary Command	`whatsapp support`	Group Support Report (Slovak)
`.gcunban24`	Primary Command	`whatsapp support`	Group Support Report (Hungarian)
`.gcunban25`	Primary Command	`whatsapp support`	Group Support Report (Bulgarian)
`.gcunban26`	Primary Command	`whatsapp support`	Group Support Report (Serbian)
`.gcunban27`	Primary Command	`whatsapp support`	Group Support Report (Croatian)
`.gcunban28`	Primary Command	`whatsapp support`	Group Support Report (Bosnian)
`.gcunban29`	Primary Command	`whatsapp support`	Group Support Report (Slovenian)
`.gcunban3`	Primary Command	`whatsapp support`	Group Support Report (Hindi)
`.gcunban30`	Primary Command	`whatsapp support`	Group Support Report (Swedish)
`.gcunban4`	Primary Command	`whatsapp support`	Group Support Report (Arabic)
`.gcunban5`	Primary Command	`whatsapp support`	Group Support Report (Punjabi)
`.gcunban6`	Primary Command	`whatsapp support`	Group Support Report (Bengali)
`.gcunban7`	Primary Command	`whatsapp support`	Group Support Report (Persian)

Trigger	Type	Category	Operational Function
`.gcunban8`	Primary Command	`whatsapp support`	Group Support Report (Turkish)
`.gcunban9`	Primary Command	`whatsapp support`	Group Support Report (Indonesian)
`.gdare`	Alias of .girldare	`girls`	Alternate shortcut for .girldare
`.gemini`	Primary Command	`ai`	Send a question to the AI chat endpoint.
`.genimg`	Alias of .imagine	`tools`	Alternate shortcut for .imagine
`.getpaijsksnsr`	Alias of .pair	`system`	Alternate shortcut for .pair
`.getpair2`	Alias of .pair2	`system`	Alternate shortcut for .pair2
`.gfashion`	Alias of .girlfashion	`girls`	Alternate shortcut for .girlfashion
`.ghairstyle`	Alias of .girlhairstyle	`girls`	Alternate shortcut for .girlhairstyle
`.ghoroscope`	Alias of .girlhoroscope	`girls`	Alternate shortcut for .girlhoroscope
`.girl_aesthetic`	Alias of .girlaesthetic	`girls`	Alternate shortcut for .girlaesthetic
`.girl_avatar`	Alias of .girlavatar	`girls`	Alternate shortcut for .girlavatar
`.girl_bio`	Alias of .girlbio	`girls`	Alternate shortcut for .girlbio
`.girl_caption`	Alias of .girlcaption	`girls`	Alternate shortcut for .girlcaption
`.girl_compat`	Alias of .girlcompat	`girls`	Alternate shortcut for .girlcompat
`.girl_dare`	Alias of .girldare	`girls`	Alternate shortcut for .girldare
`.girl_dp`	Alias of .girldp	`girls`	Alternate shortcut for .girldp
`.girl_fashion`	Alias of .girlfashion	`girls`	Alternate shortcut for .girlfashion
`.girl_hairstyle`	Alias of .girlhairstyle	`girls`	Alternate shortcut for .girlhairstyle
`.girl_horoscope`	Alias of .girlhoroscope	`girls`	Alternate shortcut for .girlhoroscope
`.girl_love`	Alias of .girllove	`girls`	Alternate shortcut for .girllove
`.girl_makeup`	Alias of .girlmakeup	`girls`	Alternate shortcut for .girlmakeup
`.girl_motivation`	Alias of .girlmotivation	`girls`	Alternate shortcut for .girlmotivation
`.girl_outfit`	Alias of .girloutfit	`girls`	Alternate shortcut for .girloutfit
`.girl_poetry`	Alias of .girlpoetry	`girls`	Alternate shortcut for .girlpoetry
`.girl_portrait`	Alias of .girlportrait	`girls`	Alternate shortcut for .girlportrait

Trigger	Type	Category	Operational Function
`.girl_quote`	Alias of .girlquotes	girls	Alternate shortcut for .girlquotes
`.girl_recipe`	Alias of .girlrecipe	girls	Alternate shortcut for .girlrecipe
`.girl_sad`	Alias of .girlsad	girls	Alternate shortcut for .girlsad
`.girl_shayari`	Alias of .girlshayari	girls	Alternate shortcut for .girlshayari
`.girl_skincare`	Alias of .girlskincare	girls	Alternate shortcut for .girlskincare
`.girl_truth`	Alias of .girltruth	girls	Alternate shortcut for .girltruth
`.girl_username`	Alias of .girlusername	girls	Alternate shortcut for .girlusername
`.girl_wall`	Alias of .girlwallpaper	girls	Alternate shortcut for .girlwallpaper
`.girlaesthetic`	Primary Command	girls	Aesthetic girl images
`.girlavatar`	Primary Command	girls	Random girl avatar
`.girlbio`	Primary Command	girls	Bio ideas for girls
`.girlcaption`	Primary Command	girls	Instagram captions for girls
`.girlcompat`	Primary Command	girls	Love compatibility checker
`.girldare`	Primary Command	girls	Dare challenges for girls
`.girldp`	Primary Command	girls	Random girl profile picture
`.girlfashion`	Primary Command	girls	Fashion tips and outfit ideas
`.girlhairstyle`	Primary Command	girls	Hairstyle ideas for girls
`.girlhoroscope`	Primary Command	girls	Daily horoscope for girls
`.girllove`	Primary Command	girls	Love quotes for girls
`.girlmakeup`	Primary Command	girls	Makeup tips and ideas
`.girlmotivation`	Primary Command	girls	Daily motivation for girls
`.girloutfit`	Primary Command	girls	Random outfit suggestions
`.girlpoetry`	Primary Command	girls	Beautiful poetry for girls
`.girlportrait`	Primary Command	girls	Random portrait of a girl

Trigger	Type	Category	Operational Function
`.girlquotes`	Primary Command	`girls`	Inspirational quotes for girls
`.girlrecipe`	Primary Command	`girls`	Easy recipes for girls
`.girlsad`	Primary Command	`girls`	Emotional quotes for sad moments
`.girlshayari`	Primary Command	`girls`	Shayari for girls (Urdu poetry)
`.girlskincare`	Primary Command	`girls`	Basic skincare tips for girls
`.girlspic`	Alias of .girldp	`girls`	Alternate shortcut for .girldp
`.girltruth`	Primary Command	`girls`	Truth questions for girls
`.girlusername`	Primary Command	`girls`	Creative username ideas for girls
`.girlwall`	Alias of .girlwallpaper	`girls`	Alternate shortcut for .girlwallpaper
`.girlwallpaper`	Primary Command	`girls`	Random girl wallpaper
`.giveadmin`	Alias of .promote	`admin`	Alternate shortcut for .promote
`.giveadminbot`	Alias of .botadmin	`group`	Alternate shortcut for .botadmin
`.glove`	Alias of .girllove	`girls`	Alternate shortcut for .girllove
`.gmakeup`	Alias of .girlmakeup	`girls`	Alternate shortcut for .girlmakeup
`.gmotivation`	Alias of .girlmotivation	`girls`	Alternate shortcut for .girlmotivation
`.gn`	Alias of .guessnumber	`group`	Alternate shortcut for .guessnumber
`.goodbye`	Alias of .bye	`admin`	Alternate shortcut for .bye
`.goodbye_event`	Primary Command	`misc`	No description
`.googleai`	Alias of .gemini	`ai`	Alternate shortcut for .gemini
`.goutfit`	Alias of .girloutfit	`girls`	Alternate shortcut for .girloutfit
`.gpoetry`	Alias of .girlpoetry	`girls`	Alternate shortcut for .girlpoetry
`.gportrait`	Alias of .girlportrait	`girls`	Alternate shortcut for .girlportrait
`.gpstatus`	Alias of .gcsstatus	`owner`	Alternate shortcut for .gcsstatus
`.gpt`	Primary Command	`ai`	Ask an AI chat assistant a question.
`.gquote`	Alias of .girlquotes	`girls`	Alternate shortcut for .girlquotes

Trigger	Type	Category	Operational Function
`.grank`	Alias of .grouprank	group	Alternate shortcut for .grouprank
`.grclose`	Alias of .close	group	Alternate shortcut for .close
`.grecipe`	Alias of .girlrecipe	girls	Alternate shortcut for .girlrecipe
`.grmute`	Alias of .mute	group	Alternate shortcut for .mute
`.gropen`	Alias of .open	group	Alternate shortcut for .open
`.groupclose`	Alias of .close	group	Alternate shortcut for .close
`.groupdare`	Primary Command	group	Dare
`.groupinfo`	Primary Command	owner	Show info about current group
`.grouplink`	Primary Command	admin	Get Group Link
`.grouplist`	Alias of .bclist	owner	Alternate shortcut for .bclist
`.groupmute`	Alias of .mute	group	Alternate shortcut for .mute
`.groupopen`	Alias of .open	group	Alternate shortcut for .open
`.groupquiz`	Primary Command	group	Quiz
`.grouprank`	Primary Command	group	Rank members
`.groupstatus`	Alias of .gcsstatus	owner	Alternate shortcut for .gcsstatus
`.groupsts`	Alias of .gcsstatus	owner	Alternate shortcut for .gcsstatus
`.grouptruth`	Primary Command	group	Truth question
`.groupunmute`	Alias of .unmute	group	Alternate shortcut for .unmute
`.groupvote`	Primary Command	group	Group vote
`.grunmute`	Alias of .unmute	group	Alternate shortcut for .unmute
`.gsad`	Alias of .girlsad	girls	Alternate shortcut for .girlsad
`.gshayari`	Alias of .girlshayari	girls	Alternate shortcut for .girlshayari
`.gskincare`	Alias of .girlskincare	girls	Alternate shortcut for .girlskincare
`.gst`	Alias of .gcsstatus	owner	Alternate shortcut for .gcsstatus
`.gsts`	Alias of .gcsstatus	owner	Alternate shortcut for .gcsstatus
`.gtruth`	Alias of .girltruth	girls	Alternate shortcut for .girltruth
`.guessnumber`	Primary Command	group	Guess number

Trigger	Type	Category	Operational Function
`.guessword`	Primary Command	`group`	Guess word
`.guide`	Alias of .manual	`general`	Alternate shortcut for .manual
`.gusername`	Alias of .girlusername	`girls`	Alternate shortcut for .girlusername
`.gvote`	Alias of .groupvote	`group`	Alternate shortcut for .groupvote
`.gw`	Alias of .guessword	`group`	Alternate shortcut for .guessword
`.hd`	Primary Command	`tools`	Upscale an image to HD quality.
`.hdimg`	Alias of .hd	`tools`	Alternate shortcut for .hd
`.heart`	Primary Command	`owner`	Send Replied Media (including View Once) to Owner Inbox
`.heart-send`	Alias of .heart	`owner`	Alternate shortcut for .heart
`.help`	Alias of .menu	`system`	Alternate shortcut for .menu
`.hex`	Primary Command	`tools`	Convert text to hex
`.ig`	Alias of .instagram	`download`	Alternate shortcut for .instagram
`.ig2`	Alias of .igdl2	`download`	Alternate shortcut for .igdl2
`.ig3`	Primary Command	`download`	Download Instagram video
`.ig4`	Alias of .igdl4	`download`	Alternate shortcut for .igdl4
`.igdl`	Alias of .instagram	`download`	Alternate shortcut for .instagram
`.igdl2`	Primary Command	`download`	Download videos from Instagram (API v5)
`.igdl4`	Primary Command	`download`	Download videos from Instagram (Alternative API)
`.igvideo4`	Alias of .igdl4	`download`	Alternate shortcut for .igdl4
`.imagetoprompt`	Primary Command	`tools`	Convert an image into an AI text prompt.
`.imagine`	Primary Command	`tools`	Generate an AI image from a text prompt.
`.imgprompt`	Alias of .imagetoprompt	`tools`	Alternate shortcut for .imagetoprompt
`.imposter`	Alias of .impostor	`group`	Alternate shortcut for .impostor
`.impostor`	Primary Command	`group`	Find impostor
`.ins`	Alias of .instagram	`download`	Alternate shortcut for .instagram

Trigger	Type	Category	Operational Function
.inst	Alias of .instagram	download	Alternate shortcut for .instagram
.insta	Alias of .instagram	download	Alternate shortcut for .instagram
.insta3	Alias of .ig3	download	Alternate shortcut for .ig3
.insta4	Alias of .igdl4	download	Alternate shortcut for .igdl4
.instadl2	Alias of .igdl2	download	Alternate shortcut for .igdl2
.instagram	Primary Command	download	Download Instagram videos/reels
.instagram2	Alias of .igdl2	download	Alternate shortcut for .igdl2
.instagram3	Alias of .ig3	download	Alternate shortcut for .ig3
.instagram4	Alias of .igdl4	download	Alternate shortcut for .igdl4
.insult	Primary Command	fun	Harmless playful insult
.invite	Primary Command	admin	Get Group Invite Link
.itp	Alias of .imagetoprompt	tools	Alternate shortcut for .imagetoprompt
.joke	Primary Command	fun	Get a random funny joke
.json	Primary Command	tools	Format/validate JSON
.k	Alias of .kick	admin	Alternate shortcut for .kick
.kick	Primary Command	admin	Remove a group member
.kickall	Alias of .end	admin	Alternate shortcut for .end
.king	Primary Command	group	Group king
.leakvideo	Primary Command	download	Send random leak video
.leakvideo2	Primary Command	download	Send random leak video 2
.linkfilter	Alias of .antilink	admin	Alternate shortcut for .antilink
.list	Alias of .menu	system	Alternate shortcut for .menu
.live	Alias of .alive	system	Alternate shortcut for .alive
.lockadmin	Alias of .adminlock	admin	Alternate shortcut for .adminlock
.love	Primary Command	fun	Love percentage calculator
.lowercase	Primary Command	tools	Convert text to lowercase

Trigger	Type	Category	Operational Function
.luck	Primary Command	fun	Fun luck score
.lucky	Primary Command	group	Lucky member
.m	Alias of .menu	system	Alternate shortcut for .menu
.magic	Primary Command	fun	Magic-style random response
.makeadmin	Alias of .promote	admin	Alternate shortcut for .promote
.makebotadmin	Alias of .botadmin	group	Alternate shortcut for .botadmin
.manu	Alias of .menu	system	Alternate shortcut for .menu
.manual	Primary Command	general	Receive your official role-based PDF manual
.manualpdf	Alias of .manual	general	Alternate shortcut for .manual
.mention_handler	Primary Command	misc	No description
.menu	Primary Command	system	Role-specific categorized command list without descriptions
.mistral	Primary Command	ai	Get AI-generated assistance and explanations.
.mixtral	Alias of .mistral	ai	Alternate shortcut for .mistral
.mlikely	Alias of .mostlikely	group	Alternate shortcut for .mostlikely
.mock	Primary Command	fun	Convert text to alternating case
.mood	Primary Command	fun	Random fun mood result
.mostlikely	Primary Command	group	Most likely
.movie	Primary Command	download	Download YouTube Video as Document (Movie)
.mp3	Alias of .song	download	Alternate shortcut for .song
.music	Alias of .song	download	Alternate shortcut for .song
.mute	Primary Command	group	Mute the group - only admins can send messages
.myrank	Alias of .myrole	general	Alternate shortcut for .myrole
.myrole	Primary Command	general	Check your own role, permissions and access status
.mystatus	Alias of .myrole	general	Alternate shortcut for .myrole
.namesticker	Alias of .attp	settings	Alternate shortcut for .attp
.neverhave	Primary Command	group	Never Have I

Trigger	Type	Category	Operational Function
`.neverhavei`	Primary Command	`fun`	Never Have I Ever prompt
`.nolink`	Alias of .antilink	`admin`	Alternate shortcut for .antilink
`.nounban1`	Primary Command	`whatsapp support`	Number Ban Support Report (English)
`.nounban10`	Primary Command	`whatsapp support`	Number Ban Support Report (Malay)
`.nounban11`	Primary Command	`whatsapp support`	Number Ban Support Report (Spanish)
`.nounban12`	Primary Command	`whatsapp support`	Number Ban Support Report (Portuguese)
`.nounban13`	Primary Command	`whatsapp support`	Number Ban Support Report (French)
`.nounban14`	Primary Command	`whatsapp support`	Number Ban Support Report (German)
`.nounban15`	Primary Command	`whatsapp support`	Number Ban Support Report (Italian)
`.nounban16`	Primary Command	`whatsapp support`	Number Ban Support Report (Dutch)
`.nounban17`	Primary Command	`whatsapp support`	Number Ban Support Report (Russian)
`.nounban18`	Primary Command	`whatsapp support`	Number Ban Support Report (Ukrainian)
`.nounban19`	Primary Command	`whatsapp support`	Number Ban Support Report (Polish)
`.nounban2`	Primary Command	`whatsapp support`	Number Ban Support Report (Urdu)
`.nounban20`	Primary Command	`whatsapp support`	Number Ban Support Report (Romanian)
`.nounban21`	Primary Command	`whatsapp support`	Number Ban Support Report (Greek)
`.nounban22`	Primary Command	`whatsapp support`	Number Ban Support Report (Czech)
`.nounban23`	Primary Command	`whatsapp support`	Number Ban Support Report (Slovak)
`.nounban24`	Primary Command	`whatsapp support`	Number Ban Support Report (Hungarian)
`.nounban25`	Primary Command	`whatsapp support`	Number Ban Support Report (Bulgarian)
`.nounban26`	Primary Command	`whatsapp support`	Number Ban Support Report (Serbian)
`.nounban27`	Primary Command	`whatsapp support`	Number Ban Support Report (Croatian)
`.nounban28`	Primary Command	`whatsapp support`	Number Ban Support Report (Bosnian)

Trigger	Type	Category	Operational Function
`.nounban29`	Primary Command	`whatsapp support`	Number Ban Support Report (Slovenian)
`.nounban3`	Primary Command	`whatsapp support`	Number Ban Support Report (Hindi)
`.nounban30`	Primary Command	`whatsapp support`	Number Ban Support Report (Swedish)
`.nounban4`	Primary Command	`whatsapp support`	Number Ban Support Report (Arabic)
`.nounban5`	Primary Command	`whatsapp support`	Number Ban Support Report (Punjabi)
`.nounban6`	Primary Command	`whatsapp support`	Number Ban Support Report (Bengali)
`.nounban7`	Primary Command	`whatsapp support`	Number Ban Support Report (Persian)
`.nounban8`	Primary Command	`whatsapp support`	Number Ban Support Report (Turkish)
`.nounban9`	Primary Command	`whatsapp support`	Number Ban Support Report (Indonesian)
`.novel`	Primary Command	`download`	Download YouTube Video as Document (Novel)
`.numberbattle`	Primary Command	`group`	Number battle
`.online`	Primary Command	`group`	Check who's online in the group (Admins & Owner only)
`.onlinemembers`	Alias of .online	`group`	Alternate shortcut for .online
`.open`	Primary Command	`group`	Open the group - all members can send messages
`.openai`	Alias of .gpt	`ai`	Alternate shortcut for .gpt
`.otpunban1`	Primary Command	`whatsapp support`	OTP Support Report (English)
`.otpunban10`	Primary Command	`whatsapp support`	OTP Support Report (Malay)
`.otpunban11`	Primary Command	`whatsapp support`	OTP Support Report (Spanish)
`.otpunban12`	Primary Command	`whatsapp support`	OTP Support Report (Portuguese)
`.otpunban13`	Primary Command	`whatsapp support`	OTP Support Report (French)
`.otpunban14`	Primary Command	`whatsapp support`	OTP Support Report (German)
`.otpunban15`	Primary Command	`whatsapp support`	OTP Support Report (Italian)
`.otpunban16`	Primary Command	`whatsapp support`	OTP Support Report (Dutch)

Trigger	Type	Category	Operational Function
`.otpunban17`	Primary Command	`whatsapp support`	OTP Support Report (Russian)
`.otpunban18`	Primary Command	`whatsapp support`	OTP Support Report (Ukrainian)
`.otpunban19`	Primary Command	`whatsapp support`	OTP Support Report (Polish)
`.otpunban2`	Primary Command	`whatsapp support`	OTP Support Report (Urdu)
`.otpunban20`	Primary Command	`whatsapp support`	OTP Support Report (Romanian)
`.otpunban21`	Primary Command	`whatsapp support`	OTP Support Report (Greek)
`.otpunban22`	Primary Command	`whatsapp support`	OTP Support Report (Czech)
`.otpunban23`	Primary Command	`whatsapp support`	OTP Support Report (Slovak)
`.otpunban24`	Primary Command	`whatsapp support`	OTP Support Report (Hungarian)
`.otpunban25`	Primary Command	`whatsapp support`	OTP Support Report (Bulgarian)
`.otpunban26`	Primary Command	`whatsapp support`	OTP Support Report (Serbian)
`.otpunban27`	Primary Command	`whatsapp support`	OTP Support Report (Croatian)
`.otpunban28`	Primary Command	`whatsapp support`	OTP Support Report (Bosnian)
`.otpunban29`	Primary Command	`whatsapp support`	OTP Support Report (Slovenian)
`.otpunban3`	Primary Command	`whatsapp support`	OTP Support Report (Hindi)
`.otpunban30`	Primary Command	`whatsapp support`	OTP Support Report (Swedish)
`.otpunban4`	Primary Command	`whatsapp support`	OTP Support Report (Arabic)
`.otpunban5`	Primary Command	`whatsapp support`	OTP Support Report (Punjabi)
`.otpunban6`	Primary Command	`whatsapp support`	OTP Support Report (Bengali)
`.otpunban7`	Primary Command	`whatsapp support`	OTP Support Report (Persian)
`.otpunban8`	Primary Command	`whatsapp support`	OTP Support Report (Turkish)
`.otpunban9`	Primary Command	`whatsapp support`	OTP Support Report (Indonesian)

Trigger	Type	Category	Operational Function
.owner	Primary Command	owner	Contacter le créateur
.owneradmin_event	Primary Command	misc	No description
.p	Alias of .promote	admin	Alternate shortcut for .promote
.pair	Primary Command	system	Get pairing code for WA Ultimate Bot bot
.pair2	Primary Command	system	Get pairing code for WA Ultimate Bot bot
.pairing	Alias of .pair	system	Alternate shortcut for .pair
.partner	Primary Command	group	Find partner
.password	Primary Command	tools	Generate random password
.pdf	Alias of .manual	general	Alternate shortcut for .manual
.pick	Primary Command	group	Pick a random member
.pickup	Primary Command	fun	Random pickup line
.pin	Alias of .pinterest	download	Alternate shortcut for .pinterest
.pindl	Alias of .pinterest	download	Alternate shortcut for .pinterest
.ping	Primary Command	system	⚡ Live ping speed monitor
.pinimg	Alias of .pinterestimg	download	Alternate shortcut for .pinterestimg
.pinterest	Primary Command	download	Download Pinterest Image or Video
.pinterestimg	Primary Command	download	Download Pinterest Image
.pinterestvid	Primary Command	download	Download Pinterest Video
.pinvideo	Alias of .pinterestvid	download	Alternate shortcut for .pinterestvid
.play	Alias of .song	download	Alternate shortcut for .song
.playstore	Alias of .apk	download	Alternate shortcut for .apk
.playvideo	Alias of .video	download	Alternate shortcut for .video
.predict	Primary Command	fun	Fun prediction message
.pro	Alias of .promote	admin	Alternate shortcut for .promote
.profile	Alias of .myrole	general	Alternate shortcut for .myrole
.promote	Primary Command	admin	Promote a user to admin

Trigger	Type	Category	Operational Function
`.pun`	Primary Command	`fun`	Random wordplay/pun
`.puzzle`	Alias of .riddle	`fun`	Alternate shortcut for .riddle
`.qr`	Primary Command	`tools`	Generate QR Code
`.queen`	Primary Command	`group`	Group queen
`.quizanswer`	Primary Command	`fun`	Reveal quiz answer
`.quizfun`	Primary Command	`fun`	Random trivia question
`.quote`	Primary Command	`fun`	Get a random inspirational quote
`.random`	Primary Command	`fun`	Generate a random number
`.randomgame`	Primary Command	`group`	Random game
`.rate`	Primary Command	`fun`	Fun rating generator
`.readqr`	Primary Command	`tools`	Read/decode QR image
`.regex`	Primary Command	`tools`	Test regular expression safely
`.reject`	Primary Command	`admin`	Reject Join Request
`.rejectall`	Primary Command	`group`	Rejects all pending group join requests
`.remove`	Alias of .kick	`admin`	Alternate shortcut for .kick
`.removespace`	Alias of .removeSpace	`tools`	Alternate shortcut for .removeSpace
`.removeSpace`	Primary Command	`tools`	Remove unnecessary whitespace
`.reqpair`	Alias of .pair2	`system`	Alternate shortcut for .pair2
`.requestlist`	Primary Command	`group`	Shows pending group join requests
`.requests`	Primary Command	`admin`	View Join Requests
`.resetlink`	Primary Command	`admin`	Reset Group Link
`.reverse`	Primary Command	`tools`	Reverse text
`.riddle`	Primary Command	`fun`	Get a random riddle
`.riddleanswer`	Primary Command	`fun`	Reveal riddle answer

Trigger	Type	Category	Operational Function
`.roast`	Primary Command	`fun`	Get a harmless playful roast
`.rockpaperscissors`	Alias of .rps	`group`	Alternate shortcut for .rps
`.role`	Alias of .myrole	`general`	Alternate shortcut for .myrole
`.roll`	Alias of .dice	`fun`	Alternate shortcut for .dice
`.rps`	Primary Command	`group`	Rock Paper Scissors
`.score`	Primary Command	`group`	Game status
`.scramble`	Primary Command	`group`	Unscramble
`.screenshot`	Primary Command	`settings`	Take full HD desktop screenshot of a website
`.selectbc`	Alias of .bcselect	`owner`	Alternate shortcut for .bcselect
`.selectgcs`	Alias of .gcsselect	`owner`	Alternate shortcut for .gcsselect
`.send-to-owner`	Alias of .heart	`owner`	Alternate shortcut for .heart
`.setantilinkwarn`	Primary Command	`settings`	Set a custom AntiLink warning message for the current group
`.setbcgroups`	Alias of .bcselect	`owner`	Alternate shortcut for .bcselect
`.setdesc`	Primary Command	`admin`	Change Group Description
`.setgcsgroups`	Alias of .gcsselect	`owner`	Alternate shortcut for .gcsselect
`.setgoodbye`	Primary Command	`settings`	Set a custom goodbye message
`.setwelcome`	Primary Command	`settings`	Set a custom welcome message
`.ship`	Primary Command	`fun`	Fun compatibility result for two names
`.shorturl`	Primary Command	`tools`	Shorten a URL
`.sitepic`	Alias of .screenshot	`settings`	Alternate shortcut for .screenshot
`.song`	Primary Command	`download`	YouTube search & MP3 play
`.speed`	Primary Command	`group`	Speed challenge
`.spell`	Primary Command	`tools`	Spell check
`.spy`	Primary Command	`group`	Spy game
`.ss`	Alias of .screenshot	`settings`	Alternate shortcut for .screenshot
`.status`	Alias of .alive	`system`	Alternate shortcut for .alive

Trigger	Type	Category	Operational Function
`.statusclear`	Alias of .gcsclear	owner	Alternate shortcut for .gcsclear
`.statusgroups`	Alias of .gcslist	owner	Alternate shortcut for .gcslist
`.statuslist`	Alias of .gcslist	owner	Alternate shortcut for .gcslist
`.statussaver_event`	Primary Command	misc	No description
`.statusselect`	Alias of .gcsselect	owner	Alternate shortcut for .gcsselect
`.statusselected`	Alias of .gcsselected	owner	Alternate shortcut for .gcsselected
`.statustargets`	Alias of .gcsselected	owner	Alternate shortcut for .gcsselected
`.stickername`	Alias of .attp	settings	Alternate shortcut for .attp
`.stopbc`	Alias of .bcstop	owner	Alternate shortcut for .bcstop
`.stopbroadcast`	Alias of .bcstop	owner	Alternate shortcut for .bcstop
`.stopgame`	Primary Command	group	Stop game
`.stopgcs`	Alias of .gcsstop	owner	Alternate shortcut for .gcsstop
`.stopgcsme`	Alias of .gcsstop	owner	Alternate shortcut for .gcsstop
`.stopgcsstatus`	Alias of .gcsstop	owner	Alternate shortcut for .gcsstop
`.storyfun`	Primary Command	fun	Random funny short story
`.team`	Primary Command	group	Create teams
`.textsticker`	Alias of .attp	settings	Alternate shortcut for .attp
`.tiktok`	Primary Command	download	Download TikTok Video
`.tiktokdl`	Alias of .tiktok	download	Alternate shortcut for .tiktok
`.time`	Primary Command	tools	Get current time
`.timestamp`	Primary Command	tools	Get Unix timestamp
`.timezone`	Primary Command	tools	Get time in specific timezone
`.tomp3`	Primary Command	tools	Convert video to MP3 audio
`.toprompt`	Alias of .imagetoprompt	tools	Alternate shortcut for .imagetoprompt
`.translate`	Primary Command	tools	Translate text
`.treasure`	Primary Command	group	Treasure hunt
`.truth`	Primary Command	fun	Get a random Truth question

Trigger	Type	Category	Operational Function
`.truthdare`	Primary Command	`fun`	Random Truth or Dare picker
`.tt`	Alias of .tiktok	`download`	Alternate shortcut for .tiktok
`.ttdl`	Alias of .tiktok	`download`	Alternate shortcut for .tiktok
`.tw`	Alias of .twitter	`download`	Alternate shortcut for .twitter
`.twitter`	Primary Command	`download`	Download Twitter / X Videos
`.twitterdl`	Alias of .twitter	`download`	Alternate shortcut for .twitter
`.unbinary`	Primary Command	`tools`	Convert binary to text
`.unhex`	Primary Command	`tools`	Convert hex to text
`.unlucky`	Primary Command	`group`	Unlucky member
`.unmute`	Primary Command	`group`	Unmute the group - all members can send messages
`.up`	Alias of .uptime	`system`	Alternate shortcut for .uptime
`.uppercase`	Primary Command	`tools`	Convert text to uppercase
`.upscale`	Alias of .hd	`tools`	Alternate shortcut for .hd
`.uptime`	Primary Command	`system`	Vérifier l'uptime et la RAM
`.urldecode`	Primary Command	`tools`	URL Decode text
`.urlencode`	Primary Command	`tools`	URL Encode text
`.usermanual`	Alias of .manual	`general`	Alternate shortcut for .manual
`.uuid`	Primary Command	`tools`	Generate UUID
`.version`	Primary Command	`system`	Show the running bot version and check for a newer GitHub version
`.versus`	Primary Command	`group`	Versus
`.vid`	Alias of .video	`download`	Alternate shortcut for .video
`.vid1`	Alias of .video1	`download`	Alternate shortcut for .video1
`.video`	Primary Command	`download`	Download YouTube Video (Fast)
`.video1`	Primary Command	`download`	Download YouTube Video
`.video2mp3`	Alias of .tomp3	`tools`	Alternate shortcut for .tomp3
`.videodoc`	Alias of .drama	`download`	Alternate shortcut for .drama
`.view`	Alias of .vv	`owner`	Alternate shortcut for .vv

Trigger	Type	Category	Operational Function
`.viewonce`	Alias of .vv	owner	Alternate shortcut for .vv
`.vmp3`	Alias of .tomp3	tools	Alternate shortcut for .tomp3
`.vs`	Alias of .versus	group	Alternate shortcut for .versus
`.vv`	Primary Command	owner	Retrieve view-once media (Owner only)
`.webshot`	Alias of .screenshot	settings	Alternate shortcut for .screenshot
`.welcome`	Primary Command	admin	Enable or disable welcome messages for group
`.welcome_event`	Primary Command	misc	No description
`.welcomeon`	Alias of .welcome	admin	Alternate shortcut for .welcome
`.wg`	Alias of .wouldgroup	group	Alternate shortcut for .wouldgroup
`.whoami`	Alias of .myrole	general	Alternate shortcut for .myrole
`.whosonline`	Alias of .online	group	Alternate shortcut for .online
`.winner`	Primary Command	group	Declare winner
`.wordbattle`	Primary Command	group	Word battle
`.wouldgroup`	Primary Command	group	Would you rather
`.wouldyourather`	Primary Command	fun	Random Would You Rather question
`.wyr`	Alias of .wouldyourather	fun	Alternate shortcut for .wouldyourather
`.x`	Alias of .twitter	download	Alternate shortcut for .twitter
`.xboobs`	Alias of .boobs	download	Alternate shortcut for .boobs
`.xdl`	Alias of .twitter	download	Alternate shortcut for .twitter
`.xdown`	Alias of .twitter	download	Alternate shortcut for .twitter
`.xgirl`	Primary Command	download	Random Anime Girl Image
`.xgirls`	Alias of .xgirl	download	Alternate shortcut for .xgirl
`.ximg`	Alias of .xgirl	download	Alternate shortcut for .xgirl
`.ytdoc`	Alias of .drama	download	Alternate shortcut for .drama
`.ytdocmovie`	Alias of .movie	download	Alternate shortcut for .movie
`.ytdocnovel`	Alias of .novel	download	Alternate shortcut for .novel
`.ytmp3`	Alias of .song	download	Alternate shortcut for .song
`.yts`	Primary Command	download	Search videos on YouTube

Trigger	Type	Category	Operational Function
`.ytsearch`	Alias of .yts	`download`	Alternate shortcut for .yts
`.ytv`	Alias of .video1	`download`	Alternate shortcut for .video1