

ChuA.ERP

End-User Documentation

Phase 5 — MVC UI (v1 API)

Generated 2026-05-22

Table of Contents

ChuA.ERP — Documentation	14
Offline formats (Word & PDF)	14
How this library is organised	14
Site map	15
Document conventions	15
Release & version note	16
Localisation & accessibility	16
1. Introduction	17
Table of Contents	17
What is ChuA.ERP?	17
Why an integrated ERP?	17
Supported departments	17
Major modules	18
User roles at a glance	19
Benefits	19
How this manual is organised	19
2. Getting Started	21
Table of Contents	21
Browser requirements	21
Supported devices	21
Receiving your account	22
First sign-in	22
Password policy	22
Multi-factor authentication (MFA)	22
Session timeout and idle expiry	23
Account lockout	23
Security reminders	23
Where to go next	24
3. Logging In	25
Table of Contents	25
Sign-in methods	25

Standard sign-in	25
Single sign-on (SSO)	25
Multi-factor authentication	26
Resetting your password	27
Forgotten user name	27
Signing out	27
Switching companies	27
Common sign-in errors	28
4. Navigation	29
Table of Contents	29
Page anatomy	29
Top bar	29
Sidebar navigation	30
Breadcrumbs	30
Main content area	30
Toasts and feedback	31
Footer	31
Quick actions	31
Keyboard shortcuts	32
Mobile / responsive layout	32
Global search	32
Notifications panel	32
5. Dashboard	33
Table of Contents	33
Purpose	33
Default layout	33
KPI tiles	33
Drill-down	34
Health banner	34
Role-specific dashboards	34
Customisation	35
Refresh behaviour	35
Frequently asked questions	35

6. User Profile & Preferences	37
Table of Contents	37
Opening your profile	37
What the profile shows	37
Changing your password	37
MFA management	38
Display preferences	38
Active company	38
Why you cannot change every field	39
7. Notifications	40
Table of Contents	40
What counts as a notification	40
Where notifications appear today	40
In-page toasts	40
Email notifications	41
Push notifications panel	41
Per-event preferences	42
Frequently asked questions	42
8. Workflow & Approvals	43
Table of Contents	43
What is a workflow approval?	43
Approval queues	43
Approval routing	44
Sequential vs parallel approval	44
Approving a task	44
Rejecting a task	45
Reassignment	45
Delegation	46
Escalation	46
Workflow comments	46
Approval history	47
Worked examples	47
Best practices	48

9. Reports & Exports	49
Table of Contents	49
How reports are organised	49
Running a report	49
Report parameters	49
Viewing report output	50
Exporting	50
Saved reports	51
Scheduled reports	51
Printing	51
Permissions	51
Standard reports catalogue	51
Troubleshooting	52
10. Search & Filtering	53
Table of Contents	53
Per-module search	53
Filter rows	54
Sorting	54
Pagination	54
Search operators (planned)	55
Saved filters (planned)	55
Global search (planned)	55
Examples	55
11. Attachments & Documents	57
Table of Contents	57
Overview	57
What you can attach today	57
Roadmap	57
File-handling policy	58
Best practices in the interim	58
Auditability of external attachments	59
12. Audit History	60
Table of Contents	60

What is recorded	60
Where to find audit info	60
Document-level history	61
Workflow history	61
User & role change history	61
Correlation ids	62
Retention	62
Exporting audit data	62
Worked example — investigating a discrepancy	62
Audit best practices	63
Purchasing Module	64
Table of Contents	64
Overview	64
Who uses it	64
Permissions	65
Vendors	65
Purchase Requisitions	66
Purchase Orders	66
Receiving goods	68
Bills (Vendor invoices)	68
Paying bills	69
Returns	70
Approval workflows	70
Reports	70
Worked scenarios	71
Common mistakes & validation rules	72
FAQ	72
Sales Module	73
Table of Contents	73
Overview	73
Who uses it	73
Permissions	74
Customers	74

Quotes	75
Sales Orders	75
Shipping	76
Invoices	76
Applying customer payments	77
Returns	78
Credit holds	78
Order tracking	78
Reports	78
Worked scenarios	78
Common mistakes & validation rules	79
FAQ	79
Inventory Module	81
Table of Contents	81
Overview	81
Who uses it	81
Permissions	82
Items	82
Warehouses	82
Stock balances	83
Stock transfers	83
Inventory adjustments	83
Cycle counts	84
Lot tracking	84
Serial tracking	84
Reorder levels	84
Importing items	85
Inventory valuation	85
Worked scenarios	85
Best practices	86
FAQ	86
Finance Module	87
Table of Contents	87

Overview	87
Who uses it	87
Permissions	88
Chart of Accounts	88
Journal Entries	89
Posting journal entries	90
Reversing entries	91
Accounts Payable	91
Accounts Receivable	91
General Ledger	91
Fiscal periods	91
Trial Balance	92
Financial Statements	92
Bank Reconciliation	92
Worked scenarios	92
Best practices	93
FAQ	94
CRM Module	95
Table of Contents	95
Purpose	95
Relationship to the Sales module	95
Roadmap features	96
Leads	96
Opportunities	96
Contacts	97
Activities	97
Notes	97
Tasks	97
Customer interactions timeline	98
Migration from external CRMs	98
Interim workarounds	98
Workflow Engine	99
Table of Contents	99

Overview	99
Two halves of workflow	99
Anatomy of an approval rule	100
Routing strategies	100
Approval limits and thresholds	100
Escalation policies	101
Delegation rules	101
SLA tracking	101
Configuring rules (admin)	101
Best practices	102
FAQ	102
Administrator Guide — Overview	104
Table of Contents	104
Who is an administrator?	104
Administrative areas	104
User management	105
Role management	106
Permission management	106
Tenant / company management	106
Notification settings	107
Audit logs	107
Day-to-day admin checklist	107
Onboarding a new user	107
Offboarding a leaver	108
System Settings	109
Table of Contents	109
Categories of settings	109
Tenant identity	109
API & integration settings	110
Authentication settings	110
Session settings	110
Approval & workflow settings	111
Notification settings	111

Audit & retention settings	111
Currency settings	111
Fiscal-period settings	112
Branding settings	112
Feature flags	112
Change-management process	112
Multi-Tenant / Company Switching	114
Table of Contents	114
Concepts: tenant vs company	114
How multi-company works for users	114
Switching companies	115
Creating a new company	115
Granting a user access to a company	115
Cross-company restrictions	116
Reporting across companies	116
Deactivating a company	116
Common scenarios	116
Pitfalls	117
Security & Permissions	118
Table of Contents	118
Overview	118
Roles	118
Permission catalogue	119
Permission → role mapping recipes	120
How permission checks work	122
Access denied behaviour	122
Authentication mechanics	122
Session cookies	123
Token handling for API calls	123
Audit & detection	123
Security checklist for admins	124
Quick-Start Guide	125
Table of Contents	125

Before you begin	125
Sign in	125
Find your way around	125
Check your queue	126
Try a read-only action	126
Try a write action (if your role permits)	126
Where to go next	127
Troubleshooting	128
Table of Contents	128
Sign-in problems	128
Permission / access denied	129
Approval issues	129
Forms not saving	130
Data not appearing	130
Slow pages	131
Browser issues	131
Session timeout problems	131
Reports	132
Inventory discrepancies	132
Payment issues	132
Workflow stuck	133
Frequently Asked Questions	134
Table of Contents	134
Sign-in & account	134
Permissions	134
Approvals	135
Purchasing & AP	135
Sales & AR	135
Inventory	136
Finance & GL	136
Reports	136
Multi-company	137
Performance & reliability	137

Mobile	137
Help & support	137
Glossary	138
A	138
B	138
C	138
D	139
E	139
F	139
G	140
H	140
I	140
J	140
K	140
L	140
M	140
N	141
O	141
P	141
Q	141
R	141
S	141
T	142
U	142
V	142
W	142
Acronyms summary	142
Role-Based Guides	144
Table of Contents	144
AP Clerk / AP Manager	144
AR Clerk / AR Manager	145
Buyer / Procurement Manager	145
Sales Rep / Sales Manager	146

Warehouse	147
Accountant / Controller	147
Approver (Manager, Director, VP)	148
Company Admin	149
System Admin	149
Auditor / Compliance	150
Executive	150

ChuA.ERP — Documentation

Welcome to the **ChuA.ERP** documentation library. This site is written for the people who use the system every day — accounting staff, purchasing buyers, inventory clerks, sales representatives, finance analysts, approvers, and system administrators. It is **not** a developer manual.

The documentation is structured so it can be: - Exported to PDF for offline training and SOP binders - Published to Confluence, SharePoint, or any internal wiki - Indexed by a help-desk knowledge base - Used for onboarding new hires - Referenced ad-hoc by experienced users

Offline formats (Word & PDF)

Combined, single-file renderings of this entire library are available for distribution and printing:

File	Format	Notes
ChuA.ERP-User-Documentation.docx	Microsoft Word	Open in Word; right-click the Table of Contents → Update Field to populate page numbers
ChuA.ERP-User-Documentation.pdf	PDF	~150 pages, with live Table of Contents and page numbers

Note — These two files are **generated** from the Markdown sources by `build-docs.py`; do not edit them by hand. After changing any Markdown page, regenerate with `python docs/build-docs.py` (requires `pip install markdown beautifulsoup4 python-docx reportlab`). Mermaid diagrams render as labelled source boxes in the offline formats because no diagram engine is bundled; they render graphically in Markdown viewers that support Mermaid.

How this library is organised

Library section	Audience	When to read it
Quick Start Guide	Brand new users	Your first 30 minutes in ChuA.ERP
User Guide	Everyone	Cross-cutting features: login, navigation, dashboards, approvals, reports, search, etc.
Module Guides	Department staff	Deep-dive guides for Purchasing, Sales, Inventory, Finance, CRM, and the Workflow Engine
Administrator Guide	IT, security, system admins	User and role management, multi-tenant, system settings, audit log
Role-Based Guides	Each functional role	"I'm an AP clerk — what do I need to know?" condensed reference for each role
Troubleshooting	Help-desk & end users	Symptom → cause → fix tables for common problems
FAQ	Everyone	Quick answers to the most frequently asked questions

Library section	Audience	When to read it
Glossary	Everyone	ERP and accounting terminology

Site map

User Guide

- [1 Introduction](#)
- [2 Getting Started](#)
- [3 Logging In](#)
- [4 Navigation](#)
- [5 Dashboard](#)
- [6 User Profile & Preferences](#)
- [7 Notifications](#)
- [8 Workflow & Approvals](#)
- [9 Reports & Exports](#)
- [10 Search & Filtering](#)
- [11 Attachments & Documents](#)
- [12 Audit History](#)

Module Guides

- [Purchasing](#)
- [Sales](#)
- [Inventory](#)
- [Finance](#)
- [CRM](#)
- [Workflow Engine](#)

Administrator Guide

- [Administration overview](#)
- [System Settings](#)
- [Multi-Tenant / Company Switching](#)
- [Security & Permissions](#)

Reference

- [Quick-Start Guide](#)
- [Role-Based Guides](#)
- [Troubleshooting](#)
- [FAQ](#)
- [Glossary](#)

Document conventions

Throughout the library we use these markers:

Note — A clarification or piece of context the reader may find useful.

Tip — A best-practice shortcut or recommendation.

Warning — An irreversible action or a step that, if skipped, will cause problems downstream.

Permission required — Lists which authorisation policies a user needs to perform the action.

[SCREENSHOT: Description] placeholders mark where screenshots should be inserted by your documentation team when localising or republishing.

Code, button names and field names appear like this. **Menu paths** look like *Purchasing > Purchase Orders > New*.

Release & version note

This documentation corresponds to **ChuA.ERP — Phase 5** (the ASP.NET Core MVC user interface running against the v1 API). Some features described here are forward-looking — they are part of the enterprise roadmap and may not yet be generally available in your tenant. Look for the **Availability** badge at the top of each module guide:

- **Available** — shipped in the current release
- **Limited release** — shipped to selected tenants
- **Planned** — described for context; not yet released

Localisation & accessibility

The user interface ships with English (United States) as the default language. Date formats, number formats and currency display follow your tenant's locale configuration (see *Administrator Guide > System Settings*).

ChuA.ERP follows WCAG 2.1 AA accessibility guidance: every interactive control has a keyboard equivalent, ARIA labels are present on dynamic regions, and the contrast ratio of the default theme meets AA. Users who prefer reduced motion have animations slowed but not removed, so progress indicators remain visible.

1. Introduction

Table of Contents

- [What is ChuA.ERP?](#)
- [Why an integrated ERP?](#)
- [Supported departments](#)
- [Major modules](#)
- [User roles at a glance](#)
- [Benefits](#)
- [How this manual is organised](#)

What is ChuA.ERP?

ChuA.ERP is an enterprise resource planning system that unifies your company's **accounting, purchasing, sales, inventory and approvals** in a single browser-based application. It replaces the spreadsheets, departmental sub-systems and email approval chains that grow up around mid-size finance operations and gives every department a shared, real-time view of the same data.

In the day-to-day, ChuA.ERP is where staff: - Register new vendors and customers - Raise purchase orders and receive goods - Enter bills, approve them, and pay them - Issue invoices and apply customer payments - Maintain the chart of accounts and post journal entries - Manage on-hand inventory across warehouses - Process approval requests and reassign tasks - Run financial and operational reports

Why an integrated ERP?

Because every business process touches accounting eventually.

When purchasing, sales, and inventory each run on their own systems, the controller's team spends days reconciling them at month-end. An integrated ERP removes that work by ensuring **every transaction posts to the general ledger the moment it is approved** — and that no inventory movement, no bill payment, and no customer receipt happens without a corresponding ledger entry.

```
flowchart LR
    A[Purchase Order] -->|Receive goods| B[Inventory ↑]
    A -->|Vendor invoices| C[Bill]
    C -->|Approve & post| D[GL: Expense + AP]
    C -->|Pay| E[GL: AP + Cash]
    F[Sales Order] -->|Ship goods| G[Inventory ↓]
    F -->|Invoice customer| H[Invoice]
    H -->|Post| I[GL: AR + Revenue]
    H -->|Apply payment| J[GL: AR + Cash]
```

Supported departments

Department	Primary modules	Typical activities
Finance	Chart of Accounts, Journal Entries, Reports	Period close, reconciliations, financial reporting
Accounts Payable	Vendors, Bills, Workflow	Bill entry, approvals, vendor payments
Accounts Receivable	Customers, Invoices, Workflow	Invoicing, collections, payment application
Purchasing	Vendors, Purchase Orders, Workflow	PO creation, approvals, goods receipt
Sales	Customers, Sales Orders, Invoices	Order entry, shipment, customer accounts
Warehouse / Inventory	Inventory, Purchase Orders, Sales Orders	Receive, ship, adjust, stock takes
Operations & approvers	Workflow	Review and decide on pending approval tasks
Executive / management	Dashboard, Reports	KPI monitoring, cross-functional reporting
System Administration	Companies, Users, Roles, Health	Tenant setup, user lifecycle, access control

Major modules

Module	Available	Description
Vendors	✓	Master data for suppliers — codes, names, payment terms, currency, blocked status
Customers	✓	Master data for customers — codes, names, payment terms, credit limits, blocked status
Chart of Accounts	✓	The general-ledger account hierarchy
Journal Entries	✓	Manual GL postings (draft + post lifecycle)
Bills	✓	Vendor invoices with approval, payment and outstanding-balance tracking
Invoices	✓	Customer invoices with payment application
Purchase Orders	✓	Order to supplier with line items, approval, and goods-receipt tracking
Sales Orders	✓	Order to customer with line items, ship action
Inventory	✓	Stocked items, warehouse balances, manual adjustments
Workflow / Approvals	✓	Approval tasks across documents (Submit, Reassign)
Reports	✓	Run named reports with parameters
CRM (Leads, Opportunities)	Planned	See CRM module for roadmap

Module	Available	Description
Cycle Counts, Lot/Serial Tracking	Planned	See Inventory module
Bank Reconciliation	Planned	See Finance module

User roles at a glance

ChuA.ERP uses **role-based access control**. Most users belong to one or more named roles; each role grants a set of permissions. The two organisation-wide administrative roles are:

Role	Granted by	Typical responsibilities
System Admin	Platform team	Cross-tenant configuration, company onboarding, user lifecycle
Company Admin	System Admin	Manage users, roles and permissions inside one company

Beyond those, your tenant defines functional roles (e.g. *AP Clerk*, *AP Manager*, *Buyer*, *Sales Rep*, *Warehouse Supervisor*, *Controller*) that map to specific permissions like `BillRead`, `BillApprove`, `PurchaseOrderCreate`, etc. See [Security & Permissions](#) for the full list.

Benefits

- **Single source of truth.** Every transaction posts back to the GL — no parallel sub-ledgers to reconcile.
- **Approval discipline.** Bills, purchase orders, and journal entries follow a configurable approval chain that is recorded with the document.
- **Audit ready.** Every change carries an immutable timestamp, the actor's identity, and a correlation id that links UI actions to server-side records.
- **Browser-based.** No client software to deploy; users sign in from any modern browser.
- **Multi-tenant.** One installation can host multiple legal entities; users with rights to more than one company can switch between them.
- **Enterprise security.** OpenID Connect / SSO integration, JWT bearer authentication, automatic session expiry, optional MFA via the identity provider, and granular policy-based authorisation.
- **Reportable.** Built-in reports can be exported to Excel, CSV, or PDF; any list view supports search and filtering.

How this manual is organised

The remaining chapters of the **User Guide** cover features every user needs regardless of role:

Chapter	Topic
2	Getting Started — browser support, accounts, password policy
3	Logging In — sign-in, MFA, password reset, session timeout
4	Navigation — sidebar, breadcrumbs, search
5	Dashboard — widgets, KPIs, drill-down

Chapter	Topic
6	User Profile & Preferences
7	Notifications
8	Workflow & Approvals
9	Reports & Exports
10	Search & Filtering
11	Attachments & Documents
12	Audit History

The **Module Guides** then go deep on each functional area (Purchasing, Sales, Inventory, Finance, CRM, Workflow). Reference material (Troubleshooting, FAQ, Glossary, Role-Based Guides) sits at the back of the manual for quick look-up.

2. Getting Started

Table of Contents

- [Browser requirements](#)
- [Supported devices](#)
- [Receiving your account](#)
- [First sign-in](#)
- [Password policy](#)
- [Multi-factor authentication \(MFA\)](#)
- [Session timeout and idle expiry](#)
- [Account lockout](#)
- [Security reminders](#)
- [Where to go next](#)

Browser requirements

ChuA.ERP is a web application. Supported browsers (latest two stable versions):

Browser	Recommended	Notes
Microsoft Edge	✓	Best on corporate Windows workstations
Google Chrome	✓	Use the Chrome menu to enable popups for the ERP origin if reports open in new tabs
Mozilla Firefox	✓	Disable strict cookie isolation for the ERP origin if OIDC sign-in fails
Apple Safari	✓	macOS 13 or later

The application requires JavaScript and cookies to be enabled. It does **not** support Internet Explorer. Mobile browsers will render the UI in a responsive layout but are intended for review actions (approvals, dashboards); heavy data entry should be done on a desktop.

Tip — If your organisation enforces a corporate browser policy, ask IT to allow the ERP origin (for example `erp.your-company.com`) for cookies, popups (used by reports), and the SSO redirect chain.

Supported devices

Device	Best for
Desktop / laptop ($\geq 1366 \times 768$)	Data entry, multi-line documents, reports
Tablet (≥ 768 px wide)	Approvals, dashboards, status lookups
Phone (< 768 px)	Approvals, notifications, single-record look-ups

On screens narrower than 768px the sidebar navigation collapses behind a hamburger menu icon; tap it to reveal the menu.

Receiving your account

Accounts are created by your System Administrator or Company Administrator. You will typically receive:

- 1 An **invitation email** from your IT or HR team containing the URL of your tenant's ChuA.ERP instance.
- 2 A **sign-in identifier** — usually your work email address.
- 3 Instructions for setting your initial password, OR a notice that you can sign in directly with your existing corporate credentials via SSO.

Note — If your organisation uses single sign-on (Microsoft Entra ID, Okta, Google Workspace, etc.), ChuA.ERP will not have a separate password for you. Sign-in flows through your identity provider and inherits whatever MFA your IT department has configured there.

First sign-in

- 1 Open your browser and navigate to the URL provided by IT.
- 2 You will be redirected to the sign-in page. [SCREENSHOT: Sign-in page]
- 3 **If your tenant uses SSO** — click **Sign in** to be redirected to your organisation's identity provider, then follow your normal corporate sign-in (which may include MFA).
- 4 **If your tenant uses local accounts** — enter your user name and the temporary password you received. You will be prompted to set a new password on first sign-in.
- 5 After successful sign-in you land on the **Dashboard**. [SCREENSHOT: Dashboard immediately after first sign-in]

Password policy

When local accounts are in use, passwords must:

- Be at least 12 characters long
- Include a mix of upper-case letters, lower-case letters, digits, and at least one symbol
- Not repeat any of your previous five passwords
- Not contain your user name, full name, or email local-part

If your tenant uses SSO, password policy is dictated by your identity provider and ChuA.ERP simply trusts the identity it receives. Talk to IT about password requirements.

Multi-factor authentication (MFA)

MFA is provided by the identity provider when SSO is enabled. Typical methods:

Method	Description
Authenticator app	A six-digit code from Microsoft Authenticator, Google Authenticator, Duo, or similar

Method	Description
SMS / phone	One-time code sent to your mobile number
Hardware token	FIDO2 / WebAuthn security key
Push notification	Approval prompt sent to your phone

For tenants with local accounts, ChuA.ERP can flag a user account as "requires MFA"; the next sign-in then prompts for enrolment. See [Logging In](#) for the enrolment flow.

Tip — Keep one backup MFA method enrolled (e.g. backup phone or recovery code) so a lost device does not lock you out.

Session timeout and idle expiry

For security, sessions expire automatically:

Setting	Default	What it means
Absolute session length	8 hours	After 8 hours since sign-in, you must sign in again — even if you have been active.
Sliding (idle) timeout	8 hours	Every request you make resets the clock; closing your browser for less than 8 hours and reopening keeps you signed in.

Long-running approval pages do not count as activity — you must actually submit something or navigate to reset the timer. If your session expires you will be redirected to the sign-in page with a friendly message; your in-progress work is **not** lost as long as you have not navigated away.

Warning — Never share a sign-in URL with an active session id. If someone else needs to see a record, send them the **document number** and let them open it in their own session.

Account lockout

If you (or someone using your account) enter the wrong password too many times, the account may be locked. Lockout thresholds depend on your identity provider:

If the IdP is...	Lockout behaviour
Microsoft Entra ID	Smart lockout — variable, contact IT
Okta	Configurable, typically 10 attempts in 10 minutes
Local accounts	5 consecutive failed attempts within 15 minutes

A locked account can be unlocked by a Company Admin or your IT help desk. If you suspect someone is trying to guess your password, **contact IT immediately** — the failed attempts are logged with the attempting IP address.

Security reminders

- **Always sign out** from shared workstations. Click the user menu in the top-right corner and choose **Sign out**.
- **Lock your workstation** (Windows: ■ Win + L) when you step away.
- **Do not** share your password with anyone — IT will never ask for it.
- Report suspicious sign-in emails (e.g. "your session was unlocked") to IT security; do not click links inside them.
- Approve approval requests on your phone only over a trusted network (corporate Wi-Fi, VPN, or mobile data — not public Wi-Fi).

Where to go next

- [Logging In](#) — detailed sign-in, MFA enrolment, password reset
- [Navigation](#) — how to move around the application
- [Quick-Start Guide](#) — your first 30 minutes
- Your **role-based guide** in [Role-Based Guides](#)

3. Logging In

Table of Contents

- [Sign-in methods](#)
- [Standard sign-in](#)
- [Single sign-on \(SSO\)](#)
- [Multi-factor authentication](#)
- [Resetting your password](#)
- [Forgotten user name](#)
- [Signing out](#)
- [Switching companies](#)
- [Common sign-in errors](#)

Sign-in methods

Depending on how your tenant is configured, you will sign in one of two ways:

Method	Triggered by	What you enter
Standard sign-in (local accounts)	Tenant runs without SSO	User name + password (+ MFA if enabled)
Single sign-on (SSO)	Tenant integrated with corporate IdP	Just click Sign in — IdP handles credentials

To find out which method your tenant uses, look at the sign-in page: an SSO tenant shows a single **Sign in with [provider]** button. A local-account tenant shows user name and password fields.

Standard sign-in

- 1 Navigate to your tenant URL.
- 2 The sign-in page appears. [SCREENSHOT: Local-account sign-in page]
- 3 Enter your **user name** (your work email, unless your administrator told you otherwise).
- 4 Enter your **password**.
- 5 Click **Continue**.
- 6 If MFA is enabled, you are prompted for your second factor — see below.
- 7 You land on the Dashboard.

Tip — Use a password manager. The login form is a standard HTML form; any password manager (1Password, Bitwarden, Microsoft Edge built-in, etc.) can save and autofill it.

Single sign-on (SSO)

- 1 Navigate to your tenant URL.
- 2 You are redirected to your organisation's identity provider sign-in page. [SCREENSHOT: SSO sign-in page (Entra ID example)]

- 3 Sign in with your usual corporate credentials.
- 4 Complete any MFA challenge required by IT (push notification, code, key).
- 5 You are redirected back to ChuA.ERP and land on the Dashboard.

Note — Because SSO sign-in happens outside ChuA.ERP, the ERP can never see your corporate password. Password-related issues (forgotten password, expired password, locked account) are handled by your IT help desk and the identity provider, not by your Company Admin.

Multi-factor authentication

When MFA is required, you will be prompted for a second factor immediately after entering your password (or by your identity provider during SSO).

Enrolling a new factor (local accounts)

If your account requires MFA and you have not yet enrolled:

- 1 After entering user name and password, you see the **MFA enrolment** page.
- 2 Choose a method: - **Authenticator app** — recommended. Scan the QR code with Microsoft Authenticator, Google Authenticator, Duo, or any TOTP-compatible app. Enter the six-digit code shown by the app to confirm. - **SMS** — enter your mobile number; a verification text is sent.
- 3 Save the **recovery codes** displayed at the end of enrolment in a safe place (your password manager works well). Each recovery code can be used once if you lose access to your authenticator.
- 4 Click **Continue** to enter the app.

[SCREENSHOT: MFA enrolment page showing QR code]

Warning — If you lose your authenticator and have not stored a recovery code, your Company Admin must reset your MFA. This requires identity verification and may take time. Always save recovery codes.

Signing in with MFA already enrolled

- 1 After password (or SSO), the **MFA challenge** page appears.
- 2 Enter the current 6-digit code from your authenticator, or approve the push notification, or insert your security key.
- 3 Click **Verify**.

Using a recovery code

If you have lost your authenticator:

- 1 On the MFA challenge page click **Use a recovery code instead**.
- 2 Enter one of the recovery codes you saved during enrolment.
- 3 Sign in.
- 4 **Immediately** re-enrol a new MFA method via *User menu* > *Security*. The recovery code you just used is now invalidated.

Resetting your password

Note — Applies to local-account tenants only. SSO password reset is done at your identity provider (e.g. Entra ID self-service password reset).

- 1 On the sign-in page click **Forgot password?**.
- 2 Enter your user name (email) and click **Send reset link**.
- 3 Check your email — the reset link is valid for **30 minutes**.
- 4 Click the link in the email; it opens a **Set new password** page.
- 5 Enter and confirm your new password (must satisfy the password policy).
- 6 Sign in normally with the new password.

Tip — If the email does not arrive within five minutes, check your Junk/Spam folder. Some corporate spam filters quarantine reset emails; ask IT to allow `noreply@your-erp-domain` in their gateway rules.

Forgotten user name

If you do not remember your user name, contact your Company Administrator or IT help desk. For audit reasons ChuA.ERP does not expose "look up my account by name" — that would let an attacker confirm the existence of an account.

Signing out

- 1 Click your name in the **top-right corner** of any page.
- 2 Choose **Sign out** from the dropdown.
- 3 You are returned to the sign-in page.

On SSO tenants, signing out of ChuA.ERP also triggers a sign-out at the identity provider so the same browser session cannot silently re-sign-in.

Tip — Closing the browser tab does **not** sign you out. Anyone with physical access to your workstation can reopen the tab and resume your session until it times out. Always sign out on shared computers.

Switching companies

If your account has access to more than one company (legal entity / tenant sub-organisation) you can switch between them without signing out and back in.

- 1 Click your name in the top-right corner.
- 2 Choose **Switch company**.
- 3 Select the company you want to work in.
- 4 The Dashboard reloads with that company's data.

See [Multi-Tenant / Company Switching](#) for a deeper explanation of how multi-company access is managed.

Common sign-in errors

Error message	Likely cause	What to do
"User name or password is incorrect."	Typo, or wrong tenant	Verify caps lock, retry, confirm tenant URL
"Your account has been locked."	Too many failed attempts	Wait 15 min, or contact IT to unlock
"Your session has expired."	Idle timeout passed	Sign back in; in-progress work is preserved if you have not navigated
"Access denied." after sign-in	Account exists but has no roles	Contact Company Admin to assign a role
"We could not reach the identity provider."	SSO outage or network issue	Wait a minute and retry; if persistent, contact IT
"MFA code is invalid."	Expired or wrong code	Wait for next 30-second window; verify clock on authenticator device is correct


See [Troubleshooting > Sign-in problems](#) for a longer list with detailed resolution steps.

4. Navigation

Table of Contents

- [Page anatomy](#)
- [Top bar](#)
- [Sidebar navigation](#)
- [Breadcrumbs](#)
- [Main content area](#)
- [Toasts and feedback](#)
- [Footer](#)
- [Quick actions](#)
- [Keyboard shortcuts](#)
- [Mobile / responsive layout](#)
- [Global search](#)
- [Notifications panel](#)

Page anatomy



[SCREENSHOT: Annotated full page]

Top bar

Element	Purpose
Hamburger (≡)	Visible only on small screens — opens the sidebar
Product name	Clicking it returns to the Dashboard
Environment badge	Shows whether you are on LOCAL, DEV, UAT, or PROD. The badge colour also changes (yellow for non-prod, info for local) so that you cannot mistake your test environment for production
Current user menu	Your display name. Click to access <i>My profile</i> , <i>Switch company</i> , <i>Sign out</i>

Warning — Always check the environment badge before performing irreversible actions like posting a journal entry. A bright "UAT" badge is there to stop you from posting test data into the live ledger.

Sidebar navigation

The sidebar lists every module you have permission to use. Items you cannot access are hidden entirely — there is no "greyed out" state, so the menu contains only choices you can actually make.

Section	Modules
Dashboard	Landing page summarising your KPIs
Purchasing	Vendors · Purchase Orders · Bills
Sales	Customers · Sales Orders · Invoices
Inventory	Items · Import items
Finance	Chart of Accounts · Journal Entries
Workflow	Approvals
Reports	Reports
Administration (<i>admins only</i>)	Companies · Users · Roles
System	System Health

Each section collapses; the currently active section opens automatically based on the page you are on. The active link is highlighted.

Tip — If you do not see a module you expect, you may not have the required permission. Ask your Company Admin to assign the relevant role. See [Security & Permissions](#) for the full permission catalogue.

Breadcrumbs

Breadcrumbs sit just above the main content and show your path through the hierarchy:

Dashboard > Vendors > Acme Corporation > Edit

Each segment except the last is a clickable link back to that point. Use them to return to a list view from a detail page without losing your filter or search state.

Main content area

The main area changes per page but consistent patterns appear throughout:

- **List pages** show a search box, an optional filter row, the data table, and a paginator at the bottom.
- **Detail pages** show a header with the record name, action buttons (Edit, Delete, plus any document-specific actions like Approve or Pay), and a definition list of fields.
- **Form pages** (Create, Edit, action pages like Pay or Ship) show a heading, a validation summary (when validation fails), the form fields, and Save/Cancel buttons.

- **Confirmation pages** (Delete, Approve, Post) show the record summary plus Confirm/Cancel buttons in red-or-green to indicate impact.

Toasts and feedback

Short-lived notifications appear in the top-right corner. They auto-dismiss after **5 seconds** but can be closed manually with the × button:

Colour	Meaning
Green	Success — your action completed
Yellow	Warning — completed, but please check
Red	Error — your action did not complete; see the message
Blue	Information — neutral status update

When you see a red toast, the corresponding error detail also appears in the top of the form (or in the Error page if the issue was system-wide). Toasts are transient; if you missed one, check the field-level validation messages and the page header.

Footer

The footer always shows the current year, the product name, and a **request id** (also called *correlation id*) for the page you are on. If you report a problem to the help desk, copy the request id from the footer and include it in your ticket — it lets support locate the exact transaction in the logs.

[SCREENSHOT: Footer with correlation id highlighted]

Quick actions

On every list page the right side of the page header has a primary "New X" action button (e.g. **New vendor** on the Vendors page, **New journal entry** on the Journal Entries page). The button is only visible if you have the relevant Create permission.

Detail pages show secondary actions in a row at the top:

Module	Detail-page actions
Vendors / Customers / Items	Edit · Delete
Bills	Edit · Delete · Approve · Pay
Invoices	Edit · Delete · Apply payment
Purchase Orders	Edit · Delete · Approve · Receive
Sales Orders	Edit · Delete · Ship
Journal Entries	Edit · Delete · Post
Workflow tasks	Submit decision · Reassign

Buttons that are not allowed by your permissions are hidden. Buttons that would be invalid in the current document state (e.g. Approve on an already-approved bill) are also hidden so you cannot fire actions that the server would reject.

Keyboard shortcuts

Shortcut	Action
Tab / Shift+Tab	Move focus through form fields
Enter	Submit form (when focused inside a single-line field)
Esc	Close modal or cancel inline action
/	Focus the main search box (on list pages)
Alt+Home	Return to Dashboard
Alt+1 ... Alt+9	Quick-jump to the Nth sidebar item (browser permitting)

Note — Keyboard shortcuts depend on your browser's modifier conventions (macOS substitutes Cmd/Option). The / shortcut works on list pages but not inside text fields.

Mobile / responsive layout

Below 768px viewport width:

- The sidebar is hidden by default; tap the ≡ hamburger icon to reveal it
- Tables become scrollable horizontally rather than collapsing rows
- The action button row on detail pages stacks vertically below the title
- Form fields go to full-width single-column

[SCREENSHOT: Mobile view of Vendor detail]

Global search

Availability — Cross-module global search is **Planned**.

Today, search is **per-module** — each list page has its own search box that matches against record codes and names within that module. To search across all modules at once, use the corresponding module's list page.

Once global search ships, the top bar will gain a unified search field that queries vendors, customers, items, documents, and reports in a single result panel.

Notifications panel

Availability — Push notifications panel is **Planned**.

In the current release, "notifications" surface in two places: - The **Dashboard** tiles for pending approvals (Bills awaiting approval, Workflow tasks, Outstanding invoices) - The **Workflow / Approvals** queue, which is your primary work-list

A bell icon in the top bar with new-item indicators is planned for the next release. See [Notifications](#) for the current behaviour and the roadmap.

5. Dashboard

Table of Contents


- [Purpose](#)
- [Default layout](#)
- [KPI tiles](#)
- [Drill-down](#)
- [Health banner](#)
- [Role-specific dashboards](#)
- [Customisation](#)
- [Refresh behaviour](#)
- [Frequently asked questions](#)

Purpose

The Dashboard is the landing page after sign-in. It gives every user a **single-glance summary of items that need attention**: bills awaiting approval, workflow tasks pending decision, outstanding receivables — and a heads-up if the API backend is unreachable.

Each tile is **clickable**: tapping it drills into the underlying list with the same filter applied.

Default layout



[SCREENSHOT: Dashboard with three KPI tiles]

KPI tiles

The three default tiles cover the most common attention-needing inboxes:

Tile	Source	Drill-down
Bills awaiting approval	All bills in status "Submitted" / "PendingApproval" across vendors	<i>Purchasing > Bills > Awaiting Approval</i> filter

Tile	Source	Drill-down
Pending workflow tasks	All workflow approval requests assigned to the current user in status "Pending"	<i>Workflow > Approvals</i> with status filter
Outstanding invoices	All customer invoices with payment status "Outstanding" or "PartiallyPaid"	<i>Sales > Invoices</i> with paymentStatus filter

Each tile shows: - A large number — the count of items - A description - Colour-coded background (yellow = warning workload, blue = informational, etc.)

Tip — A tile showing **0** means nothing currently needs your attention in that category. A tile showing a large number that is **not decreasing** over days may indicate a process bottleneck — flag it to your manager.

Drill-down

Click any tile to be taken to a pre-filtered list page:

```

flowchart LR
    A[Dashboard] -->|Click 'Bills awaiting approval'| B[Bills > Awaiting Approval]
    A -->|Click 'Pending workflow tasks'| C[Workflow > Approvals]
    A -->|Click 'Outstanding invoices'| D[Invoices > Outstanding]

```

From the drill-down list page you can: - Open any record by clicking its number/code - Apply additional filters (date range, vendor, customer, etc.) - Export the filtered set to Excel via the export action (where available)

Health banner

If any of the three tile-loading API calls fails, a yellow banner appears at the top of the Dashboard:

■ Some API calls failed; tile values may be stale. Check **System Health**.

This is your earliest signal that the backend is degraded. Click *System Health* (in the **System** section of the sidebar) for the API status and the timestamp of its most recent response.

Role-specific dashboards

Today the Dashboard shows the same three tiles to every user. Role-specific dashboards are on the roadmap — the **Availability** in each row below tells you what is shipped vs planned.

Dashboard variant	For role	Availability
Default (operational)	All users	Available
Finance dashboard	Controller, Accountant	Planned — period close progress, GL trial balance summary, unposted journal count
Purchasing dashboard	Buyer, AP Manager	Planned — open POs by vendor, receipts pending invoice match, top spend by category

Dashboard variant	For role	Availability
Sales dashboard	Sales Rep, Sales Manager	Planned — open SOs, ready-to-ship, top customers by AR balance
Executive dashboard	C-level, board	Planned — revenue, AP/AR aging, cash position, headline KPIs
Inventory dashboard	Warehouse Supervisor	Planned — stock-out risks, slow movers, cycle count completion

Until role dashboards ship, you can compose the same view by: 1. Pinning module list pages as browser bookmarks 2. Running scheduled reports (see [Reports & Exports](#)) 3. Using the per-module list pages with saved filters

Customisation

Availability — Tile reordering and user-defined widgets are **Planned**.

In the current release the tiles, their order, and the data they show are fixed. The next release introduces: - Drag-and-drop tile arrangement - Per-tile preferences (date range, status filter) - Adding/removing tiles from a library - Sharing dashboard layouts with colleagues

Refresh behaviour

The Dashboard fetches its data **at page load**. Numbers are point-in-time; to see updates after someone else approves a bill or pays an invoice, refresh the page (browser refresh or revisit the Dashboard from the sidebar).

Tip — Auto-refresh is intentionally off. In an enterprise environment with hundreds of users, polling every 30 seconds creates noisy load on the API. Use a manual refresh when you genuinely need an update.

Frequently asked questions

Q: My Dashboard shows 0 across all tiles but I know there are pending items. A: Confirm you are signed in to the correct company (top-right user menu → *Switch company*). KPIs are scoped to your active company.

Q: Why don't I see the Purchasing dashboard described in your training video? A: Role-specific dashboards are on the roadmap. The current release ships the universal operational dashboard. Talk to your account team about the dashboard release.

Q: A tile is stuck on the same number for days. A: Either: (a) nothing has changed (likely if it's a small queue), or (b) the underlying workflow has stalled. Open the tile and inspect the oldest record — if it is more than a few days old, talk to the owner or escalate.

Q: A tile shows a much higher number than I expect. A: You may be in a different company than usual. Check the top-right menu.

Q: The Dashboard is slow to load. A: Each tile makes one API call. If the backend is degraded, the page waits for the slowest call before rendering. Check the yellow banner; if it appears, the System Health page will tell you which dependency is slow.

6. User Profile & Preferences

Table of Contents

- [Opening your profile](#)
- [What the profile shows](#)
- [Changing your password](#)
- [MFA management](#)
- [Display preferences](#)
- [Active company](#)
- [Why you cannot change every field](#)

Opening your profile

- 1 Click your **name** in the top-right corner of any page.
- 2 Choose **My profile** from the dropdown.

[SCREENSHOT: User menu open]

You land on the **Profile** page.

What the profile shows

The profile is a read-only summary of your identity within the active company:

Field	Source	Editable here?
User id	Identity provider (the sub claim)	No — set by the IdP
Display name	IdP preferred user name	No
Email	IdP claim	No
Active company	Selected via top-right menu	Yes, via <i>Switch company</i>
Roles	Assigned by Company Admin	No
Permissions	Derived from roles + direct grants	No — set by your Company Admin

[SCREENSHOT: Profile page]

Note — The roles and permissions on this page combine claims from your identity provider and the live response of the `/users/me` call. If you were granted a new role moments ago, sign out and back in to reload the claims.

Changing your password

Identity model	How to change password
Local accounts	<i>User menu > My profile > Change password</i>
SSO (Entra ID, Okta, etc.)	Use your IdP's self-service password page; ChuA.ERP cannot change your corporate password

For local accounts:

- 1 Open your profile.
- 2 Click **Change password**.
- 3 Enter your **current password**.
- 4 Enter and confirm your **new password** (must satisfy policy).
- 5 Click **Save**.
- 6 You remain signed in; the change applies on next sign-in.

Warning — Changing your password invalidates all sessions on other devices. If you were signed in on your phone, you will need to sign in again there.

MFA management

Availability — Self-service MFA enrolment **changes** are managed by your identity provider when SSO is enabled. For local accounts, MFA reset is a Company Admin function.

Talk to IT or your Company Admin to: - Enrol a new authenticator after losing your phone - Generate fresh recovery codes - Disable MFA temporarily (rare; requires manager approval per most security policies)

Display preferences

Availability — User-level preferences are **Planned**.

Until the preferences pane ships, display behaviour is dictated by:

Behaviour	Source
Date format	Browser locale (e.g. en-US shows 5/19/2026, en-GB shows 19/05/2026)
Number format	Browser locale (1, 234 . 56 vs 1 . 234 , 56)
Currency display	Document's currency code (USD, EUR, GBP, etc. shown explicitly)
Time zone	UTC for stored timestamps; displayed in your browser's time zone
Theme	Light theme; dark theme is on the roadmap

The next release adds a *Preferences* tab on the profile page with overrides for date format, page size on list views, and theme.

Active company

The active company is shown:

- On the profile page (the Company id field)

- Inferred whenever you create or edit a record (every business document is tagged with the active company id, automatically)
- In the audit log of every change you make

To change company, see [Switching companies](#) in chapter 3 or the deeper [Multi-Tenant guide](#).

Warning — Always confirm the active company before posting journal entries, approving bills, or running reports. Posting to the wrong company is one of the most common operator errors and can be costly to unwind.

Why you cannot change every field

ChuA.ERP follows the **principle of least privilege**: the platform acknowledges users but does not grant them the right to redefine themselves.

Action	Required role
Change your own roles	Company Admin
Change your own email	Company Admin (or IdP, for SSO tenants)
Be added to a new company	System Admin
Be removed from a company	Company Admin
Deactivate your own account	Company Admin
Update display name	Identity provider

If you need a change that you cannot make yourself, contact your manager, your Company Admin, or your IT help desk. Every change to your account is recorded in the audit log (see [Audit History](#)) so you can later see who changed what and when.

7. Notifications

Table of Contents

- [What counts as a notification](#)
- [Where notifications appear today](#)
- [In-page toasts](#)
- [Email notifications](#)
- [Push notifications panel](#)
- [Per-event preferences](#)
- [Frequently asked questions](#)

What counts as a notification

A "notification" in ChuA.ERP is any signal that prompts you to act or to be aware. Examples:

Trigger	Notification kind
Someone submits a bill that requires your approval	Approval task → Workflow queue + email
A purchase order you submitted was approved	Status change → Workflow comment + email
A journal entry you posted failed validation	In-page error + audit entry
Your password is about to expire (local accounts)	Email + sign-in banner
Inventory dipped below an item's reorder point	Planned — alert tile

Where notifications appear today

Channel	Status	Used for
Toasts (in-page)	Available	Outcome of the action you just took (success / warning / error)
Dashboard tiles	Available	Pending work in your queue (approvals, outstanding invoices)
Workflow › Approvals page	Available	Your work-list of approval tasks
Email	Available — depends on tenant SMTP configuration	Out-of-band reminders (digest, escalation)
In-app push panel (bell icon)	Planned	Real-time arrival of new tasks
SMS / mobile push	Planned	Optional second channel for urgent approvals

In-page toasts

Toasts appear in the top-right corner immediately after an action completes:

[SCREENSHOT: Three toasts stacked – success, warning, error]

Toast colour	Meaning	Example
Green	Your action succeeded	"Vendor 'Acme Corp' created."
Yellow	Action completed but please check something	"Bill approved. Payment terms exceed configured threshold."
Red	Your action failed	"Cannot delete: the role is in use by 3 users."
Blue	Information only	"Active company switched to 'EU Operations'."

Toasts: - Auto-dismiss after **5 seconds** - Can be closed manually with the × button - Stack vertically when several arrive at once - Are announced to screen readers via `role="status"`

Email notifications

Email is the primary out-of-band channel. The ERP can send email when:

- A new approval task is assigned to you
- A task assigned to you is reassigned (now or away)
- A task is about to escalate to your manager
- A document you submitted is approved or rejected
- A workflow comment is added by another approver

Each email contains: - The document type, number, and amount - The actor (who triggered the email) - A deep link directly to the document in ChuA.ERP - A reply-to address that is **not monitored** — do not reply to alerts; use the application to comment

Tip — Add the email-sending address (typically `erp-notifications@your-domain`) to your safe-senders list to prevent alerts from going to Junk.

Note — Email cadence is configurable per tenant. Some tenants prefer a **digest** (one email summarising all your pending tasks at 8 AM) rather than per-event emails. Talk to your Company Admin about which is enabled.

Push notifications panel

Availability — **Planned** for an upcoming release.

The next release adds a bell icon in the top bar showing a numeric badge for unread notifications. Clicking it opens a panel listing the most recent events:

```

[ Notifications X ]
+-----+
| ● Bill B-2026-0142 needs approval |
|   from Acme Corp — $4,500.00   |
|   2 minutes ago                 |
+-----+
| ● Your PO #PO-001 was approved  |
|   by Sam Manager                 |
|   1 hour ago                     |
+-----+
| ■ Period Apr-2026 will close in  |
|   3 days                         |
|   yesterday                      |
+-----+
| Mark all as read · See all       |
+-----+

```

[SCREENSHOT: Future-state notifications panel]

Until this ships, the **Workflow › Approvals** page is your authoritative work-list.

Per-event preferences

Availability — Planned.

Today, notification preferences are set at the **tenant level** by your Company Admin (which events trigger email, which do not). The roadmap adds per-user overrides: you will be able to mute specific event types or choose between *immediate*, *digest*, and *none* per channel.

In the meantime, if you receive too much or too little email: 1. Contact your Company Admin 2. Ask them to review the tenant's notification matrix 3. Use email rules in your mail client to file or filter ERP alerts

Frequently asked questions

Q: I'm not getting email alerts for new bills to approve. A: Three likely causes — (1) the events are not enabled in your tenant configuration; ask your Company Admin. (2) Your email address on the account is wrong; check **My profile**. (3) Your mail gateway is quarantining them; ask IT to allow the sender.

Q: I get the same alert twice — once by email, once on the dashboard. A: That's intentional. Email is for when you are away from the app; the dashboard tile is for when you are in it. The same item appears in both until you act on it.

Q: Can I forward an approval task to someone else? A: Yes — open the task in *Workflow › Approvals*, click **Reassign**, choose the new assignee and add a reason. See [Workflow & Approvals](#).

Q: I approved a task on my phone but the count on the dashboard didn't go down. A: Refresh the dashboard. KPI tiles are computed at page load, not in real time.

8. Workflow & Approvals

Table of Contents

- [What is a workflow approval?](#)
- [Approval queues](#)
- [Approval routing](#)
- [Sequential vs parallel approval](#)
- [Approving a task](#)
- [Rejecting a task](#)
- [Reassignment](#)
- [Delegation](#)
- [Escalation](#)
- [Workflow comments](#)
- [Approval history](#)
- [Worked examples](#)
- [Best practices](#)

What is a workflow approval?

When someone submits a document that requires sign-off — a bill, a purchase order, a journal entry, a credit-limit change — ChuA.ERP **does not let it post until an approver decides on it**. The system creates a workflow task, routes it to the right people, and records every comment and decision against the source document.

Approvals serve three enterprise goals: 1. **Segregation of duties**. The person who enters a transaction cannot approve it. 2. **Audit trail**. Every decision is timestamped with the actor's identity. 3. **Compliance**. Internal control reviews can prove that no high-value transaction passed unchallenged.

Permission required — To see and act on tasks you need `workFlowRead`. To submit a decision you also need `workFlowApprovalSubmit`.

Approval queues

Your queue lives at *Workflow > Approvals* in the sidebar.

[SCREENSHOT: Workflow > Approvals list with filters]

Column	Meaning
Subject type	Bill, PurchaseOrder, JournalEntry, etc.
Subject id	The id of the document
Requested by	Who triggered the approval
Requested at	When the task was created
Required approvals	How many approvers are needed

Column	Meaning
Status	Pending · Approved · Rejected · Cancelled

Filter by **Status** (default = Pending) and **Subject type** to narrow the list. The Dashboard tile *Pending workflow tasks* deep-links here pre-filtered to your queue.

Approval routing

Routing is configured by your Company Admin in the workflow engine (see the [Workflow Engine module](#)). Common patterns:

Pattern	Used for	Example
Hierarchy by amount	Bills, POs	\$0 – \$5k → supervisor · \$5k – \$50k → manager · \$50k+ → controller
Single approver per cost centre	Departmental purchases	Marketing PO routes to Marketing manager
Two-eyes principle	Journal entries	Preparer + reviewer; reviewer cannot be preparer
Compliance review	Customer credit changes	Sales manager + finance director (parallel)

Routing decisions are recorded on each task; you can see which rule produced your assignment on the task detail page.

Sequential vs parallel approval

```

flowchart LR
    subgraph Sequential [Sequential approval]
        A[Submitted] --> B[Supervisor approves]
        B --> C[Manager approves]
        C --> D[Approved → posted]
    end

    subgraph Parallel [Parallel approval]
        E[Submitted] --> F1[Supervisor]
        E --> F2[Compliance]
        E --> F3[Manager]
        F1 --> G{All approve?}
        F2 --> G
        F3 --> G
        G -- yes --> H[Approved → posted]
        G -- no --> I[Rejected]
    end

```

- **Sequential:** each step waits for the previous to complete. Default for cost-based hierarchy (you can't get manager sign-off until supervisor signs).
- **Parallel:** all approvers see the task at the same time. The document advances only when every approver has signed off, OR is rejected when any approver rejects.

You can tell which mode applies by looking at *Required approvals* on the task — a value of 1 with a sequential rule is sequential; a value of N where N parallel approvers are notified is parallel.

Approving a task

- 1 Open *Workflow > Approvals*.
- 2 Click a row to open the task detail.
- 3 Review the **subject** — there is a direct link to the underlying document (the bill, the PO, the journal entry).
- 4 Read the **comments** from previous approvers (if any).
- 5 Click **Submit decision**.
- 6 Choose **Approve** as the decision.
- 7 Optionally add a **comment** — your justification, conditions, or context.
- 8 Click **Confirm**.

[SCREENSHOT: Submit decision page with Approve selected]

Tip — Always add a comment when approving items above \$10k. The comment is what auditors look for next year when they ask "why did you approve this?"

Rejecting a task

- 1 Same path as approval, choose **Reject** instead.
- 2 Comment is **strongly recommended**, often required by tenant policy: explain what is wrong and what the submitter should change.
- 3 Click **Confirm**.

When you reject, the task closes and the source document returns to **Draft** status. The submitter is notified (email and Dashboard) and can edit + resubmit.

Warning — Rejection is not a soft "send back for clarification" — it resets the document. If you want clarification but not a full resubmit, use a comment without a decision (see [Workflow comments](#)).

Reassignment

Use reassignment when: - A task landed on you in error - You will be on leave; redirect to your delegate
- A different department owns this decision

To reassign:

- 1 Open the task.
- 2 Click **Reassign**.
- 3 Choose the **new assignee** (must be someone with the right to approve this subject type).
- 4 Add a **reason** — appears in the audit trail.
- 5 Click **Confirm**.

[SCREENSHOT: Reassign form]

The task moves to the new assignee's queue. **You no longer see it on the Dashboard**. Both you and the new assignee receive email confirmation.

Permission required — Reassignment uses the same workflowRead permission needed to view tasks. Your Company Admin can restrict reassignment in tenant configuration if your policy requires it.

Delegation

Availability — Self-service delegation profiles (e.g. "while I'm on leave from May 20 to May 27, send my approvals to Bob") are **Planned**.

Today, the manual workaround is: 1. Before going on leave, **email** your delegate listing pending tasks. 2. When tasks arrive during your absence, the delegate uses **Reassign** to move them to themselves. 3. When you return, reassign anything pending back to you.

Once the delegation feature ships, you will be able to set a date-bounded delegation rule from your profile page, and the workflow engine will auto-reassign new tasks for the duration.

Escalation

If a task sits in **Pending** longer than the tenant-configured escalation SLA (typically 3 business days), the workflow engine raises an **escalation event**:

```
flowchart LR
    A[Task created] -->|Day 0| B[Assigned to Alice]
    B -->|Day 3, still pending| C[Escalation reminder email to Alice]
    C -->|Day 5, still pending| D[Auto-reassign to Alice's manager]
    D --> E[Audit trail records escalation]
```

Escalation: - **Logs an entry** on the task showing the SLA breach - **Emails the original assignee + their manager** to act - After a second SLA breach, may **auto-reassign** to the manager

Escalation thresholds and behaviour are tenant-configurable; ask your Company Admin for your tenant's exact rules.

Tip — If you anticipate not being able to approve in time, **reassign proactively**. Escalation is a backstop, not a normal flow — it generates audit noise that auditors will question.

Workflow comments

Comments are first-class: - Visible to **every approver** and the submitter - **Immutable** — once posted you cannot edit or delete (only follow up with another comment) - Recorded with the actor's identity and timestamp - Auditable

Add a comment without submitting a decision when you want to: - Ask the submitter for clarification - Loop in a colleague to look at the document - Note conditions ("approving subject to receiving the signed vendor MSA")

Availability — Free-form comments attached to a task (independent of Submit / Reassign) are **Planned**. Today, comments are entered as part of Submit (Approve / Reject) or Reassign. The roadmap adds standalone commenting.

Approval history

The bottom of every task detail page shows the **history**:

```
v Approval history
+-----+
| 2026-05-19 09:14  Alice Smith      Submit · Approve  |
|                                     "Approved per April  |
|                                     capex plan."          |
+-----+
| 2026-05-18 16:30  Bob Manager     Reassign · to Alice |
|                                     "On leave – handing  |
|                                     to Alice."            |
+-----+
| 2026-05-18 11:02  System          Created               |
|                                     Routed by rule        |
|                                     'Bills > $5k'          |
+-----+
```

Each entry is **immutable**. The same trail is preserved with the source document, so opening the bill (or PO, etc.) and scrolling to *Approval history* shows the same content — handy when auditors are reviewing posted transactions and don't want to navigate to the workflow module.

See [Audit History](#) for how to query history across the system.

Worked examples

Example 1 — Purchase Order approval

```
sequenceDiagram
    participant Buyer
    participant Workflow
    participant Manager
    participant Director

    Buyer->>Workflow: Submit PO ($12,400)
    Workflow->>Manager: Task assigned (rule: $5k-$25k)
    Manager->>Workflow: Approve
    Workflow->>Workflow: PO status → Approved
    Note over Workflow: PO is now available to send to vendor
```

If the same PO were \$30,000:

```
sequenceDiagram
    participant Buyer
    participant Workflow
    participant Director
    participant Controller

    Buyer->>Workflow: Submit PO ($30,000)
    Workflow->>Director: Task assigned (rule: $25k-$100k)
    Director->>Workflow: Approve
    Workflow->>Controller: Task assigned (rule: cross-check)
    Controller->>Workflow: Approve
    Workflow->>Workflow: PO status → Approved
```

Example 2 — Bill approval

```
Bill created (Status = Draft)
  ↓ submitter clicks Approve action on the bill (or Workflow processes a submission)
Task created in Workflow (Status = Pending)
  ↓ AP Manager opens the task in Workflow > Approvals
  ↓ Reviews underlying bill (vendor, amount, due date, line items)
  ↓ Submits decision = Approve
Workflow approves the task (Status = Approved)
  ↓ Bill status updates to "Approved"
  ↓ Bill is now eligible for Pay action
```

If rejected, the bill returns to **Draft** and the submitter is notified.

Example 3 — Journal Entry approval

```
JE created in Draft status by Accountant
  ↓ Accountant clicks Post action (or workflow Submit)
Task created – reviewer required (two-eyes rule)
  ↓ Reviewer opens the JE
  ↓ Verifies debits = credits, account selections, period
  ↓ Approves
JE status → Posted, GL is updated
```

If the reviewer rejects, the JE returns to Draft and the accountant edits + resubmits.

Best practices

- **Open the source document** before approving. The task summary shows the basics; the document shows lines, attachments, and history.
- **Add comments on high-value decisions.** Future-you and the auditor will thank you.
- **Reassign promptly when you cannot act.** Letting tasks expire to escalation is noise.
- **Triage daily** — even a quick "open queue, approve obvious, reject one, reassign one" keeps the queue healthy.
- **Use the Dashboard tile** to gauge backlog at a glance.
- **Never approve your own submissions.** The system blocks it where it can, but cross-submitter approvals (signed in as a different account) are a control violation.

9. Reports & Exports

Table of Contents

- [How reports are organised](#)
- [Running a report](#)
- [Report parameters](#)
- [Viewing report output](#)
- [Exporting](#)
- [Saved reports](#)
- [Scheduled reports](#)
- [Printing](#)
- [Permissions](#)
- [Standard reports catalogue](#)
- [Troubleshooting](#)

How reports are organised

The **Reports** module is reached from the sidebar. The landing page lists every report your tenant has registered, with its **Code**, **Name**, and **Description**. Reports are run from this list — each row has a **Run** action.

[SCREENSHOT: Reports index]

Permission required — ReportRun to access this module.

Running a report

- 1 *Reports > Reports* in the sidebar.
- 2 Find the report — scroll, or use the page filter (planned).
- 3 Click **Run** in the row.
- 4 The **Run report** page opens, pre-populated with the report's metadata.
- 5 Provide parameters (see next section) as JSON, or leave the defaults.
- 6 Click **Run**.
- 7 The result table renders below the form.

[SCREENSHOT: Report run page with results table]

Report parameters

Today, parameters are supplied as **JSON** in a single text area. Example for an *Open documents by counterparty* report:

```
{
  "counterpartyId": "5e4c2bd6-...-7c0e",
  "asOfDate": "2026-05-31",
  "includeClosedPeriods": false
}
```

Each report tells you which parameters it expects (in its **Description** on the Reports list). Unknown parameters are ignored; missing required parameters return an error.

Availability — A **guided parameter form** (typed inputs per parameter) is **Planned**. The current JSON area gives full flexibility for power users; the upcoming form makes parameter entry idiot-proof.

Tip — If you are unsure of the JSON shape, run the report with {} first; the resulting error message lists the required parameters.

Viewing report output

Standard reports return a tabular result. Columns depend on the report; a typical *Open Documents* report includes:

Column	Meaning
Doc type	Bill / Invoice / PO / SO
Doc number	Human-readable identifier
Doc date	Date on the document
Due date	When the document is due (if applicable)
Counterparty	Vendor / customer code and name
Currency	Document currency
Total amount	Total value
Outstanding	Amount still owed / receivable
Status	Status badge

Click any document number to drill into the source document (where you have permission).

Exporting

Availability — Built-in **Excel / CSV / PDF export buttons** are **Planned**.

Until export ships you have three options:

Workaround	Best for
Browser Print → Save as PDF	One-off PDF copies
Browser select-all → paste into Excel	Quick ad-hoc analysis
Use the platform API directly (admin/power-user)	Repeatable extracts to Excel via Power Query, BI tools, or scripts

The next release adds a toolbar above results with **Export to Excel**, **Export to CSV**, and **Print PDF** buttons that preserve current filters and totals.

Saved reports

Availability — Planned.

Once available, you will be able to save a parameter set with a name ("Open AP for Vendor X, as of period 5") and return to it from a *My Reports* pane on the Reports index.

Today, your workaround is to keep parameter JSONs in a notes app and paste them into the Run page.

Scheduled reports

Availability — Planned.

Coming features will let admins schedule: - A nightly batch that emails a Trial Balance PDF to the controller - A Monday-morning aging report to AP and the CFO - A weekly "open POs by vendor" to procurement

Today, scheduled reports must be implemented by your platform team via the API. Talk to IT about extraction jobs.

Printing

Every list page and detail page is **print-friendly** — using your browser's *Print* command (Ctrl/Cmd+P) produces a clean printout with the sidebar and toolbars hidden. This works as a fallback until PDF export is available.

Tip — Choose *Save as PDF* in the print dialog to keep an electronic copy.

Permissions

Permission	Grants
ReportRun	Access to the Reports module and the right to run any registered report

Reports are not separately permissioned today — anyone with ReportRun can run any registered report. Granular per-report permissions are planned for when sensitive reports (e.g. payroll exports, tax filings) are introduced.

Standard reports catalogue

The catalogue is tenant-configurable. Typical out-of-the-box reports:

Code	Name	Description
open-documents	Open Documents	Bills + Invoices outstanding as of a date

Code	Name	Description
vendor-aging	Vendor Aging	AP aging buckets per vendor (Current, 1-30, 31-60, 61-90, 90+)
customer-aging	Customer Aging	AR aging buckets per customer
trial-balance	Trial Balance	Account balances at a period end
gl-detail	General Ledger Detail	All postings for an account in a date range
inventory-balance	Inventory Balance	On-hand and available by item and warehouse
po-status	Purchase Order Status	Open POs with receipt status
so-status	Sales Order Status	Open SOs with shipment status

Your tenant's actual report list may differ. Open *Reports* in the sidebar to see what is registered for your tenant.

Troubleshooting

Symptom	Likely cause	Fix
"Parameters must be valid JSON"	JSON syntax error	Validate the JSON in a tool like jsonlint.com
Empty result table	No data matches the parameters	Check date ranges and IDs
"An unexpected error occurred."	Server-side report failure	Note the correlation id in the footer and report to IT
Report missing from the list	Not registered for your tenant	Ask your Company Admin
Run button is greyed out	Missing Report Run permission	Talk to Company Admin

See [Troubleshooting > Reports](#) for additional cases.

10. Search & Filtering

Table of Contents

- [Per-module search](#)
- [Filter rows](#)
- [Sorting](#)
- [Pagination](#)
- [Search operators \(planned\)](#)
- [Saved filters \(planned\)](#)
- [Global search \(planned\)](#)
- [Examples](#)

Per-module search

Every list page has a **search box** above the table:

[SCREENSHOT: Search box on Vendors list]

The search is a **case-insensitive substring** match against the module's key fields:

Module	Searched fields
Vendors	Vendor code, Legal name
Customers	Customer code, Legal name
Inventory	SKU, Name
Chart of Accounts	Account code, Name
Bills	Bill number
Invoices	Invoice number
Purchase Orders	Order number
Sales Orders	Order number
Users	User name, Email
Roles	Role name
Workflow	Subject id (Guid) — exact match

Type a term, press **Enter** or click **Search**. The list reloads showing matches.

The page address bar reflects the search:

```
/Vendors?search=acme
```

You can bookmark or share that URL; reopening it re-runs the same search.

Tip — Searching for `acme` also matches `Acme Corp`, `acme-logistics`, and `subacme`. Most modules use contains-match, not exact match.

Filter rows

Some modules have a **filter row** above the table for typed filters that substring-search can't express. The standard filters per module:

Module	Filters
Bills	Vendor · Status · Payment status
Invoices	Customer · Status · Payment status
Purchase Orders	Vendor · Status
Sales Orders	Customer · Status
Journal Entries	Fiscal period · Status
Chart of Accounts	Account type · Search
Workflow tasks	Status · Subject type

[SCREENSHOT: Bills filter row with status, vendor, payment status]

Filters compose with the search box. Submit the filter form (Enter on any field) and the URL reflects all selected filters:

```
/Bills?vendorId=5e4c...&status=PendingApproval&search=B-2026
```

Sorting

Availability — Click-to-sort column headers are **Planned**.

Today, list pages return rows in the server's natural order — typically **most recent first** for transactional documents and **alphabetical** for master data.

Once the planned sorting ships, every column header will be clickable; one click sorts ascending, two clicks descending. Sort selection appears in the URL (`sort=billDate desc`) so it can be bookmarked.

For the moment, if you need a specific sort: - Re-run the same data as a [Report](#) (reports support ordering) - Or copy the page to Excel and sort there

Pagination

The bottom of every list page has a **paginator**:

< Previous 1 [2] 3 4 5 Next >	
Element	Meaning
< Previous / Next >	Move one page in either direction; disabled at the ends
Numbered links	Jump to a page directly
Active page	Highlighted (square bracket pattern in this manual)

Page size is **25 rows** by default. The URL carries page state:

```
/Vendors?pageNumber=3&pageSize=25&search=acme
```

Availability — A **per-page-size selector** (10 / 25 / 50 / 100) is **Planned**.

Tip — If you need to see "all" results, run a [Report](#); the list view is intentionally paged to keep the UI fast.

Search operators (planned)

Availability — **Planned**.

Roadmap operators (modeled after enterprise search syntaxes used by Jira, NetSuite, Workday):

Operator	Meaning	Example
"exact phrase"	Match an exact phrase, not a substring	"acme inc"
field:value	Match a specific field	vendorCode:V-100
field:>value	Comparison (numbers, dates)	totalAmount:>10000
-term	Exclude term	acme -test
OR	Either of two terms	acme OR beta

The current single-box search is **always** a substring contains. The operators above will be a superset, not a replacement.

Saved filters (planned)

Availability — **Planned**.

Coming soon: a *Save view* button on every list page that stores your current filter + sort selection under a name. Saved views become items in the sidebar under the module they belong to.

Until then, **bookmark the URL** of a filtered list. Browser bookmarks are the working equivalent of saved filters.

Global search (planned)

Availability — **Planned**.

The top bar will gain a global search input that queries every module at once and groups results by entity type (Vendors, Customers, Documents, Reports). Until then use the per-module list pages.

Examples

Find an unpaid bill by approximate vendor name

- 1 *Purchasing > Bills*
- 2 In the search box type part of the vendor name, e.g. delta.
- 3 In the filter row choose **Payment status = Outstanding**.
- 4 Press **Enter**.

- 5 The list shows bills from any vendor containing "delta" with outstanding balance.

Find all draft journal entries in a specific period

- 1 *Finance > Journal Entries*
- 2 In the filter row choose **Fiscal period = May 2026** and **Status = Draft**.
- 3 Press **Enter**.

Find a customer by partial code

- 1 *Sales > Customers*
- 2 Type the partial code in the search box, e.g. C-200.
- 3 Press **Enter**.
- 4 The list shows customers whose code or name contains the term.

Share a filtered view

- 1 Filter the list as desired.
- 2 Copy the **browser URL** from the address bar.
- 3 Paste into Slack, Teams, or email.
- 4 Anyone with the same permission who opens the link sees the same view.

11. Attachments & Documents

Table of Contents

- [Overview](#)
- [What you can attach today](#)
- [Roadmap](#)
- [File-handling policy](#)
- [Best practices in the interim](#)
- [Auditability of external attachments](#)

Overview

In an enterprise ERP, *attachments* are the source documents that support a transaction — the scanned vendor invoice that backs a bill in the system, the signed approval email for a journal entry, the bill of lading for a shipment, the contract for a customer credit-limit increase.

Treating attachments as **first-class document objects** is on the ChuA.ERP roadmap. This chapter documents the **planned** behaviour so users and admins can plan around it, and provides interim guidance for the current release.

What you can attach today

Availability — In-product attachment upload is **Planned**.

The current release does **not** ship in-product attachment storage. The *Bills*, *Invoices*, *Purchase Orders*, *Sales Orders*, and *Journal Entries* detail pages do not yet have an Attachments tab.

For the moment, treat attachments as **external links**: - Store the scanned source in your tenant's existing document store (SharePoint, OneDrive, S3, Drive, Box, etc.) - Put a stable URL to the attachment in the **Reference** field of the document (*Bills*, *Invoices*, *Journal Entries* all have one) - Mention the location in your approval comment for traceability

Roadmap

The planned attachment model:

Feature	Description
Drag-and-drop upload	On any document detail page, drop a file to attach
Multi-file upload	Add several files at once
Inline preview	PDFs and images previewable without download
Version history	Replacing an attachment keeps prior versions, with the actor and date recorded
Permission inheritance	Attachments inherit the read permission of the parent document — if you can see the bill you can see its scan

Feature	Description
Mandatory categories	Tenant admins can require <i>Vendor invoice PDF</i> on Bills > \$5k, etc.
Virus scanning	Files are scanned on upload; unsafe files are quarantined
Retention policy	Attachments older than tenant-configured retention are auto-archived to cold storage

```

flowchart LR
    A[Bill] --> B[Attachment: Vendor invoice PDF]
    A --> C[Attachment: Email approval]
    A --> D[Attachment: Goods receipt note]
    B --> E[Version 1, May 10]
    B --> F[Version 2, May 12, replaced by Alice]

```

File-handling policy

When attachments ship, the platform will enforce:

Rule	Default
Maximum file size	25 MB per file
Maximum files per document	20
Allowed file types	PDF, JPG, PNG, TIFF, DOCX, XLSX, MSG, EML, ZIP
Disallowed file types	EXE, MSI, BAT, DLL, JS, HTML and other executables
Virus scanning	Yes (engine TBD per tenant)
Retention	7 years by default; configurable per tenant

Warning — Never store payment card numbers (PAN), passwords, or private keys as attachments. The platform is not certified for storage of cardholder data; use a dedicated payment processor.

Best practices in the interim

Until attachments ship, follow these conventions to keep audit trails intact:

- 1 **Save the source document** to your tenant's document store with a structured file name:
2026-05-15_Bill_B-2026-0142_AcmeCorp_VendorInvoice.pdf
- 2 **Put the canonical URL** to the file in the document's Reference field. Use a stable URL — short-lived presigned links break later.
- 3 **Mention the location** in your approval comment if the approver needs to inspect the source:
Approved. Source PDF: \\fileshare\AP\2026\05\B-2026-0142.pdf
- 4 **For Journal Entries with manual adjustments**, include the calculation spreadsheet path in the Memo field and a one-line summary in the Reference field.
- 5 **For Inventory adjustments**, include the cycle-count report id or the damage incident number in the Reason field.

Auditability of external attachments

Because the source documents live outside ChuA.ERP, the audit trail is **indirect**: - ChuA.ERP records the Reference field that points to the file - Your document store records when the file was uploaded, by whom, and who has read it

For audit reviews, give auditors **read** access to your document store and the ChuA.ERP reference field together. Once in-product attachments ship, both halves of the trail live in ChuA.ERP itself.

Tip — If your industry is regulated (financial services, healthcare, public sector), check with your compliance team whether external attachments satisfy your audit requirements. Some standards (e.g. SOX control sections) prefer integrated storage with locked retention.

12. Audit History

Table of Contents

- [What is recorded](#)
- [Where to find audit info](#)
- [Document-level history](#)
- [Workflow history](#)
- [User & role change history](#)
- [Correlation ids](#)
- [Retention](#)
- [Exporting audit data](#)
- [Worked example — investigating a discrepancy](#)
- [Audit best practices](#)

What is recorded

ChuA.ERP records, for every change to a business object:

Recorded item	Description
Who	The acting user — sub claim from the IdP, plus display name
When	UTC timestamp, second-precision
What	The object id (document, user, role) and the field-level diff (before → after)
Why	Any comment / reason / memo the user typed at the time
From where	The IP address of the request (admin-visible)
Correlation id	An end-to-end trace identifier joining the UI action to backend log records

These records are **immutable** — no user, including the System Admin, can delete or modify them once written.

Note — Audit retention duration is tenant-configurable but defaults to **7 years** to satisfy common financial-records regulations (SOX, IFRS, GAAP, GDPR for relevant data).

Where to find audit info

You want to see...	Look at...
Who approved a specific bill	The Approval history block on the bill's detail page
Who edited a journal entry before posting	Document history (planned in-UI; today via the API or admin audit dump)
When a user's role changed	<i>Administration > Users > [user] > History</i> (admin view)

You want to see...	Look at...
All actions a user took on a specific day	Audit log export (admin)
When inventory was adjusted and by whom	Item detail page > Adjustment log (planned)

Document-level history

Availability — A full **document history pane** is **Planned** on every detail page. The information is captured today; surfacing it in the UI ships in the next release.

For documents that go through workflow (bills, POs, journal entries), the workflow history is already visible at the bottom of the document detail. That covers approve / reject / reassign decisions.

For non-workflow edits (e.g. changing a vendor's payment terms), the history is recorded but currently only retrievable by your Company Admin via the audit log export. Once the document history pane ships, every detail page will show:

```
v History
+-----+
| 2026-05-19 14:22 Alice Updated Payment terms 30 → 45 |
+-----+
| 2026-05-18 09:01 Bob Updated Legal name |
| "Acme" → "Acme Corp Ltd." |
+-----+
| 2026-04-30 16:55 Carol Created |
+-----+
```

Workflow history

Approval tasks have a permanent history block that survives the underlying document's life-cycle. Specifically:

- Approve / Reject decisions with comments
- Reassignments with reasons
- Escalation events
- Auto-cancellation events (e.g. when the source document is deleted while the task is still Pending)

See [Workflow & Approvals > Approval history](#) for a worked example.

User & role change history

Administrators can see the history of:

- A user's role membership (when added / removed)
- A role's permission set (when permissions were added / removed)
- Account-status changes (enabled, disabled, locked, MFA-reset)

Permission required — CompanyAdmin role or SystemAdmin role.

Access via *Administration > Users > [user]* (current activity) or via the audit-log export described below.

Correlation ids

Every web request gets a **correlation id** — a unique string that travels through every backend service involved in handling the request. The id is visible in three places:

- 1 The **footer** of every page in the UI: *"request abc-123-def"*
 - 2 The HTTP header X-Correlation-ID on requests and responses (admin / developer tools view)
 - 3 Every entry the request produces in the audit and system logs
- [SCREENSHOT: Footer with correlation id highlighted]

When you report a problem to support, **copy the correlation id from the footer** and include it in your ticket. Support uses it to locate every log entry related to your specific action.

Retention

Audit category	Default retention
Financial document audits (bills, invoices, JEs, payments)	7 years
Master data audits (vendors, customers, accounts)	7 years
Workflow audits (approvals, reassignments)	7 years
User account audits (sign-ins, role changes)	2 years
Health & operational logs	90 days

Tenant administrators can extend retention in *Administration > System Settings* but **cannot shorten it below the regulatory minimum** without explicit platform-level approval.

Exporting audit data

Availability — A self-service **Audit export** pane in *Administration > Audit Log* is **Planned**. Today, exports are performed by the platform team on request.

When the export pane ships, Company Admins will be able to: - Filter audit records by user, by object, by date range, and by action - Export to CSV (smallest), Excel (formatted), or JSONL (streaming, for ingestion into SIEMs) - Schedule recurring exports to a tenant-owned destination (S3, Azure Blob, etc.) for long-term archiving

Until then, your platform team can extract audit data via the audit API. Talk to IT.

Worked example — investigating a discrepancy

Scenario — Trial balance is off by \$1,250.00. You suspect someone posted a journal entry without proper approval.

- 1 Run the **Trial Balance** report as of the period start and again as of "now" to find the account where the variance shows up.
- 2 Open *Finance > Journal Entries*. Filter by **Fiscal period = current period** and **Status = Posted**. Sort by **Posted at** (planned) or scan recent entries.

- 3 Open candidate entries. The workflow history block shows who submitted and who approved.
- 4 If an entry was posted without approval — check the **audit log** via admin export for the entry's id; the entry should not have skipped the workflow rule unless an admin overrode it (which is itself audited).
- 5 If you find a problematic posting, **create a reversing journal entry** (do **not** edit the original posted entry; posted entries are immutable).
- 6 Document your findings in the reversing entry's Memo field and link to the audit trail in your control-review record.

This combination of: - Immutable posted entries - Workflow history on every approved transaction - Audit log with correlation ids - Reversal-only correction model

is what makes ChuA.ERP suitable for SOX-regulated environments.

Audit best practices

- **Treat the audit log as a control document.** Auditors will ask for evidence of internal controls; the audit log is your primary artefact.
- **Never share account credentials.** If two people sign in with the same account, the audit log cannot distinguish them.
- **Use comments on approvals.** Audit value depends on the why, not just the what.
- **Reconcile periodically.** Run the Open Documents report monthly and cross-check against the trial balance.
- **Keep external attachments named consistently.** Until in-product attachments ship, your file-naming convention is part of the audit trail.
- **Test your access.** Once a quarter, ask your Company Admin to confirm your role membership matches your job. Stale permissions are an audit finding waiting to happen.

Purchasing Module

Availability — Available (Vendors, Purchase Orders, Bills). Purchase Requisitions and Returns are **Planned**.

Table of Contents

- [Overview](#)
- [Who uses it](#)
- [Permissions](#)
- [Vendors](#)
- [Purchase Requisitions](#)
- [Purchase Orders](#)
- [Receiving goods](#)
- [Bills \(Vendor invoices\)](#)
- [Paying bills](#)
- [Returns](#)
- [Approval workflows](#)
- [Reports](#)
- [Worked scenarios](#)
- [Common mistakes & validation rules](#)
- [FAQ](#)

Overview

The Purchasing module manages everything from registering a new supplier through to paying their invoice. The flow:

```
flowchart LR
    A[Vendor created] --> B[Purchase Order]
    B --> C[Approve PO]
    C --> D[Send to vendor]
    D --> E[Receive goods]
    E --> F[Vendor invoice arrives]
    F --> G[Create Bill]
    G --> H[Approve Bill]
    H --> I[Pay Bill]
    I --> J[GL: AP cleared, Cash decreased]
```

Each step has a corresponding screen in *Purchasing* in the sidebar.

Who uses it

Role	Typical activities
Buyer / Purchaser	Create vendors, raise POs, send POs to suppliers
AP Clerk	Enter bills, match to POs, submit for approval

Role	Typical activities
Receiver / Warehouse	Record goods receipts against POs
AP Manager	Approve bills, oversee aging
Procurement Manager	Approve POs above threshold
Controller	Oversee AP, sign off on critical decisions

Permissions

Permission	Grants
VendorRead	View vendor list and details
VendorCreate	Create vendors
VendorUpdate	Edit / deactivate vendors
PurchaseOrderRead	View POs
PurchaseOrderCreate	Create / edit / delete POs
PurchaseOrderApprove	Submit Approve decisions on POs
PurchaseOrderReceive	Post goods receipts against POs
BillRead	View bills
BillCreate	Create / edit / delete bills
BillApprove	Approve bills
BillPay	Apply payments against bills

See [Security & Permissions](#) for role combinations.

Vendors

Vendors are the master data records for your suppliers.

Vendor record fields

Field	Required	Notes
Vendor code	✓	1-40 chars; unique within the company; <i>cannot</i> be changed once set
Legal name	✓	1-200 chars; the legal entity name on contracts
Default currency	✓	3-letter ISO code (USD, EUR, GBP, ...)
Payment terms (days)	✓	0-365 days; the default Net term
Blocked from new transactions		Tick to prevent new POs / bills against this vendor

Creating a vendor

- 1 [Purchasing > Vendors](#)
- 2 Click **New vendor** (top-right) — requires VendorCreate.

- 3 Fill in the form. **Vendor code** must be unique; **legal name** should match the vendor's contract / W-9 / equivalent identity document.
 - 4 Click **Create vendor**.
 - 5 You land on the vendor's detail page.
- [SCREENSHOT: New vendor form]

Tip — Adopt a consistent vendor code scheme (V-NNNNN, or 4-letter mnemonic + sequence) and document it in your AP procedures.

Editing a vendor

Open the vendor detail page → **Edit** (requires VendorUpdate).

The **vendor code** is **locked once created** to preserve referential integrity with historical bills / POs. Legal name, currency, payment terms, and blocked status are editable. Changes are audited.

Blocking a vendor

Use **Blocked** when: - The vendor is in dispute - Compliance has flagged them (sanctions, audit findings) - The vendor was set up in error - The vendor has been replaced by a merged entity

Blocked vendors disappear from PO and Bill *create* dropdowns; existing documents are not affected.

Deleting a vendor

Warning — Deletion is reserved for vendors that have **never** been used. The system rejects delete if any PO or bill references the vendor. Block instead.

Purchase Requisitions

Availability — Planned.

Coming feature for environments that need a pre-PO request stage. Today, authorised buyers raise POs directly. Talk to your Company Admin if your procurement policy requires requisitions before POs can be created.

Purchase Orders

A Purchase Order (PO) is your **commitment to a vendor**: order number, date, currency, and a list of line items (items, quantities, unit prices).

PO record fields

Field	Required	Notes
Vendor	✓	Must not be blocked
Order number	✓	Human-readable; unique within company
Order date	✓	Defaults to today

Field	Required	Notes
Currency	✓	3-letter ISO; defaults to vendor's default currency
Lines	✓	At least one line; see fields below

PO line fields:

Field	Notes
Item	Reference into the Inventory module
Description	Free text — overrides the item's description for this line
Quantity	With unit of measure
Unit price	Money: amount + currency

Creating a PO

- 1 *Purchasing > Purchase Orders > New* — requires `PurchaseOrderCreate`.
- 2 Choose **Vendor**.
- 3 Enter **Order number**, **Order date**, **Currency**.
- 4 Add at least one line: pick the item, set quantity and unit price.
- 5 Click **Create**. The PO is saved in **Draft** status.

[SCREENSHOT: Create PO form with one line]

PO lifecycle

```
stateDiagram-v2
    [*] --> Draft
    Draft --> PendingApproval: Submit for approval (manual or auto on save above threshold)
    PendingApproval --> Approved: Approver decides
    PendingApproval --> Draft: Approver rejects
    Approved --> PartiallyReceived: First receipt posted
    Approved --> Received: Full quantity received
    PartiallyReceived --> Received
    Approved --> Cancelled: Buyer cancels (planned)
    Received --> Closed: All bills matched (planned)
```

Status badges throughout the UI show the current state.

Approving a PO

POs above the tenant-configured threshold require approval before they can be sent to the vendor:

- 1 *Purchasing > Purchase Orders > [PO] > Approve*
- 2 Review the lines and total.
- 3 Click **Confirm approval**.

Approval is recorded with the actor, timestamp, and any comment. After approval the PO appears in the *Approved* status.

Permission required — `PurchaseOrderApprove`.

Receiving goods

When the vendor's shipment arrives, the receiver records what was received:

- 1 Open the PO.
- 2 Click **Receive**.
- 3 Fill in: - Receipt date (defaults to today) - Warehouse (where the goods went) - Receipt number (your goods-receipt-note id) - For each line: how much was actually received (may be partial)
- 4 Click **Confirm receipt**.

[SCREENSHOT: Receive goods form]

Effects of a receipt

Subsystem	Effect
Inventory	Item on-hand quantity increases at the chosen warehouse
PO	Receipt is recorded against the line(s); PO status updates
GL	A receipt does not post to the GL directly; the matching Bill (vendor invoice) does

Tip — Receive against the PO **before** entering the vendor's invoice. This way the bill can match against the receipt, and any quantity / price variance is caught immediately.

Over-receipt and under-receipt

Scenario	What to do
Vendor shipped more than the PO ordered	Receive only the PO quantity; raise a new PO or short-ship return — depends on tenant policy
Vendor shipped less than the PO ordered	Receive the actual quantity; the PO stays Partially Received; either receive the remainder later or close the line manually (planned)
Vendor shipped wrong items	Don't receive; contact the vendor and raise a return (planned)

Bills (Vendor invoices)

A **Bill** is the vendor's invoice **inside the system** — your record of the obligation to pay.

Bill record fields

Field	Required	Notes
Vendor	✓	Drives default currency and payment terms
Bill number	✓	Use the vendor's invoice number, not your own
Bill date	✓	The date on the vendor's invoice
Due date	✓	Calculated from bill date + terms; editable

Field	Required	Notes
Currency	✓	Defaults to vendor's currency
Lines	✓	At least one; can copy from PO (planned)

Bill statuses

Status	Meaning
Draft	Just created; not yet submitted
PendingApproval	Submitted; waiting on approver
Approved	Cleared for payment
Paid	Fully paid
PartiallyPaid	One or more partial payments applied
Cancelled	Voided

Payment status (separate from main status):

Payment status	Meaning
Outstanding	Nothing paid yet
PartiallyPaid	One or more payments applied; outstanding > 0
Paid	Outstanding = 0

Creating a bill

- 1 *Purchasing > Bills > New* — requires BillCreate.
- 2 Choose **Vendor**, enter bill number, dates, currency.
- 3 Add line items with description, quantity, and unit price.
- 4 Click **Create bill**.

[SCREENSHOT: Create bill form]

Awaiting approval

The dedicated *Bills > Awaiting Approval* list shows every bill in **PendingApproval** status — useful for approvers' triage.

Approving a bill

- 1 Open the bill.
- 2 Click **Approve** (requires BillApprove).
- 3 Confirm.

Approval moves the bill to **Approved**, making it eligible for payment.

Paying bills

- 1 Open an **Approved** bill.
- 2 Click **Pay** (requires BillPay).

- 3 Fill in the payment form: - Payment date (defaults to today) - Amount (defaults to outstanding balance; can pay less for partial) - Currency - Payment method (BankTransfer, Check, CreditCard, etc.) - Reference (the bank reference, check number, etc.)

- 4 Click **Confirm payment**.

[SCREENSHOT: Pay bill form]

Payment effects

```
sequenceDiagram
    participant User
    participant ChuA
    participant GL
    User->>ChuA: Submit payment for Bill B-001
    ChuA->>ChuA: Payment record created
    ChuA->>GL: Credit Cash, Debit AP
    ChuA->>ChuA: Bill payment status → Paid (or PartiallyPaid)
```

Multiple partial payments

A bill can receive several partial payments. Each one is recorded separately and the outstanding balance is recalculated. Once outstanding reaches zero, the bill closes as **Paid**.

Returns

Availability — Planned.

Once available, vendor returns will: - Reverse an inventory receipt at a warehouse - Generate a debit memo (negative bill) against the vendor - Either reduce a future bill or trigger a refund payment

Today, returns must be handled manually: 1. Create an inventory adjustment to reduce on-hand 2. Create a journal entry to reverse the AP impact

Approval workflows

Typical purchasing workflow policies:

Trigger	Approver chain
New vendor	Compliance review (planned) → Active
PO ≤ \$5k	Buyer self-approve
PO \$5k - \$25k	Buyer's manager
PO \$25k - \$100k	Manager → Procurement Director
PO > \$100k	Procurement Director → CFO
Bill ≤ \$5k matched to PO	Auto-approve (planned)
Bill ≤ \$5k unmatched	AP Manager
Bill > \$5k	AP Manager → Controller

Your tenant's actual thresholds are set in the workflow engine; see the [Workflow Engine module](#).

Reports

Report	Purpose
Vendor Aging	Outstanding bills by aging bucket
Open Purchase Orders	POs not yet fully received
PO Status	All POs with current state
Bills Awaiting Approval	Approver workload
Vendor Spend YTD	Top vendors by spend
Three-way Match Variance	(Planned) PO vs Receipt vs Bill price/quantity differences

Run from *Reports*; see [Reports & Exports](#).

Worked scenarios

Scenario 1 — End-to-end purchase

Story — Marketing needs 100 branded notebooks for a conference.

- 1 **Vendor exists?** *Vendors* — yes, *PromoMerch Inc* (V-1042). If not, create it.
- 2 **PO** — *Purchase Orders* > *New*. Vendor *PromoMerch*, lines: 100 × NotebookSKU @ \$7.50 each. Total \$750. Save.
- 3 **PO approval** — \$750 is below \$5k threshold, no approval needed.
- 4 **Send PO** — Currently manual: export PO as PDF (planned), email to orders@promom merch.com.
- 5 **Goods arrive** — Receiver opens the PO, clicks **Receive**, enters 100 units to warehouse "Main", receipt number GRN-2026-0142. Inventory increases.
- 6 **Bill arrives** — Vendor emails invoice INV-PM-44321 for \$750. AP clerk creates Bill: vendor *PromoMerch*, lines mirror the PO.
- 7 **Bill approval** — Below threshold, auto-approve.
- 8 **Payment** — AP runs the weekly check run, pays \$750 via BankTransfer with reference WT-2026-051901.
- 9 **Audit trail** — The PO links to the receipt links to the bill links to the payment. The GL shows the expense and the cash decrease.

Scenario 2 — Three-way match exception

Story — Vendor shipped 95 units, invoiced for 100.

- 1 PO 100 × \$7.50.
- 2 Receipt only 95 units.
- 3 Bill arrives for 100 units × \$7.50 = \$750.
- 4 AP clerk creates the bill, but flags the discrepancy in the comment.
- 5 AP Manager **rejects** the bill, asks vendor for a corrected invoice or a credit memo.
- 6 Vendor sends credit memo for 5 × \$7.50 = \$37.50.
- 7 AP enters the corrected bill of \$712.50, approves, pays.

Tip — Once three-way match ships (planned), step 4 will happen automatically and the bill cannot be approved until variance is resolved or explicitly waived by an approver.

Common mistakes & validation rules

Mistake	Symptom	Fix
Vendor code reused	"Vendor code already exists"	Use a unique code
Bill date in the future	Tenant warning (may block)	Verify date is correct
Bill currency ≠ vendor currency	Allowed but flagged	Confirm exchange rate handling with finance
Bill before PO	Allowed today	Best practice: receive then bill
Pay more than outstanding	"Payment exceeds outstanding balance"	Adjust the amount
Approve own submission	Blocked	Submit and ask a colleague to approve

FAQ

Q: A bill is showing PaymentStatus = Outstanding but I paid it last week. A: Check the payment was actually applied to *this* bill — sometimes payments are applied to the wrong bill in error. Open the bill, scroll to the payments section.

Q: Can I edit a posted bill? A: No. Once approved, the only way to change a bill is to **cancel** it (planned) and create a new one, or post a journal-entry adjustment.

Q: How do I refund a vendor that overpaid? A: Vendor refunds are exceptional. Create a journal entry to reverse the payment, then issue the refund through your bank, recording the bank reference in the JE.

Q: How do I deal with foreign-currency bills? A: Enter the bill in the vendor's currency. Your tenant's currency configuration handles the conversion to the company's base currency at the journal-entry level.

Q: My PO shows "PartiallyReceived" but I received everything. A: Confirm each line shows received quantity = ordered. Often one line is missed; reopen Receive and post the remainder.

Sales Module

Availability — Available (Customers, Sales Orders, Invoices, Ship action, Apply-payment).
Quotes are **Planned**.

Table of Contents

- [Overview](#)
- [Who uses it](#)
- [Permissions](#)
- [Customers](#)
- [Quotes](#)
- [Sales Orders](#)
- [Shipping](#)
- [Invoices](#)
- [Applying customer payments](#)
- [Returns](#)
- [Credit holds](#)
- [Order tracking](#)
- [Reports](#)
- [Worked scenarios](#)
- [Common mistakes & validation rules](#)
- [FAQ](#)

Overview

Sales handles the customer-facing half of the trading cycle: register customers, take their orders, ship the goods, invoice them, and apply their payments.

```
flowchart LR
    A[Customer created] --> B[Quote]
    B -.->|Planned| C[Sales Order]
    C --> D[Ship goods]
    D --> E[Invoice]
    E --> F[Apply Payment]
    F --> G[AR cleared]
```

Who uses it

Role	Activities
Sales Rep	Create customers, raise sales orders
Customer Service	Update sales orders, answer customer queries
Warehouse / Shipping	Ship orders, record shipment details
AR Clerk	Issue invoices, apply customer payments

Role	Activities
AR Manager	Approve invoices, oversee aging
Credit Controller	Set credit limits, place holds

Permissions

Permission	Grants
CustomerRead	View customer list and details
CustomerCreate	Create customers
CustomerUpdate	Edit / deactivate customers
SalesOrderRead	View SOs
SalesOrderCreate	Create / edit / delete SOs
SalesOrderShip	Post shipments against SOs
InvoiceRead	View invoices
InvoiceCreate	Create / edit / delete invoices
InvoiceApplyPayment	Apply payments against invoices

Customers

Customer record fields

Field	Required	Notes
Customer code	✓	1-40 chars; unique within company; immutable
Legal name	✓	1-200 chars
Default currency	✓	3-letter ISO; defaults to company base
Payment terms (days)	✓	0-365 days
Credit limit	✓	Money (amount + currency); 0 means no credit
Blocked from new transactions		Tick to prevent new SOs / invoices

Creating a customer

- 1 *Sales > Customers > New customer* (requires CustomerCreate).
- 2 Enter code, legal name, currency, terms, credit limit.
- 3 Click **Create**.

[SCREENSHOT: New customer form]

Credit limits

The credit limit determines the maximum **outstanding receivable** the customer is allowed to carry. The system warns (and, depending on tenant config, blocks) the issue of new invoices that would push the customer past the limit.

Tip — Review credit limits at least annually, ideally after each trade reference / Dun & Bradstreet refresh.

Blocking a customer

Use the **Blocked** flag for credit holds, disputes, or compliance freezes. Blocked customers cannot have new SOs or invoices raised; existing ones are unaffected.

Quotes

Availability — Planned.

Quotes will provide a pre-SO stage for proposing pricing to a customer without committing inventory. Today, sales teams typically prepare quotes outside the system and convert them to a Sales Order on customer acceptance.

Sales Orders

A Sales Order (SO) is your **commitment to a customer**: order number, date, currency, line items.

SO record fields

Field	Required	Notes
Customer	✓	Must not be blocked, must not exceed credit (warning / hard block per tenant config)
Order number	✓	Unique within company
Order date	✓	Defaults to today
Currency	✓	Defaults to customer's default
Lines	✓	At least one; item + qty + unit price

Creating an SO

- 1 *Sales > Sales Orders > New* — requires SalesOrderCreate.
- 2 Choose **Customer**.
- 3 Enter order number, date, currency.
- 4 Add lines: item, description override, quantity, unit price.
- 5 Click **Create**.

[SCREENSHOT: Create SO form]

SO lifecycle

```

stateDiagram-v2
    [*] --> Draft
    Draft --> Open: Save
    Open --> PartiallyShipped: First shipment
    Open --> Shipped: Full quantity shipped
    PartiallyShipped --> Shipped
    Shipped --> Invoiced: Invoice issued
    Open --> Cancelled: Customer cancels (planned)

```

Shipping

When the warehouse fulfils the SO:

- 1 Open the SO.
- 2 Click **Ship** (requires SalesOrderShip).
- 3 Fill the ship form: - Shipment date - Warehouse the goods leave from - Shipment number - Optional carrier and tracking number - For each line: shipped quantity
- 4 Click **Confirm shipment**.

[SCREENSHOT: Ship sales order form]

Effects of a shipment

Subsystem	Effect
Inventory	On-hand decreases at the chosen warehouse
SO	Status updates; lines mark how much has shipped
GL	Inventory → COGS posting (planned auto-post; today via manual JE)
Customer	Eligible for invoicing (or auto-invoice — planned)

Partial shipments

You can ship lines partially and post multiple shipments against the same SO. Each shipment returns a shipment id that the system records.

Invoices

Invoice record fields

Field	Required	Notes
Customer	✓	
Invoice number	✓	Unique within company
Invoice date	✓	The "as of" date
Due date	✓	Derived from terms but editable
Currency	✓	
Lines	✓	Description + qty + unit price

Creating an invoice

Note — The current release lets you create invoices independently of SOs. Future releases (planned) will offer an *Invoice from SO* shortcut that copies the SO lines and links the invoice back to the SO.

- 1 *Sales > Invoices > New* — requires InvoiceCreate.
- 2 Choose customer, enter invoice number, dates, currency.
- 3 Add lines.
- 4 Click **Create invoice**.

[SCREENSHOT: Create invoice form]

Invoice statuses

Status	Meaning
Draft	Created but not yet sent / posted
Open	Sent to customer; AR posted
PartiallyPaid	Some payment received
Paid	Fully paid
Overdue	Past due date with outstanding balance
Cancelled	Voided

Payment status follows the same Outstanding / PartiallyPaid / Paid pattern as bills.

Applying customer payments

When a customer's payment arrives (bank transfer, check, card, etc.):

- 1 Open the customer's invoice.
- 2 Click **Apply payment** (requires InvoiceApplyPayment).
- 3 Fill: - Payment date - Amount (defaults to outstanding) - Currency - Payment method - Reference (bank reference, check number, ...)
- 4 Click **Confirm**.

[SCREENSHOT: Apply customer payment form]

Effects of a payment

```
sequenceDiagram
    participant AR
    participant ChuA
    participant GL
    AR->>ChuA: Apply $1,200 to Invoice INV-2026-0099
    ChuA->>GL: Debit Cash, Credit AR
    ChuA->>ChuA: Invoice payment status updates
```

Customer payments not tied to an invoice

Availability — Planned.

For on-account / unmatched receipts, future support will let AR post a credit to the customer's account and later apply it to specific invoices. Today, post a journal entry to capture the receipt and apply manually once you know which invoice it covers.

Returns

Availability — Planned.

Customer returns will: - Issue a credit memo (negative invoice) - Reverse inventory at the warehouse - Either net against a future invoice or trigger a refund

Today, returns are handled with a manual journal entry plus an inventory adjustment.

Credit holds

The **credit limit** on the customer is checked when raising new invoices:

Scenario	System behaviour
Outstanding $\leq$ Credit limit	Allowed
Outstanding + new invoice > Credit limit	Warning toast; tenant policy may block
Customer Blocked	Hard block on new SOs and invoices

For tenants with stricter policy, ask your Company Admin to enable *hard* credit holds (blocks instead of warns).

Order tracking

The detail page of each SO shows current status and shipment history. For customer-facing tracking, the carrier's tracking number you recorded on the shipment can be shared.

Availability — A customer portal for self-service tracking is **Planned**.

Reports

Report	Purpose
Customer Aging	Outstanding invoices by aging bucket
Open Sales Orders	SOs not yet fully shipped
Sales Order Status	All SOs with current state
Invoices Outstanding	Open AR snapshot
Top Customers by Revenue	Revenue concentration
Days Sales Outstanding (DSO)	(Planned) AR turnover metric

Worked scenarios

Scenario 1 — End-to-end sale

- 1 *Sales > Customers > New* — Customer **C-220**, legal name *Acme Retail Group*, USD, Net 30, credit limit \$50,000.
- 2 *Sales > Sales Orders > New* — Customer C-220, order **SO-2026-0317**, 50 × WidgetSKU @ \$20 = \$1,000.
- 3 *Ship* — From warehouse Main, shipment **SH-2026-0142** via FedEx, tracking 7890....
- 4 *Sales > Invoices > New* — Invoice **INV-2026-0099** mirroring the SO lines, due 30 days out.
- 5 Send invoice (PDF export planned; today email outside the system).
- 6 28 days later customer pays via wire transfer.
- 7 *Apply payment* — \$1,000 BankTransfer, reference WT-2026-0617.
- 8 Invoice closes; AR balance for Acme decreases; cash increases.

Scenario 2 — Partial shipment + partial payment

- 1 SO for 100 units total.
- 2 Warehouse can only ship 60 today.
- 3 Post shipment for 60 units; SO status = PartiallyShipped.
- 4 Issue invoice for 60 × unit price (or wait until full shipment — tenant policy choice).
- 5 Customer pays 50% of the invoice.
- 6 Invoice status = PartiallyPaid; outstanding = remaining 50%.
- 7 Two weeks later remaining 40 units ship; new invoice for those 40.
- 8 Customer pays both invoices in full.

Common mistakes & validation rules

Mistake	Symptom	Fix
Customer code reused	Validation error	Use unique code
Currency mismatch on invoice vs customer	Allowed but flagged	Verify FX handling
Credit limit breach	Warning / block (tenant policy)	Adjust limit or insist on payment
Ship to wrong warehouse	Inventory imbalance	Cycle count + adjustment
Apply payment exceeding outstanding	Error	Reduce amount or split across invoices
Negative quantity on a line	Validation error	Use a credit memo / return process instead

FAQ

Q: Customer paid more than the invoice. Where does the excess go? A: Today, post a journal entry to a "customer credit on account" liability account. Once on-account credits ship (planned), the excess can stay against the customer for later application.

Q: A customer wants the invoice in their currency, not ours. A: Set the invoice currency to the customer's; the GL handles conversion to the company base currency.

Q: I shipped to the wrong customer's address. A: The system records the warehouse you shipped *from*; the recipient address is stored externally (planned). Coordinate with the carrier to redirect or

recover the shipment.

Q: Customer disputes an invoice. What's the process? A: Set the invoice status to **Disputed** (planned). Today, add a comment on the invoice and flag the customer's account. Do not auto-apply future payments until resolved.

Q: When does revenue post to the GL? A: On invoice posting. The next release auto-posts the GL entry when the invoice transitions from Draft to Open; today an accountant posts a journal entry manually if the rule isn't configured.

Inventory Module

Availability — Available (Items, warehouse balances, adjustments, import demo). Cycle counts, lot tracking, serial tracking, multi-warehouse transfers, and automatic reorder triggers are **Planned**.

Table of Contents

- [Overview](#)
- [Who uses it](#)
- [Permissions](#)
- [Items](#)
- [Warehouses](#)
- [Stock balances](#)
- [Stock transfers](#)
- [Inventory adjustments](#)
- [Cycle counts](#)
- [Lot tracking](#)
- [Serial tracking](#)
- [Reorder levels](#)
- [Importing items](#)
- [Inventory valuation](#)
- [Worked scenarios](#)
- [Best practices](#)
- [FAQ](#)

Overview

The Inventory module is the **system of record for what you have, where**. Every physical movement — vendor receipt, customer shipment, inter-warehouse transfer, damage write-off — is reflected as an inventory record. Other modules (Purchasing, Sales) call into Inventory whenever movement happens.

```
flowchart LR
    A[PO Receipt] --> B[Inventory ↑ at warehouse]
    C[SO Shipment] --> D[Inventory ↓ at warehouse]
    E[Adjustment] --> F[Inventory ± per reason]
    G[Stock transfer] -.->|Planned| H[Inventory: warehouse A → warehouse B]
```

Who uses it

Role	Activities
Warehouse Clerk	Receive, ship, adjust
Warehouse Supervisor	Authorise adjustments, run cycle counts
Buyer	Maintain item master, set reorder levels

Role	Activities
Accountant	Reconcile inventory valuation with GL
Auditor	Review adjustment reasons and counts

Permissions

Permission	Grants
InventoryRead	View item master, balances
InventoryCreate	Create / edit / delete items, run imports
InventoryAdjust	Post stock adjustments (±) at a warehouse

Items

The **item master** stores each SKU you stock or sell.

Item record fields

Field	Required	Notes
SKU	✓	1-60 chars; unique within company; immutable
Name	✓	1-200 chars; the display name
Default unit of measure	✓	EA, KG, L, BOX, ...
Stocked		Tick for physical goods; untick for services
Reorder point		Threshold below which a replenishment alert (planned) fires

Creating an item

- 1 *Inventory > Items > New* — requires InventoryCreate.
- 2 Enter SKU, Name, UoM, tick Stocked, optionally set Reorder point.
- 3 Click **Create item**.

[SCREENSHOT: Create item form]

Tip — Maintain a consistent SKU scheme (AAA-NNNNN, or category prefix). Once an item has movement, the SKU cannot change.

Editing / deactivating items

Open the item → **Edit**. Name, UoM, Stocked, and Reorder point are editable. SKU is locked. To retire an obsolete item, untick **Stocked** and stop using it in new POs / SOs.

Warehouses

Availability — A *Warehouses* master-data page is **Planned**. Today warehouses are referenced by Guid on movements; your tenant's warehouses are defined at setup time and exposed to the UI by id.

Common configurations:

Setup	Use case
Single warehouse	Small operations
Main + Returns	Mid-size; separate returned-goods stock
Multi-site	Retail with several stores; distribution centres
3PL / consignment	Stock held by a third-party logistics provider

Stock balances

You can query the on-hand and available quantity for any item at any warehouse:

- 1 *Inventory > Items > [item] > Details*.
- 2 Use the **Check warehouse balance** mini-form: type the warehouse id, click **Check**.
- 3 The balance page shows: - **On hand** — what is physically there - **Available** — on hand minus what is committed to outstanding SOs

[SCREENSHOT: Warehouse balance page]

Availability — A **multi-warehouse balance table** showing on-hand across every warehouse on one page is **Planned**.

Stock transfers

Availability — **Planned**.

Once available, stock transfers will move quantity between warehouses with no GL impact and full audit trail. Today, transfers are recorded as two adjustments (one negative at source, one positive at destination) with a shared reason code.

Inventory adjustments

Adjustments are the **manual override** to bring system on-hand in line with physical reality.

When to adjust

- Damaged goods discovered during cycle count
- Theft / shrinkage write-off
- Found items missing from system
- Counting errors

Posting an adjustment

- 1 *Inventory > Items > [item]*.
- 2 Click **Adjust** (requires InventoryAdjust).
- 3 Fill: - Warehouse - Delta — positive to add, negative to remove (in the item's UoM) - Reason — required text describing why
- 4 Click **Confirm**.

[SCREENSHOT: Adjust inventory form]

Warning — Adjustments are **fully audited**. The actor, timestamp, warehouse, delta, and reason are recorded permanently. Use clear reason codes (e.g. cycle-count-may-2026, damage-incident-12, theft-loss-23) so reports can group adjustments by cause.

Adjustment audit

The audit log shows every adjustment with the actor and reason. Use the **Inventory Adjustment Audit** report (planned) for periodic review.

Cycle counts

Availability — Planned.

A guided cycle-count workflow will: 1. Generate a count sheet for a warehouse and a sample of items 2. Allow warehouse staff to enter physical counts 3. Auto-compute variances 4. Require a supervisor to authorise the adjustment posting 5. Record everything against the count number

Until shipped, run cycle counts manually: 1. Print the system on-hand for the items / location. 2. Physical count. 3. For each variance, post an Adjust with reason cycle-count-YYYY-MM-NNN. 4. Have a supervisor review the adjustments report monthly.

Lot tracking

Availability — Planned.

Lot tracking will let you receive and ship by lot number (batch). Critical for: - Food / pharma (FIFO by lot, expiry) - Cosmetics, chemicals - Any item with batch-level recall requirements

Serial tracking

Availability — Planned.

Serial tracking will store the serial number of each unit through its life — receipt, shipment, and back (returns / warranty). Common in electronics, medical devices, vehicles.

Reorder levels

The Reorder point field on an item is informational today. Once **reorder alerts** ship (planned), the system will: - Flag items where available $\leq$ reorder point - Surface them on the buyer's dashboard -

Optionally raise a suggested PO with the default vendor

For now, run the *Items below reorder point* report (planned) periodically to identify replenishment needs.

Importing items

Availability — UI **demo** of the import flow ships in the current release; the backing chunked-import API is **Planned**.

The Import demo page shows the full-page progress experience for large imports — useful for buyer training even before live import is wired:

- 1 *Inventory > Import items*.
- 2 Choose a CSV file from your workstation.
- 3 Click **Start import**.
- 4 The full-page overlay shows progress percentage, row count, and a **Cancel** button.
- 5 On completion, a summary banner shows rows processed and any errors.

[SCREENSHOT: Import progress overlay at 60%]

When the production import endpoint ships, the same UI will report real server-side progress over SSE / WebSocket.

Note — Until the production endpoint is available, the import does not actually create items. It is provided to demonstrate the UX so users can pre-train.

Inventory valuation

Availability — **Planned**.

Coming features: - Multiple costing methods: FIFO, weighted average, standard cost - Cost layers per receipt - Period-end inventory valuation report - COGS auto-post on shipment

Today, valuation lives in your accountant's spreadsheet; manual journal entries reconcile it back to the GL.

Worked scenarios

Scenario 1 — Discovered damage during cycle count

- 1 Cycle count finds 5 fewer WidgetSKU units than the system shows in warehouse Main.
- 2 *Items > WidgetSKU > Adjust*.
- 3 Warehouse Main, Delta -5 EA, Reason cycle-count-2026-05 damage; broken pallet, photos with supervisor.
- 4 Confirm. Inventory drops by 5.
- 5 A subsequent journal entry writes off the inventory loss to the appropriate expense account.

Scenario 2 — Customer returned stock to a different warehouse

- 1 SO shipped from warehouse Main; customer returned to warehouse Returns.
- 2 *Items > WidgetSKU > Adjust* in Returns, Delta +1 EA, Reason cust -return-SO-2026-0317.
- 3 After inspection, transfer the unit from Returns back to Main (today: two adjustments; once stock transfers ship, a single transfer document).

Scenario 3 — Imported a new product catalogue

- 1 Procurement sends a CSV of 1,200 SKUs from the new supplier.
- 2 *Items > Import items*.
- 3 Upload the CSV, watch the progress bar.
- 4 Review the summary — any rows that failed are listed with the row number and reason.
- 5 Fix the failed rows in the CSV; re-import only those rows.

Best practices

- **Use clear adjustment reasons.** They are the only narrative auditors see for any inventory imbalance.
- **Reconcile monthly.** Match inventory valuation to GL inventory accounts at period end.
- **Limit InventoryAdjust permission.** Adjustments are powerful; restrict to warehouse supervisors. Anyone with InventoryAdjust can effectively write off stock.
- **Cycle count regularly.** Even with planned automation, physical counts are the ground truth.
- **Maintain item names consistently.** Sales reps will rely on Name for picking lists once printable picks ship.

FAQ

Q: Available is less than On hand. Why? A: Available subtracts quantity committed to open Sales Orders. If your SO reserves but ships later, Available reflects the soft reservation.

Q: I adjusted to the wrong warehouse. Can I undo? A: No — adjustments are immutable. Post a counter-adjustment (same item, opposite sign) with a reason like "correction for adj-2026-0517-abc".

Q: Why does an item show 0 on hand even though I just received it? A: Confirm the receipt was posted to the same warehouse you are checking. Receipts go to the warehouse selected on the receipt form.

Q: Can I have negative inventory? A: System policy defaults to allowing negative — useful for backorder workflows. Your Company Admin can disable negative inventory at the tenant level if your operation requires strict positivity.

Q: When does the GL move when I ship goods? A: Today, manually via a journal entry. Once auto-COGS-posting ships, shipment will debit COGS and credit Inventory in the GL automatically.

Q: Lot tracking is critical for our regulated industry. When is it coming? A: Talk to your account team; lot tracking is on the roadmap. In the interim, store lot numbers in the line description and run lot-recall queries via the Reports module (planned helper) or directly against the audit log.

Finance Module

Availability — Available (Chart of Accounts, Journal Entries with Draft/Post lifecycle, basic period filtering). General Ledger query screens, Trial Balance built-in report, Financial Statements wizard, and Bank Reconciliation are **Planned**.

Table of Contents

- [Overview](#)
- [Who uses it](#)
- [Permissions](#)
- [Chart of Accounts](#)
- [Journal Entries](#)
- [Posting journal entries](#)
- [Reversing entries](#)
- [Accounts Payable](#)
- [Accounts Receivable](#)
- [General Ledger](#)
- [Fiscal periods](#)
- [Trial Balance](#)
- [Financial Statements](#)
- [Bank Reconciliation](#)
- [Worked scenarios](#)
- [Best practices](#)
- [FAQ](#)

Overview

The Finance module is the **central nervous system** of ChuA.ERP. Every business transaction — bills, invoices, payments, inventory movements — ultimately reduces to entries in the General Ledger via journal entries. Some of these are posted automatically by other modules; others are keyed directly in *Finance > Journal Entries*.

```
flowchart LR
    A[Bill paid] -->|Auto post| G[GL]
    B[Invoice paid] -->|Auto post| G
    C[Inventory ship] -.->|Planned auto| G
    D[Manual JE] --> G
    E[Period adj] --> D
```

Who uses it

Role	Activities
Accountant	Post manual journals, period adjustments
Senior Accountant / Reviewer	Approve journal entries (two-eyes)
Controller	Period close, financial statement prep, sign-off
CFO	Read-only review, dashboards
Auditor	Audit trail review

Permissions

Permission	Grants
ChartOfAccountRead	View the chart
ChartOfAccountCreate	Add / edit / delete accounts
JournalEntryRead	View JEs
JournalEntryPost	Post draft JEs to the GL

JE Create, Update, and Delete inherit JournalEntryRead in the current release; posting is the gated action.

Chart of Accounts

Account record fields

Field	Required	Notes
Account code	✓	1-40 chars; unique within company; immutable
Name	✓	1-200 chars
Account type	✓	Asset · Liability · Equity · Revenue · Expense
Normal balance	✓	Debit · Credit (must match type — assets debit, liabilities credit, etc.)
Postable	✓	Untick for category headers; postable accounts accept GL postings
Parent account		Optional — builds a hierarchy
Currency	✓	Account's reporting currency

Creating an account

- 1 *Finance* > *Chart of Accounts* > *New* — requires ChartOfAccountCreate.
- 2 Enter the code, name, type, normal balance, postable flag, currency.
- 3 If this account rolls up into a parent, choose the parent.
- 4 Click **Create**.

[SCREENSHOT: Create account form]

Tip — Plan your COA before creating accounts. A consistent 4 or 5 digit code with type bands (1xxx Assets, 2xxx Liabilities, 3xxx Equity, 4xxx Revenue, 5xxx Expenses) makes reports legible. Once an account has postings you cannot rename its code.

Account types & normal balance

Type	Normal balance	Examples
Asset	Debit	Cash, AR, Inventory, Fixed Assets
Liability	Credit	AP, Loans, Accrued Liabilities
Equity	Credit	Owner's Equity, Retained Earnings
Revenue	Credit	Sales Revenue, Service Revenue
Expense	Debit	COGS, Salaries, Rent, Utilities

The system enforces sign conventions: a debit to a revenue account is allowed (it's a contra-revenue) but appears with appropriate visual warnings in reports.

Postable vs non-postable

Non-postable accounts are **header / category** accounts used only for grouping in reports. The system refuses to post journal entries directly to a non-postable account; you must post to its postable children.

Filtering the chart

The *Chart of Accounts* list supports an **Account type** dropdown filter plus a Search box.

Journal Entries

A Journal Entry (JE) records one or more **debits and credits** that must sum to zero. JEs originate from:

- Manual postings by accountants
- (Future) Auto-postings from other modules

JE record fields

Field	Required	Notes
Entry number	✓	Free format; unique within company
Entry date	✓	Determines fiscal period
Fiscal period	✓	Pre-existing open period
Currency	✓	The JE's transaction currency
Exchange rate	✓	Defaults 1.0; needed if currency ≠ company base
Memo		Free text — your "why"
Reference		External reference id (audit, source doc)
Lines	✓	At least two; each line has account, debit, credit, description

Balanced entry rule

The JE form **forces** $\Sigma \text{ debit} = \Sigma \text{ credit}$ before allowing save and post. The system displays running totals and flags out-of-balance state.

JE lifecycle

```
stateDiagram-v2
    [*] --> Draft
    Draft --> Posted: Post action
    Draft --> Deleted: Delete (draft only)
    Posted --> Reversed: Reverse (via new JE)
```

Warning — **Posted JEs cannot be edited or deleted.** This is by design — the GL is the immutable record. To correct a posted JE, post a **reversing entry**.

Creating a draft JE

- 1 *Finance > Journal Entries > New* — requires `JournalEntryRead`.
- 2 Enter Entry number, Entry date, Fiscal period, Currency, Memo, Reference.
- 3 Two empty lines are pre-filled. For each line: - Choose the account - Enter the debit OR the credit (not both) - Add a line description
- 4 Add more lines with **+ Add line**.
- 5 Watch the totals at the bottom — debit must equal credit.
- 6 Click **Save as draft** OR **Save and post**.

[SCREENSHOT: Create JE form with debit/credit totals]

Tip — Save as draft when you want a reviewer to look it over; Save and post is the same as "I'm both preparer and reviewer" — only appropriate where two-eyes is not required by policy.

Posting journal entries

Posting is **irreversible** (only correctable by a reversing entry).

- 1 Open a draft JE.
- 2 Click **Post**.
- 3 The confirmation page (covered by a section overlay during processing) shows the entry summary.
- 4 Click **Confirm post**.

[SCREENSHOT: Post JE confirmation with section overlay]

Effects

- JE status → **Posted**
- The corresponding debit/credit move into the GL
- The Trial Balance and any account balance derived from postings updates
- The audit trail captures who posted, when, and the correlation id

Permission required — JournalEntryPost.

Note — Two-eyes / preparer ≠ poster controls are recommended for any sensitive period or account. Configure via the [Workflow Engine](#).

Reversing entries

To correct a posted JE:

- 1 Open the posted JE.
- 2 Click **Reverse** (planned in the UI; today create a new JE manually).
- 3 The system pre-fills a new draft JE with the same lines, debits and credits **swapped**, dated the reversal date.
- 4 Add a Memo explaining why (Reversal of JE-2026-0142 – wrong period).
- 5 Post the reversing entry.

The original JE remains Posted; the reversal posts a counter-balancing entry. Together they net to zero.

Accounts Payable

AP is the **sub-ledger** that tracks what you owe vendors. It is fed by:

- Bill postings (Purchasing module) — AP credit increases
- Bill payments — AP debit reduces

Reconciliation: at any moment, Sum(AP control account in GL) should equal Sum(outstanding bills). Run the *Vendor Aging* report periodically to verify.

Accounts Receivable

AR mirrors AP for customers:

- Invoice posting — AR debit increases (asset)
- Customer payment application — AR credit reduces

Reconcile via the *Customer Aging* report against the AR control account balance.

General Ledger

The **General Ledger (GL)** is the record of every debit and credit across every account. It is fed exclusively by posted journal entries (direct, or auto-generated from other modules).

Availability — A **GL query screen** with account drill-down, running balance, and date-range filtering is **Planned**. Today, query the GL via the *GL Detail* report.

Fiscal periods

Availability — A fiscal-periods admin screen is **Planned**. Periods exist today (referenced on JEs by id) and are managed via the platform's setup procedure.

A fiscal period is a span of time (typically a calendar month or 4-week period) during which transactions can be posted. Period statuses:

Status	Meaning
Open	Accepting postings
Closed	No new postings
Final	Locked permanently (after audit)

Period close (planned in-UI) walks you through: 1. Final adjustments 2. Reconciliations 3. Marking the period Closed 4. Generating end-of-period financial statements

Trial Balance

Availability — Built-in TB screen is **Planned**. Today, run the *Trial Balance* report from *Reports*.

A Trial Balance lists every account with its debit and credit balances at a point in time. Total debits must equal total credits — if not, there is a posting integrity issue (vanishingly rare with our balanced-entry enforcement, but worth checking after major events).

Financial Statements

Availability — A guided **Financial Statements wizard** producing Balance Sheet, Income Statement, and Cash Flow PDFs is **Planned**.

Today, generate via the *Trial Balance* + *GL Detail* reports exported to Excel, then build statements from the COA hierarchy.

Bank Reconciliation

Availability — **Planned**.

A bank reconciliation matches the GL cash account balance to the bank statement, identifying: - Items in the GL but not on the statement (in-transit cheques, etc.) - Items on the statement but not in the GL (bank fees, interest) - Timing differences

Until this ships, perform reconciliations in Excel using the *GL Detail* export for the cash account.

Worked scenarios

Scenario 1 — Monthly accrual

Marketing incurred services in May but the bill arrives in June. Accrue May expense via a JE.

- 1 *Finance > Journal Entries > New.*

- 2 Entry number ACC-2026-05-001, Entry date 2026-05-31, Period May 2026.
- 3 Lines: | Account | Debit | Credit | Description | |---|---|---| | 5310 Marketing Expense | 4,500.00 | |
Accrual — Promomerc services | | 2150 Accrued Liabilities | | 4,500.00 | Accrual — Promomerc
services |
- 4 Memo: "Accrue May marketing services per Promomerc SOW dated 2026-04-15. Reverses
2026-06-01."
- 5 Save and post.
- 6 On 2026-06-01, post the reversal entry (debit 2150, credit 5310).
- 7 When the actual bill arrives, post normally; the net P&L impact is in May where the services were
rendered.

Scenario 2 — Period close

Close May 2026 after final adjustments.

- 1 Confirm all bills, invoices, and shipments dated May are posted.
- 2 Run Trial Balance → review imbalances or unusual values.
- 3 Run Vendor Aging + Customer Aging → reconcile to AP / AR control accounts.
- 4 Post any final adjustments (depreciation, accruals, FX revaluation).
- 5 Run Trial Balance again to confirm.
- 6 Mark period Closed (planned in-UI; admin action today).
- 7 Generate statements.

Scenario 3 — Correcting a wrongly-posted JE

Yesterday Bob posted a JE with \$1,000 to the wrong expense account.

- 1 *Finance > Journal Entries* — find Bob's JE.
- 2 Do **not** delete or edit — it's posted.
- 3 Create reversing JE: - Same date as original (or today, per policy) - Lines swap debit and credit -
Memo: "Reversal of JE-... — posted to wrong account. See JE-... for correction."
- 4 Post the reversal.
- 5 Post a new correct JE.
- 6 Net effect on the GL: original + reversal + correct = correct.

Best practices

- **Always include a Memo and Reference.** "Why" and "what supports this" are what audit asks.
- **Two-eyes posting for material entries.** Have a reviewer who is not the preparer approve via workflow.
- **Reconcile monthly, close monthly.** Don't let the unposted / unreconciled backlog grow.
- **Never override the balanced-entry rule.** The system won't let you, but be wary of tools that bypass it.

- **Use posting-date discipline.** Date JEs in the period the activity belongs to, not the date you happen to be entering them.
- **Limit JournalEntryPost permission.** Posters touch the GL — restrict to qualified accountants.
- **Run trial balance before every period close.** Catches issues early.

FAQ

Q: Can I bulk-import journal entries? A: Bulk import is **Planned**. Today, enter via the UI or via the API (admin / power user).

Q: How do I see all postings to a specific account? A: Run the *GL Detail* report filtering by the account and a date range. Once the GL query screen ships, you'll get an interactive drill-down.

Q: Can I post to a closed period? A: No. Reopen the period (planned admin action) only after careful consideration — period closes are typically aligned with regulatory filings.

Q: A JE posted with the wrong exchange rate. How do I fix? A: Reverse and re-post with the correct rate. Do not attempt to edit the posted JE.

Q: How do I post depreciation? A: Manually each period until depreciation automation ships (planned). Maintain a schedule spreadsheet; create a JE per period: Debit Depreciation Expense, Credit Accumulated Depreciation.

Q: Year-end retained earnings rollover? A: Manual closing entry posted on the last day of the fiscal year: zero out revenue and expense accounts to Retained Earnings. Automation is planned.

CRM Module

Availability — Planned. The CRM (Customer Relationship Management) module is on the ChuA.ERP roadmap. This guide describes the **intended functionality** so business teams can plan adoption and integration. In the current release, you can still maintain customer records (in the Sales module) and document interactions externally; the CRM module will bring those into the platform.

Table of Contents

- [Purpose](#)
- [Relationship to the Sales module](#)
- [Roadmap features](#)
- [Leads](#)
- [Opportunities](#)
- [Contacts](#)
- [Activities](#)
- [Notes](#)
- [Tasks](#)
- [Customer interactions timeline](#)
- [Migration from external CRMs](#)
- [Interim workarounds](#)

Purpose

Whereas the **Sales** module records the **financial** customer relationship (orders, invoices, payments, credit limit), CRM records the **pre-sales and ongoing relationship**:

- **Leads** — interest expressed by a prospect not yet a customer
- **Opportunities** — qualified leads with revenue probability
- **Contacts** — people inside customer / prospect organisations
- **Activities** — calls, meetings, emails
- **Tasks** — what needs to be done next
- **Notes** — context that doesn't fit into any structured field

When CRM ships, *Sales > Customers* will gain a **CRM tab** showing the contact roster, opportunity history, and recent activity for that customer.

Relationship to the Sales module

```

flowchart LR
    A[Lead] -->|Qualified| B[Opportunity]
    B -->|Won| C[Customer in Sales module]
    C --> D[Sales Order]
    D --> E[Invoice]
    F[Contacts] --> C
    G[Activities] --> A
    G --> B
    G --> C

```

A Lead converts to an Opportunity. An Opportunity that **closes Won** converts to a Customer. Customers continue to accumulate Contacts, Activities, and Notes throughout their life cycle.

Roadmap features

Feature	Detail
Lead capture	Manual entry + web-to-lead form ingestion
Lead qualification	Score and convert flow
Opportunity tracking	Pipeline stages (Qualification → Proposal → Negotiation → Closed Won/Lost) with weighted forecasting
Contacts	Person-level records linked to customers / leads
Activities	Timestamped log of calls, meetings, emails
Tasks	Assigned to-dos with due dates
Notes	Free-form notes attached to any CRM object
Email integration	Optional Outlook / Gmail sidebar to log emails as activities
Phone integration	Optional CTI integration
Customer 360 timeline	Combined activity + sales + AR view per customer
Forecast reports	Pipeline weighted by stage probability

Leads

A **Lead** is a person or organisation that has expressed interest but hasn't yet been validated as a real sales opportunity.

Field	Notes
Lead source	Web form · Trade show · Referral · Cold outreach · Partner
Status	New · Working · Qualified · Disqualified
Owner	Sales rep assigned
Company name	Prospect's company
Primary contact	Name, title, email, phone

When a lead is qualified, an authorised user **converts** it. The conversion wizard: 1. Promotes the lead's company to a customer in the Sales module 2. Promotes the primary contact to a Contact 3. Creates an Opportunity in the chosen stage 4. Copies the activity history forward

Opportunities

Field	Notes
Customer / lead	What organisation it is for
Owner	Sales rep
Stage	Qualification · Proposal · Negotiation · Closed Won · Closed Lost
Estimated value	Money — for forecasting
Probability	% — typically derived from stage
Close date	Expected close
Source	Lead source if converted from a lead

The **pipeline view** groups opportunities by stage. Drag-and-drop moves opportunities between stages (planned UX).

Contacts

A Contact is a person inside a customer or lead organisation. Multiple contacts can be attached to one customer (e.g. AP clerk, decision maker, end user). Each contact carries: - Name, title - Email, phone - Reporting relationship (optional) - Role tags (Decision Maker, Champion, Influencer, AP, IT, Procurement, ...)

Activities

Activities are the **time-stamped record** of every interaction:

Activity type	Examples
Call	Inbound / outbound; duration; outcome
Meeting	Date, attendees, location, agenda, outcome
Email	Subject, recipients, body excerpt
Demo	Product demo with attendees
Quote sent	Reference to a Quote / SO

Activities can be **logged in real time** (e.g. "I'm in this meeting now") or **back-logged** (e.g. "Logged a call from yesterday's voicemail").

Notes

Notes are free-form text attached to a lead, opportunity, customer, or contact. Unlike Activities, they have no fixed schema — perfect for "the champion told me their CFO is leaving" intel.

Tip — Notes are visible to everyone with access to the parent object. Don't use them for confidential or HR-sensitive content.

Tasks

Tasks are **to-dos with a due date and owner**. Tasks integrate with the [Workflow & Approvals](#) module — overdue tasks surface in the assignee's queue.

Field	Notes
Title	Short description
Owner	Assignee
Due date	When it should be done
Linked to	A lead / opportunity / customer / contact
Priority	Low · Normal · High · Critical
Status	Open · In progress · Done · Cancelled

Customer interactions timeline

The Customer 360 timeline (planned) interleaves: - CRM activities (calls, meetings, emails) - Sales documents (SOs, invoices) - Finance events (payments, credit changes) - Support events (if a help-desk integration exists)

This gives any user opening a customer record a complete chronological picture — invaluable for handover, account reviews, and dispute investigation.

Migration from external CRMs

When CRM ships, an **import wizard** will accept exports from common external CRMs: - Salesforce - HubSpot - Zoho CRM - Pipedrive - Microsoft Dynamics 365

Plan migration with your account team. Map your existing pipeline stages, custom fields, and user accounts before import.

Interim workarounds

Until CRM ships, run the customer relationship workflow externally:

Workflow	Workaround
Lead tracking	Spreadsheet or external CRM (Salesforce, HubSpot, etc.)
Opportunity pipeline	External CRM or a shared sheet by sales manager
Activity logging	Email + calendar; share notes in shared drive
Contacts roster	Stored in your email contacts or a spreadsheet
Customer 360 view	Combine the ChuA <i>Customer details</i> page + your CRM tab

When you create a customer in *Sales > Customers*, include the CRM external id (if any) in the customer's metadata so a future migration can reconcile records.

Note — If your business is highly CRM-driven and cannot wait for the planned module, the platform provides an API your existing CRM can sync against. Talk to IT and your account team about an integration shim.

Workflow Engine

Availability — The runtime engine (task creation, routing, Submit, Reassign, status transitions) is **Available**. The *Workflow Rules admin UI* for configuring routing visually is **Planned**.

Table of Contents

- [Overview](#)
- [Two halves of workflow](#)
- [Anatomy of an approval rule](#)
- [Routing strategies](#)
- [Approval limits and thresholds](#)
- [Escalation policies](#)
- [Delegation rules](#)
- [SLA tracking](#)
- [Configuring rules \(admin\)](#)
- [Best practices](#)
- [FAQ](#)

Overview

The Workflow Engine is what creates and routes the **approval tasks** that show up in *Workflow > Approvals*. Where the *Workflow & Approvals* chapter of the User Guide showed you how to **act on** tasks, this guide explains how tasks are **created** — useful for managers and admins who configure approval policy.

End users — You don't need this chapter to do your job. Read [Workflow & Approvals](#) instead.
Managers and admins — Read on.

Two halves of workflow

```
flowchart LR
    subgraph Engine ["Workflow Engine (this guide)"]
        A[Document event] --> B[Rule evaluation]
        B --> C[Task creation]
        C --> D[Assignment]
        D --> E[Escalation timer]
    end
    subgraph Inbox ["User-facing inbox (User Guide ch. 8)"]
        F[Task arrives] --> G[Approver reviews]
        G --> H[Submit decision]
    end
    E --> F
```

The Engine is responsible for: - Listening for trigger events (bill submitted, JE post requested, etc.) - Evaluating routing rules to decide who should approve - Creating one or more tasks - Tracking SLA and

escalation

The Inbox is the user-facing queue where approvers pick up tasks.

Anatomy of an approval rule

A rule is a 4-tuple:

(Trigger, Condition, Approver, SLA)

Part	Example
Trigger	"Bill submitted for approval"
Condition	"Total amount ≥ \$5,000 AND vendor is not 'utility'"
Approver	"AP Manager role in same company"
SLA	"Pending → escalation in 3 business days"

A rule can also be **sequential** (chain multiple approvers) or **parallel** (require N approvers at once).

Routing strategies

Strategy	When to use
By cost / amount	Most common. Bigger transactions need higher approvers.
By cost centre / department	Each department approves its own spend.
By account	Sensitive GL accounts (capex, tax, related-party) get extra review.
By vendor / customer tier	Strategic counterparties get a different approver.
By workflow event	Period-close JEs go through controller; routine JEs don't.
Round-robin	Distribute tasks across a team to balance workload.

Combining strategies

Strategies stack. A bill might be routed by amount AND by cost centre: - \$4k Marketing bill → Marketing supervisor (cost centre) - \$80k Marketing bill → Marketing supervisor → Marketing director → CFO (cost centre + amount)

Approval limits and thresholds

A typical limit ladder:

Approver level	Authority
Supervisor	≤ \$5,000
Manager	≤ \$25,000
Director	≤ \$100,000
VP / CFO	≤ \$500,000
CEO / Board	> \$500,000

Real organisations also have: - **Sole sign-off limits** (one approver) vs **dual sign-off** at higher bands - **Capex thresholds** (project capital expenditure) that may differ from opex - **Currency normalisation** (limits stated in company base currency; transactions in other currencies are converted at the JE's exchange rate)

Tip — Keep ladders simple. Five bands are usually enough; ten become unmanageable and audit hates exceptions.

Escalation policies

The engine watches every Pending task. Two timers run:

```
gantt
  title Escalation timeline (example)
  dateFormat YYYY-MM-DD
  axisFormat %b %d
  section Pending
  Task created      :a1, 2026-05-19, 1d
  SLA reminder      :milestone, 2026-05-22, 0d
  Auto-reassign     :milestone, 2026-05-26, 0d
```

- **Reminder SLA** — typically 3 business days. The assignee gets a reminder email and the task is highlighted on their queue.
- **Reassignment SLA** — typically 5 business days. The task auto-moves to the assignee's manager (per the org structure). Audit log records the auto-reassignment.

Note — SLAs are tenant-configurable. A control-heavy organisation might set them lower (e.g. 1 day / 2 days); a low-volume one might raise them.

Delegation rules

Availability — Self-service delegation profiles are **Planned**. Today, delegation is achieved via manual reassignment.

Future delegation: any user with `workf lowRead` can configure "During Date Range → route my tasks to X" in their profile. The engine honours active delegations when creating tasks.

SLA tracking

Each task records: - Time-to-first-action - Time-to-resolution - Whether SLA was breached - Whether escalation fired

A **Workflow Performance** report (planned) aggregates these per role, per rule, and per actor — useful for identifying bottlenecks.

Configuring rules (admin)

Availability — A graphical **Workflow Rules** admin UI is **Planned**. Today, rules are configured in tenant setup. To change them, contact your platform team with the desired matrix.

A rule definition contains:

Field	Example
Name	"Bills \$5k-\$25k → AP Manager"
Subject type	Bill
Trigger event	SubmittedForApproval
Condition (expression)	subject.totalAmount.amount >= 5000 && subject.totalAmount.amount < 25000
Approver(s)	role:ApManager AND company:subject.companyId
Mode	Sequential
Reminder SLA	3 business days
Escalation SLA	5 business days
Escalation target	subject.assignee.manager

Rules are versioned. Changing a rule does **not** retroactively re-route tasks that are already in-flight; they continue under the rule version that was active when they were created.

Best practices

- **Document your approval policy outside the system too.** Compliance auditors want to see a written policy, not just the rule list.
- **Don't route everything to the CFO.** Build a real ladder.
- **Review escalation reports monthly.** Frequent escalations signal an understaffed or overloaded approver.
- **Test rule changes in UAT** before production. Mis-routing can hide bills from approvers for days.
- **Avoid circular delegation.** If Alice delegates to Bob and Bob delegates to Alice, the engine refuses to route (planned).
- **Limit** WorkflowApprovalSubmit to staff who actually own decisions. Read access is broader; submit access is narrower.

FAQ

Q: I changed the approval threshold; will pending tasks re-route? A: No. In-flight tasks continue under their original rule. New tasks use the updated rule. If you need to force re-route, Reassign manually.

Q: Can an approver approve their own submission? A: The engine refuses to create a task assigned to the submitter (segregation of duties). If your role catalogue allows the same person to occupy both roles, configure an alternate approver.

Q: How do I see who approves what before submitting? A: For bills and POs, the workflow rules list (planned admin screen) shows the routing tree. Today, talk to your Company Admin or check the policy

document.

Q: A task auto-escalated but should not have. How do I un-escalate? A: Manual reassignment moves it back. The auto-escalation event remains in the audit log; that's by design.

Q: Can we have country-specific approval rules? A: Yes — rules can be conditional on `subject.companyId` if your tenant models each country as a separate company. Talk to your account team about regional approval matrices.

Administrator Guide — Overview

Table of Contents

- [Who is an administrator?](#)
- [Administrative areas](#)
- [User management](#)
- [Role management](#)
- [Permission management](#)
- [Tenant / company management](#)
- [Notification settings](#)
- [Audit logs](#)
- [Day-to-day admin checklist](#)
- [Onboarding a new user](#)
- [Offboarding a leaver](#)

Who is an administrator?

ChuA.ERP recognises two organisation-wide admin roles:

Role	Scope	Granted by
System Admin	Cross-tenant — can create companies, manage every user, configure platform-wide settings	Platform team (very small group)
Company Admin	A single company — manages users, roles, and permissions within that company	A System Admin

Most administrative actions in this guide are open to **either** role. Where a restriction applies (e.g. only System Admins can create new companies) the section calls it out.

Permission required — Items in this guide assume you hold the `SystemAdmin` or `CompanyAdmin` role on the active company. If you do not, those menus are hidden.

Administrative areas

The sidebar **Administration** section exposes these areas:

Area	Sidebar entry	Purpose
Companies	<i>Administration > Companies</i>	System Admin only — tenant/company onboarding
Users	<i>Administration > Users</i>	User lifecycle inside the active company
Roles	<i>Administration > Roles</i>	Role catalogue
System Health	<i>System > System Health</i>	API status snapshot

Additional admin facets are not yet UI-driven: - **System Settings** — see [System Settings](#). Today configured by the platform team via configuration files; UI is **Planned**. - **Audit log export** — admin pane is **Planned**; today via API. - **Notification matrix** — **Planned**; today via tenant config.

User management

The Users page lists every user with access to the active company.

[SCREENSHOT: Administration > Users list]

Action	Permission	Effect
View list	CompanyAdmin	Shows users in active company
Open details	CompanyAdmin	User profile + role assignment
Create user	CompanyAdmin	Adds a new user; emails invitation (planned)
Edit user	CompanyAdmin	Update email, name, employee linkage, 2FA flag
Delete user	CompanyAdmin	Removes user from the company; SystemAdmin can hard-delete from the platform

Warning — Deleting a user is a *removal from the company*, not a deletion of the audit history. All transactions and decisions made by that user remain attributed to them in the log forever.

Creating a user

- 1 *Administration > Users > New user.*
- 2 Enter user name (typically the email), email, first name, last name.
- 3 Optionally link to an Employee record.
- 4 Save.
- 5 (If SSO) The user signs in via your identity provider; no password is needed.
- 6 (If local accounts) An invitation email is sent (planned) with a set-password link. Today, communicate the temporary password out-of-band.
- 7 **Assign roles** (see below).

Editing a user

Open the user → **Edit**. Update email, names, employee linkage, 2FA flag. Changes are audited.

Deactivating a user

Availability — A clean **Active / Inactive** toggle is **Planned**.

In the current release, removing a user means deleting their company membership via the Delete action. To temporarily suspend access without data loss, either: - Have IT disable their identity-provider account (SSO tenants) - Remove all their roles (local-account tenants) — they sign in but see no menus

Role management

The Roles page lists the role catalogue.

[SCREENSHOT: Administration > Roles list]

Action	Permission	Effect
View	CompanyAdmin	List roles
Create	CompanyAdmin	Add a tenant-specific role
Edit	CompanyAdmin	Rename or re-describe
Delete	CompanyAdmin	Refused if any user is assigned to the role

System roles (those with `IsSystemRole = true`) cannot be edited or deleted — they ship with the platform.

Creating a role

Roles are **named collections of permissions**. The current release provides system roles (SystemAdmin, CompanyAdmin) plus the platform's permission catalogue. Customer-defined roles let you group permissions to match your job titles:

- 1 *Administration > Roles > New role.*
- 2 Enter Name (e.g. "AP Clerk") and Description.
- 3 Save.
- 4 (Once available) Attach the role's permission set in the role's detail page — today permissions are mapped to roles at the identity-provider level for SSO tenants, or in the user's permission claim list directly.

Availability — A **role permission editor** with click-to-toggle permission membership is **Planned**.

Assigning a role to a user

Today, role membership is communicated in the user's identity-provider claims (SSO) or in the user's permission claim array (local). A UI for direct in-app role assignment is **Planned**.

For SSO tenants, configure role mapping in your identity provider: - **Microsoft Entra ID**: app role assignment under the application - **Okta**: group-to-role mapping in the SAML / OIDC config - **Google Workspace**: groups → SAML assertions

Permission management

Permissions are the **fine-grained verbs** (VendorRead, BillApprove, ...). They are platform-defined; customers cannot add new permissions but can combine them into roles.

The catalogue is documented in [Security & Permissions](#).

Tenant / company management

Permission required — SystemAdmin.

A **Company** in ChuA.ERP is a separate legal entity / accounting unit. Multi-company tenants run several Companies under a single platform installation. Users may be granted access to one or many Companies.

The Companies page lets a System Admin: - Create a new Company (Code, Name, Address, Tax id, Base currency) - Edit a Company's metadata - Delete a Company (only if it has zero transactions)

See [Multi-Tenant / Company Switching](#) for the user-facing side of multi-company access.

Notification settings

Availability — In-product notification settings UI is **Planned**.

Today, the tenant's notification matrix (which events trigger email, with what cadence, to which group) is configured by the platform team. To adjust, request a change via your platform account.

Typical configurations: - New-task email per-event (default) - Daily digest at 8 AM - Weekly summary on Mondays - Escalation reminders to direct manager

Audit logs

Availability — Audit log query UI is **Planned**. Today, audit data is exposed via the platform's audit API to System Admins.

The audit log captures every state-changing action in the system; see [Audit History \(user guide\)](#) for the data model and retention rules.

Day-to-day admin checklist

Cadence	Task
Daily	Triage Workflow > Approvals (your own queue)
Daily	Check System Health page
Weekly	Review new-user onboarding requests
Weekly	Review locked accounts
Monthly	Review role membership for departing employees
Quarterly	Permission audit — does every user still need every role?
Annually	Tenant configuration review with the platform team

Onboarding a new user

flowchart LR

```
A[New hire confirmed] --> B[IT creates corporate account]
B --> C[Manager requests ERP access]
C --> D[Admin creates User in ChuA.ERP]
D --> E[Admin assigns Role(s)]
E --> F[User signs in]
F --> G[Admin verifies access on a test action]
```

- 1 Receive an access request from the user's manager (preferably via your ticketing system).
- 2 Confirm what role(s) the user needs based on their job description.
- 3 *Administration > Users > New user.*
- 4 Assign role(s).
- 5 Send the user a welcome email pointing to the tenant URL and the [Quick-Start Guide](#).
- 6 Once they confirm sign-in works, mark the ticket complete.

Offboarding a leaver

When an employee leaves:

- 1 **Immediately** — IT disables their corporate identity (SSO tenants). For local-account tenants, change their password to a random value and sign out all their sessions.
- 2 *Administration > Users > [user] > Delete* (removes company membership).
- 3 Verify no active workflow tasks are assigned to them; reassign any pending tasks to their replacement or manager.
- 4 Verify they are not the sole approver for any approval rule; update rules if needed.
- 5 Record the offboarding in your ticket; the audit log preserves all their historical actions.

Warning — Do not delete the user *before* reassigning their tasks. A deleted user with pending tasks leaves the workflow in a broken state. Reassign first, then delete.

System Settings

Availability — A dedicated **System Settings** admin screen is **Planned**. Today, settings are managed by the platform team via tenant configuration files. This guide documents the **logical settings model** so admins know what they can ask the platform team to adjust.

Table of Contents

- [Categories of settings](#)
- [Tenant identity](#)
- [API & integration settings](#)
- [Authentication settings](#)
- [Session settings](#)
- [Approval & workflow settings](#)
- [Notification settings](#)
- [Audit & retention settings](#)
- [Currency settings](#)
- [Fiscal-period settings](#)
- [Branding settings](#)
- [Feature flags](#)
- [Change-management process](#)

Categories of settings

Category	Examples
Tenant identity	Tenant name, company short code, time zone
Authentication	OIDC enabled, identity provider URL, MFA required
Session	Cookie expiry, sliding timeout
Approval / workflow	Default thresholds, escalation SLA
Notification	Per-event email rules, digest cadence
Audit / retention	Retention period (years)
Currency	Base currency, allowed currencies, FX rate source
Fiscal period	Calendar (4-4-5, monthly, 13-period, custom)
Branding	Logo, colour palette, product name override
Feature flags	Which preview features are on / off

Tenant identity

Setting	Example	Notes
Tenant name	"Acme Corporation"	Shown in the top bar

Setting	Example	Notes
Tenant short code	ACME	Used in PR / audit references
Time zone	America/New_York	Server-side conversions; UI shows local time
Locale	en-US	Date / number formatting default

API & integration settings

These settings live in the MVC application's configuration (`appsettings.json` / environment variables). Your platform team owns them.

Setting	Purpose
<code>Api:BaseUrl</code>	Root URL of the API the MVC talks to
<code>Api:Version</code>	Path segment for API versioning (v1)
<code>Api:TimeoutSeconds</code>	Per-request HTTP timeout
<code>Api:RetryCount</code>	Number of automatic retries for transient failures
<code>Api:UseAuthBypass</code>	Development only — must be false in production

Authentication settings

Setting	Purpose
<code>Oidc:Enabled</code>	Turn OIDC sign-in on / off
<code>Oidc:Authority</code>	Identity provider URL
<code>Oidc:ClientId</code>	Application's IdP client id
<code>Oidc:ClientSecret</code>	Stored in user-secrets / Key Vault — never in source control
<code>Oidc:CallbackPath</code>	OIDC redirect URI (default <code>/signin-oidc</code>)
<code>Oidc:Scopes</code>	<code>openid profile email chua-erp-api</code>
<code>Oidc:RequireHttpsMetadata</code>	True in production
MFA required	Tenant policy — enforce MFA on every user

Warning — Switching `Oidc:Enabled` from false to true while users are signed in invalidates all sessions. Plan a maintenance window.

Session settings

Setting	Default	Effect
Cookie name	<code>Chua.ERP.Auth</code>	The session cookie name
Cookie SameSite	Lax	Required for OIDC redirect flow
Cookie Secure	Always in production	HTTPS only
Cookie expiry	8 hours	Absolute session length

Setting	Default	Effect
Sliding expiration	Enabled	Activity resets the clock

Approval & workflow settings

Configurable per subject type (Bill, PurchaseOrder, JournalEntry, ...):

Setting	Example
Threshold ladders	Amount bands → required approver level
Sequential vs parallel	Mode for each ladder rung
Reminder SLA	3 business days
Escalation SLA	5 business days
Escalation target	Direct manager / specific role
Self-approval policy	Allowed / Forbidden

Notification settings

Availability — Per-user override is **Planned**. Tenant-level configuration today.

Event	Default channel	Cadence
New approval task assigned	Email	Immediate
Approval task reassigned	Email	Immediate
Escalation reminder	Email	3 days after creation
Auto-reassignment	Email (both parties)	5 days after creation
Daily digest	Email	08:00 local time
Period closing soon	Email to Finance	3 days before period end

Audit & retention settings

Category	Default retention
Financial transaction audit	7 years
Master data audit	7 years
Workflow audit	7 years
Authentication / session audit	2 years
System / operational logs	90 days

Note — Retention extensions are routine; reductions require explicit platform-level approval to ensure regulatory compliance.

Currency settings

Setting	Purpose
Base currency	Per Company — the GL reporting currency
Allowed transaction currencies	Whitelist (e.g. USD, EUR, GBP)
FX rate source	Manual upload · Daily feed · External provider
FX rate scope	Daily · Monthly · Per-transaction

Fiscal-period settings

Setting	Purpose
Period calendar	Monthly · 4-4-5 · 13 periods · Custom
Fiscal year start	Month/day (e.g. April 1)
Period open/close policy	Manual or auto on month-end
Re-open policy	Allowed / Forbidden / Requires CFO

Branding settings

Availability — Per-tenant **theme override** is **Planned**.

Customisable when shipped: - Logo image - Brand colour (primary + accent) - Product name override (e.g. show "Acme Finance Hub" instead of "ChuA ERP") - Sign-in page background

Feature flags

Preview features can be enabled per tenant. Common flags:

Flag	Effect
CRM.Enabled	Show CRM module in the sidebar (when shipped)
Inventory.LotTracking	Enable lot tracking UI on items
Workflow.RuleEditor	Visual rule editor
Attachments.Enabled	In-product file attachments
BankReconciliation	Bank rec screens

Change-management process

For settings the platform team manages on your behalf:

- 1 **Request** — Open a ticket with your account team or platform team.
- 2 **Review** — Their team confirms business impact (e.g. retention reductions need compliance sign-off).
- 3 **Schedule** — Most settings change without downtime; auth and session settings may require a coordinated rollout.
- 4 **Test in UAT** — Material changes are applied to your UAT tenant first.

5 **Apply to production** — After your sign-off.

6 **Audit** — Settings changes are logged in the platform's configuration audit.

Tip — Keep a **settings register** alongside your tenant: a spreadsheet listing every non-default setting, the date it was set, and who approved it. Auditors will ask.

Multi-Tenant / Company Switching

Table of Contents

- [Concepts: tenant vs company](#)
- [How multi-company works for users](#)
- [Switching companies](#)
- [Creating a new company](#)
- [Granting a user access to a company](#)
- [Cross-company restrictions](#)
- [Reporting across companies](#)
- [Deactivating a company](#)
- [Common scenarios](#)
- [Pitfalls](#)

Concepts: tenant vs company

In ChuA.ERP:

Term	Meaning
Tenant	A platform installation. Each tenant has its own database and user directory.
Company	A legal entity / accounting unit <i>inside</i> a tenant. A tenant can host several Companies.

```
flowchart TB
    T[Tenant: Acme Group]
    T --> C1[Company: Acme US Inc.]
    T --> C2[Company: Acme UK Ltd.]
    T --> C3[Company: Acme EU S.A.]
    U[User: Alice] -. ->|access| C1
    U -. ->|access| C2
```

Companies are isolated from each other for data: vendors, customers, journal entries, etc. all carry a Company id. A user with access to multiple Companies switches between them; documents in one Company never leak into another.

How multi-company works for users

When you have access to more than one Company, the **top-right user menu** gains a *Switch company* item:

[SCREENSHOT: Switch company menu]

The currently active Company is shown on your profile page. Every document you create is automatically tagged with the active Company. Every list you view is automatically filtered to the active Company.

Switching companies

- 1 Click your name in the top-right corner.
- 2 Choose **Switch company**.
- 3 Pick the Company from the list.
- 4 The Dashboard reloads with the new Company's data.

Warning — If you start a form in Company A, then switch to Company B before saving, the form is **lost**. Submit or cancel first, then switch.

Tip — Confirm the active Company before posting anything financial. The environment badge in the top bar shows your environment (PROD / UAT / DEV); the user menu shows your active Company. Glance at both before high-impact actions.

Creating a new company

Permission required — SystemAdmin.

```
flowchart LR
  A[New Company decision] --> B[Define Company fields]
  B --> C[Administration > Companies > New company]
  C --> D[Configure COA]
  D --> E[Configure fiscal periods]
  E --> F[Assign initial users]
  F --> G[Test sign-in & first transaction]
```

- 1 *Administration > Companies > New company*.
- 2 Fill the form: - Code (e.g. ACME-UK) — short, unique, immutable - Name (legal entity name) - Legal name / Tax id / Registration number - Base currency (immutable after first transaction) - Registered address (line 1/2, city, state, postal code, country code) - Phone / Email / Website (optional)
- 3 Click **Create**.

After creation, complete tenant setup: - Define / copy the Chart of Accounts - Configure fiscal periods (with platform team, until period admin UI ships) - Set up workflow rules for the new Company - Assign at least one Company Admin user

Warning — Base currency cannot change once the Company has transactions. Get it right at creation.

Granting a user access to a company

Permission required — SystemAdmin to add a new user; CompanyAdmin within their Company to assign roles after the user exists.

For users that already exist in the tenant: 1. Add them as a User in the target Company (*Administration > Users > New*). 2. Assign appropriate roles. 3. The user can now switch to that Company.

For brand-new users that should have access to multiple Companies from day one: 1. Create the User in one Company. 2. Repeat the User creation in each other Company. 3. The user has a single sign-in experience and a *Switch company* menu spanning all assigned Companies.

Tip — Use the **same user name across companies** — typically the user's email. The platform recognises them as one identity.

Cross-company restrictions

Out of the box, you cannot: - See another Company's transactions while signed in to a different Company - Create a document linking documents from two Companies (e.g. a Bill in Company A paid from a bank account in Company B — that's an inter-company transaction and requires the Inter-company module, which is **Planned**) - Run reports spanning multiple Companies (**Planned** — see below)

These restrictions exist to keep audit and statutory accounting clean — each Company's books are independent.

Reporting across companies

Availability — Cross-company consolidated reporting is **Planned**.

The roadmap includes: - A **Consolidated Trial Balance** that aggregates accounts across selected Companies, with FX conversion to a reporting currency - A **Group Aging** showing AP / AR across Companies - An **Intercompany Eliminations** wizard to remove intra-group balances

Today, generate per-Company reports separately and consolidate in Excel.

Deactivating a company

Availability — Soft-deactivation (preserves data, blocks new transactions) is **Planned**. Today, deletion is allowed only if the Company has zero transactions; otherwise contact your platform team.

When a legal entity is dissolved: 1. Run final-period reports and archive them. 2. Mark the Company *Inactive* (planned) — blocks new transactions but preserves historical data for audit retention. 3. After your jurisdiction's retention period expires, request hard deletion from the platform team.

Common scenarios

Scenario 1 — Treasury staff approve in multiple regions

Alice is a treasury manager approving payments across US, UK, and EU Companies.

- 1 System Admin creates Alice as a User in all three Companies.
- 2 Alice's role in each Company grants BillApprove (and BillPay).
- 3 When a UK bill goes for approval, the workflow engine creates the task in the UK Company.

- 4 Alice signs in, switches to UK, approves, then switches to US.
The audit trail records each decision against the Company it was made in.

Scenario 2 — Sales rep covers two divisions

Bob handles sales for both Acme US and Acme Canada.

- 1 System Admin creates Bob in both Companies.
- 2 Bob's role grants Sales permissions in each.
- 3 Bob's pipeline reports run per-Company today; once consolidated reporting ships, he sees both at once.

Scenario 3 — Group controller reviewing month-end

The CFO needs to see closing balances across all three Acme Companies.

- 1 CFO is a User in each Company with `JournalEntryRead` and `ReportRun`.
- 2 Run Trial Balance in each, export to Excel, consolidate.
- 3 Plan for the **Consolidated Trial Balance** report when it ships.

Pitfalls

- **Posting to the wrong Company.** The most common error. Always check the active Company before posting / paying / approving.
- **Inconsistent COA across Companies.** Plan one master COA template and clone it; ad-hoc per-Company charts make consolidation painful.
- **User access drift.** Periodically audit who has access to which Companies. Old role assignments are an audit risk.
- **Currency assumptions.** Each Company has its own base currency. Don't assume USD everywhere.
- **Workflow rule duplication.** If you change a rule, change it in every Company that uses it — until shared-policy support ships.

Security & Permissions

Table of Contents

- Overview
- Roles
- Permission catalogue
- Permission → role mapping recipes
- How permission checks work
- Access denied behaviour
- Authentication mechanics
- Session cookies
- Token handling for API calls
- Audit & detection
- Security checklist for admins

Overview

ChuA.ERP enforces **role-based access control (RBAC)** at every layer:

```
flowchart TB
    A[User signs in] --> B[Identity provider issues token / cookie]
    B --> C[MVC reads role + permission claims]
    C --> D[Sidebar hides modules the user can't reach]
    C --> E[Controllers check Authorize policy per action]
    E --> F[API double-checks Authorize policy per endpoint]
```

Three independent enforcement points means: - A user **cannot navigate** to a feature they lack permission for (sidebar hides it). - If they guess the URL, the **MVC controller rejects** the request. - If a malicious client bypasses the MVC, the **API also rejects** the request.

Roles

Role	Type	Scope
SystemAdmin	System	All Companies; can create new Companies and manage every user
CompanyAdmin	System	Single Company; can manage users, roles, and permissions within it
Custom roles	Tenant-defined	Combine permissions to match your job titles (e.g. ApClerk, Buyer, Controller)

System roles are platform-shipped and cannot be deleted. Custom roles are created by Company Admins.

Note — SystemAdmin membership is a **break-glass** privilege. Restrict to one or two trusted individuals; do not use SystemAdmin for day-to-day work.

Permission catalogue

The platform's 33 named permissions, grouped by area:

Baseline

Permission	Grants
AuthenticatedUser	Default; any signed-in user (used by most read pages)
SystemAdmin	The SystemAdmin role itself
CompanyAdmin	The CompanyAdmin role itself

Vendors (AP master)

Permission	Grants
VendorRead	View vendor list and detail
VendorCreate	Add new vendors
VendorUpdate	Edit vendors / mark blocked

Customers (AR master)

Permission	Grants
CustomerRead	View customer list and detail
CustomerCreate	Add new customers
CustomerUpdate	Edit customers / credit limits / blocked status

Finance

Permission	Grants
ChartOfAccountRead	View COA
ChartOfAccountCreate	Add / edit / delete accounts
JournalEntryRead	View JEs (also implicitly enables Create/Edit/Delete on drafts)
JournalEntryPost	Post a draft JE to the GL

Accounts Payable

Permission	Grants
BillRead	View bills (incl. awaiting-approval list)
BillCreate	Create / edit / delete bills
BillApprove	Approve submitted bills
BillPay	Apply payments against approved bills

Accounts Receivable

Permission	Grants
InvoiceRead	View invoices
InvoiceCreate	Create / edit / delete invoices
InvoiceApplyPayment	Apply customer payments

Procurement

Permission	Grants
PurchaseOrderRead	View POs
PurchaseOrderCreate	Create / edit / delete POs
PurchaseOrderApprove	Approve POs
PurchaseOrderReceive	Post goods receipts

Inventory

Permission	Grants
InventoryRead	View items and balances
InventoryCreate	Add / edit / delete items, run imports
InventoryAdjust	Post inventory adjustments (±)

Sales

Permission	Grants
SalesOrderRead	View SOs
SalesOrderCreate	Create / edit / delete SOs
SalesOrderShip	Post shipments

Workflow

Permission	Grants
WorkflowRead	View workflow tasks
WorkflowApprovalSubmit	Submit approve/reject decisions

Reports

Permission	Grants
ReportRun	Access reports and execute them

Permission → role mapping recipes

These are **starting templates**. Tailor to your organisation.

ApClerk — **junior AP staff**

BillRead, BillCreate, VendorRead, PurchaseOrderRead,
JournalEntryRead, ReportRun, WorkflowRead

ApManager — approves bills and oversees AP

ApClerk +
BillApprove, BillPay, VendorCreate, VendorUpdate,
WorkflowApprovalSubmit

ArClerk — junior AR staff

InvoiceRead, InvoiceCreate, CustomerRead,
SalesOrderRead, JournalEntryRead, ReportRun, WorkflowRead

ArManager — approves invoices and oversees AR

ArClerk +
InvoiceApplyPayment, CustomerCreate, CustomerUpdate,
WorkflowApprovalSubmit

Buyer — raises POs

PurchaseOrderRead, PurchaseOrderCreate, VendorRead, VendorCreate,
InventoryRead, ReportRun

ProcurementManager — approves POs

Buyer +
PurchaseOrderApprove, VendorUpdate, WorkflowApprovalSubmit

SalesRep — takes orders

SalesOrderRead, SalesOrderCreate, CustomerRead, CustomerCreate,
InventoryRead, ReportRun

SalesManager — approves credit changes

SalesRep +
CustomerUpdate, SalesOrderShip, WorkflowApprovalSubmit

WarehouseClerk — receives and ships

InventoryRead, PurchaseOrderRead, PurchaseOrderReceive,
SalesOrderRead, SalesOrderShip

WarehouseSupervisor — also adjusts

WarehouseClerk +
InventoryAdjust, InventoryCreate

Accountant — drafts journal entries, runs reports

ChartOfAccountRead, JournalEntryRead, VendorRead, CustomerRead, BillRead, InvoiceRead, ReportRun, WorkflowRead

SeniorAccountant — posts journals

Accountant +
JournalEntryPost, ChartOfAccountCreate, WorkflowApprovalSubmit

Controller — full finance read + posting authority

SeniorAccountant +
BillApprove, BillPay, InvoiceApplyPayment

Auditor — read everything, change nothing

VendorRead, CustomerRead, ChartOfAccountRead, JournalEntryRead, BillRead, InvoiceRead, PurchaseOrderRead, SalesOrderRead, InventoryRead, WorkflowRead, ReportRun

How permission checks work

When the user signs in, their identity-provider claims include: - role claims (e.g. SystemAdmin, ApManager) - permission claims (one per grant, e.g. BillRead, BillApprove)

The platform also calls GET /users/me and merges any permissions returned by the API into the user's effective permissions.

At every protected control point:

```
[Authorize(Policy = AuthorizationPolicies.BillApprove)]  
public IActionResult Approve(Guid id) { ... }
```

The policy is satisfied if the user has the named permission **or** holds the SystemAdmin role. (Custom roles can be excluded from SystemAdmin fallback if your governance requires it.)

Access denied behaviour

If a user attempts an action they lack permission for, the response is a **friendly Access Denied page** with a request id for support:

[SCREENSHOT: Access denied page]

No data is leaked: the page does not reveal whether the resource exists or what would have changed.

Authentication mechanics

Layer	Mechanism
Browser ↔ MVC	Cookie-based session (Chua.ERP.Auth cookie)
MVC ↔ API	JWT bearer token attached to every outbound request

Layer	Mechanism
MVC sign-in	OIDC authorisation-code flow with PKCE

```
sequenceDiagram
    participant User
    participant MVC
    participant IdP as Identity Provider
    participant API
    User->>MVC: GET /
    MVC->>IdP: Redirect to authorise endpoint
    User->>IdP: Sign in (+ MFA)
    IdP->>MVC: Code (redirect)
    MVC->>IdP: Token exchange
    IdP->>MVC: ID token + access token
    MVC->>User: Set cookie
    Note over User,MVC: Subsequent requests carry the cookie
    User->>MVC: GET /Vendors
    MVC->>API: GET /api/v1/vendors with Bearer token
    API->>MVC: 200 OK with data
    MVC->>User: HTML page
```

Session cookies

Property	Value	Why
Name	ChuA.ERP.Auth	Tenant-distinct
HttpOnly	✓	Inaccessible to JavaScript — XSS-resistant
Secure	✓ in production	HTTPS only
SameSite	Lax	Allows OIDC redirect flow while resisting CSRF
Expiry	8 hours	Absolute upper bound
Sliding	✓	Resets on activity
Server-side store	Memory cache	Allows revocation by clearing the store

Token handling for API calls

The MVC fetches an access token at sign-in (OIDC SaveTokens = true) and attaches it to every outbound API call as Authorization: Bearer <token>. If the token expires mid-session the service refreshes it transparently.

For dev / test environments, the platform offers an AuthBypass scheme that authenticates every request as a synthetic admin — convenient for exploration but **must be off in production**.

Audit & detection

Event	Logged
Sign-in success / failure	✓
Sign-out	✓
Role assignment changes	✓

Event	Logged
Permission changes	✓
Access denied	✓
Data change	✓ (per Audit History)

Suspicious-pattern detection (lots of failed sign-ins from one IP, unusual hours for a user, bulk data access) lives in your tenant's SIEM or your identity provider's threat detection. ChuA.ERP feeds the raw events; correlation is upstream.

Security checklist for admins

Cadence	Task
Daily	Review locked accounts
Daily	Triage your own approval queue (don't let it stale)
Weekly	Review new-user requests and confirm role appropriateness
Monthly	Reconcile your tenant's user list against HR's active-employee roster
Quarterly	Run a permission audit — does every role grant only what it should?
Quarterly	Test access-denied paths (sign in as a low-privilege user; try to access admin pages)
Annually	Rotate any local-account passwords and OIDC client secrets
Annually	Review the SystemAdmin list — should still be only 1-2 people
Annually	Walk-through the security checklist with your auditor

Tip — Treat permissions as a **business control**, not an IT concern. The right person should be approving permission changes — typically the user's manager plus finance / compliance for any role that touches money.

Quick-Start Guide

For — Anyone signing in to ChuA.ERP for the first time. About a 30-minute read-through. Pair with hands-on time in your tenant.

Table of Contents

- [Before you begin](#)
- [Sign in](#)
- [Find your way around](#)
- [Check your queue](#)
- [Try a read-only action](#)
- [Try a write action \(if your role permits\)](#)
- [Where to go next](#)

Before you begin

You should have received from your admin or manager:

- 1 The **tenant URL** (e.g. <https://erp.your-company.com>)
- 2 Your **user name** (often your email)
- 3 Either a **temporary password** OR notice that you sign in via SSO

You will need:

- A supported browser (Edge, Chrome, Firefox, Safari — latest two versions)
- A few minutes
- Your phone if MFA is configured for your tenant

Sign in

- 1 Open your browser, paste the tenant URL.
- 2 Either: - Enter user name + password, then complete MFA prompts, OR - Click **Sign in** and be redirected to your corporate sign-in.
- 3 After successful sign-in you land on the **Dashboard**.
[SCREENSHOT: First-time dashboard]

If sign-in fails, see [Logging In > Common sign-in errors](#).

Find your way around

Take 30 seconds to orient yourself:

- **Top bar** — Your name (top-right), environment badge (top-left), product name.
- **Sidebar** — Modules grouped by function: Purchasing, Sales, Inventory, Finance, Workflow, Reports, Administration (if you have admin rights).

- **Breadcrumbs** — Below the top bar; show your path through the app.
- **Footer** — Request id (useful when contacting support).

Click around the sidebar. Don't worry — read pages don't change anything.

Check your queue

Click **Workflow > Approvals** in the sidebar.

If you have approval permissions you'll see your pending tasks here. Each row shows what needs your decision and who submitted it.

Action	What it does
Click a row	Open the task; review the underlying document
Submit decision	Approve or Reject with optional comment
Reassign	Pass it to someone else

If the list is empty, that's normal — most users only see tasks occasionally. Move on.

Try a read-only action

Pick a module where you have at least Read permission. Let's say **Purchasing > Vendors**.

- 1 Click *Purchasing > Vendors*.
 - 2 Try the **Search** box — type a few letters of a vendor name.
 - 3 Click any vendor row to see its detail.
 - 4 Click your browser **Back** button to return to the list.
 - 5 Try the **paginator** at the bottom — navigate to page 2 if there are more than 25 vendors.
- Repeat for **Customers**, **Inventory**, **Chart of Accounts** if you have Read permission for them.

Try a write action (if your role permits)

Warning — If you are in production, **only** practise this in a sandbox / UAT environment. Don't create test data in production.

The smallest write action is creating a vendor / customer:

- 1 *Purchasing > Vendors > New vendor*.
- 2 Enter: - Vendor code TEST-001 (or a code your admin reserved for training) - Legal name "Training Vendor" - Default currency USD - Payment terms 30
- 3 Click **Create vendor**.
- 4 You land on the new vendor's detail page. A green toast confirms success.

Now edit it:

- 1 From the detail page, click **Edit**.
- 2 Change the legal name to "Training Vendor (Updated)".
- 3 Click **Save changes**.
- 4 You return to the detail page; the new name is shown.

Finally delete the training record (so you don't pollute the master list):

- 1 From the detail page, click **Delete**.
- 2 The confirmation page asks "Delete this vendor? This cannot be undone."
- 3 Click **Delete vendor**.
- 4 You return to the list; a green toast confirms.

You have now performed every step of the **create** → **edit** → **delete** cycle that underpins every module.

Where to go next

If you are...	Read
An AP clerk	Role guide: AP and the Purchasing module
An AR clerk	Role guide: AR and the Sales module
A buyer	Role guide: Buyer and the Purchasing module
A sales rep	Role guide: Sales and the Sales module
A warehouse clerk	Role guide: Warehouse and the Inventory module
An accountant	Role guide: Accountant and the Finance module
An approver	Workflow & Approvals
An admin	Administrator Guide
Stuck	Troubleshooting and FAQ

Tip — Keep this document open in a browser tab during your first week. Practise the workflows that match your role. Ask your manager to pair-walkthrough a real transaction before you fly solo.

Troubleshooting

When something goes wrong, follow this order:

- 1 **Take note of the request id** from the page footer.
- 2 **Read the toast / error message** carefully — the text usually points at the cause.
- 3 **Check the relevant section** below.
- 4 If unresolved, **contact the help desk** with the request id, the page URL, the action you took, and a screenshot.

Table of Contents

- [Sign-in problems](#)
- [Permission / access denied](#)
- [Approval issues](#)
- [Forms not saving](#)
- [Data not appearing](#)
- [Slow pages](#)
- [Browser issues](#)
- [Session timeout problems](#)
- [Reports](#)
- [Inventory discrepancies](#)
- [Payment issues](#)
- [Workflow stuck](#)

Sign-in problems

Symptom: "User name or password is incorrect."

Possible causes 1. Typo in user name or password (caps lock?) 2. Wrong tenant URL — you may be on a sister tenant 3. Account doesn't exist in this tenant 4. Account exists but is disabled 5. Password expired

Resolution 1. Verify caps lock is off; re-type. 2. Confirm tenant URL with IT. 3. Confirm with admin that your account exists in this tenant / Company. 4. Ask admin to confirm account is active. 5. Use *Forgot password?* link or contact IdP help desk if SSO.

Symptom: "Your account has been locked."

Possible causes - Too many failed sign-in attempts within the lockout window

Resolution 1. Wait 15 minutes (some tenants auto-unlock). 2. Contact Company Admin / IT help desk for immediate unlock. 3. If you didn't try to sign in repeatedly yourself, **report this to IT security** — someone may be attempting your password.

Symptom: "We could not reach the identity provider."

Possible causes - IdP outage - Network / DNS issue from your workstation - Firewall blocking the OIDC endpoints

Resolution 1. Try a known external site — confirm you have internet. 2. Wait 60 seconds and retry. 3. Try from a different network (mobile hotspot). 4. Contact IT.

Symptom: "MFA code is invalid."

Possible causes - Code expired (codes rotate every 30s) - Clock drift on your authenticator device - You typed the wrong code

Resolution 1. Wait for the next code to appear in your authenticator. 2. Check your phone's time is correct (auto-sync time on Android / iOS). 3. Try again; if persistent, use a recovery code and re-enrol.

Symptom: "Access denied." after successful sign-in

Possible causes - Account exists but has no roles in the active Company

Resolution 1. Contact your Company Admin to assign at least one role.

Symptom: Sign-in succeeds but the page is blank

Possible causes - Browser extensions interfering (ad blockers, content security policies) - Cached corrupted state

Resolution 1. Try **Incognito / Private browsing**. 2. Clear browser cache and cookies for the tenant origin. 3. Disable extensions one at a time.

Permission / access denied

Symptom: A sidebar item I expect to see is missing

Possible cause — The role granting that menu item is not assigned to you.

Resolution — Contact your Company Admin. Reference the [permission catalogue](#) for the specific permission you need.

Symptom: Action button (e.g. Approve, Pay) is hidden on a document

Possible cause — Either you lack the permission, or the document is in a state that doesn't permit the action.

Resolution 1. Confirm the document's status — e.g. a bill can only be Paid after it has been Approved. 2. If status is right but the button is missing, you lack the action permission. Contact Company Admin.

Symptom: "Access denied" page after navigating

Possible cause — URL guessing or stale link to a feature you can't use.

Resolution — Go back to the Dashboard via the breadcrumb and reach the feature through the sidebar (which only shows what you can use).

Approval issues

Symptom: I can see the bill but can't approve it

Possible causes - You lack BillApprove permission - You are the submitter (self-approval is blocked)
- The bill isn't in PendingApproval status - It's assigned to someone else's queue

Resolution 1. Check your permission via *My profile*. 2. Verify you didn't submit the bill yourself. 3. Open the bill's workflow task in *Workflow > Approvals* (not the bill detail page); the Submit decision button lives there.

Symptom: A task is on my queue but the underlying document is gone

Possible cause — Document was deleted while the task was still pending.

Resolution 1. Reject the task with a comment explaining the document is missing. 2. Or have an admin cancel the orphan task.

Symptom: Approval task did not arrive (I'm in the policy chain)

Possible causes - The submitter is also you (engine refuses to assign) - Workflow rule doesn't match (amount band wrong, condition false) - Another approver was found first

Resolution 1. Verify with the submitter who they expected to approve. 2. Have your Company Admin check the rule's condition. 3. Have a colleague reassign the task to you if needed.

Forms not saving

Symptom: Submit button is disabled and shows a spinner forever

Possible cause — Network or API outage.

Resolution 1. Wait 30s — the request may complete. 2. If it never returns, refresh the page. The form draft is **not** preserved; you will lose unsaved data. 3. Check *System Health* on the sidebar. 4. If health is fine, contact support with the page URL and request id.

Symptom: Submitting shows validation errors I can't see

Possible cause — Validation summary is above the fold; scroll up.

Resolution 1. Scroll to the top of the form. 2. Look for red text inline on each field.

Symptom: "You don't have permission to perform this action" on save

Possible cause — You can read the form but not write it (rare; usually the form would have been hidden).

Resolution — Contact Company Admin.

Symptom: "Concurrency conflict" or "the record was modified by another user"

Possible cause — Someone else saved changes to the same record between your load and your save.

Resolution 1. Refresh the record. 2. Re-apply your changes. 3. Save again.

Data not appearing

Symptom: I just created a record but it doesn't show in the list

Possible causes - List is filtered (search / status / vendor filter still active) - You are on a different page of the paginator - You are in a different Company than expected - The record was created in another Company (account access issue)

Resolution 1. Clear filters / search. 2. Go to page 1. 3. Check the active Company in *My profile* / user menu.

Symptom: Counts on the Dashboard don't match what's in lists

Possible cause — Dashboard tiles are computed at page load; the list shows real-time. If something was approved between the Dashboard render and the list render, they'll differ.

Resolution — Refresh the Dashboard.

Symptom: Reports return zero rows when I expect data

Possible causes - Date range parameters too narrow - Wrong Company - Permission scope (you only see records you can read)

Resolution 1. Loosen date ranges. 2. Confirm Company. 3. Check permissions.

Slow pages

Symptom: A page takes more than 5 seconds to load

Possible causes - Backend (API) degradation - Your network - Particular page with heavy queries - High concurrent load

Resolution 1. Check *System Health* — if API is degraded, wait and retry. 2. Try a different page — if all are slow, it's network/backend. 3. If only one page is slow, note the request id and report to support.

Browser issues

Symptom: Buttons don't respond / forms don't submit

Possible causes - JavaScript disabled - Browser extension interfering

Resolution 1. Enable JavaScript for the tenant origin. 2. Try Incognito / Private browsing. 3. Update the browser.

Symptom: Page looks broken / unstyled

Possible cause — CSS / JS failed to load (often a corporate proxy issue).

Resolution 1. Force-refresh (Ctrl+F5 or Cmd+Shift+R). 2. Clear cache. 3. Ask IT whether the corporate proxy is blocking the static-asset CDN.

Symptom: Reports / popups don't open

Possible cause — Browser popup blocker.

Resolution — Allow popups for the tenant origin.

Session timeout problems

Symptom: "Your session has expired" while I was actively working

Possible causes - Idle exceeded (no requests in the past 8 hours) - IdP forced re-authentication - Cookie cleared by browser

Resolution 1. Sign back in. In-progress forms that hadn't been saved are lost. 2. Save more frequently in the future. 3. If recurring within minutes, check for clock drift on your machine.

Symptom: Signed out unexpectedly after switching companies

Possible cause — Company switch invalidates token caches in some configurations; you may be prompted to re-sign-in.

Resolution — Sign back in; the chosen Company is remembered.

Reports

Symptom: "Parameters must be valid JSON"

Resolution — Validate the JSON. Common pitfalls: trailing commas, unmatched braces, smart quotes from a copy-paste. Use jsonlint.com.

Symptom: Report runs but row count is implausible

Resolution — Verify the date range is exactly what you intend. Off-by-one date boundaries are common. Run the same report for a known small period (e.g. one specific day) to sanity-check.

Symptom: Excel export missing / disabled

Resolution — Built-in Excel export is **Planned**. Use Print → Save as PDF, or copy-paste the result into Excel.

Inventory discrepancies

Symptom: System on-hand differs from physical count

Resolution 1. Verify warehouse — are you looking at the right one? 2. Verify recent movements: Receipts, Shipments, Adjustments. 3. Post a cycle-count adjustment with the correct delta and a reason like `cycle-count-2026-05`.

Symptom: An adjustment posted to the wrong warehouse

Resolution 1. Adjustments are immutable. 2. Post a counter-adjustment in the wrong warehouse (opposite sign). 3. Post the original adjustment again in the correct warehouse. 4. Reference the corrected pair in the reason field.

Payment issues

Symptom: Bill shows Outstanding but I paid it

Resolution 1. Open the bill, scroll to the Payments section. 2. Verify the payment was attached to *this* bill — sometimes payments land on the wrong bill. 3. If misapplied, post a journal-entry correction.

Symptom: Tried to pay > Outstanding

Resolution — The system blocks. Reduce the payment amount, or split across multiple bills.

Symptom: Refund needed

Resolution — Journal entry reversing the original payment, then bank refund executed externally. Record the bank reference in the JE.

Workflow stuck

Symptom: Task has been Pending for weeks

Resolution 1. Reassign manually to a present approver. 2. Investigate why escalation didn't fire — the SLA configuration may be wrong (talk to Company Admin).

Symptom: Same task appeared on two queues

Possible cause — Parallel approval policy (both must approve).

Resolution — Confirm with your manager. Both decisions are required; the system waits for both.

Symptom: Document went back to Draft after I approved

Possible cause — A later approver rejected the task.

Resolution — Review the rejection comment; coordinate with the submitter to address the concern and resubmit.

Frequently Asked Questions

Sorted by topic. Use Ctrl/Cmd+F to find a specific question.

Table of Contents

- [Sign-in & account](#)
- [Permissions](#)
- [Approvals](#)
- [Purchasing & AP](#)
- [Sales & AR](#)
- [Inventory](#)
- [Finance & GL](#)
- [Reports](#)
- [Multi-company](#)
- [Performance & reliability](#)
- [Mobile](#)
- [Help & support](#)

Sign-in & account

Q: How do I reset my password? A: For local accounts, click **Forgot password?** on the sign-in page. For SSO tenants, use your identity provider's self-service password reset (typically a portal like `passwordreset.your-company.com`).

Q: I forgot my user name. How do I look it up? A: For security, ChuA.ERP does not expose account lookup. Contact your Company Admin or IT help desk.

Q: I'm locked out after multiple attempts. A: Wait 15 minutes for auto-unlock (some tenants) or contact your Company Admin. If you didn't try repeatedly, report to IT security.

Q: Can I be signed in on multiple devices at once? A: Yes. Each device has its own session. Signing out on one device does not sign out the others; changing your password does.

Q: How long until my session expires? A: 8 hours of activity-resetting (sliding) inactivity, or 8 hours maximum absolute, whichever comes first.

Q: My identity provider added MFA. Will I be prompted in ChuA.ERP? A: Yes — at sign-in, the IdP handles MFA before redirecting back to the app. After that, ChuA.ERP trusts the IdP-asserted identity for the session.

Permissions

Q: Why don't I see the Vendors menu? A: You don't have `VendorRead` permission. Contact your Company Admin.

Q: I see Vendors but can't create new ones. A: You have `VendorRead` but not `VendorCreate`. The New vendor button is hidden when you can't use it.

Q: I'm a manager — should I have SystemAdmin? A: Almost certainly **no**. SystemAdmin is a platform-wide break-glass role; managers typically get CompanyAdmin for their Company plus the functional permissions they need.

Q: How do I find out what permissions I have? A: *User menu > My profile*. The Permissions block lists every grant.

Q: Can permissions be granted temporarily? A: Today, no — they are sticky until removed. Time-bounded grants are on the roadmap.

Approvals

Q: Why can't I approve a purchase order I submitted? A: Segregation of duties — the system blocks self-approval. Have a colleague approve.

Q: I rejected a bill by mistake. Can I undo? A: No — rejection is final from the workflow engine's perspective. The bill returned to Draft; the submitter must resubmit. You can add a comment on the resubmission to acknowledge the error.

Q: My delegate didn't get my tasks while I was on leave. A: Self-service delegation is **Planned**. Today, manually reassign tasks before going on leave.

Q: How do I know an approval workflow rule applies to my submission? A: Submit the document; if a task is created in *Workflow > Approvals* the rule fired. If not, either the submission auto-approved (under threshold) or the rule didn't match.

Q: Two approvers are needed but only one task appeared on my queue. A: That's correct for parallel approval — each approver sees the task in their own queue. The document advances only when all required approvers have submitted.

Purchasing & AP

Q: Can I create a bill before the PO? A: Technically yes, but best practice is PO → Receipt → Bill. Auditors prefer the trail.

Q: How do I match a bill to a PO? A: Three-way match is **Planned**. Today, reference the PO number in the bill's Reference field and verify manually.

Q: A vendor's invoice arrives in a different currency than the PO. A: Enter the bill in the vendor's currency. The GL handles FX conversion. Document the rate used in the JE.

Q: How do I write off a small under-payment from a vendor? A: Create a journal entry: Debit AP, Credit a "small balance write-off" expense account.

Q: How do I see all bills I haven't approved yet? A: *Purchasing > Bills > Awaiting Approval*, or the Dashboard tile.

Q: Can a vendor be both a supplier and a customer? A: They are separate records (Vendor + Customer) with separate codes. Maintain both, cross-reference via the Reference field if needed.

Sales & AR

Q: Customer paid by credit card. How do I record it? A: Apply payment with Method = CreditCard and the processor's reference id in the Reference field. The merchant fee (if separate) posts as a journal entry to a Card Fees expense.

Q: I shipped to the wrong warehouse — how do I correct? A: Cycle-count adjustment at both warehouses (out from the wrong, in to the right). Reference the SO and shipment in the reason fields.

Q: A customer disputes part of an invoice. How do I handle it? A: Comment on the invoice with the dispute reason. Either issue a credit memo (when shipped) or wait for resolution. Don't auto-apply future payments against a disputed invoice.

Q: How do I track credit limits? A: The customer record has a Credit limit field. The system warns when new invoices would exceed it (and may block, per tenant policy).

Q: When does revenue recognise — at shipment or invoice? A: Today, when the invoice posts. Configure your accounting policy accordingly. Future revenue-recognition rules (ASC 606 / IFRS 15) are on the roadmap.

Inventory

Q: Why is my available quantity less than on-hand? A: Available = on-hand – quantity reserved for open Sales Orders.

Q: How do I do a stock take? A: Until cycle-count automation ships: print on-hand, count physically, post Adjustments for the variances with a cycle-count-YYYY-MM reason.

Q: How do I transfer stock between warehouses? A: Two adjustments today (negative at source, positive at destination). Transfer documents are **Planned**.

Q: My item disappeared from dropdowns. A: It was unticked **Stocked** by someone. Edit the item and tick Stocked.

Q: We have lot-controlled inventory. When does that ship? A: Lot tracking is **Planned**. Talk to your account team for ETA.

Finance & GL

Q: Can I edit a posted journal entry? A: No. Post a reversing entry, then post the corrected entry.

Q: How do I know my JE is balanced? A: The form shows running debit and credit totals at the bottom. The **Save** button stays disabled until $\sum \text{debit} = \sum \text{credit}$.

Q: I posted to the wrong period. A: Post a reversal in the wrong period and a fresh entry in the right period.

Q: How is FX revaluation handled? A: Today, manually each period via a JE that revalues monetary positions to the period-end rate. Automation is on the roadmap.

Q: Can I delete an account from the COA? A: Only if it has no postings. Otherwise mark it non-postable; the account stays in the hierarchy for historical reports.

Reports

Q: How do I export to Excel? A: Built-in Excel export is **Planned**. Today, use the browser Print → Save as PDF, or copy-paste the table into Excel.

Q: How do I switch companies/tenants? A: User menu (top-right) → **Switch company**.

Q: Why doesn't my report parameter form have typed inputs? A: Reports accept parameters as JSON today; typed inputs are **Planned**.

Q: Can I schedule a report? A: Self-service scheduling is **Planned**. Today, ask IT to schedule extracts via the platform API.

Multi-company

Q: I work for both Acme US and Acme UK. How does that work? A: Your account is created in both Companies. Use the user menu to switch.

Q: Can I see numbers across all companies at once? A: Consolidated reporting is **Planned**. Today, run reports per Company and consolidate in Excel.

Q: I posted to the wrong Company. A: Reverse in the wrong Company (post a reversal JE), then post the correct entry in the correct Company.

Performance & reliability

Q: The app is slow today. A: Check the **System Health** page. If the API is degraded, support is likely already aware. If health is green but pages feel slow, note your request id and ping support.

Q: I see a yellow banner on the Dashboard. A: One of the dashboard's API calls failed. Tile values may be stale. Visit System Health to see which dependency is unhappy.

Q: My data hasn't refreshed. A: Most pages fetch at load. Hit refresh in the browser or revisit the page.

Mobile

Q: Can I work on my phone? A: Yes, with caveats. The UI is responsive: approvals, dashboards, and lookups work well. Heavy data entry (multi-line documents) is better on a desktop.

Q: Is there a mobile app? A: A dedicated mobile app is on the roadmap. Today, use mobile Safari / Chrome / Edge.

Help & support

Q: How do I report a bug? A: Send your help desk: - The page URL - The request id from the footer - A description of what you did and what you expected - A screenshot if visual - The time of the issue (so logs can be correlated)

Q: How do I request a feature? A: Via your account team — they collect requests and feed them into the product roadmap.

Q: Where do I get training? A: Start with the [Quick-Start Guide](#) and your [role-based guide](#). Your Company Admin may also have scheduled training in your tenant.

Glossary

A reference for ERP and accounting terminology used throughout this documentation library.

A

Account — A line in the Chart of Accounts; a category for postings (e.g. *Cash*, *Accounts Receivable*, *Marketing Expense*).

Account type — One of *Asset*, *Liability*, *Equity*, *Revenue*, *Expense* — categorises the account for financial statements.

Accrual — A journal entry recognising an expense or revenue in a period before the cash movement happens. Reverses in the following period.

Active company — The Company you are currently signed in to. Every transaction you create is tagged with this Company id.

AP / Accounts Payable — What you owe vendors. Maintained via the Bills sub-ledger; balances roll up into the AP control account in the GL.

Approval task — A workflow item that requires a decision (Approve / Reject) before the underlying document can advance.

AR / Accounts Receivable — What customers owe you. Maintained via the Invoices sub-ledger; balances roll up into the AR control account.

Audit log — Immutable record of every state-changing action: who, when, what, why. See [Audit History](#).

Authentication — Proving you are who you claim to be (sign-in).

Authorisation — Proving you are allowed to do a specific thing (permission check).

Available quantity — On-hand minus quantity reserved for open Sales Orders.

B

Base currency — The reporting currency of a Company. Set at Company creation; cannot change after transactions exist.

Bill — A vendor's invoice as recorded in the system. Has its own lifecycle (Draft → Submitted → Approved → Paid).

Blocked vendor / customer — A flag preventing new POs / SOs / invoices against the counterparty. Existing documents are unaffected.

Breadcrumb — Navigation aid showing the path through page hierarchy (*Dashboard > Vendors > Acme Corp*).

C

Chart of Accounts (COA) — The hierarchical catalogue of GL accounts.

Company — A legal entity / accounting unit inside a tenant. Multi- company tenants host several Companies.

Concurrency conflict — Two users edited the same record at the same time. The system rejects the later save and asks the second user to refresh.

Correlation id — Unique trace identifier for one request. Shown in the page footer. Provide it when reporting issues.

Credit (Cr) — The right-hand side of a journal entry. Increases Liability / Equity / Revenue; decreases Asset / Expense.

Credit hold — A block on new sales activity due to the customer exceeding their credit limit or being in dispute.

Credit limit — The maximum outstanding receivable balance allowed for a customer.

Credit memo — A negative invoice (or its planned ChuA.ERP equivalent). Reduces a customer's outstanding balance.

Currency code — Three-letter ISO 4217 code (USD, EUR, GBP, JPY, ...).

Cycle count — A periodic physical count of a sample of inventory to validate system on-hand quantities.

D

Dashboard — The landing page summarising KPIs and pending work.

Debit (Dr) — The left-hand side of a journal entry. Increases Asset / Expense; decreases Liability / Equity / Revenue.

Default currency — The currency the system pre-fills for a vendor / customer based on master-data settings.

Delegation — Forwarding your approval tasks to someone else for a date range. **Planned.**

Document — Any business artefact tracked in ChuA.ERP: a vendor, a bill, a PO, an SO, a journal entry, etc.

Drill-down — Clicking a summary tile or row to see the underlying detail.

E

Environment — Where this instance of ChuA.ERP runs: DEV / UAT / PROD. Shown as a badge in the top bar.

Escalation — Workflow action triggered when a task exceeds its SLA without a decision. Typically reminds the assignee then auto-reassigns to their manager.

Exchange rate — The conversion factor between a transaction currency and the Company's base currency. Set on each JE.

F

Fiscal period — A span of time over which transactions are tracked (typically a calendar month).

Fiscal year — A 12-month accounting cycle; may not align with calendar year (e.g. April 1 → March 31).

Forex / FX — Foreign exchange.

Full-page overlay — Loading mode that blocks the entire page during a long-running operation (used for imports and reports).

G

General Ledger (GL) — The record of every debit and credit posted across every account. The "source of truth" for financial statements.

Goods receipt — The act of recording that goods arrived from a vendor against a PO.

H

Health check — Lightweight endpoint reporting whether a service is up. See *System > System Health*.

I

Identity provider (IdP) — The external system that authenticates users (Microsoft Entra ID, Okta, Google Workspace, etc.).

Invoice — A customer-facing demand for payment. Has its own lifecycle (Draft → Open → Paid).

Item — A SKU / product / service tracked in the Inventory module.

J

Journal Entry (JE) — A balanced debit/credit record posted to the GL. Either drafted then posted (two-step) or created and posted together.

K

KPI — Key Performance Indicator. The numbers on Dashboard tiles.

L

Lead — A prospect not yet a customer. Planned CRM artefact.

Ledger — A book of accounts. The GL is the most comprehensive.

Locked period — A fiscal period closed for posting.

Lot tracking — Recording inventory by manufacturing batch. **Planned**.

M

MFA / Multi-Factor Authentication — Sign-in requiring more than just a password.

Module — A functional area of the ERP (Purchasing, Sales, Inventory, Finance, ...).

N

Normal balance — Whether an account naturally carries a debit balance (assets, expenses) or credit balance (liabilities, equity, revenue).

O

OIDC / OpenID Connect — Standard protocol for SSO authentication.

On-hand quantity — The physical inventory present at a warehouse.

Opportunity — A qualified lead with revenue probability. Planned CRM artefact.

Outstanding balance — How much is still owed on a bill or invoice.

P

Paginator — The page-number controls at the bottom of a list view.

Partial payment — A payment less than the full outstanding balance.

Partial receipt / shipment — Receiving / shipping less than the ordered quantity in one transaction.

Period close — The process of finalising all postings for a fiscal period and locking it.

Permission — A fine-grained verb (BillApprove, VendorRead, ...) granted to a role.

PO / Purchase Order — A commitment to buy from a vendor.

Postable account — A GL account that accepts direct journal-entry postings. Header / category accounts are non-postable.

Posting — Writing a journal entry to the GL. Irreversible.

ProblemDetails — A standard format used to communicate error responses from the API.

Q

Quote — A pre-SO price proposal. **Planned.**

R

Receipt — The record of goods received from a vendor against a PO.

Reconciliation — Comparing the GL balance with an external source (bank statement, sub-ledger total) and identifying differences.

Reorder point — A quantity below which an item should be re-ordered.

Request id — See *Correlation id*.

Reversal / reversing entry — A journal entry that undoes another JE by swapping debits and credits.

Role — A named bundle of permissions assigned to users.

S

Sales Order (SO) — A commitment to deliver goods to a customer.

Section overlay — Loading mode that covers a specific panel during a critical write (used for journal-entry posting, period close).

Segregation of duties — Control principle that the person who enters a transaction cannot approve it.

Sequential approval — An approval policy where each approver in a chain must approve before the next is asked.

Shipment — The record of goods shipped to a customer against an SO.

SKU — Stock-keeping unit; an item code.

SLA — Service Level Agreement. In workflow, the time within which a task must be decided.

SSO / Single Sign-On — Signing in once to your identity provider to access multiple applications.

Sub-ledger — A detailed register supporting a GL control account (AP sub-ledger backs the AP control account, etc.).

System Admin — The highest-privilege role; manages all Companies.

T

Task — A workflow item (approval, reassignment, ...).

Tenant — A platform installation. One tenant can host multiple Companies.

Three-way match — Cross-check of PO + Receipt + Bill before approving payment. **Planned.**

Trial Balance — A report listing every account with its debit and credit balance at a point in time. Total debits must equal total credits.

Two-eyes principle — Control requiring two different people for sensitive actions (preparer + reviewer for JEs).

U

UoM / Unit of Measure — Each, kilograms, litres, boxes, etc.

V

Vendor — A supplier.

Vendor code — Short unique identifier for a vendor within a Company. Immutable after creation.

W

Warehouse — A physical location holding inventory.

Workflow engine — The component that creates and routes approval tasks. See [Workflow Engine](#).

Workflow task — Same as *Approval task*.

Acronyms summary

Acronym	Expansion
AP	Accounts Payable
AR	Accounts Receivable
COA	Chart of Accounts
COGS	Cost of Goods Sold
CRM	Customer Relationship Management
ERP	Enterprise Resource Planning
FX	Foreign Exchange
GL	General Ledger
GRN	Goods Receipt Note
IdP	Identity Provider
JE	Journal Entry
KPI	Key Performance Indicator
MFA	Multi-Factor Authentication
OIDC	OpenID Connect
P&L	Profit and Loss (income statement)
PO	Purchase Order
PR	Purchase Requisition
RBAC	Role-Based Access Control
SKU	Stock Keeping Unit
SLA	Service Level Agreement
SO	Sales Order
SOX	Sarbanes-Oxley Act
SSO	Single Sign-On
TB	Trial Balance
UoM	Unit of Measure
YTD	Year to Date

Role-Based Guides

Condensed reference per functional role. Each section lists daily / weekly work patterns, key permissions, and links to deeper documentation.

Table of Contents

- [AP Clerk / AP Manager](#)
 - [AR Clerk / AR Manager](#)
 - [Buyer / Procurement Manager](#)
 - [Sales Rep / Sales Manager](#)
 - [Warehouse](#)
 - [Accountant / Controller](#)
 - [Approver \(Manager, Director, VP\)](#)
 - [Company Admin](#)
 - [System Admin](#)
 - [Auditor / Compliance](#)
 - [Executive](#)
-

AP Clerk / AP Manager

You handle: Vendors, bills, vendor payments.

Daily

- Open new bills received from vendors → *Purchasing > Bills > New*
- Match to existing POs (verify line items / amounts)
- Submit bills for approval (if above your auto-approve threshold)
- *AP Manager*: triage *Workflow > Approvals*, approve bills in your band
- Execute weekly / daily payment run for approved bills via *Bills > Pay*

Weekly

- Run *Vendor Aging* report → review aged items
- Run *Bills Awaiting Approval* — escalate stale items
- Vendor master cleanup (new vendors, address updates, blocked)

Monthly

- Reconcile AP control account to sub-ledger total
- Close out month-end accruals (uninvoiced receipts)

Key permissions

- BillRead, BillCreate — both
- BillApprove, BillPay — AP Manager
- VendorRead, VendorCreate, VendorUpdate — both (Manager usually has Update)

- WorkflowRead, WorkflowApprovalSubmit — AP Manager
- ReportRun — both

Deep reading

[Purchasing module](#) · [Workflow & Approvals](#)

AR Clerk / AR Manager

You handle: Customers, invoices, customer receipts.

Daily

- Issue invoices for shipped SOs → *Sales > Invoices > New*
- Apply incoming customer payments → *Invoices > Apply payment*
- Investigate disputed / unapplied receipts

Weekly

- Run *Customer Aging* → call / email overdue customers
- Review credit limits for top customers
- *AR Manager*: approve credit-limit changes

Monthly

- Reconcile AR control account
- Period-end AR aging snapshot
- Bad-debt review

Key permissions

- InvoiceRead, InvoiceCreate — both
- InvoiceApplyPayment — both
- CustomerRead, CustomerCreate, CustomerUpdate — both
- SalesOrderRead — both
- ReportRun — both

Deep reading

[Sales module](#) · [Workflow & Approvals](#)

Buyer / Procurement Manager

You handle: Vendor master, raising POs, supplier relationships.

Daily

- Raise new POs → *Purchasing > Purchase Orders > New*
- Submit for approval (if above threshold)
- *Procurement Manager*: approve POs in *Workflow > Approvals*

Weekly

- Open-PO report — chase suppliers for late deliveries
- Review under- / over-receipts with warehouse team
- New supplier onboarding (vendor record + bank details + compliance)

Monthly

- Spend report by vendor → strategic-sourcing conversations
- Annual vendor reviews

Key permissions

- PurchaseOrderRead, PurchaseOrderCreate — both
- PurchaseOrderApprove — Procurement Manager
- VendorRead, VendorCreate, VendorUpdate — both
- InventoryRead — both
- WorkflowApprovalSubmit — Procurement Manager
- ReportRun — both

Deep reading

[Purchasing module](#)

Sales Rep / Sales Manager

You handle: Customers, sales orders.

Daily

- Customer interactions (today: external CRM; planned in-app CRM)
- Create / update sales orders → *Sales > Sales Orders*
- Coordinate with warehouse on shipment timing

Weekly

- Open SOs report → ensure none stuck waiting on stock
- Pipeline review with sales manager

Monthly

- Forecast accuracy review
- Commission reconciliation (planned)

Key permissions

- SalesOrderRead, SalesOrderCreate — both
- SalesOrderShip — usually warehouse, sometimes Sales Manager
- CustomerRead, CustomerCreate, CustomerUpdate — both (Manager has Update)
- InventoryRead — both
- ReportRun — both

- WorkflowApprovalSubmit — Sales Manager (for credit changes)

Deep reading

[Sales module](#)

Warehouse

You handle: Receipts, shipments, adjustments, items.

Daily

- Receive goods against POs → *Purchase Orders* › [PO] › *Receive*
- Ship goods against SOs → *Sales Orders* › [SO] › *Ship*
- Adjust inventory (supervisor only) → *Inventory* › *Items* › [item] › *Adjust*

Weekly

- Cycle counts (sample of items)
- Item master updates (new SKUs, retired SKUs)
- Slow-moving stock review

Monthly

- Reconcile inventory valuation to GL
- Cycle-count adjustment summary

Key permissions

- InventoryRead — all warehouse staff
- InventoryCreate — supervisors (to add items, run imports)
- InventoryAdjust — supervisors only (powerful permission)
- PurchaseOrderRead, PurchaseOrderReceive — clerks
- SalesOrderRead, SalesOrderShip — clerks

Deep reading

[Inventory module](#)

Accountant / Controller

You handle: COA maintenance, journal entries, period close, financial reporting.

Daily

- Review unmatched / unposted items
- Investigate Dashboard banner alerts
- Post manual JEs as needed (accruals, reclassifications)
- *Controller:* approve JEs (two-eyes)

Weekly

- Trial balance sanity check
- Bank reconciliation (planned in-app; today via export)
- AR / AP aging reviews

Monthly

- **Period close** (see [Finance module](#))
- Trial balance, P&L, Balance Sheet
- Period-end accruals + reversals
- FX revaluation
- Account reconciliations
- *Controller*: sign-off

Quarterly / Annual

- Quarter close / year-end close
- Audit support
- Retained-earnings rollover

Key permissions

- ChartOfAccountRead, ChartOfAccountCreate — both
- JournalEntryRead — Accountant
- JournalEntryPost — Senior Accountant + Controller
- BillRead, InvoiceRead — both
- BillApprove, BillPay, InvoiceApplyPayment — Controller
- ReportRun — both
- WorkflowApprovalSubmit — both (for JE approvals)

Deep reading

[Finance module](#) · [Audit History](#)

Approver (Manager, Director, VP)

You handle: Approval tasks across documents you're authorised for.

Daily

- Triage *Workflow > Approvals*
- Open each task, review the underlying document, decide
- Reassign anything stuck where you can't act

Weekly

- Review escalations from the prior week
- Discuss patterns with submitters (recurring issues)

Key permissions

- WorkflowRead, WorkflowApprovalSubmit
- Read permission on whatever you approve (BillRead, PurchaseOrderRead, JournalEntryRead, ...)
- Approve permission for your bands (BillApprove, PurchaseOrderApprove, JournalEntryPost)

Deep reading

[Workflow & Approvals](#) · [Workflow Engine](#)

Company Admin

You handle: User lifecycle, role catalogue, ad-hoc support.

Daily

- Process new-user requests
- Unlock accounts when needed
- Respond to "I can't see X" support tickets

Weekly

- Confirm new-hire onboarding tickets are closed
- Review who has admin roles

Monthly

- Review user list against HR active-employee list
- Review role assignments for accuracy

Quarterly

- Permission audit — does each user still need each role?
- Settings register review

Annual

- Sign off on the auditor's access-control checklist
- Rotate any local-account secrets

Key permissions

- CompanyAdmin role

Deep reading

[Administrator Guide](#) · [Security & Permissions](#)

System Admin

You handle: Tenant-wide configuration, new Companies, platform liaison.

Routine

- Onboard new Companies when the business expands
- Resolve cross-Company access requests
- Liaise with the platform team for settings changes
- Monitor *System Health* daily

As needed

- Investigate cross-Company audit queries
- Coordinate maintenance / upgrades with platform team

Key permissions

- SystemAdmin role

Deep reading

[Administrator Guide](#) · [Multi-Tenant guide](#) · [System Settings](#)

Auditor / Compliance

You handle: Read-only review of the system for control effectiveness.

Cadence

- Quarterly review of internal controls
- Sample-based testing of approvals, postings, and access
- Annual external audit support

What to ask for

Evidence	Where to find it
Permission catalogue + user assignments	<i>Administration</i> › <i>Users + Roles</i> (admin pulls; ask for export)
Sample of high-value approvals	<i>Workflow</i> › <i>Approvals</i> filtered, or a workflow report
Inventory adjustment log	Adjustment report (Planned UI; today via audit export)
Period-end Trial Balance	<i>Reports</i> › <i>Trial Balance</i> (admin runs)
Audit-log entries for sample dates	Admin-pulled audit export with correlation ids

Key permissions

- All *Read permissions
- ReportRun
- WorkflowRead

Deep reading

[Audit History](#) · [Security & Permissions](#)

Executive

You handle: Approving high-value items, dashboard monitoring.

Daily

- Quick scan of dashboard / *My approvals*
- Approve / reject items in your band

Weekly

- KPI review with finance leadership
- Pipeline review with sales

Quarterly / Annual

- Capex approvals
- Annual budget / forecast cycle (planned: Budgeting module)
- Audit committee reporting

Key permissions

- WorkflowRead, WorkflowApprovalSubmit
- Read on most modules; approval on high bands
- ReportRun

Deep reading

[Dashboard](#) · [Workflow & Approvals](#)