1	TEST								
ı		В	С	D					
	A1	B1	USA	5					
ı	A2	B1	INDIA	15					
ı	A4	B2	INDONESIA	35					
	A5	B2	UK	20					

COMMAND	DMMAND DESCRIPTION		RESULT OF THE QUERY						
	Fetch data based on a condition	Hover Mouse to see query [1]		В	С				
WHERE			A4	B2	INDONESIA	35			
			A5	B2	UK	20			
	Allows to specify multiple conditions inside a where clause	Hover Mouse to see query [2]	A	В	С	D			
IN			A1	B1	USA	5			
			A5	B2	UK	20			
	Search for a specific pattern with a where clause. % to match zero, one or more characters.	Hover Mouse to see query [3]	A	В	С	D			
LIKE %			A2	B2	INDIA	15			
			A4	B2	INDONESIA	35			
LIKE	Search for a specific number of characters using '_'. To	Hover Mouse to	Α	В	С	D			
	find a value with 3 characters use ''	see query [4]	A1	B1	USA	5			
	Fetch the data within specific range	Hover Mouse to see query [5]	A	В	С	D			
BETWEEN			A2	B2	INDIA	15			
			A4	B2	INDONESIA	35			
			A5	B2	UK	20			
	Fetch the record(s) if all the conditions specified by	Hover Mouse to see query [6]	A	В	С	D			
AND	AND are TRUE		A4	B2	INDONESIA	35			
			A5	B2	UK	20			
			A	В	С	D			
	Fetch the record(s) if atleast one of the conditions specified by OR is/are TRUE	Hover Mouse to see query [7]	**		_	_			
OR			A2 A4	B1 B2	INDIA	15 35			
						20			
			A5	B2	UK	20			
	Fetch the record(s) if the condition is NOT True	Hover Mouse to see query [8]	Α	В	С	D			
NOT			A A1	B1	USA	5			
NUT			A1 A2	B1	INDIA	15			
			A2	81	INDIA	15			

[1] SELECT * FROM TEST WHERE B = 'B2'

[2] SELECT * FROM TEST WHERE B IN ('USA', 'UK')

[3] SELECT * FROM TEST WHERE C LIKE 'IND%'

[4] NOTE: n underscores are used to match n characters

SELECT * FROM TEST WHERE C LIKE '___'

[5] SELECT * FROM TEST WHERE D BETWEEN 15 AND 35

[6] SELECT * from TEST WHERE B = 'B2' AND D > 15

[7] SELECT * from TEST WHERE B = 'B2' OR D > 10

[8] SELECT * from TEST WHERE NOT B = 'B2';

SELECT * from TEST WHERE B != 'B2';

SELECT * from TEST WHERE B <> 'B2';