

Lab 1: Inspecting Table Size

Query

Query History

1

2

3

4

5

6

7

8

9

SELECT

relname AS object_name,

pg_size_pretty(pg_table_size(fed.oid)) AS data_size,

pg_size_pretty(pg_indexes_size(fed.oid)) AS index_size,

pg_size_pretty(pg_total_relation_size(fed.oid)) AS total_size

FROM pg_class fed

JOIN pg_namespace n ON n.oid = fed.relnamespace

WHERE fed.relkind = 'r' AND n.nspname = 'public'

ORDER BY pg_total_relation_size(fed.oid) DESC;

Data Output

Messages

Notifications

≡+

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

	object_name	data_size	index_size	total_size
	name	text	text	text
1	rental	1232 kB	1120 kB	2352 kB
2	payment	896 kB	920 kB	1816 kB
3	film	736 kB	200 kB	936 kB
4	film_actor	272 kB	216 kB	488 kB
5	inventory	232 kB	208 kB	440 kB
6	customer	96 kB	112 kB	208 kB
7	address	88 kB	64 kB	152 kB
8	city	64 kB	48 kB	112 kB
9	film_category	72 kB	40 kB	112 kB
10	actor	40 kB	32 kB	72 kB
11	store	8192 bytes	32 kB	40 kB
12	staff	16 kB	16 kB	32 kB
13	language	8192 bytes	16 kB	24 kB
14	category	8192 bytes	16 kB	24 kB
15	country	8192 bytes	16 kB	24 kB

Lab 2: The Impact of a New Index

Query

Query History

1

2

3

4

SELECT

pg_size_pretty

(pg_indexes_size

('payment'

)

);

CREATE INDEX

idx_payment_date_long

ON

payment

(payr

customer_id);

SELECT

pg_size_pretty

(pg_indexes_size

('payment'

)

);

Data Output

Messages

Notifications

≡+

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

Showing rows: 1 to 1

✎

🖨️

Page No:

1

of 1

⏪

⏩

Lab 3: Partial Index Practice

Query

Query History

1

2

3

4

5

6

CREATE INDEX idx_expensive_films

ON film (replacement_cost)

WHERE replacement_cost > 25.00;

SELECT pg_size_pretty(pg_relation_size('idx_expens'

Data Output

Messages

Notifications

≡+

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

Showing rows: 1 to 1

✎

🖨️

 Page No: 1 of 1

⏪

⏴

⏵

	pg_size_pretty text	🔒
1	16 kB	