

Claude Code Prompts

December 1, 2025 - January 14, 2026

Total Prompts: 737

Generated: 2026-01-14 22:59:15

Table of Contents

Thursday, December 18, 2025 (13 prompts)

Friday, December 26, 2025 (62 prompts)

Saturday, December 27, 2025 (21 prompts)

Sunday, December 28, 2025 (95 prompts)

Monday, December 29, 2025 (87 prompts)

Tuesday, December 30, 2025 (75 prompts)

Wednesday, December 31, 2025 (14 prompts)

Friday, January 02, 2026 (6 prompts)

Saturday, January 03, 2026 (27 prompts)

Sunday, January 04, 2026 (15 prompts)

Monday, January 05, 2026 (94 prompts)

Tuesday, January 06, 2026 (21 prompts)

Wednesday, January 07, 2026 (14 prompts)

Thursday, January 08, 2026 (6 prompts)

Friday, January 09, 2026 (19 prompts)

Saturday, January 10, 2026 (28 prompts)

Sunday, January 11, 2026 (29 prompts)

Monday, January 12, 2026 (98 prompts)

Wednesday, January 14, 2026 (13 prompts)

Thursday, December 18, 2025

05:38 - SpaMo

look at the entire repo in as much detail as possible and explain how to do an inference on a single video.

06:05 - SpaMo

how to you know how to combine the features? you are not using the sign adapter are you?

06:07 - SpaMo

As shown in Figure 3, SA includes linear projection layers, a 1D TCN, and a Multi-Layer Perceptron (MLP). These components work together to integrate the spatial and motion features into a unified sign representation, denoted as Z_{sm} . First, the spatial and motion features are passed through linear projection layers to transform them into features with matching dimensions. Next, the 1D TCN is applied for short-term modeling of the combined features. Finally, a cross-modal MLP (Liu et al., 2024a) is employed to bridge the visual and textual modalities. The resulting outputs are represented ?

as $Z_{sm} \otimes RM \times d$, where M represents the reduced number of frames after convolution, and d is the dimension aligned with that of the LLM. does that match this description?

06:09 - SpaMo

incorporate this knowledge into the inferer. it is very important you think for as long as possible and look at everything in detail

06:15 - SpaMo

what about VT Align?

06:15 - SpaMo

[Request interrupted by user]

06:16 - SpaMo

what does the checkpoint expect?

06:20 - SpaMo

implement this inference script

06:23 - SpaMo

[Request interrupted by user for tool use]

Claude Code Prompts - December 2025 to Present

Loading checkpoint from: own/spamo.ckpt

? Checkpoint loaded successfully

? Model ready on cpu

=====

=====

RUNNING SIGN ADAPTER INFERENCE

=====

Input shapes:

Spatial features: torch.Size([504, 2048])

Motion features: torch.Size([62, 1024])

[1/4] Sign Adapter - Linear Projections + Temporal Encoding...

After projections + TCN: torch.Size([1, 138, 768])

[2/4] Sign Adapter - Cross-Modal MLP (768 ? 2048)...

After fusion projection: torch.Size([1, 138, 2048])

[3/4] Combining visual features with text prompt...

Combined input shape: torch.Size([1, 148, 2048]) is this the checkpoint itself?

07:24 - SpaMo

but how is it printing that i cant see your code for printing that

Friday, December 26, 2025

11:12 - translate

what do i need to delete to this so this is just signed to spoken

11:12 - translate

what do i need to delete to this so this is just signed to spoken

11:24 - translate

what the benchmark stuff do

11:24 - translate

what the benchmark stuff do

11:37 - translate

is the pose detection relevant for spoken to signed

11:37 - translate

is the pose detection relevant for spoken to signed

12:14 - translate

? [ERROR] Could not resolve "../animation/animation.module"

```
src/app/components/video/video.component.ts:18:32:
```

```
18 ? import { AnimationModule } from '../animation/animation.module';  
   ? ~~~~~
```

? [ERROR] TS2307: Cannot find module '../animation/animation.module' or its corresponding type declarations. [plugin angular-compiler]

```
src/app/components/video/video.component.ts:21:30:
```

```
21 ? import { AnimationModule } from '../animation/animation.module';  
   ? ~~~~~
```

? [ERROR] NG1010: 'imports' must be an array of components, directives, pipes, or NgModules.
Value could not be determined statically. [plugin angular-compiler]

```
src/app/components/video/video.component.ts:27:12:
```

```
27 ? imports: [AnimationModule, VideoControlsComponent, IonIcon, Asyn...  
   ? ~~~~~
```

Unknown reference.

```
src/app/components/video/video.component.ts:27:12:
```

Claude Code Prompts - December 2025 to Present

```
27 ? imports: [AnimationModule, VideoControlsComponent, IonIcon, Asyn...  
? ~~~~~
```

? [ERROR] TS2307: Cannot find module '../modules/detector/detector.state' or its corresponding type declarations.
[plugin angular-compiler]

```
src/app/components/video/video.module.ts:5:28:  
5 ? import { DetectorState } from '../modules/detector/detector.state';  
? ~~~~~
```

? [ERROR] Could not resolve "../modules/detector/detector.state"

```
src/app/components/video/video.module.ts:5:30:  
5 ? import { DetectorState } from '../modules/detector/detector.state';  
? ~~~~~
```

? [ERROR] TS2307: Cannot find module '../spoken-to-signed/spoken-to-signed.component' or its corresponding type declarations. [plugin angular-compiler]

```
src/app/pages/translate/translate-desktop/translate-deskto... [truncated]
```

12:14 - translate

? [ERROR] Could not resolve "../animation/animation.module"

```
src/app/components/video/video.component.ts:18:32:  
18 ? import { AnimationModule } from '../animation/animation.module';  
? ~~~~~
```

? [ERROR] TS2307: Cannot find module '../animation/animation.module' or its corresponding type declarations. [plugin angular-compiler]

```
src/app/components/video/video.component.ts:21:30:  
21 ? import { AnimationModule } from '../animation/animation.module';  
? ~~~~~
```

? [ERROR] NG1010: 'imports' must be an array of components, directives, pipes, or NgModules.
Value could not be determined statically. [plugin angular-compiler]

```
src/app/components/video/video.component.ts:27:12:  
27 ? imports: [AnimationModule, VideoControlsComponent, IonIcon, Asyn...  
? ~~~~~
```

Unknown reference.

```
src/app/components/video/video.component.ts:27:12:  
27 ? imports: [AnimationModule, VideoControlsComponent, IonIcon, Asyn...
```

? ~~~~~

? [ERROR] TS2307: Cannot find module '../modules/detector/detector.state' or its corresponding type declarations.
[plugin angular-compiler]

```
src/app/components/video/video.module.ts:5:28:
  5 ? import {DetectorState} from '../modules/detector/detector.state';
    ? ~~~~~
```

? [ERROR] Could not resolve "../modules/detector/detector.state"

```
src/app/components/video/video.module.ts:5:30:
  5 ? import { DetectorState } from '../modules/detector/detector.state';
    ? ~~~~~
```

? [ERROR] TS2307: Cannot find module '../spoken-to-signed/spoken-to-signed.component' or its corresponding type declarations. [plugin angular-compiler]

src/app/pages/translate/translate-desktop/translate-deskto... [truncated]

13:40 - translate

how to delete the announcements

13:40 - translate

how to delete the announcements

13:44 - translate

how to take away the logo

13:44 - translate

how to take away the logo

13:45 - translate

delete banner

13:45 - translate

delete banner

13:48 - translate

delete send feedback

13:48 - translate

delete send feedback

13:50 - translate

delete privacy statement

13:50 - translate

delete privacy statement

13:50 - translate

swap language button delete

13:50 - translate

swap language button delete

13:51 - translate

[Request interrupted by user for tool use]

13:51 - translate

[Request interrupted by user for tool use]

13:51 - translate

change translation language delete

13:51 - translate

change translation language delete

13:51 - translate

[Request interrupted by user]

13:51 - translate

[Request interrupted by user]

13:51 - translate

change translation direction delete

13:51 - translate

change translation direction delete

13:53 - translate

delete language selector on the signed size

13:53 - translate

delete language selector on the signed size

13:57 - translate

delete the header style because there is no header anymore

13:57 - translate

delete the header style because there is no header anymore

13:58 - translate

move the spoken language selector above the spoken language output

13:58 - translate

move the spoken language selector above the spoken language output

14:01 - translate

it is below instead of above and still on the left instead of the right

14:01 - translate

it is below instead of above and still on the left instead of the right

14:04 - translate

fix

14:04 - translate

[Request interrupted by user]

14:04 - translate

now it looks like this half of it is blocked

14:06 - translate

did the opposite

14:06 - translate

[Request interrupted by user for tool use]

14:06 - translate

no it should be above

14:07 - translate

where are the otheres

14:08 - translate

fix

14:09 - translate

in the image it is cut off

14:11 - translate

now we have this issue

14:13 - translate

i want the translation card to be the same height and the webcam component

14:14 - translate

now i want to add my own header/title and center the translation card.

14:16 - translate

delete upload functionality and webcam button

14:17 - translate

it says camera off even though i have it on

14:24 - translate

background #1d4380

14:25 - translate

now it looks like this

14:27 - translate

no the whole translation interface is gone? cant you see

14:29 - translate

this was before the last edit, after that the video was big and the rest overflowed out of the page

14:29 - translate

but the whole website is not dark blue just some off it

14:30 - translate

center the translation card

14:30 - translate

delete that, center vertically

14:32 - translate

is the detector still working

14:33 - translate

delete the pose detection

14:33 - translate

[Request interrupted by user]

14:33 - translate

no i mean delete the algorithm that detect if someone starts signing

14:35 - translate

no header

Saturday, December 27, 2025

06:32 - translate

give an overview of the architecture of the project

08:58 - translate

what is the front end and the backend?

09:02 - translate

to incorporate an AI model inferencer that runs on a downloaded checkpoint and huggingface imported models?

09:03 - translate

where is the checkpoint for option 1

09:04 - translate

what if mine is uploaded to huggingface

10:29 - translate

is this in the front end

10:33 - translate

can you draw a diagram of this plus the existing artitecture in an artifact?

10:39 - translate

XML Parsing Error: not well-formed

Location: file:///run/user/1000/doc/310cd59f/architecture-diagram.svg

Line Number 61, Column 73:

```
<text x="570" y="210" text-anchor="middle" class="small-text">Camera & Upload</text>
```

10:40 - translate

XML Parsing Error: not well-formed

Location: file:///run/user/1000/doc/310cd59f/architecture-diagram.svg

Line Number 204, Column 60:

```
<text x="70" y="810" class="section-title">Browser APIs & Storage</text>
```

10:41 - translate

[Request interrupted by user for tool use]

10:42 - translate

what is the point of the firebase stuff?

10:45 - translate

i dont need the spoken to signed stuff

10:46 - translate

this to desktop?

10:46 - translate

1

10:47 - translate

update architecture diagram

10:47 - translate

[Request interrupted by user]

10:48 - translate

no just the webapp

10:48 - translate

no the diagram file you made before

11:28 - translate

make a diagram of the software architecture

11:50 - translate

read claude.md and answer why is architecture is good for performance vs a pc app

11:50 - translate

read claude.md and answer why is architecture is good for performance vs a pc app

Sunday, December 28, 2025

09:32 - translate

right now bash is starting the conda base enviroment automatically how to stop

09:40 - translate

text to speech component?

09:41 - translate

current svg diagram does not load

09:41 - translate

current svg diagram does not load

09:42 - translate

still does not

09:42 - translate

still does not

10:44 - translate

what framework (for example MVC) is this

10:44 - translate

what framework (for example MVC) is this

11:02 - translate

how is node js involved

11:02 - translate

how is node js involved

13:35 - translate

what are angular componenets?

14:34 - translate

diagram of how data flows through the system

14:41 - translate

is the app not already desigend for only signed to spoken?

14:42 - translate

yes

15:00 - translate

https://github.com/sign-language-processing/transcription/tree/main/pose_to_text check this throughly and tell me what it can do

16:39 - translate

how to infer from a trained model

18:41 - translate

i need to leave the fork network, but github won't let me press detach fork network because it says this repo is over 1GB

18:41 - translate

will it keep the commits of the others?

18:42 - translate

ok do this for this repo <https://github.com/chufakiks/translate>

18:43 - translate

will this keep og authorship

18:44 - translate

<https://github.com/chufakiks/Sign2Speech>

18:56 - translate

default branch is now claude how to change that and delete the claude branch

19:21 - translate

from now own push and commit all your changes

19:29 - Sign2Speech

what are we using firebase for

19:30 - Sign2Speech

which are relevant for spoken to signed?

19:31 - Sign2Speech

[Request interrupted by user]

19:31 - Sign2Speech

which are relevant to signed to spoken

19:31 - Sign2Speech

elaborate on signwriting_description

19:33 - Sign2Speech

what translate text to Text do

19:34 - Sign2Speech

so i need an api key for this to work?

19:35 - Sign2Speech

so if i use it on localhost?

19:36 - Sign2Speech

is it not stored in assets?

19:37 - Sign2Speech

can force it to be in browser every time

19:43 - Sign2Speech

how to insure that the models are downloaded?

19:45 - Sign2Speech

when i download the model where does it stay

19:46 - Sign2Speech

how long would it take to install the models?

19:49 - Sign2Speech

i also want to call hugging face models

19:54 - Sign2Speech

delete firebase lets just use offline translation

20:06 - Sign2Speech

[Request interrupted by user]

20:06 - Sign2Speech

wait the checkpoint is 5gb

20:11 - Sign2Speech

remember the plan at CLAUDE.md

20:12 - Sign2Speech

delete anything related to firebase, commit and push

20:19 - Sign2Speech

[Request interrupted by user for tool use]

20:20 - Sign2Speech

delete google analytics as well

20:22 - Sign2Speech

[Request interrupted by user for tool use]

20:23 - Sign2Speech

what does cld3 do anyway

20:23 - Sign2Speech

i dont need this either delete

20:27 - Sign2Speech

[Request interrupted by user for tool use]

20:27 - Sign2Speech

commit in several different commits that show what is done more clearly

20:29 - Sign2Speech

[Request interrupted by user for tool use]

20:29 - Sign2Speech

arent we supposed to not use firebase at all what is firebase rest API

20:30 - Sign2Speech

can we bundle the current models used locally without the user noticing?

20:34 - Sign2Speech

check the models

20:36 - Sign2Speech

i want the service and i want it to be offline

20:42 - Sign2Speech

what are face features and handshape used for

20:44 - Sign2Speech

sign detector?

20:44 - Sign2Speech

sign detector?

20:48 - Sign2Speech

what does env.ts do

20:48 - Sign2Speech

what does env.ts do

20:49 - Sign2Speech

what is ionic

20:49 - Sign2Speech

what is ionic

20:49 - Sign2Speech

is ionic used anywhere else

20:49 - Sign2Speech

is ionic used anywhere else

20:49 - Sign2Speech

i dont need mobile

20:49 - Sign2Speech

i dont need mobile

20:50 - Sign2Speech

so ionic is useful for other things than mobile?

20:50 - Sign2Speech

so ionic is useful for other things than mobile?

20:51 - Sign2Speech

remove capacitor completely

20:51 - Sign2Speech

remove capacitor completely

20:54 - Sign2Speech

[Request interrupted by user for tool use]

20:54 - Sign2Speech

[Request interrupted by user for tool use]

20:54 - Sign2Speech

dont understand last todo

20:54 - Sign2Speech

dont understand last todo

20:55 - Sign2Speech

what is standard web browser API

20:55 - Sign2Speech

what is standard web browser API

20:55 - Sign2Speech

ok

20:55 - Sign2Speech

ok

20:57 - Sign2Speech

why was capacitor used in the first place

20:57 - Sign2Speech

why was capacitor used in the first place

20:58 - Sign2Speech

i dont need shareSignedLanguageVideo

20:58 - Sign2Speech

i dont need shareSignedLanguageVideo

20:58 - Sign2Speech

[Request interrupted by user for tool use]

20:58 - Sign2Speech

[Request interrupted by user for tool use]

20:59 - Sign2Speech

this is to delete the feature to share a produced sign language video from the other direction right

20:59 - Sign2Speech

this is to delete the feature to share a produced sign language video from the other direction right

20:59 - Sign2Speech

yes remove

20:59 - Sign2Speech

yes remove

21:00 - Sign2Speech

yes remove

21:01 - Sign2Speech

commit and push all changes

21:02 - Sign2Speech

if i wanted to translate from more than ASL to english i would need to have a lot bundled right?

21:03 - Sign2Speech

only ASL to english

21:03 - Sign2Speech

why do i have that installed

21:04 - Sign2Speech

what does the browserMT do

21:04 - Sign2Speech

dont need this

21:04 - Sign2Speech

yes

Monday, December 29, 2025

08:40 - Sign2Speech

what do these actions do

08:42 - Sign2Speech

what would the mock do

08:42 - Sign2Speech

what is suggest alternative text

08:43 - Sign2Speech

what is describe signwriting

08:44 - Sign2Speech

how is this done

08:46 - Sign2Speech

what does change translation do

08:47 - Sign2Speech

now look at what is it now and describe all actions it does

08:49 - Sign2Speech

we only have webcam input

08:49 - Sign2Speech

since we are only focussing on asl-english we dont need this either

08:49 - Sign2Speech

yes

08:50 - Sign2Speech

yes

08:53 - Sign2Speech

what does signwriting service do

08:54 - Sign2Speech

lets commit

08:57 - Sign2Speech

do i need signwriting-translation service

09:00 - Sign2Speech

commit

09:01 - Sign2Speech

do i need this file if i am not on mobile

09:03 - Sign2Speech

i have deleted mobile component can i delete this file

09:04 - Sign2Speech

what does this file have so many problems now

09:05 - Sign2Speech

what does it do specfically

09:06 - Sign2Speech

commit

09:07 - Sign2Speech

commit

09:09 - Sign2Speech

what the helpers

09:11 - Sign2Speech

what is this map component

09:12 - Sign2Speech

is video component the one that takes the sign language video in

09:14 - Sign2Speech

how change the video component file

09:15 - Sign2Speech

```
@Component({  
  selector: 'app-video',  
  templateUrl: './video.component.html',  
  styleUrls: ['./video.component.scss'],  
  imports: [VideoControlsComponent, IonIcon, AsyncPipe, TranslocoPipe, TranslocoDirective],  
})
```

}) this one is in red

09:17 - Sign2Speech

what is directive

09:17 - Sign2Speech

what is the image helper

09:19 - Sign2Speech

what about transloco

09:20 - Sign2Speech

how much work is it do delete it

09:21 - Sign2Speech

all the files that are outside of folders what are they used for

09:23 - Sign2Speech

not running tests right now

09:23 - Sign2Speech

yes

09:25 - Sign2Speech

commit

09:26 - Sign2Speech

are we at a minimal build now?

09:28 - Sign2Speech

if i already removed some of these no?

09:29 - Sign2Speech

want TTS both ways the others we should delete

09:31 - Sign2Speech

keep signwritngapi, docs and update script

09:33 - Sign2Speech

yes

09:36 - Sign2Speech

ok

10:05 - Sign2Speech

? [WARNING] The glob pattern import("./**/*.entry.js*") did not match any files [empty-glob]

```
node_modules/@stencil/core/internal/client/index.js:169:2:
169 ? `./${bundleId}.entry.js${BUILD5.hotModuleReplacement && hmrVers...
? ~~~~~
```

? [WARNING] The glob pattern import("./**/*.entry.js*") did not match any files [empty-glob]

```
node_modules/@stencil/core/internal/client/index.js:169:2:
169 ? `./${bundleId}.entry.js${BUILD5.hotModuleReplacement && hmrVers...
? ~~~~~
```

? [WARNING] Module 'stats.js' used by 'src/app/components/video/video.component.ts' is not ESM

CommonJS or AMD dependencies can cause optimization bailouts.
For more information see: <https://angular.dev/tools/cli/build#configuring-commonjs-dependencies>

? [WARNING] Module '@mediapipe/drawing_utils/drawing_utils.js' used by 'src/app/modules/pose/pose.service.ts' is not ESM

CommonJS or AMD dependencies can cause optimization bailouts.
For more information see: <https://angular.dev/tools/cli/build#configuring-commonjs-dependencies>

? [WARNING] Module '@mediapipe/holistic' used by 'src/app/core/services/holistic.service.ts' is not ESM

CommonJS or AMD dependencies can cause optimization bailouts.
For more information see: <https://angular.dev/tools/cli/build#configuring-commonjs-dependencies>

10:05 - Sign2Speech

what to run to start the web server

10:07 - Sign2Speech

it still shows pose estimation

10:07 - Sign2Speech

make it optional

10:10 - Sign2Speech

ui

10:23 - Sign2Speech

looks like this now

10:27 - Sign2Speech

still looks the same there is a lot of unneeded black space

10:31 - Sign2Speech

looks even farther from what it should

10:32 - Sign2Speech

now i can only see my face

10:33 - Sign2Speech

blue background is gone output should be on the side as it was before.

10:34 - Sign2Speech

i want them united not separated and vertically centered

10:35 - Sign2Speech

video is pretty small now, increase the size of the whole translation box

10:35 - Sign2Speech

try 1350

10:36 - Sign2Speech

commit this

10:49 - Sign2Speech

need to delete 3D pose animation components we do not need

10:52 - Sign2Speech

[Request interrupted by user for tool use]

10:52 - Sign2Speech

i think the segmentation uses pose normalization but delete animations

17:33 - Sign2Speech

delete github sponsors

17:33 - Sign2Speech

commit, commit all changes

17:46 - Sign2Speech

what handles the webcam?

17:46 - Sign2Speech

what handles the webcam?

17:50 - Sign2Speech

does it only use prebuilt javascript functions?

17:50 - Sign2Speech

does it only use prebuilt javascript functions?

17:51 - Sign2Speech

i want to design so it takes a video in and then sends it all to pose estimation

17:51 - Sign2Speech

i want to design so it takes a video in and then sends it all to pose estimation

17:53 - Sign2Speech

[Request interrupted by user for tool use]

17:53 - Sign2Speech

[Request interrupted by user for tool use]

17:53 - Sign2Speech

what does the code here do? if it takes mediapipe of every frame then we can write similar in here right?

17:53 - Sign2Speech

what does the code here do? if it takes mediapipe of every frame then we can write similar in here right?

17:54 - Sign2Speech

yes lets do this

17:54 - Sign2Speech

yes lets do this

18:14 - Sign2Speech

[Request interrupted by user for tool use]

18:14 - Sign2Speech

[Request interrupted by user for tool use]

18:15 - Sign2Speech

i dont understand why we need the frontend component

18:15 - Sign2Speech

i dont understand why we need the frontend component

18:17 - Sign2Speech

[Request interrupted by user for tool use]

18:17 - Sign2Speech

[Request interrupted by user for tool use]

18:17 - Sign2Speech

so what does the user need to do and what does it mean for the program

18:17 - Sign2Speech

so what does the user need to do and what does it mean for the program

18:18 - Sign2Speech

no i want this to integrate in the sense that i use it to convert what i get from the webcam into a pose so i can run models on it

18:18 - Sign2Speech

no i want this to integrate in the sense that i use it to convert what i get from the webcam into a pose so i can run models on it

18:20 - Sign2Speech

[Request interrupted by user for tool use]

18:20 - Sign2Speech

[Request interrupted by user for tool use]

18:20 - Sign2Speech

pose format has a video to pose function we can use for this, i want to do that

18:20 - Sign2Speech

pose format has a video to pose function we can use for this, i want to do that

18:22 - Sign2Speech

i would rather then run this as a python backend and delete the inbrowser mediapipe stuff

18:22 - Sign2Speech

i would rather then run this as a python backend and delete the inbrowser mediapipe stuff

Tuesday, December 30, 2025

07:46 - Sign2Speech

how much does this affect performance?

07:47 - Sign2Speech

i dont need to show pose while signing but i do want a fast ish processing time

07:49 - Sign2Speech

<https://github.com/sign-language-processing/pose> read this well and tell me what it can do

07:52 - Sign2Speech

can we use the typescript part

07:56 - Sign2Speech

so it cant generate pose files

07:56 - Sign2Speech

do we currently generate .pose files

07:57 - Sign2Speech

what do we need to change so that we can save it as .pose file? i want to use <https://github.com/sign-language-processing/segmentation> on the pose file afterwards

08:00 - Sign2Speech

ok lets do the python backend for both

08:21 - Sign2Speech

ERROR ReferenceError: document is not defined

```

    at new f
(/home/lucia/Documents/GitHub/Sign2Speech/.angular/cache/20.3.8/sign-translate/vite/deps_ssr/stats__js.js:21:24)
    at new _VideoComponent
(/home/lucia/Documents/GitHub/Sign2Speech/src/app/components/video/video.component.ts:54:14)
    at NodeInjectorFactory.Component
(/home/lucia/Documents/GitHub/Sign2Speech/src/app/components/video/video.component.ts:237:3)
    at getNodeInjectable
(/home/lucia/Documents/GitHub/Sign2Speech/.angular/cache/20.3.8/sign-translate/vite/deps_ssr/chunk-3BVJBY7N.js:4
234:38)
    at instantiateAllDirectives
(/home/lucia/Documents/GitHub/Sign2Speech/.angular/cache/20.3.8/sign-translate/vite/deps_ssr/chunk-3BVJBY7N.js:8
579:23)
    at createDirectivesInstances
(/home/lucia/Documents/GitHub/Sign2Speech/.angular/cache/20.3.8/sign-translate/vite/deps_ssr/chunk-3BVJBY7N.js:8
430:3)
```

Claude Code Prompts - December 2025 to Present

```

                                                                    at
(/home/lucia/Documents/GitHub/Sign2Speech/.angular/cache/20.3.8/sign-translate/vite/deps_ssr/chunk-3BVJBY7N.js:1
7735:5)
                                                                    at
(/home/lucia/Documents/GitHub/Sign2Speech/.angular/cache/20.3.8/sign-translate/vite/deps_ssr/chunk-3BVJBY7N.js:1
7772:3)
                                                                    at
(/home/lucia/Documents/GitHub/Sign2Speech/src/app/pages/translate/signed-to-spoken/signed-to-spoken.component.h
tml:3:5)
                                                                    at
(/home/lucia/Documents/GitHub/Sign2Speech/.angular/cache/20.3.8/sign-translate/vite/deps_ssr/chunk-3BVJBY7N.js:8
422:5)
ERROR ReferenceError: document is not defined
                                                                    at
                                                                    new
(/home/lucia/Documents/GitHub/Sign2Speech/.angular/cache/20.3.8/sign-translate/vite/deps_ssr/stats__js.js:21:24)
                                                                    at
                                                                    new
(/home/lucia/Documents/GitHub/Sign2Speech/src/app/components/video/video.component.ts:54:14)
                                                                    at
                                                                    NodeInjectorFactory.Component
(/home/lucia/Documents/GitHub/Sign2Speech/src/app/components/video/video.component.ts:237:3)
                                                                    at
                                                                    getNodeInjectable
(/home/lucia/Documents/GitHub/Sign2Speech/.angular/cache/20.3.8/sign-translate/vite/deps_ssr/chunk-3BVJBY7N.js:4
234:3... [truncated]
```

08:25 - Sign2Speech

commit in separate readable commits

08:30 - Sign2Speech

delete pose toggle

08:31 - Sign2Speech

delete the whole draw pose functionality we do not need it

08:43 - Sign2Speech

there is one beside the translation interface where did i accidentally write it

08:48 - Sign2Speech

delete anything else related to it

08:48 - Sign2Speech

delete anything else related to it

09:02 - Sign2Speech

commit

09:02 - Sign2Speech

commit

09:28 - Sign2Speech

how to run segmentation_service.py on an example pose file

09:28 - Sign2Speech

how to run segmentation_service.py on an example pose file

09:30 - Sign2Speech

this from terminal

09:30 - Sign2Speech

this from terminal

09:30 - Sign2Speech

i have a pose file in the backend directory called example.pose

09:30 - Sign2Speech

i have a pose file in the backend directory called example.pose

09:32 - Sign2Speech

<https://github.com/chufakiks/showcaseSLT/blob/main/signmt.ipynb> does contain signing activity it has worked before see

09:32 - Sign2Speech

<https://github.com/chufakiks/showcaseSLT/blob/main/signmt.ipynb> does contain signing activity it has worked before see

09:33 - Sign2Speech

[Request interrupted by user for tool use]

09:33 - Sign2Speech

[Request interrupted by user for tool use]

09:33 - Sign2Speech

check all of <https://github.com/chufakiks/showcaseSLT>

09:33 - Sign2Speech

check all of <https://github.com/chufakiks/showcaseSLT>

09:41 - Sign2Speech

now i have the same cors error

09:41 - Sign2Speech

now i have the same cors error

09:41 - Sign2Speech

[Request interrupted by user for tool use]

09:41 - Sign2Speech

[Request interrupted by user for tool use]

09:42 - Sign2Speech

commit

09:42 - Sign2Speech

commit

09:44 - Sign2Speech

https://github.com/sign-language-processing/transcription/tree/main/pose_to_text want to use this now on the segments

09:44 - Sign2Speech

https://github.com/sign-language-processing/transcription/tree/main/pose_to_text want to use this now on the segments

09:51 - Sign2Speech

need a working model

09:51 - Sign2Speech

need a working model

09:57 - Sign2Speech

<https://github.com/sign-language-processing/signwriting-transcription> investigate whether it is possible to still use this

09:57 - Sign2Speech

<https://github.com/sign-language-processing/signwriting-transcription> investigate whether it is possible to still use this

12:03 - Sign2Speech

continue

12:09 - Sign2Speech

how did you solve the dependency stuff?

12:10 - Sign2Speech

what do i need to install in my conda env

12:17 - Sign2Speech

make a command for it with what we have

12:18 - Sign2Speech

no i mean to run the pose-to-signwriting model

12:23 - Sign2Speech

why is it taking forever to install pip dependencies

12:32 - Sign2Speech

ok now we need to integrate this with the sockeye model on hugging face

12:43 - Sign2Speech

<https://arxiv.org/abs/2309.11566>

12:57 - Sign2Speech

look <https://github.com/sign-language-processing/signwriting-translation>

13:07 - Sign2Speech

ok

13:12 - Sign2Speech

show this in the console

13:12 - Sign2Speech

[Request interrupted by user for tool use]

13:12 - Sign2Speech

no in the web console, like the segmentation

13:15 - Sign2Speech

[vite] connecting... client:733:9

[vite] connected. client:827:12

Angular is running in development mode. debug_node.mjs:18255:17

Invalid URI. Load of media resource failed. localhost:4200

I0000 00:00:1767100484.800000 1 gl_context_webgl.cc:151] Successfully created a WebGL context with major version 3 and handle 3 holistic_solution_simd_wasm_bin.js:9:32007

I0000 00:00:1767100484.800000 1 gl_context.cc:359] GL version: 3.0 (OpenGL ES 3.0 (WebGL 2.0))

holistic_solution_simd_wasm_bin.js:9:32007

W0000 00:00:1767100484.801000 1 gl_context.cc:1000] OpenGL error checking is disabled

```
holistic_solution_simd_wasm_bin.js:9:32007
WebGL warning: drawArraysInstanced: Tex image TEXTURE_2D level 0 is incurring lazy initialization. 8
The resource at ?http://localhost:4200/assets/fonts/roboto/Roboto-normal-400.ttf? preloaded with link preload was not
used within a few seconds. Make sure all attributes of the preload tag are set correctly. localhost:4200
The resource at ?http://localhost:4200/assets/fonts/roboto/Roboto-normal-500.ttf? preloaded with link preload was not
used within a few seconds. Make sure all attributes of the preload tag are set correctly. localhost:4200
The resource at ?http://localhost:4200/assets/flags/1x1/us.svg? preloaded with link preload was not used within a few
seconds. Make sure all attributes of the preload tag are set correctly. localhost:4200
? Recording started translate.state.ts:65:13
?? Recording stopped, processing... translate.state.ts:76:13
? Sending 67 frames to http://localhost:8000/api/translate recording.service.ts:159:13
```

13:16 - Sign2Speech

```
[lucia@lucia Sign2Speech]$ cd backend && conda run -n sign2speech uvicorn main:app --reload --port 8000
no output
```

13:17 - Sign2Speech

```
curl http://localhost:8000/api/health
curl: (7) Failed to connect to localhost port 8000 after 0 ms: Could not connect to server
```

13:28 - Sign2Speech

```
[vite] connecting... client:733:9
[vite] connected. client:827:12
Angular is running in development mode. debug_node.mjs:18255:17
Invalid URI. Load of media resource failed. localhost:4200
I0000 00:00:1767101268.255000      1 gl_context_webgl.cc:151] Successfully created a WebGL context with major
version 3 and handle 3 holistic_solution_simd_wasm_bin.js:9:32007
I0000 00:00:1767101268.255000      1 gl_context.cc:359] GL version: 3.0 (OpenGL ES 3.0 (WebGL 2.0))
holistic_solution_simd_wasm_bin.js:9:32007
W0000 00:00:1767101268.255000      1 gl_context.cc:1000] OpenGL error checking is disabled
holistic_solution_simd_wasm_bin.js:9:32007
WebGL warning: drawArraysInstanced: Tex image TEXTURE_2D level 0 is incurring lazy initialization. 8
? Recording started translate.state.ts:65:13
?? Recording stopped, processing... translate.state.ts:76:13
? Sending 68 frames to http://localhost:8000/api/translate recording.service.ts:159:13
? Translation result: recording.service.ts:162:13
  Signs: 0 recording.service.ts:163:13
  Full text: "" recording.service.ts:168:13
? Segmentation complete!
Object { frameCount: 68, duration: "2.28s", signsDetected: 0, sentencesDetected: 0 }
translate.state.ts:82:15
? Signs:
Array []
translate.state.ts:88:15
? Sentences:
Array []
translate.state.ts:89:15
The resource at ?http://localhost:4200/assets/fonts/roboto/Roboto-normal-400.ttf? preloaded with link preload was not
used within a few seconds. Make sure all attributes of the preload tag are set correctly. localhost:4200
```

Claude Code Prompts - December 2025 to Present

The resource at ?http://localhost:4200/assets/fonts/roboto/Roboto-normal-500.ttf? preloaded with link preload was not used within a few seconds. Make sure all attributes of the preload tag are set correctly. localhost:4200
The resource at ?http://localhost:4200/assets/flags/1x1/us.svg? preloaded with link preload was not used within a few seconds. Make sure all attributes of the preload tag are set correctly. localhost:4200
? Recording started translate.state.ts:65:13
... [truncated]

13:32 - Sign2Speech

what dataset is this trained on

13:34 - Sign2Speech

commit all of this

13:36 - Sign2Speech

[Request interrupted by user for tool use]

13:37 - Sign2Speech

much more divided into smaller tasks

13:42 - Sign2Speech

why did we modify that

13:43 - Sign2Speech

now put the translated text in the translation box

13:48 - Sign2Speech

put this in git ignore

13:49 - Sign2Speech

commit

14:01 - Sign2Speech

need this pipeline implemented as well <https://github.com/chufakiks/SpaMoRun>

17:12 - Sign2Speech

continue

17:15 - Sign2Speech

divide into small commits

17:21 - Sign2Speech

? Recording started translate.state.ts:66:13

?? Recording stopped, processing... translate.state.ts:77:13
? Using SpaMo translation mode translate.state.ts:86:15
? Sending 43 frames to http://localhost:8000/api/translate-spamo recording.service.ts:271:13

17:21 - Sign2Speech

? Recording started translate.state.ts:66:13
?? Recording stopped, processing... translate.state.ts:77:13
? Using SpaMo translation mode translate.state.ts:86:15
? Sending 43 frames to http://localhost:8000/api/translate-spamo recording.service.ts:271:13
XHRPOST
http://localhost:8000/api/translate-spamo
[HTTP/1.1 500 Internal Server Error 202ms]

? Translation failed or recording too short translate.state.ts:111:15
? Recording started translate.state.ts:66:13
?? Recording stopped, processing... translate.state.ts:77:13
? Using SpaMo translation mode translate.state.ts:86:15
? Sending 39 frames to http://localhost:8000/api/translate-spamo recording.service.ts:271:13
XHRPOST
http://localhost:8000/api/translate-spamo
[HTTP/1.1 500 Internal Server Error 173ms]

? Translation failed or recording too short translate.state.ts:111:15
? Recording started translate.state.ts:66:13
?? Recording stopped, processing... translate.state.ts:77:13
?? Using SignWriting translation mode translate.state.ts:89:15
? Sending 66 frames to http://localhost:8000/api/translate recording.service.ts:167:13
? Translation result: recording.service.ts:170:13
Signs: 5 recording.service.ts:171:13
1. "belt" (0s - 0.314s) recording.service.ts:173:15

SignWriting:

M500x500S36d00479x496S20500479x511S20500511x511S20500511x511S20500511x504S26500511x504
recording.service.ts:174:15
2. "shoulder" (0.366s - 0.471s) recording.service.ts:173:15
SignWriting: M500x500S36d00479x477S18000478x511S20500511x478S20500511x507
recording.service.ts:174:15
3. "home" (0.523s - 0.889s) recording.service.ts:173:15
SignWriting: M500x500S15d39478x488S15d31504x479S20600504x478 recording.service.ts:174:15
4. "smell" (0.941s - 1.308s) recording.service.ts:173:15
SignWriting: M500x500S33100482x483S19a00521x490S26600521x474 recording.service.ts:174:15
5. "travel" (3.4s - 3.452s) recording.service.ts:173:15
SignWriting: M500x500S33100482x483S11800521x490S26600521x474 recording.service... [truncated]

17:32 - Sign2Speech

[Request interrupted by user for tool use]

17:33 - Sign2Speech

<https://github.com/eddie-euijun-hwang/SpaMo> code from og paper

17:34 - Sign2Speech

continue

17:47 - Sign2Speech

commit this

Wednesday, December 31, 2025

10:57 - Sign2Speech

how does the pose handling work

10:57 - Sign2Speech

how does the pose handling work

14:34 - SpaMo

want to run on another dataset

14:36 - SpaMo

want inference to be effective for a gpu with cuda

15:23 - SLTevaluation

modify this script to send this job

15:28 - SLTevaluation

inference asl stem wiki and the batch inference and gpua100

15:41 - SLTevaluation

check if there the necessary requirements in the requirements and make new env with those requirements

15:43 - SLTevaluation

assume it is not setup

15:47 - SLTevaluation

why is it taking so long shouldnt it be a short download if it is a zip

15:50 - SLTevaluation

i only want 10% of the folder and can it record what video it is doing

15:54 - SLTevaluation

commit these changes

16:02 - ASL STEM Wiki

what videos have annotations?

16:04 - ASL STEM Wiki

is it not only 5 topics?

16:04 - ASL STEM Wiki

<https://aclanthology.org/2024.emnlp-main.801.pdf> any way to get all annotations?

Friday, January 02, 2026

10:44 - SLT

do you remember all my prompts

19:00 - SLT

Warning: Could not extract row index from D9HR4q0vbwE-00:11:38.364-00:11:51.043.mp4
Warning: Could not extract row index from AcOCIO6Yvho-00:17:02.604-00:17:04.105.mp4
Warning: Could not extract row index from DxlpPTZM-tw-00:00:09.080-00:00:10.580.mp4
Warning: Could not extract row index from B7ovyGxt_xk-00:06:13.240-00:06:19.860.mp4
Warning: Could not extract row index from zj71SOX9oCo-00:23:57.039-00:23:58.630.mp4
Warning: Could not extract row index from 5dVs413UwiQ-00:03:39.301-00:03:42.013.mp4
Warning: Could not extract row index from BLVDbsj7Xo4-00:13:44.140-00:13:47.618.mp4
Warning: Could not extract row index from 0HzztPiFeY-00:07:02.338-00:07:17.562.mp4
Warning: Could not extract row index from dATJBsktK3w-00:09:04.980-00:09:13.740.mp4
Warning: Could not extract row index from AKthktaYps-00:09:08.240-00:09:16.399.mp4
Warning: Could not extract row index from hL_kvMHjvag-00:07:22.459-00:07:24.980.mp4
Warning: Could not extract row index from FND2JfzngVY-00:09:55.519-00:10:04.139.mp4
Warning: Could not extract row index from BLVDbsj7Xo4-00:02:06.292-00:02:17.137.mp4
Warning: Could not extract row index from d-0NivWQG98-00:06:41.699-00:06:43.540.mp4
Warning: Could not extract row index from 4zsgy6DmJfA-00:06:32.420-00:06:41.699.mp4
Warning: Could not extract row index from Fcqq1dByeQY-00:01:02.320-00:01:18.159.mp4
Warning: Could not extract row index from 8Uba2tgT1nA-00:00:38.780-00:00:49.859.mp4
Warning: Could not extract row index from iinVA9KHGpg-00:01:34.493-00:01:36.228.mp4
Warning: Could not extract row index from ca4QRwcn6Bg-00:00:31.039-00:00:32.219.mp4
Warning: Could not extract row index from zCCUZlqWdJw-00:12:24.639-00:12:36.639.mp4
Warning: Could not extract row index from hHxhQ-5ms18-00:10:43.419-00:10:56.240.mp4
Warning: Could not extract row index from CUIp1T0qhWs-00:04:13.586-00:04:22.971.mp4
Warning: Could not extract row index from DxlpPTZM-tw-00:06:11.550-00:06:13.649.mp4
Warning: Could not extract row index from ApwxdbYKZM8-00:08:07.439-0... [truncated]

19:00 - SLT

[Request interrupted by user]

19:02 - SLT

Warning: Could not extract row index from D9HR4q0vbwE-00:11:38.364-00:11:51.043.mp4
Warning: Could not extract row index from AcOCIO6Yvho-00:17:02.604-00:17:04.105.mp4
Warning: Could not extract row index from DxlpPTZM-tw-00:00:09.080-00:00:10.580.mp4
Warning: Could not extract row index from B7ovyGxt_xk-00:06:13.240-00:06:19.860.mp4
Warning: Could not extract row index from zj71SOX9oCo-00:23:57.039-00:23:58.630.mp4
Warning: Could not extract row index from 5dVs413UwiQ-00:03:39.301-00:03:42.013.mp4
Warning: Could not extract row index from BLVDbsj7Xo4-00:13:44.140-00:13:47.618.mp4
Warning: Could not extract row index from 0HzztPiFeY-00:07:02.338-00:07:17.562.mp4
Warning: Could not extract row index from dATJBsktK3w-00:09:04.980-00:09:13.740.mp4
Warning: Could not extract row index from AKthktaYps-00:09:08.240-00:09:16.399.mp4
Warning: Could not extract row index from hL_kvMHjvag-00:07:22.459-00:07:24.980.mp4
Warning: Could not extract row index from FND2JfzngVY-00:09:55.519-00:10:04.139.mp4
Warning: Could not extract row index from BLVDbsj7Xo4-00:02:06.292-00:02:17.137.mp4

Claude Code Prompts - December 2025 to Present

Warning: Could not extract row index from d-0NivWQG98-00:06:41.699-00:06:43.540.mp4
Warning: Could not extract row index from 4zsgy6DmJfA-00:06:32.420-00:06:41.699.mp4
Warning: Could not extract row index from Fcqq1dByeQY-00:01:02.320-00:01:18.159.mp4
Warning: Could not extract row index from 8Uba2tgT1nA-00:00:38.780-00:00:49.859.mp4
Warning: Could not extract row index from iinVA9KHGpg-00:01:34.493-00:01:36.228.mp4
Warning: Could not extract row index from ca4QRwcn6Bg-00:00:31.039-00:00:32.219.mp4
Warning: Could not extract row index from zCCUZlqwDJw-00:12:24.639-00:12:36.639.mp4
Warning: Could not extract row index from hHxhQ-5ms18-00:10:43.419-00:10:56.240.mp4
Warning: Could not extract row index from CUIp1T0qhWs-00:04:13.586-00:04:22.971.mp4
Warning: Could not extract row index from DxIpPTZM-tw-00:06:11.550-00:06:13.649.mp4
Warning: Could not extract row index from ApwxdbyKZM8-00:08:07.439-0... [truncated]

19:02 - SLT

Warning: Could not extract row index from D9HR4q0vbwE-00:11:38.364-00:11:51.043.mp4
Warning: Could not extract row index from AcOCIO6Yvho-00:17:02.604-00:17:04.105.mp4
Warning: Could not extract row index from DxIpPTZM-tw-00:00:09.080-00:00:10.580.mp4
Warning: Could not extract row index from B7ovyGxt_xk-00:06:13.240-00:06:19.860.mp4
Warning: Could not extract row index from zj71SOX9oCo-00:23:57.039-00:23:58.630.mp4
Warning: Could not extract row index from 5dVs413UwiQ-00:03:39.301-00:03:42.013.mp4
Warning: Could not extract row index from BLVDbsj7Xo4-00:13:44.140-00:13:47.618.mp4
Warning: Could not extract row index from 0HzztPiFeY-00:07:02.338-00:07:17.562.mp4
Warning: Could not extract row index from dATJBsktK3w-00:09:04.980-00:09:13.740.mp4
Warning: Could not extract row index from AKthktaYps-00:09:08.240-00:09:16.399.mp4
Warning: Could not extract row index from hL_kvMHjvag-00:07:22.459-00:07:24.980.mp4
Warning: Could not extract row index from FND2JfzngVY-00:09:55.519-00:10:04.139.mp4
Warning: Could not extract row index from BLVDbsj7Xo4-00:02:06.292-00:02:17.137.mp4
Warning: Could not extract row index from d-0NivWQG98-00:06:41.699-00:06:43.540.mp4
Warning: Could not extract row index from 4zsgy6DmJfA-00:06:32.420-00:06:41.699.mp4
Warning: Could not extract row index from Fcqq1dByeQY-00:01:02.320-00:01:18.159.mp4
Warning: Could not extract row index from 8Uba2tgT1nA-00:00:38.780-00:00:49.859.mp4
Warning: Could not extract row index from iinVA9KHGpg-00:01:34.493-00:01:36.228.mp4
Warning: Could not extract row index from ca4QRwcn6Bg-00:00:31.039-00:00:32.219.mp4
Warning: Could not extract row index from zCCUZlqwDJw-00:12:24.639-00:12:36.639.mp4
Warning: Could not extract row index from hHxhQ-5ms18-00:10:43.419-00:10:56.240.mp4
Warning: Could not extract row index from CUIp1T0qhWs-00:04:13.586-00:04:22.971.mp4
Warning: Could not extract row index from DxIpPTZM-tw-00:06:11.550-00:06:13.649.mp4
Warning: Could not extract row index from ApwxdbyKZM8-00:08:07.439-0... [truncated]

19:25 - SLTevaluation

how to call this file

Saturday, January 03, 2026

09:50 - SLTevaluation

want to call batch inference with this cropped_videos csv so i can get the spamo translation in a csv

09:50 - SLTevaluation

want to call batch inference with this cropped_videos csv so i can get the spamo translation in a csv

09:53 - SLTevaluation

how to call this

09:53 - SLTevaluation

how to call this

09:53 - SLTevaluation

if the job gets terminated will i still get whatever it managed to translate?

09:53 - SLTevaluation

if the job gets terminated will i still get whatever it managed to translate?

09:53 - SLTevaluation

yes

09:53 - SLTevaluation

yes

09:57 - SLTevaluation

how to call with these settings

09:57 - SLTevaluation

how to call with these settings

09:58 - SLTevaluation

target language english, checkpoint path "spamo.ckpt", incremental saving, dosent save a percentage

09:58 - SLTevaluation

target language english, checkpoint path "spamo.ckpt", incremental saving, dosent save a percentage

10:00 - SLTevaluation

commit

10:00 - SLTevaluation

commit

11:51 - Sign2Speech

what is the text to speech component

12:00 - SLTevaluation

add timers so we can measure latency as well

12:08 - SLTevaluation

does python time work well for this? research

12:08 - SLTevaluation

does python time work well for this? research

12:11 - SLTevaluation

ok commit

12:11 - SLTevaluation

ok commit

13:03 - Sign2Speech

Traceback (most recent call last):

```
File "/work3/s235253/SLTevaluation/batchinferencespamo.py", line 703, in <module>
    main()
File "/work3/s235253/SLTevaluation/batchinferencespamo.py", line 680, in main
    pipeline = BatchInferencePipeline(config)
File "/work3/s235253/SLTevaluation/batchinferencespamo.py", line 375, in __init__
    self.model = SpaMoBatchInference(
File "/work3/s235253/SLTevaluation/batchinferencespamo.py", line 264, in __init__
    self.model = instantiate_from_config(self.config.model)
File "/work3/s235253/SLTevaluation/utils/helpers.py", line 34, in instantiate_from_config
    return get_obj_from_str(config["target"])(**config.get("params", dict()))
File "/work3/s235253/SLTevaluation/utils/helpers.py", line 52, in get_obj_from_str
    return getattr(importlib.import_module(module, package=None), cls)
File "/usr/lib64/python3.9/importlib/__init__.py", line 127, in import_module
    return _bootstrap._gcd_import(name[level:], package, level)
File "<frozen importlib._bootstrap>", line 1030, in _gcd_import
File "<frozen importlib._bootstrap>", line 1007, in _find_and_load
File "<frozen importlib._bootstrap>", line 972, in _find_and_load_unlocked
File "<frozen importlib._bootstrap>", line 228, in _call_with_frames_removed
File "<frozen importlib._bootstrap>", line 1030, in _gcd_import
File "<frozen importlib._bootstrap>", line 1007, in _find_and_load
File "<frozen importlib._bootstrap>", line 984, in _find_and_load_unlocked
ModuleNotFoundError: No module named 'spamo'
```

13:03 - Sign2Speech

[Request interrupted by user]

13:03 - SLTevaluation

```
(venv) /work3/s235253/SLTevaluation
hpclogin1(s235253) $ cat Output_27534254.err
/work3/s235253/SLTevaluation/venv/lib64/python3.9/site-packages/huggingface_hub/file_download.py:942:
FutureWarning: `resume_download` is deprecated and will be removed in version 1.0.0. Downloads always resume
when possible. If you want to force a new download, use `force_download=True`.
  warnings.warn(
Could not find image processor class in the image processor config or the model config. Loading based on pattern
matching with the model's feature extractor configuration.
/work3/s235253/SLTevaluation/venv/lib64/python3.9/site-packages/huggingface_hub/file_download.py:942:
FutureWarning: `resume_download` is deprecated and will be removed in version 1.0.0. Downloads always resume
when possible. If you want to force a new download, use `force_download=True`.
  warnings.warn(
Traceback (most recent call last):
  File "/work3/s235253/SLTevaluation/batchinferencespamo.py", line 743, in <module>
    main()
  File "/work3/s235253/SLTevaluation/batchinferencespamo.py", line 720, in main
    pipeline = BatchInferencePipeline(config)
  File "/work3/s235253/SLTevaluation/batchinferencespamo.py", line 375, in __init__
    self.model = SpaMoBatchInference(
  File "/work3/s235253/SLTevaluation/batchinferencespamo.py", line 264, in __init__
    self.model = instantiate_from_config(self.config.model)
  File "/work3/s235253/SLTevaluation/utils/helpers.py", line 34, in instantiate_from_config
    return get_obj_from_str(config["target"])(**config.get("params", dict()))
  File "/work3/s235253/SLTevaluation/spamo/t5_sl.py", line 84, in __init__
    self.prepare_models(model_name)
  File "/work3/s235253/SLTevaluation/spamo/t5_sl.py", line 150, in prepare_models
    self.t5_model = T5ForConditionalGeneration.from_pretrained(
  File "/work3/s235253/SLTevaluation/venv/lib64/python3.9/site-packages/transformers/modeling_utils.py", line 2449, in
from_pretrained
    config, model_kwargs = cls.config_class.fro... [truncated]
```

13:03 - SLTevaluation

```
(venv) /work3/s235253/SLTevaluation
hpclogin1(s235253) $ cat Output_27534254.err
/work3/s235253/SLTevaluation/venv/lib64/python3.9/site-packages/huggingface_hub/file_download.py:942:
FutureWarning: `resume_download` is deprecated and will be removed in version 1.0.0. Downloads always resume
when possible. If you want to force a new download, use `force_download=True`.
  warnings.warn(
Could not find image processor class in the image processor config or the model config. Loading based on pattern
matching with the model's feature extractor configuration.
/work3/s235253/SLTevaluation/venv/lib64/python3.9/site-packages/huggingface_hub/file_download.py:942:
FutureWarning: `resume_download` is deprecated and will be removed in version 1.0.0. Downloads always resume
when possible. If you want to force a new download, use `force_download=True`.
  warnings.warn(
Traceback (most recent call last):
  File "/work3/s235253/SLTevaluation/batchinferencespamo.py", line 743, in <module>
```

```
main()
File "/work3/s235253/SLTevaluation/batchinferencespamo.py", line 720, in main
    pipeline = BatchInferencePipeline(config)
File "/work3/s235253/SLTevaluation/batchinferencespamo.py", line 375, in __init__
    self.model = SpaMoBatchInference(
File "/work3/s235253/SLTevaluation/batchinferencespamo.py", line 264, in __init__
    self.model = instantiate_from_config(self.config.model)
File "/work3/s235253/SLTevaluation/utils/helpers.py", line 34, in instantiate_from_config
    return get_obj_from_str(config["target"])(**config.get("params", dict()))
File "/work3/s235253/SLTevaluation/spamo/t5_sl.py", line 84, in __init__
    self.prepare_models(model_name)
File "/work3/s235253/SLTevaluation/spamo/t5_sl.py", line 150, in prepare_models
    self.t5_model = T5ForConditionalGeneration.from_pretrained(
File "/work3/s235253/SLTevaluation/venv/lib64/python3.9/site-packages/transformers/modeling_utils.py", line 2449, in
from_pretrained
    config, model_kwargs = cls.config_class.fro... [truncated]
```

13:05 - SLTevaluation

commit

13:05 - SLTevaluation

commit

18:39 - SLTevaluation

```
eK0qbGyQ-eA-00:12:16.360-00:12:19.113,,,"Expected all tensors to be on the same device, but found at least two
devices, cuda:0 and cpu! (when checking argument for argument mat1 in method wrapper_CUDA_addmm)",,,,,
336iG0cnp1I-00:04:22.660-00:04:32.470,,,"Expected all tensors to be on the same device, but found at least two
devices, cuda:0 and cpu! (when checking argument for argument mat1 in method wrapper_CUDA_addmm)",,,,,
2Wsw0KI-yQg-00:17:16.083-00:17:37.290,,,"Expected all tensors to be on the same device, but found at least two
devices, cuda:0 and cpu! (when checking argument for argument mat1 in method wrapper_CUDA_addmm)",,,,,
EslZp7UiTck-00:10:28.326-00:10:30.062,,,"Expected all tensors to be on the same device, but found at least two
devices, cuda:0 and cpu! (when checking argument for argument mat1 in method wrapper_CUDA_addmm)",,,,,
4zsgy6DmJfA-00:00:28.019-00:00:29.519,,,"Expected all tensors to be on the same device, but found at least two
devices, cuda:0 and cpu! (when checking argument for argument mat1 in method wrapper_CUDA_addmm)",,,,,
fKp-LcL_C0g-00:01:04.079-00:01:13.689,,,"Expected all tensors to be on the same device, but found at least two
devices, cuda:0 and cpu! (when checking argument for argument mat1 in method wrapper_CUDA_addmm)",,,,,
9TWvWwl3jG4-00:15:49.332-00:15:59.250,,,"Expected all tensors to be on the same device, but found at least two
devices, cuda:0 and cpu! (when checking argument for argument mat1 in method wrapper_CUDA_addmm)",,,,,
fQLaFTniURg-00:07:06.500-00:07:17.660,,,"Expected all tensors to be on the same device, but found at least two
devices, cuda:0 and cpu! (when checking argument for argument mat1 in method wrapper_CUDA_addmm)",,,,,
63hltb-VK6Y-00:09:01.173-00:09:18.323,,,"Expected all tensors to be on the same device, but found at least two
devices, cuda:0 and cpu! (when checking argument for argument mat1 in method wrapper_CUDA_addmm)",,,,,
edY8MnMxLvQ-00:02:52.506-00:03:05.185,,,"Expected all tensors to be on the... [truncated]
```

Sunday, January 04, 2026

22:26 - SLT

is there an inference file for signmt here

22:27 - Sign2Speech

where is the signwriting pipeline inference

22:28 - Sign2Speech

need this in one file to call on a csv with video paths to get translation results for all videos in the csv

22:35 - Sign2Speech

the csv has a column, video_id these are the file without.mp4 and the files are located in /work3/s235253. also we need to time this, use gpu accurate timer

22:35 - Sign2Speech

the csv has a column, video_id these are the file without.mp4 and the files are located in /work3/s235253. also we need to time this, use gpu accurate timer

22:42 - SLTevaluation

commit this

22:43 - SLTevaluation

this new one

22:44 - SLTevaluation

does requirements txt cover all this files requirements

22:48 - SLTevaluation

make new one for sign.mt

22:49 - SLTevaluation

[Request interrupted by user for tool use]

22:49 - SLTevaluation

make a new requirementssignmt.txt file with requirements for sign.mt

22:50 - SLTevaluation

a jobscript like jobspamo.bsub

22:51 - SLTevaluation

commit

22:54 - SLTevaluation

(venv) /work3/s235253/SLTevaluation

hpclogin1(s235253) \$ pip install -r requirementssignmt.txt

Collecting numpy

Downloading numpy-2.0.2-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (19.5 MB)

|????????????????????????????????????| 19.5 MB 16.7 MB/s

Collecting opencv-python

Using cached opencv_python-4.12.0.88-cp37-abi3-manylinux2014_x86_64.manylinux_2_17_x86_64.whl (67.0 MB)

Collecting torch

Downloading torch-2.8.0-cp39-cp39-manylinux_2_28_x86_64.whl (888.0 MB)

|????????????????????????????????????| 888.0 MB 3.1 kB/s

Collecting tqdm

Using cached tqdm-4.67.1-py3-none-any.whl (78 kB)

Collecting mediapipe

Downloading mediapipe-0.10.31-py3-none-manylinux_2_28_x86_64.whl (10.3 MB)

|????????????????????????????????????| 10.3 MB 11.1 MB/s

Collecting pose-format

Downloading pose_format-0.10.5-py3-none-any.whl (100 kB)

|????????????????????????????????????| 100 kB 27.2 MB/s

ERROR: Could not find a version that satisfies the requirement sign-language-segmentation (from versions: none)

ERROR: No matching distribution found for sign-language-segmentation

23:22 - SLTevaluation

all commands get stuck

Monday, January 05, 2026

10:24 - SLTevaluation

```
hpclogin1(s235253) $ cd SLTevaluation
/work3/s235253/SLTevaluation
hpclogin1(s235253) $ ls
batchinferencesignmt.py  cropped_videos_mapping.csv  NONAME_27538029.out  requirementssignmt.txt  spamo.ckpt
utils
batchinferencespamo.py  jobsignmt.bsub  Output_27538038.err  requirements.txt  spamoeval.py  venv
configs  jobspamo.bsub  Output_27538038.out  spamo  spamores
/work3/s235253/SLTevaluation
hpclogin1(s235253) $ cat Output_27538038.err
Traceback (most recent call last):
  File "/work3/s235253/SLTevaluation/venv/lib64/python3.9/site-packages/pose_format/utils/holistic.py", line 11, in
<module>
    from mediapipe.python.solutions.face_mesh_connections import FACEMESH_IRISES
ModuleNotFoundError: No module named 'mediapipe.python'
```

During handling of the above exception, another exception occurred:

```
Traceback (most recent call last):
  File "/work3/s235253/SLTevaluation/batchinferencesignmt.py", line 41, in <module>
    from pose_format.utils.holistic import holistic_components
  File "/work3/s235253/SLTevaluation/venv/lib64/python3.9/site-packages/pose_format/utils/holistic.py", line 13, in
<module>
    raise ImportError("Please install mediapipe with: pip install mediapipe")
ImportError: Please install mediapipe with: pip install mediapipe
/work3/s235253/SLTevaluation
hpclogin1(s235253) $ source venv/bin/activate
(venv) /work3/s235253/SLTevaluation
hpclogin1(s235253) $ mediapipe
-bash: mediapipe: command not found
(venv) /work3/s235253/SLTevaluation
hpclogin1(s235253) $ python3 mediapipe
python3: can't open file '/work3/s235253/SLTevaluation/mediapipe': [Errno 2] No such file or directory
(venv) /work3/s235253/SLTevaluation
hpclogin1(s235253) $ pip list
Package            Version
-----
absl-py            2.3.1
certifi            2026.1.4
cffi               2.0.0
charset-normalizer 3.4.4
colorama           0.4.6
diskcache          ... [truncated]
```

10:25 - SLTevaluation

update signmtrequirements

10:26 - SLTevaluation

commit

10:26 - SLTevaluation

commit

10:28 - SLTevaluation

ERROR: pip's dependency resolver does not currently take into account all the packages that are installed. This behaviour is the source of the following dependency conflicts.

sockeye 3.1.38 requires numpy<2.0.0,>1.16.0, but you have numpy 2.0.2 which is incompatible.

sign-language-segmentation 0.0.1 requires numpy<2.0.0, but you have numpy 2.0.2 which is incompatible.

10:28 - SLTevaluation

ERROR: pip's dependency resolver does not currently take into account all the packages that are installed. This behaviour is the source of the following dependency conflicts.

sockeye 3.1.38 requires numpy<2.0.0,>1.16.0, but you have numpy 2.0.2 which is incompatible.

sign-language-segmentation 0.0.1 requires numpy<2.0.0, but you have numpy 2.0.2 which is incompatible.

10:29 - SLTevaluation

commit

10:29 - SLTevaluation

commit

10:30 - SLTevaluation

ERROR: pip's dependency resolver does not currently take into account all the packages that are installed. This behaviour is the source of the following dependency conflicts.

opencv-contrib-python 4.12.0.88 requires numpy<2.3.0,>=2; python_version >= "3.9", but you have numpy 1.26.4 which is incompatible.

10:30 - SLTevaluation

ERROR: pip's dependency resolver does not currently take into account all the packages that are installed. This behaviour is the source of the following dependency conflicts.

opencv-contrib-python 4.12.0.88 requires numpy<2.3.0,>=2; python_version >= "3.9", but you have numpy 1.26.4 which is incompatible.

10:30 - SLTevaluation

commit

10:30 - SLTevaluation

commit

10:40 - SLTevaluation

need to translate all the translation in results.csv to english

10:40 - SLTevaluation

need to translate all the translation in results.csv to english

10:41 - SLTevaluation

ok

10:41 - SLTevaluation

ok

10:41 - SLTevaluation

[Request interrupted by user]

10:41 - SLTevaluation

[Request interrupted by user]

10:42 - SLTevaluation

how long will it take to run locally?

10:42 - SLTevaluation

how long will it take to run locally?

10:42 - SLTevaluation

yes

10:42 - SLTevaluation

yes

10:46 - SLTevaluation

```
[lucia@lucia SLTevaluation]$ pip install transformers pandas sentencepiece
python translate_results.py --input spamores/results.csv --output spamores/results_en.csv
Defaulting to user installation because normal site-packages is not writeable
Collecting transformers
  Using cached transformers-4.57.3-py3-none-any.whl.metadata (43 kB)
Requirement already satisfied: pandas in /opt/anaconda/lib/python3.13/site-packages (2.2.3)
Collecting sentencepiece
  Downloading sentencepiece-0.2.1-cp313-cp313-manylinux_2_27_x86_64_manylinux_2_28_x86_64.whl.metadata (10 kB)
Requirement already satisfied: filelock in /opt/anaconda/lib/python3.13/site-packages (from transformers) (3.17.0)
Collecting huggingface-hub<1.0,>=0.34.0 (from transformers)
  Using cached huggingface-hub-0.36.0-py3-none-any.whl.metadata (14 kB)
Requirement already satisfied: numpy>=1.17 in /opt/anaconda/lib/python3.13/site-packages (from transformers) (2.1.3)
Requirement already satisfied: packaging>=20.0 in /opt/anaconda/lib/python3.13/site-packages (from transformers)
```

(24.2)
Requirement already satisfied: pyyaml<=5.1 in /opt/anaconda/lib/python3.13/site-packages (from transformers) (6.0.2)
Requirement already satisfied: regex!=2019.12.17 in /opt/anaconda/lib/python3.13/site-packages (from transformers) (2024.11.6)
Requirement already satisfied: requests in /opt/anaconda/lib/python3.13/site-packages (from transformers) (2.32.3)
Collecting tokenizers<=0.23.0,>=0.22.0 (from transformers)
 Downloading tokenizers-0.22.2-cp39-abi3-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (7.3 kB)
Collecting safetensors>=0.4.3 (from transformers)
 Using cached safetensors-0.7.0-cp38-abi3-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (4.1 kB)
Requirement already satisfied: tqdm>=4.27 in /opt/anaconda/lib/python3.13/site-packages (from transformers) (4.67.1)
Requirement already satisfied: fsspec>=2023.5.0 in /opt/anaconda/lib/python3.13/site-packages (from huggingface-hub<1.0,>=0.34.0->transformers) (2025.3.... [truncated])

10:46 - SLTevaluation

```
[lucia@lucia SLTevaluation]$ pip install transformers pandas sentencepiece
python translate_results.py --input spamores/results.csv --output spamores/results_en.csv
```

Defaulting to user installation because normal site-packages is not writeable
Collecting transformers
 Using cached transformers-4.57.3-py3-none-any.whl.metadata (43 kB)
Requirement already satisfied: pandas in /opt/anaconda/lib/python3.13/site-packages (2.2.3)
Collecting sentencepiece
 Downloading sentencepiece-0.2.1-cp313-cp313-manylinux_2_27_x86_64.manylinux_2_28_x86_64.whl.metadata (10 kB)
Requirement already satisfied: filelock in /opt/anaconda/lib/python3.13/site-packages (from transformers) (3.17.0)
Collecting huggingface-hub<1.0,>=0.34.0 (from transformers)
 Using cached huggingface-hub-0.36.0-py3-none-any.whl.metadata (14 kB)
Requirement already satisfied: numpy>=1.17 in /opt/anaconda/lib/python3.13/site-packages (from transformers) (2.1.3)
Requirement already satisfied: packaging>=20.0 in /opt/anaconda/lib/python3.13/site-packages (from transformers) (24.2)
Requirement already satisfied: pyyaml<=5.1 in /opt/anaconda/lib/python3.13/site-packages (from transformers) (6.0.2)
Requirement already satisfied: regex!=2019.12.17 in /opt/anaconda/lib/python3.13/site-packages (from transformers) (2024.11.6)
Requirement already satisfied: requests in /opt/anaconda/lib/python3.13/site-packages (from transformers) (2.32.3)
Collecting tokenizers<=0.23.0,>=0.22.0 (from transformers)
 Downloading tokenizers-0.22.2-cp39-abi3-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (7.3 kB)
Collecting safetensors>=0.4.3 (from transformers)
 Using cached safetensors-0.7.0-cp38-abi3-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (4.1 kB)
Requirement already satisfied: tqdm>=4.27 in /opt/anaconda/lib/python3.13/site-packages (from transformers) (4.67.1)
Requirement already satisfied: fsspec>=2023.5.0 in /opt/anaconda/lib/python3.13/site-packages (from huggingface-hub<1.0,>=0.34.0->transformers) (2025.3.... [truncated])

11:28 - SLTevaluation

would rather have hpc job

11:28 - SLTevaluation

commit

11:28 - SLTevaluation

commit

11:57 - Sign2Speech

instead of the header change it into a a text on to the left of the buttons that says choose model

12:02 - Sign2Speech

delete header and commit

12:02 - Sign2Speech

no there is a page header

12:03 - Sign2Speech

[Request interrupted by user for tool use]

12:03 - Sign2Speech

the purple is what i mean by header

12:04 - Sign2Speech

all of it i dont want sign2speech either

12:07 - Sign2Speech

command to run backend?

12:08 - Sign2Speech

how to get this to start automatically with the frontend?

12:12 - Sign2Speech

get to install the venv requirements and models upon startup if not installed already

12:15 - Sign2Speech

Cross-Origin Request Blocked: The Same Origin Policy disallows reading the remote resource at http://localhost:8000/api/translate. (Reason: CORS request did not succeed). Status code: (null).

2

? Translation failed or recording too short translate.state.ts:111:15

stopRecording translate.state.ts:111

fulfilled chunk-6ZMXRXDB.js:34

invoke zone.js:398

run zone.js:113

scheduleResolveOrReject zone.js:2537

invokeTask zone.js:431

runTask zone.js:161

drainMicroTaskQueue zone.js:612

? Recording started translate.state.ts:66:13

?? Recording stopped, processing... translate.state.ts:77:13

Claude Code Prompts - December 2025 to Present

?? Using SignWriting translation mode translate.state.ts:89:15
? Sending 61 frames to http://localhost:8000/api/translate recording.service.ts:167:13
Cross-Origin Request Blocked: The Same Origin Policy disallows reading the remote resource at http://localhost:8000/api/translate. (Reason: CORS request did not succeed). Status code: (null).
2
? Translation failed or recording too short translate.state.ts:111:15
?

12:22 - Sign2Speech

[vite] connecting... client:733:9
Angular is running in development mode. debug_node.mjs:18255:17
[vite] connected. client:827:12
Invalid URI. Load of media resource failed. localhost:4200
I0000 00:00:1767615719.888000 1 gl_context_webgl.cc:151] Successfully created a WebGL context with major version 3 and handle 3 holistic_solution_simd_wasm_bin.js:9:32007
I0000 00:00:1767615719.889000 1 gl_context.cc:359] GL version: 3.0 (OpenGL ES 3.0 (WebGL 2.0)) holistic_solution_simd_wasm_bin.js:9:32007
W0000 00:00:1767615719.889000 1 gl_context.cc:1000] OpenGL error checking is disabled holistic_solution_simd_wasm_bin.js:9:32007
WebGL warning: drawArraysInstanced: Tex image TEXTURE_2D level 0 is incurring lazy initialization. 8
? Recording started translate.state.ts:66:13
?? Recording stopped, processing... translate.state.ts:77:13
?? Using SignWriting translation mode translate.state.ts:89:15
? Sending 50 frames to /api/translate recording.service.ts:167:13
XHRPOST
http://localhost:4200/api/translate
[HTTP/1.1 500 Internal Server Error 6ms]

? Translation failed or recording too short translate.state.ts:111:15
The resource at ?http://localhost:4200/assets/fonts/roboto/Roboto-normal-400.ttf? preloaded with link preload was not used within a few seconds. Make sure all attributes of the preload tag are set correctly. localhost:4200
The resource at ?http://localhost:4200/assets/fonts/roboto/Roboto-normal-500.ttf? preloaded with link preload was not used within a few seconds. Make sure all attributes of the preload tag are set correctly. localhost:4200
The resource at ?http://localhost:4200/assets/flags/1x1/us.svg? preloaded with link preload was not used within a few seconds. Make sure all attributes of the preload tag are set correctly.

12:22 - Sign2Speech

cd backend && python main.py
Traceback (most recent call last):
File "/home/lucia/Documents/GitHub/Sign2Speech/backend/main.py", line 11, in <module>
from fastapi import FastAPI, HTTPException
ModuleNotFoundError: No module named 'fastapi' isnt it supposed to install if it is not there

12:23 - Sign2Speech

how does this work in production

12:33 - SLTEvaluation

edit this file to take in results_en.csv and calculate BLEU using openasl tsv

12:34 - SLTevaluation

[Request interrupted by user for tool use]

12:34 - SLTevaluation

it should take the output of translate_results

12:40 - SLTevaluation

COMMIT

12:44 - Sign2Speech

pyenv shell 3.11.9

[lucia@lucia Sign2Speech]\$ pyenv shell 3.11.9

[lucia@lucia Sign2Speech]\$ cd backend && bash start.sh

First run detected. Running setup...

=== Sign2Speech Backend Setup ===

Installing Python dependencies...

Requirement already satisfied: pip in ./venv/lib/python3.13/site-packages (25.3)

Looking in indexes: <https://pypi.org/simple>, <https://download.pytorch.org/whl/cpu>

Collecting sign-language-segmentation@ git+<https://github.com/sign-language-processing/segmentation> (from -r requirements.txt (line 23))

Cloning <https://github.com/sign-language-processing/segmentation> to /tmp/pip-install-i5zvo_5w/sign-language-segmentation_ad5968a9bbcc488cb4cd7c9f3f73cf02

Running command git clone --filter=blob:none --quiet <https://github.com/sign-language-processing/segmentation> /tmp/pip-install-i5zvo_5w/sign-language-segmentation_ad5968a9bbcc488cb4cd7c9f3f73cf02

Resolved <https://github.com/sign-language-processing/segmentation> to commit 4ac7b10b9878b6c60bbc14ba8ebe09af386f0cfe

Installing build dependencies ... done

Getting requirements to build wheel ... done

Preparing metadata (pyproject.toml) ... done

Collecting signwriting-transcription@ git+<https://github.com/sign-language-processing/signwriting-transcription> (from signwriting-transcription[pose_to_signwriting]@

[git+https://github.com/sign-language-processing/signwriting-transcription](https://github.com/sign-language-processing/signwriting-transcription)->-r requirements.txt (line 24))

Cloning <https://github.com/sign-language-processing/signwriting-transcription> to /tmp/pip-install-i5zvo_5w/signwriting-transcription_fb99c2e5ec96480ebb369562ea52b8d5

Running command git clone --filter=blob:none --quiet <https://github.com/sign-language-processing/signwriting-transcription>

/tmp/pip-install-i5zvo_5w/signwriting-transcription_fb99c2e5ec96480ebb369562ea52b8d5

Resolved <https://github.com/sign-language-processing/signwriting-transcription> to commit 0d6c42a7b9f90465ae6dc9c534192a0e5ad6ba

Installing build dependencies ... done

Getting requirements to build wheel ... do... [truncated]

15:12 - SLTevaluation

do i have to make a file results_en.csv

15:12 - SLTevaluation

i cant find it after the job is over

15:13 - SLTevaluation

find command is stuck

15:14 - SLTevaluation

job has started and the csv is still not created

16:02 - SLTevaluation

any idea why the sign.mt job failed

16:03 - SLTevaluation

```
(transvenv) /work3/s235253/SLTevaluation
hpclogin1(s235253) $ cat Translate_27543830.out
Loading Helsinki-NLP German?English model...
Reading spamores/results.csv...
Translating 1899 entries...
(transvenv) /work3/s235253/SLTevaluation
hpclogin1(s235253) $ cd spamores
(transvenv) /work3/s235253/SLTevaluation/spamores
hpclogin1(s235253) $ ls
results.csv
(transvenv) /work3/s235253/SLTevaluation/spamores
hpclogin1(s235253) $ cd ..
(transvenv) /work3/s235253/SLTevaluation
hpclogin1(s235253) $ cat Translate_27543830.err
/work3/s235253/SLTevaluation/transvenv/lib64/python3.9/site-packages/transformers/utils/hub.py:110: FutureWarning:
Using `TRANSFORMERS_CACHE` is deprecated and will be removed in v5 of Transformers. Use `HF_HOME` instead.
  warnings.warn(
/work3/s235253/SLTevaluation/transvenv/lib64/python3.9/site-packages/transformers/models/marian/tokenization_maria
n.py:175: UserWarning: Recommended: pip install sacremoses.
  warnings.warn("Recommended: pip install sacremoses.")
10%|?      | 6/60 [40:21<6:24:19, 427.02s/it](transvenv) /work3/s235253/SLTevaluation
```

16:03 - SLTevaluation

[Request interrupted by user for tool use]

16:08 - SLTevaluation

try gpua10

16:13 - Sign2Speech

2026-01-05	17:12:06,970	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/FV4HBtRL89c-00:01:55.281-00:02:09.045							
2026-01-05	17:12:06,971	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/00zA6CspdcQ-00:03:47.520-00:04:00.479							

Claude Code Prompts - December 2025 to Present

2026-01-05	17:12:06,971	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/yLfw4lckjcg-00:01:22.040-00:01:31.500							
2026-01-05	17:12:06,972	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/3JxIU16AK4E-00:12:05.440-00:12:16.919							
2026-01-05	17:12:06,973	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/CUIp1T0qhWs-00:12:39.174-00:12:46.014							
2026-01-05	17:12:06,974	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/9sFoofToRqM-00:07:25.250-00:07:41.083							
2026-01-05	17:12:06,976	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/G34h0hn3T5k-00:06:39.232-00:06:51.411							
2026-01-05	17:12:06,977	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/B57Q2xr4Zqs-00:00:19.519-00:00:21.739							
2026-01-05	17:12:06,978	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/ApwxdbYKZM8-00:10:52.379-00:10:56.879							
2026-01-05	17:12:06,979	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/0HzztPiFeY-00:12:13.566-00:12:15.359							
2026-01-05	17:12:06,980	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/2FvaJMgoK6Q-00:00:27.859-00:00:29.300							
2026-01-05	17:12:06,981	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/0HzztPiFeY-00:08:29.382-00:08:44.440							
Processing videos: 96% ????????? 1819/1899 [00:01<00:00, 921.45it/s]2026-01-05 17:12:06,983 - WARNING -							
Video not found: /work3/s235253/openascropped/g_Gny24zEVw-00:00:21.179-00:00:22.239							
2026-01-05	17:12:06,984	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/336iG0cnp1I-00:02:37.639-00:02:46.259							
2026-01-05	17:12:06,985	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/ey3i9jNcat4-00:02:54.740-00:02:55.860							
2026-01-05	17:12:06,986	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/4zsgy6DmJfA-00:06:56.120-00:07:... [truncated]							

16:14 - SLTevaluation

2026-01-05	17:12:06,970	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/FV4HBtRL89c-00:01:55.281-00:02:09.045							
2026-01-05	17:12:06,971	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/0ozA6CspdcQ-00:03:47.520-00:04:00.479							
2026-01-05	17:12:06,971	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/yLfw4lckjcg-00:01:22.040-00:01:31.500							
2026-01-05	17:12:06,972	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/3JxIU16AK4E-00:12:05.440-00:12:16.919							
2026-01-05	17:12:06,973	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/CUIp1T0qhWs-00:12:39.174-00:12:46.014							
2026-01-05	17:12:06,974	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/9sFoofToRqM-00:07:25.250-00:07:41.083							
2026-01-05	17:12:06,976	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/G34h0hn3T5k-00:06:39.232-00:06:51.411							
2026-01-05	17:12:06,977	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/B57Q2xr4Zqs-00:00:19.519-00:00:21.739							
2026-01-05	17:12:06,978	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/ApwxdbYKZM8-00:10:52.379-00:10:56.879							
2026-01-05	17:12:06,979	-	WARNING	-	Video	not	found:
/work3/s235253/openascropped/0HzztPiFeY-00:12:13.566-00:12:15.359							
2026-01-05	17:12:06,980	-	WARNING	-	Video	not	found:

Claude Code Prompts - December 2025 to Present

```
/work3/s235253/openascropped/2FvaJMgoK6Q-00:00:27.859-00:00:29.300
2026-01-05      17:12:06,981      -      WARNING      -      Video      not      found:
/work3/s235253/openascropped/0HzztPiFelY-00:08:29.382-00:08:44.440
Processing videos: 96%|??????????| 1819/1899 [00:01<00:00, 921.45it/s]2026-01-05 17:12:06,983 - WARNING -
Video not found: /work3/s235253/openascropped/g_Gny24zEVw-00:00:21.179-00:00:22.239
2026-01-05      17:12:06,984      -      WARNING      -      Video      not      found:
/work3/s235253/openascropped/336iG0cnp1I-00:02:37.639-00:02:46.259
2026-01-05      17:12:06,985      -      WARNING      -      Video      not      found:
/work3/s235253/openascropped/ey3i9jNcat4-00:02:54.740-00:02:55.860
2026-01-05      17:12:06,986      -      WARNING      -      Video      not      found:
/work3/s235253/openascropped/4zsgy6DmJfA-00:06:56.120-00:07:... [truncated]
```

16:15 - SLTevaluation

they are inthere why cant it find them

16:15 - SLTevaluation

using .mp4

16:16 - SLTevaluation

do i need to create results.csv as well

16:21 - SLTevaluation

look at the results

16:22 - SLTevaluation

look at results_en what the hell

16:28 - SLTevaluation

pyenv shell 3.11.9

```
[lucia@lucia SLTevaluation]$ pyenv shell 3.11.9
```

```
[lucia@lucia SLTevaluation]$ conda activate torch_legacy
```

EnvironmentNameNotFound: Could not find conda environment: torch_legacy

You can list all discoverable environments with `conda info --envs`.

```
[lucia@lucia SLTevaluation]$ conda activate torch_legacy
```

```
(torch_legacy) [lucia@lucia SLTevaluation]$ spamoeval.py --output "spamores"
```

bash: spamoeval.py: command not found

```
(torch_legacy) [lucia@lucia SLTevaluation]$ python spamoeval.py --output "spamores"
```

Loading results from spamores/results_en.csv...

Loading references from openasl-v1.0.tsv...

/home/lucia/Documents/GitHub/SLTevaluation/spamoeval.py:51: DtypeWarning: Columns (6) have mixed types. Specify dtype option on import or set low_memory=False.

```
refs_df = pd.read_csv(args.references, sep='\t')
```

Matched: 1899, Unmatched: 0

Evaluating with SacreBLEU (tok:13a, smooth:exp)...

```
=====
EVALUATION RESULTS
=====
```

BLEU-1: 2.15

BLEU-2: 0.31

BLEU-3: 0.04

BLEU-4: 0.01

Traceback (most recent call last):

```
File "/home/lucia/Documents/GitHub/SLTevaluation/spamoeval.py", line 99, in <module>
    main()
File "/home/lucia/Documents/GitHub/SLTevaluation/spamoeval.py", line 94, in main
    scores_df.to_csv(args.output, index=False)
  File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/util/_decorators.py", line 333, in wrapper
    return func(*args, **kwargs)
File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/core/generic.py", line 3989, in to_csv
    return DataFrameRenderer(formatter).to_csv(
  File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/io/formats/format.py", line 1014, in to_csv
    csv_formatter.save()
File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/io/formats/csvs.py", line 251, in save
    with get_handle(
File "/home/lucia/.conda/envs/torch_leg... [truncated]
```

16:28 - SLTevaluation

pyenv shell 3.11.9

[lucia@lucia SLTevaluation]\$ pyenv shell 3.11.9

[lucia@lucia SLTevaluation]\$ conda activate torch_legacy

EnvironmentNameNotFound: Could not find conda environment: torch_legacy

You can list all discoverable environments with `conda info --envs`.

[lucia@lucia SLTevaluation]\$ conda activate torch_legacy

(torch_legacy) [lucia@lucia SLTevaluation]\$ spamoeval.py --output "spamores"

bash: spamoeval.py: command not found

(torch_legacy) [lucia@lucia SLTevaluation]\$ python spamoeval.py --output "spamores"

Loading results from spamores/results_en.csv...

Loading references from openasl-v1.0.tsv...

/home/lucia/Documents/GitHub/SLTevaluation/spamoeval.py:51: DtypeWarning: Columns (6) have mixed types. Specify dtype option on import or set low_memory=False.

```
refs_df = pd.read_csv(args.references, sep='\t')
```

Matched: 1899, Unmatched: 0

Evaluating with SacreBLEU (tok:13a, smooth:exp)...

```
=====
EVALUATION RESULTS
=====
```

BLEU-1: 2.15

BLEU-2: 0.31

BLEU-3: 0.04

BLEU-4: 0.01

Traceback (most recent call last):

```
File "/home/lucia/Documents/GitHub/SLTEvaluation/spamoeval.py", line 99, in <module>
    main()
File "/home/lucia/Documents/GitHub/SLTEvaluation/spamoeval.py", line 94, in main
    scores_df.to_csv(args.output, index=False)
  File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/util/_decorators.py", line 333, in wrapper
    return func(*args, **kwargs)
File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/core/generic.py", line 3989, in to_csv
    return DataFrameRenderer(formatter).to_csv(
  File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/io/formats/format.py", line 1014, in to_csv
    csv_formatter.save()
  File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/io/formats/csvs.py", line 251, in save
    with get_handle(
  File "/home/lucia/.conda/envs/torch_leg... [truncated]
```

16:43 - SLTEvaluation

add average time for each part of the pipeline in the result script

16:43 - SLTEvaluation

add average time for each part of the pipeline in the result script

16:44 - SLTEvaluation

delete that i meant in spamoeval.py

16:44 - SLTEvaluation

delete that i meant in spamoeval.py

16:45 - SLTEvaluation

save to csv as well

16:45 - SLTEvaluation

save to csv as well

16:46 - SLTEvaluation

time per frame?

16:46 - SLTEvaluation

time per frame?

17:00 - SLTEvaluation

Claude Code Prompts - December 2025 to Present

94 frames

2026-01-05 17:58:51,796 - INFO - Extracted 194 frames

2026-01-05 17:58:51,895 - INFO - Running segmentation...

2026-01-05 17:58:51,955 - INFO - Detected 0 signs, 0 sentences

2026-01-05 17:58:51,955 - WARNING - No signs detected in video

Processing videos: 3%|? | 63/1899 [10:09<3:58:05, 7.78s/it]2026-01-05 17:58:51,975 - INFO - Processing video: 224x224 @ 25.0fps, 410 frames

2026-01-05 17:59:06,209 - INFO - Extracted 410 frames

2026-01-05 17:59:06,410 - INFO - Running segmentation...

2026-01-05 17:59:06,520 - INFO - Detected 3 signs, 2 sentences

2026-01-05 17:59:06,530 - ERROR - Error processing /work3/s235253/openascropped/DxlpPTZM-tw-00:05:09.079-00:05:22.740.mp4: No module named 'pandas'

Traceback (most recent call last):

File "/work3/s235253/SLTevaluation/batchinferencesignmt.py", line 514, in process_video

signwriting_list = self.transcribe_to_signwriting(pose, sign_segments, fps)

File "/work3/s235253/SLTevaluation/batchinferencesignmt.py", line 379, in transcribe_to_signwriting

from signwriting_transcription.pose_to_signwriting.bin import preprocessing_signs

File

"/work3/s235253/SLTevaluation/venv/lib64/python3.9/site-packages/signwriting_transcription/pose_to_signwriting/bin.py", line 16, in <module>

from signwriting_transcription.pose_to_signwriting.data.pose_data_utils import build_pose_vocab

File

"/work3/s235253/SLTevaluation/venv/lib64/python3.9/site-packages/signwriting_transcription/pose_to_signwriting/data/pose_data_utils.py", line 14, in <module>

import pandas as pd

ModuleNotFoundError: No module named 'pandas'

2026-01-05 17:59:06,532 - INFO - Timing for DxlpPTZM-tw-00:05:09.079-00:05:22.740: total=14561.0ms, pose=14239.1ms, seg=110.0ms, transcribe=0.0ms, translate=0.0ms

Processing videos: 3%|? | 64/1899 [10:24<5:00:26, 9.82s/it]2026-01-05 17:59:06,564 - INFO - Processing video: 224x224 @ 25.0fps, 126 frames

2026-01-05 17:59:10,932 - INFO - Extracted 126 frames

2026-01-05 17:59:10,996 - INFO - Ru... [truncated]

17:00 - SLTevaluation

94 frames

2026-01-05 17:58:51,796 - INFO - Extracted 194 frames

2026-01-05 17:58:51,895 - INFO - Running segmentation...

2026-01-05 17:58:51,955 - INFO - Detected 0 signs, 0 sentences

2026-01-05 17:58:51,955 - WARNING - No signs detected in video

Processing videos: 3%|? | 63/1899 [10:09<3:58:05, 7.78s/it]2026-01-05 17:58:51,975 - INFO - Processing video: 224x224 @ 25.0fps, 410 frames

2026-01-05 17:59:06,209 - INFO - Extracted 410 frames

2026-01-05 17:59:06,410 - INFO - Running segmentation...

2026-01-05 17:59:06,520 - INFO - Detected 3 signs, 2 sentences

2026-01-05 17:59:06,530 - ERROR - Error processing /work3/s235253/openascropped/DxlpPTZM-tw-00:05:09.079-00:05:22.740.mp4: No module named 'pandas'

Traceback (most recent call last):

File "/work3/s235253/SLTevaluation/batchinferencesignmt.py", line 514, in process_video

signwriting_list = self.transcribe_to_signwriting(pose, sign_segments, fps)

File "/work3/s235253/SLTevaluation/batchinferencesignmt.py", line 379, in transcribe_to_signwriting

from signwriting_transcription.pose_to_signwriting.bin import preprocessing_signs

File

```
"/work3/s235253/SLTevaluation/venv/lib64/python3.9/site-packages/signwriting_transcription/pose_to_signwriting/bin.py", line 16, in <module>
    from signwriting_transcription.pose_to_signwriting.data.pose_data_utils import build_pose_vocab

File
"/work3/s235253/SLTevaluation/venv/lib64/python3.9/site-packages/signwriting_transcription/pose_to_signwriting/data/pose_data_utils.py", line 14, in <module>
    import pandas as pd
ModuleNotFoundError: No module named 'pandas'
2026-01-05 17:59:06,532 - INFO - Timing for DxlPTZM-tw-00:05:09.079-00:05:22.740: total=14561.0ms, pose=14239.1ms, seg=110.0ms, transcribe=0.0ms, translate=0.0ms
Processing videos: 3%|?      | 64/1899 [10:24<5:00:26, 9.82s/it]2026-01-05 17:59:06,564 - INFO - Processing video: 224x224 @ 25.0fps, 126 frames
2026-01-05 17:59:10,932 - INFO - Extracted 126 frames
2026-01-05 17:59:10,996 - INFO - Ru... [truncated]
```

17:45 - Sign2Speech

```
[vite] connecting... client:733:9
[vite] connected. client:827:12
Angular is running in development mode. debug_node.mjs:18255:17
Invalid URI. Load of media resource failed. localhost:4200
I0000 00:00:1767635079.807000      1 gl_context_webgl.cc:151] Successfully created a WebGL context with major version 3 and handle 3 holistic_solution_simd_wasm_bin.js:9:32007
I0000 00:00:1767635079.807000      1 gl_context.cc:359] GL version: 3.0 (OpenGL ES 3.0 (WebGL 2.0)) holistic_solution_simd_wasm_bin.js:9:32007
W0000 00:00:1767635079.807000      1 gl_context.cc:1000] OpenGL error checking is disabled holistic_solution_simd_wasm_bin.js:9:32007
WebGL warning: drawArraysInstanced: Tex image TEXTURE_2D level 0 is incurring lazy initialization. 8
? Recording started translate.state.ts:66:13
The resource at ?http://localhost:4200/assets/flags/1x1/us.svg? preloaded with link preload was not used within a few seconds. Make sure all attributes of the preload tag are set correctly. localhost:4200
?? Recording stopped, processing... translate.state.ts:77:13
?? Using SignWriting translation mode translate.state.ts:89:15
? Sending 47 frames to /api/translate recording.service.ts:167:13
```

17:58 - Sign2Speech

isnt npm start supposed to run it

17:58 - Sign2Speech

```
pyenv shell 3.11.9
[lucia@lucia Sign2Speech]$ pyenv shell 3.11.9
[lucia@lucia Sign2Speech]$ npm start

> @sign/translate@0.0.4 start
> concurrently "npm run start:frontend" "npm run start:backend"

[0]
[0] > @sign/translate@0.0.4 start:frontend
[0] > ng serve --host 0.0.0.0 --proxy-config proxy.conf.json
```

```
[0]
[1]
[1] > @sign/translate@0.0.4 start:backend
[1] > cd backend && bash start.sh
[1]
[1] First run detected. Running setup...
[1] === Sign2Speech Backend Setup ===
[1] Installing Python dependencies...
[0] Node.js version v25.2.1 detected.
[0] Odd numbered Node.js versions will not enter LTS status and should not be used for production. For more
information, please see https://nodejs.org/en/about/previous-releases/.
[0]
[0] Warning: This is a simple server for use in testing or debugging Angular applications
[0] locally. It hasn't been reviewed for security issues.
[0]
[0] Binding this server to an open connection can result in compromising your application or
[0] computer. Using a different host than the one passed to the "--host" flag might result in
[0] websocket connection issues.
[0]
[0] ? Building...
[1] Requirement already satisfied: pip in .venv/lib/python3.13/site-packages (25.3)
[0] ? Building...
[0] Browser bundles
[0] Initial chunk files      | Names          | Raw size
[0] app.css                  | app            | 101.30 kB |
[0] cookieconsent.css        | cookieconsent  | 37.16 kB |
[0] main.js                  | main          | 31.23 kB |
[0] chunk-6ZMXRXDB.js        | -             | 4.95 kB |
[0] polyfills.js             | polyfills      | 95 bytes |
[0]
[0]                          | Initial total  | 174.72 kB
[0]
[0] Lazy chunk files         | Names          | Raw size
[0] translate.component-QPGZKC7Q.js | translate-component | 78.14 kB |
[0] map.css                  | map            | ... [truncated]
```

18:07 - SLTevaluation

scatter plot frame length vs time extracting visual features

18:12 - SLTevaluation

commit

18:12 - SLTevaluation

commit

18:13 - SLTevaluation

do the same for motion extraction and inference

18:13 - SLTevaluation

do the same for motion extraction and inference

18:14 - SLTevaluation

run linear regression on spatial and motion

18:14 - SLTevaluation

run linear regression on spatial and motion

18:17 - SLTevaluation

make it draw on the picture

18:17 - SLTevaluation

make it draw on the picture

18:18 - SLTevaluation

Linear regression results:

Spatial: nanms/frame + nanms ($R^2 = \text{nan}$)

Motion: nanms/frame + nanms ($R^2 = \text{nan}$)

18:18 - SLTevaluation

Linear regression results:

Spatial: nanms/frame + nanms ($R^2 = \text{nan}$)

Motion: nanms/frame + nanms ($R^2 = \text{nan}$)

18:19 - SLTevaluation

and logarithmic for inference time

18:19 - SLTevaluation

and logarithmic for inference time

18:21 - SLTevaluation

look

18:21 - SLTevaluation

look

18:21 - SLTevaluation

commit all of this

18:21 - SLTevaluation

commit all of this

18:31 - SLTevaluation

waterfall diagram for the average frame count

18:31 - SLTevaluation

waterfall diagram for the average frame count

Tuesday, January 06, 2026

07:16 - SLTevaluation

waterfall diagram for the average frame count

07:20 - SLTevaluation

horizontal graph

07:20 - SLTevaluation

horizontal graph

07:21 - SLTevaluation

dont show extraction time

07:21 - SLTevaluation

dont show extraction time

07:54 - Sign2Speech

how to run front and backend separately

07:57 - Sign2Speech

Using cached vector_quantize_pytorch-1.27.15-py3-none-any.whl.metadata (30 kB)

INFO: pip is looking at multiple versions of sockeye to determine which version is compatible with other requirements. This could take a while.

ERROR: Cannot install -r requirements.txt (line 23), signwriting-transcription, signwriting-translation and torch because these package versions have conflicting dependencies.

16:11 - Sign2Speech

what is transcribe_pose_simple used for

16:11 - Sign2Speech

what is transcribe_pose_simple used for

16:12 - Sign2Speech

when do we use

16:12 - Sign2Speech

when do we use

16:13 - Sign2Speech

what about translation service

16:13 - Sign2Speech

what about translation service

16:14 - Sign2Speech

when is segment endpoint used

16:14 - Sign2Speech

when is segment endpoint used

16:17 - Sign2Speech

commit

16:17 - Sign2Speech

commit

16:17 - Sign2Speech

[Request interrupted by user for tool use]

16:17 - Sign2Speech

[Request interrupted by user for tool use]

16:17 - Sign2Speech

commit in small commits

16:17 - Sign2Speech

commit in small commits

Wednesday, January 07, 2026

14:20 - Sign2Speech

is segment

14:21 - Sign2Speech

is segment_pose the same as the command line pose_to_segments

14:23 - Sign2Speech

is this is running E1 baseline

14:24 - Sign2Speech

yes

14:24 - Sign2Speech

where is this .pth file

14:25 - Sign2Speech

commit

15:42 - Sign2Speech

does pose_segment expected a pose file or 75 face and body points?

15:47 - Sign2Speech

where is the LSTM code

15:47 - Sign2Speech

[Request interrupted by user]

22:22 - signwriting transcription

explain the model in detail

22:24 - signwriting transcription

there is only bleu for one right

22:24 - signwriting transcription

there is only bleu for one right

22:25 - signwriting transcription

for non vq?

22:25 - signwriting transcription

for non vq?

Thursday, January 08, 2026

10:57 - signwriting transcription

explain the transformer more in detail

10:58 - signwriting transcription

explain the transformer more in detail

11:19 - signwriting transcription

how is this non-text data inputted into the transformer

11:24 - signwriting transcription

this is using joeys2t?

11:29 - signwriting transcription

look

11:31 - signwriting transcription

what is CMVN and SpecAug

Friday, January 09, 2026

17:48 - SLTevaluation

what is fps in batch inference

17:53 - SLTevaluation

what are frame sampling settings

17:55 - SLTevaluation

want to sample as 25 fps

17:55 - SLTevaluation

no

18:04 - SLTevaluation

how many motion features do i get per frame

18:05 - SLTevaluation

what about sign.mt

20:41 - SLTevaluation

what is the custom joeys2t this repo is using?

20:42 - SLTevaluation

yes

21:12 - SLTevaluation

[Request interrupted by user for tool use]

21:13 - SLTevaluation

found it git clone -b joeys2t_adaptation <https://github.com/sign-language-processing/signwriting-transcription.git> how to get pip to get this

21:13 - SLTevaluation

yes

21:14 - SLTevaluation

commit

21:14 - SLTevaluation

hpclogin1(s235253) \$ pip install "signwriting-transcription[pose_to_signwriting] @

Claude Code Prompts - December 2025 to Present

```
git+https://github.com/sign-language-processing/signwriting-transcription.git@joeys2t_adaptation"
Collecting signwriting-transcription[pose_to_signwriting]@
git+https://github.com/sign-language-processing/signwriting-transcription.git@joeys2t_adaptation
Cloning https://github.com/sign-language-processing/signwriting-transcription.git (to revision joeys2t_adaptation) to
/tmp/pip-install-ts03y0j6/signwriting-transcription_78abf57b51904221b54a72cf5cefaa40
Running command git clone --filter=blob:none -q
https://github.com/sign-language-processing/signwriting-transcription.git
/tmp/pip-install-ts03y0j6/signwriting-transcription_78abf57b51904221b54a72cf5cefaa40
Running command git checkout -b joeys2t_adaptation --track origin/joeys2t_adaptation
Switched to a new branch 'joeys2t_adaptation'
branch 'joeys2t_adaptation' set up to track 'origin/joeys2t_adaptation'.
Resolved https://github.com/sign-language-processing/signwriting-transcription.git to commit
15df44ffde5e34d8561a25d5c9a9358418bf2222
Installing build dependencies ... done
Getting requirements to build wheel ... done
Preparing metadata (pyproject.toml) ... done
WARNING: signwriting-transcription 0.0.1 does not provide the extra 'pose_to_signwriting'
Collecting signwriting-evaluation@ git+https://github.com/sign-language-processing/signwriting-evaluation.git
Cloning https://github.com/sign-language-processing/signwriting-evaluation.git to
/tmp/pip-install-ts03y0j6/signwriting-evaluation_f96843d242044d63a31600821e5f821f
Running command git clone --filter=blob:none -q https://github.com/sign-language-processing/signwriting-evaluation.git
/tmp/pip-install-ts03y0j6/signwriting-evaluation_f96843d242044d63a31600821e5f821f
Resolved https://github.com/sign-language-processing/signwriting-evaluation.git to commit
f76634ecab99c73738c1b5873808b8d3739bd252
Installing build dependencies ... done
Getting requirements to... [truncated]
```

21:16 - SLTevaluation

```
hpclogin1(s235253) $ bjobs
No unfinished job found
(venv) /work3/s235253/SLTevaluation
hpclogin1(s235253) $ pip install "signwriting-transcription[pose_to_signwriting] @
git+https://github.com/sign-language-processing/signwriting-transcription.git@joeys2t_adaptation"
Collecting signwriting-transcription[pose_to_signwriting]@
git+https://github.com/sign-language-processing/signwriting-transcription.git@joeys2t_adaptation
Cloning https://github.com/sign-language-processing/signwriting-transcription.git (to revision joeys2t_adaptation) to
/tmp/pip-install-ts03y0j6/signwriting-transcription_78abf57b51904221b54a72cf5cefaa40
Running command git clone --filter=blob:none -q
https://github.com/sign-language-processing/signwriting-transcription.git
/tmp/pip-install-ts03y0j6/signwriting-transcription_78abf57b51904221b54a72cf5cefaa40
Running command git checkout -b joeys2t_adaptation --track origin/joeys2t_adaptation
Switched to a new branch 'joeys2t_adaptation'
branch 'joeys2t_adaptation' set up to track 'origin/joeys2t_adaptation'.
Resolved https://github.com/sign-language-processing/signwriting-transcription.git to commit
15df44ffde5e34d8561a25d5c9a9358418bf2222
Installing build dependencies ... done
Getting requirements to build wheel ... done
Preparing metadata (pyproject.toml) ... done
WARNING: signwriting-transcription 0.0.1 does not provide the extra 'pose_to_signwriting'
Collecting signwriting-evaluation@ git+https://github.com/sign-language-processing/signwriting-evaluation.git
Cloning https://github.com/sign-language-processing/signwriting-evaluation.git to
```

Claude Code Prompts - December 2025 to Present

/tmp/pip-install-ts03y0j6/signwriting-evaluation_f96843d242044d63a31600821e5f821f

Running command git clone --filter=blob:none -q https://github.com/sign-language-processing/signwriting-evaluation.git
/tmp/pip-install-ts03y0j6/signwriting-evaluation_f96843d242044d63a31600821e5f821f

Resolved https://github.com/sign-language-processing/signwriting-evaluation.git to commit f76634ecab99c73738c1...
[truncated]

21:18 - SLTevaluation

how do you know that is the one

21:22 - SLTevaluation

fix requirements file and pin numpy at 1.26.4 and opencv at opencv-python==4.8.1.78

21:22 - SLTevaluation

commit

22:00 - SLTevaluation

5S20500473x505S20500473x489]

2026-01-09 22:55:15,899 - INFO - Translating 5 SignWriting strings to text...

2026-01-09 22:55:15,981 - INFO - Translation complete: ['lord', 'toilet', 'drink', 'Scotland', 'love']

2026-01-09 22:55:15,982 - INFO - Timing for D9HR4q0vbwE-00:24:18.957-00:24:20.750: total=4071.3ms, pose=2322.0ms, seg=10.4ms, transcribe=1635.9ms, translate=83.2ms

Processing videos: 2%|? | 44/1899 [11:53<4:18:17, 8.35s/it]2026-01-09 22:55:15,996 - INFO - Processing video: 224x224 @ 25.0fps, 188 frames

2026-01-09 22:55:26,178 - INFO - Extracted 188 frames

2026-01-09 22:55:26,254 - INFO - Running segmentation...

2026-01-09 22:55:26,272 - INFO - Detected 0 signs, 1 sentences

2026-01-09 22:55:26,273 - WARNING - No signs detected in video

Processing videos: 2%|? | 45/1899 [12:03<4:36:10, 8.94s/it]2026-01-09 22:55:26,294 - INFO - Processing video: 224x224 @ 25.0fps, 112 frames

2026-01-09 22:55:32,347 - INFO - Extracted 112 frames

2026-01-09 22:55:32,393 - INFO - Running segmentation...

2026-01-09 22:55:32,408 - INFO - Detected 2 signs, 1 sentences

2026-01-09 22:55:32,410 - INFO - Transcription model ready at experiment

2026-01-09 22:55:32,413 - INFO - Transcribing 2 signs to SignWriting...

2it [00:00, 1657.50it/s]

2026-01-09 22:55:32,450 - INFO - Building an encoder-decoder model...

2026-01-09 22:55:32,672 - INFO - Enc-dec model built.

2026-01-09 22:55:33,185 - INFO - Load model from /work3/s235253/SLTevaluation/experiment/bc2de71.ckpt.

2026-01-09 22:55:33,242 - INFO - src Tokenizer: PoseProcessor(level=frame, normalize=False, filter_by_length=(1, 3000),

2026-01-09 22:55:33,242 - INFO - trg Tokenizer: SwuTokenizer(level=vpf, lowercase=False, normalize=False, filter_by_length=(-1, 100), pretokenizer=None, tokenizer=SignWritingTokenizer)

2026-01-09 22:55:33,255 - INFO - Predicting 2 example(s)... (Beam search with beam_size=5, beam_alpha=1.0, n_best=1, min_output_length=1, max_output_length=100, return_prob='none', generate_unk=True, repetitio...
[truncated]

22:00 - SLTevaluation

why do so many have no signs, also should it use sentences then

Saturday, January 10, 2026**10:40 - SLTevaluation**

can i use spamo eval for signmt res when i used the same dataset

10:40 - SLTevaluation

can i use spamo eval for signmt res when i used the same dataset

10:45 - SLTevaluation

```
(torch_legacy) [lucia@lucia SLTevaluation]$ python spamoeval.py --results signmtres/results.csv --references
openasl-v1.0.tsv --output signmtres
Loading results from signmtres/results.csv...
Loading references from openasl-v1.0.tsv...
/home/lucia/Documents/GitHub/SLTevaluation/spamoeval.py:55: DtypeWarning: Columns (6) have mixed types. Specify
dtype option on import or set low_memory=False.
  refs_df = pd.read_csv(args.references, sep='\t')
Matched: 1238, Unmatched: 0
Evaluating with SacreBLEU (tok:13a, smooth:exp)...
```

```
=====
EVALUATION RESULTS
=====
```

```
BLEU-1: 0.10
```

```
BLEU-2: 0.01
```

```
BLEU-3: 0.01
```

```
BLEU-4: 0.00
```

```
Traceback (most recent call last):
```

```
File "/home/lucia/Documents/GitHub/SLTevaluation/spamoeval.py", line 255, in <module>
  main()
File "/home/lucia/Documents/GitHub/SLTevaluation/spamoeval.py", line 250, in main
  scores_df.to_csv(args.output, index=False)
File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/util/_decorators.py", line 333, in
wrapper
  return func(*args, **kwargs)
File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/core/generic.py", line 3989, in to_csv
  return DataFrameRenderer(formatter).to_csv(
File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/io/formats/format.py", line 1014, in
to_csv
  csv_formatter.save()
File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/io/formats/csvs.py", line 251, in save
  with get_handle(
File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/io/common.py", line 873, in
get_handle
  handle = open(
IsADirectoryError: [Errno 21] Is a directory: 'signmtres'
```

10:45 - SLTevaluation

```
(torch_legacy) [lucia@lucia SLTevaluation]$ python spamoeval.py --results signmtres/results.csv --references
```

```
openasl-v1.0.tsv --output signmtres
Loading results from signmtres/results.csv...
Loading references from openasl-v1.0.tsv...
/home/lucia/Documents/GitHub/SLTevaluation/spamoeval.py:55: DtypeWarning: Columns (6) have mixed types. Specify
dtype option on import or set low_memory=False.
  refs_df = pd.read_csv(args.references, sep='\t')
Matched: 1238, Unmatched: 0
Evaluating with SacreBLEU (tok:13a, smooth:exp)...
```

=====

EVALUATION RESULTS

=====

BLEU-1: 0.10

BLEU-2: 0.01

BLEU-3: 0.01

BLEU-4: 0.00

Traceback (most recent call last):

```
File "/home/lucia/Documents/GitHub/SLTevaluation/spamoeval.py", line 255, in <module>
  main()
File "/home/lucia/Documents/GitHub/SLTevaluation/spamoeval.py", line 250, in main
  scores_df.to_csv(args.output, index=False)
File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/util/_decorators.py", line 333, in
wrapper
  return func(*args, **kwargs)
File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/core/generic.py", line 3989, in to_csv
  return DataFrameRenderer(formatter).to_csv(
File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/io/formats/format.py", line 1014, in
to_csv
  csv_formatter.save()
File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/io/formats/csvs.py", line 251, in save
  with get_handle(
File "/home/lucia/.conda/envs/torch_legacy/lib/python3.10/site-packages/pandas/io/common.py", line 873, in
get_handle
  handle = open(
IsADirectoryError: [Errno 21] Is a directory: 'signmtres'
```

10:46 - SLTevaluation

look at the csv and openasl tsv yourself

10:46 - SLTevaluation

look at the csv and openasl tsv yourself

10:53 - SLTevaluation

change script to save to a directory instead

10:53 - SLTevaluation

change script to save to a directory instead

10:56 - SLTevaluation

make it save the graphics to that output folder as well

10:56 - SLTevaluation

make it save the graphics to that output folder as well

11:01 - SLTevaluation

there is timing on signmtres/results.csv

11:01 - SLTevaluation

there is timing on signmtres/results.csv

11:05 - SLTevaluation

move the legend to the bottom on the sign mt waterfall and show timing for each component

11:05 - SLTevaluation

move the legend to the bottom on the sign mt waterfall and show timing for each component

11:22 - SLTevaluation

dont but text on the diagram, also i meant make a scatter plot for every timing part

11:22 - SLTevaluation

dont but text on the diagram, also i meant make a scatter plot for every timing part

11:26 - SLTevaluation

the other ones look like this

11:26 - SLTevaluation

the other ones look like this

11:26 - SLTevaluation

what is the outlier?

11:26 - SLTevaluation

what is the outlier?

11:27 - SLTevaluation

3

11:27 - SLTevaluation

3

11:29 - SLTevaluation

how many outputted no signwriting?

11:29 - SLTevaluation

how many outputted no signwriting?

11:30 - SLTevaluation

no signs or setennces?

11:30 - SLTevaluation

no signs or setennces?

11:33 - SLTevaluation

for spamo?

11:33 - SLTevaluation

for spamo?

Sunday, January 11, 2026

20:42 - SLTevaluation

give command to run evaluation on spamo results

20:44 - SLTevaluation

if this is true why does spamo take longer to inference

20:44 - SLTevaluation

EVALUATION RESULTS

```
=====
BLEU-1: 0.10
BLEU-2: 0.01
BLEU-3: 0.01
BLEU-4: 0.00
```

TIMING STATISTICS (SignMT)

```
=====
Total videos processed:    1899
Avg pose extraction:      13057.89ms
Avg segmentation:        22.93ms
Avg transcription:        743.59ms
Avg translation:          49.87ms
Avg total time:           13978.44ms
```

Plots saved to signmtres/timing_*.png

Results saved to signmtres/eval_results.csv

```
(torch_legacy) [lucia@lucia SLTevaluation]$ ^C
```

```
(torch_legacy) [lucia@lucia SLTevaluation]$ python bleuscore.py --results spamores/results_en.csv --references
openasl-v1.0.tsv --output spamores
```

Loading results from spamores/results_en.csv...

Loading references from openasl-v1.0.tsv...

```
/home/lucia/Documents/GitHub/SLTevaluation/bleuscore.py:55: DtypeWarning: Columns (6) have mixed types. Specify
dtype option on import or set low_memory=False.
```

```
  refs_df = pd.read_csv(args.references, sep='\t')
```

Matched: 1899, Unmatched: 0

Evaluating with SacreBLEU (tok:13a, smooth:exp)...

EVALUATION RESULTS

```
=====
BLEU-1: 2.15
BLEU-2: 0.31
BLEU-3: 0.04
BLEU-4: 0.01
```

=====

AVERAGE TIMING PER FRAME (SPAMO)

=====

Total frames processed: 483277.0
Frame extraction: 0.181ms
Spatial feature extraction: 55.143ms
Motion feature extraction: 108.964ms
Model inference: 13.807ms
Total time per frame: 178.776ms is the evaluation script wrong

20:47 - SLTevaluation

isnt the | affective the bleu score

20:49 - SLTevaluation

so the sockeye outputs with pipes?

20:49 - SLTevaluation

update to remove the pipes

20:50 - SLTevaluation

commit

20:55 - SLTevaluation

why is the script showing sign.mt as slower as spamo?

20:55 - SLTevaluation

output both per frame

20:56 - SLTevaluation

[Request interrupted by user for tool use]

20:56 - SLTevaluation

no per frame timing for both.

20:57 - SLTevaluation

commit

20:57 - SLTevaluation

[Request interrupted by user for tool use]

20:57 - SLTevaluation

Avg time per frame: 54.92ms
- Pose extraction: 13057.89ms

Claude Code Prompts - December 2025 to Present

- Segmentation: 22.93ms
 - Transcription: 743.59ms
 - Translation: 49.87ms how does this make sense
-

20:58 - SLTevaluation

avg time per video is irrelevant

21:06 - SLTevaluation

fix the scatter diagrams to reflect this

21:44 - SLTevaluation

revert i want time to process vs amount of frames

21:54 - SLTevaluation

now change sign.mt to be amount of frames instead of video duration

22:06 - SLTevaluation

commit

23:14 - Sign2Speech

5d863ef15496b784c4772af712026a05df364344 want to revert up to here

23:15 - Sign2Speech

hard reset

23:16 - Sign2Speech

how to publish this?

23:16 - Sign2Speech

how to publish this?

23:16 - Sign2Speech

how to publish the website

23:16 - Sign2Speech

how to publish the website

23:52 - Sign2Speech

what about the backend?

23:52 - Sign2Speech

what about the backend?

23:52 - Sign2Speech

option A?

23:52 - Sign2Speech

option A?

Monday, January 12, 2026

00:12 - Sign2Speech

ok so explain more to me what you are want to exactly to host the website

00:12 - Sign2Speech

ok so explain more to me what you are want to exactly to host the website

00:42 - Sign2Speech

ok deploy like this

00:42 - Sign2Speech

ok deploy like this

00:44 - Sign2Speech

pushed

00:44 - Sign2Speech

pushed

00:44 - SLTevaluation

give some examples of correct translation vs spamo and sign.mt output

00:45 - SLTevaluation

spamo getting it right is super weird?

00:46 - SLTevaluation

is that the whole of SpaMos output?

00:49 - SLTevaluation

find another random example

00:49 - SLTevaluation

find another random example

00:51 - SLTevaluation

code to make a file that makes a csv with videoid, reference output, spamo output and sign.mt output

00:51 - SLTevaluation

code to make a file that makes a csv with videoid, reference output, spamo output and sign.mt output

00:53 - SLTevaluation

the comparison.csv has empty columns for both models.

00:53 - SLTevaluation

the comparison.csv has empty columns for both models.

00:54 - SLTevaluation

strip the pipe lines

00:54 - SLTevaluation

strip the pipe lines

00:59 - SLTevaluation

commit

00:59 - SLTevaluation

commit

08:36 - Sign2Speech

look

08:38 - Sign2Speech

are you sure there is a workflow directory?

08:39 - Sign2Speech

it says create new workflow\

08:40 - Sign2Speech

hast is b31389c65120e45c707e111e042cc56aafdf9194

08:40 - Sign2Speech

git push --force origin master
Everything up-to-date

08:41 - Sign2Speech

still cant see any workflows

08:42 - Sign2Speech

it shows 5d863ef

08:44 - Sign2Speech

is it in .gitignore

08:44 - Sign2Speech

actions are allowed

08:45 - Sign2Speech

no

08:45 - Sign2Speech

this is what i get

08:46 - Sign2Speech

no workflow started

08:47 - Sign2Speech

running now

08:48 - Sign2Speech

build failed

08:48 - Sign2Speech

0s
Run bun run generate:terms
\$ marked -i LICENSE.md -o src/app/pages/landing/terms/terms.component.html
marked: LICENSE.md: No such file or directoryerror: script "generate:terms" exited with code 1
Error: Process completed with exit code 1.
Run bun run generate:terms
\$ marked -i LICENSE.md -o src/app/pages/landing/terms/terms.component.html
marked: LICENSE.md: No such file or directoryerror: script "generate:terms" exited with code 1
Error: Process completed with exit code 1.

08:51 - Sign2Speech

0s
Run bun run generate:terms
bun run generate:terms
shell: /usr/bin/bash -e {0}
env:
BUN_INSTALL: /home/runner/.bun
\$ marked -i LICENSE.md -o src/app/pages/landing/terms/terms.component.html
marked: src/app/pages/landing/terms/terms.component.html: No such file or directoryerror: script "generate:terms" exited with code 1
Error: Process completed with exit code 1.
Run bun run generate:terms
bun run generate:terms
shell: /usr/bin/bash -e {0}

```
env:
  BUN_INSTALL: /home/runner/.bun
$ marked -i LICENSE.md -o src/app/pages/landing/terms/terms.component.html
marked: src/app/pages/landing/terms/terms.component.html: No such file or directoryerror: script "generate:terms"
exited with code 1
Error: Process completed with exit code 1.
```

08:52 - Sign2Speech

the one right now runs fine if i start frontend and backend separately and has what i need

08:54 - Sign2Speech

so where is the website now, is it running permanently?

08:54 - Sign2Speech

it has succeeded

08:55 - Sign2Speech

its not also whose firebase account is this using because i never logged in

08:58 - Sign2Speech

```
Run FirebaseExtended/action-hosting-deploy@v0
with:
  repoToken: ***
  channelId: live
  projectId: sign-mt
  expires: 7d
  entryPoint: .
  firebaseToolsVersion: latest
  disableComment: false
  force: false
/home/runner/work/_actions/FirebaseExtended/action-hosting-deploy/v0/bin/action.min.js:2102
    throw new Error(`Input required and not supplied: ${name}`);
          ^

Error: Input required and not supplied: firebaseServiceAccount
    at Object.getInput (/home/runner/work/_actions/FirebaseExtended/action-hosting-deploy/v0/bin/action.min.js:2102:15)
    at Object.<anonymous> (/home/runner/work/_actions/FirebaseExtended/action-hosting-deploy/v0/bin/action.min.js:93179:43)
    at Module._compile (node:internal/modules/cjs/loader:1521:14)
    at Module._extensions.js (node:internal/modules/cjs/loader:1623:10)
    at Module.load (node:internal/modules/cjs/loader:1266:32)
    at Module._load (node:internal/modules/cjs/loader:1091:12)
    at Function.executeUserEntryPoint [as runMain] (node:internal/modules/run_main:164:12)
    at node:internal/main/run_main_module:28:49
```

Node.js v20.19.5

09:03 - Sign2Speech

? Set up the workflow to run a build script before every deploy? (Y/n) yes or no?

09:06 - Sign2Speech

cant find project settings -> service accounts

09:09 - Sign2Speech

how to find project id

09:10 - Sign2Speech

done

09:12 - Sign2Speech

Run FirebaseExtended/action-hosting-deploy@v0

with:

```
repoToken: ***
channelId: live
projectId: sign2speech-3de59
expires: 7d
entryPoint: .
firebaseToolsVersion: latest
disableComment: false
force: false
```

/home/runner/work/_actions/FirebaseExtended/action-hosting-deploy/v0/bin/action.min.js:2102

```
    throw new Error(`Input required and not supplied: ${name}`);
    ^
```

Error: Input required and not supplied: firebaseServiceAccount

```
    at Object.getInput (/home/runner/work/_actions/FirebaseExtended/action-hosting-deploy/v0/bin/action.min.js:2102:15)
                                     at Object.<anonymous>
```

(/home/runner/work/_actions/FirebaseExtended/action-hosting-deploy/v0/bin/action.min.js:93179:43)

```
    at Module._compile (node:internal/modules/cjs/loader:1521:14)
    at Module._extensions..js (node:internal/modules/cjs/loader:1623:10)
    at Module.load (node:internal/modules/cjs/loader:1266:32)
    at Module._load (node:internal/modules/cjs/loader:1091:12)
    at Function.executeUserEntryPoint [as runMain] (node:internal/modules/run_main:164:12)
    at node:internal/main/run_main_module:28:49
```

Node.js v20.19.5

09:13 - Sign2Speech

name is FIREBASE_SERVICE_ACCOUNT_SIGN2SPEECH_3DE59

09:15 - Sign2Speech

Run FirebaseExtended/action-hosting-deploy@v0

with:

```
repoToken: ***
firebaseServiceAccount: ***
```

```
channelId: live
projectId: sign2speech-3de59
expires: 7d
entryPoint: .
firebaseToolsVersion: latest
disableComment: false
force: false
```

Verifying firebase.json exists

Error: firebase.json file not found. If your firebase.json file is not in the root of your repo, edit the entryPoint option of this GitHub action.

```
conclusion: 'failure',
```

```
output: ***
```

```
title: 'Deploy preview failed',
```

```
summary: 'Error: firebase.json file not found. If your firebase.json file is not in the root of your repo, edit the
entryPoint option of this GitHub action.'
```

09:18 - Sign2Speech

0s

Post job cleanup.

```
/usr/bin/git version
```

```
git version 2.52.0
```

Temporarily overriding HOME='/home/runner/work/_temp/4fccd3cf-1b44-4459-8253-614e2596bad0' before making global git config changes

Adding repository directory to the temporary git global config as a safe directory

```
/usr/bin/git config --global --add safe.directory /home/runner/work/Sign2Speech/Sign2Speech
```

```
/usr/bin/git config --local --name-only --get-regexp core.sshCommand
```

```
/usr/bin/git submodule foreach --recursive sh -c "git config --local --name-only --get-regexp 'core.sshCommand' && git
config --local --unset-all 'core.sshCommand' || :"
```

fatal: No url found for submodule path 'backend/spamo' in .gitmodules

Warning: The process '/usr/bin/git' failed with exit code 128

Post job cleanup.

```
/usr/bin/git version
```

```
git version 2.52.0
```

Temporarily overriding HOME='/home/runner/work/_temp/4fccd3cf-1b44-4459-8253-614e2596bad0' before making global git config changes

Adding repository directory to the temporary git global config as a safe directory

```
/usr/bin/git config --global --add safe.directory /home/runner/work/Sign2Speech/Sign2Speech
```

```
/usr/bin/git config --local --name-only --get-regexp core.sshCommand
```

```
/usr/bin/git submodule foreach --recursive sh -c "git config --local --name-only --get-regexp 'core.sshCommand' && git
config --local --unset-all 'core.sshCommand' || :"
```

fatal: No url found for submodule path 'backend/spamo' in .gitmodules

Warning: The process '/usr/bin/git' failed with exit code 128

09:19 - Sign2Speech

we need the spamo backend. duh

09:19 - Sign2Speech

what is the url

09:20 - Sign2Speech

none work

09:21 - Sign2Speech

inflating: dist/sign-translate/browser/chunk-CBTCPHC5.js.map
inflating: dist/sign-translate/browser/ion-icon.entry-ARBIQEEX.js.map
inflating: dist/sign-translate/browser/index7-YQ2FNIVB.js.map
inflating: dist/sign-translate/browser/translate.component-6RJ72DCO.js.map
1s
inflating: dist/sign-translate/browser/assets/i18n/ur.json
inflating: dist/sign-translate/browser/video.component-QPRP4SUT.css.map
inflating: dist/sign-translate/browser/chunk-CCGRD7QR.js.map
inflating: dist/sign-translate/browser/chunk-XS3N7JAQ.js
inflating: dist/sign-translate/browser/input-shims-CONHB5PH.js.map
inflating: dist/sign-translate/browser/translate-desktop.component-KMARGCL2.css.map
inflating: dist/sign-translate/browser/chunk-CCGRD7QR.js
inflating: dist/sign-translate/browser/chunk-CBTCPHC5.js
inflating: dist/sign-translate/browser/status-tap-VSPJ2YEV.js.map
inflating: dist/sign-translate/browser/input-shims-CONHB5PH.js
inflating: dist/sign-translate/browser/index7-YQ2FNIVB.js
inflating: dist/sign-translate/browser/index.csr.html
inflating: dist/sign-translate/browser/hardware-back-button-YGYDSLMB.js.map
inflating: dist/sign-translate/browser/chunk-37CIOIFX.js
inflating: dist/sign-translate/browser/chunk-HUEUTDLK.js.map
inflating: dist/sign-translate/browser/chunk-AQMYMMQE.js.map
inflating: dist/sign-translate/browser/video-controls.component-BSP4T2LN.css.map
inflating: dist/sign-translate/browser/swipe-back-5GWHGGQF.js
inflating: dist/sign-translate/browser/chunk-O4UU4YKF.js.map
inflating: dist/sign-translate/browser/md.transition-KHCY4NWI.js.map
inflating: dist/sign-translate/browser/cookieconsent-4PUMNTKF.css
inflating: dist/sign-translate/browser/map.css
inflating: dist/sign-translate/browser/ngsw-worker.js
inflating: dist/sign-translate/browser/ios.transition-6NSTF3YL.js.map
inflating: dist/sign-translate/browser/cookieconsent-4PUMNTKF.css.map
inflating: dist/sign-tr... [truncated]

09:21 - Sign2Speech

not working

09:21 - Sign2Speech

404

09:22 - Sign2Speech

Browser Console Mode

Parent process only(Fast)

Multiprocess(Slower)

BackupService: There was an error while trying to get the Document's directory NS_ERROR_FAILURE: Component returned failure code: 0x80004005 (NS_ERROR_FAILURE) [nsIProperties.get]

get docsDirFolderPath resource:///modules/backup/BackupService.sys.mjs:1221

get DEFAULT_PARENT_DIR_PATH resource:///modules/backup/BackupService.sys.mjs:974

get state resource:///modules/backup/BackupService.sys.mjs:1386

cleanupBackupFiles resource:///modules/backup/BackupService.sys.mjs:4258

#handleStatusChange resource:///modules/backup/BackupService.sys.mjs:4218

<anonymous> resource:///modules/backup/BackupService.sys.mjs:4164

_onFeatureUpdate resource:///nimbus/lib/ExperimentStore.sys.mjs:428

onUpdate resource:///nimbus/ExperimentAPI.sys.mjs:877

initStatusObservers resource:///modules/backup/BackupService.sys.mjs:4170

init resource:///modules/backup/BackupService.sys.mjs:1251

task resource:///modules/BrowserGlue.sys.mjs:1287

runIdleTasks resource:///modules/BrowserGlue.sys.mjs:1023

BackupService.sys.mjs:1223:23

BackupService: There was an error while trying to get the Document's directory NS_ERROR_FAILURE: Component returned failure code: 0x80004005 (NS_ERROR_FAILURE) [nsIProperties.get]

get docsDirFolderPath resource:///modules/backup/BackupService.sys.mjs:1221

get DEFAULT_PARENT_DIR_PATH resource:///modules/backup/BackupService.sys.mjs:974

get state resource:///modules/backup/BackupService.sys.mjs:1386

cleanupBackupFiles resource:///modules/backup/BackupService.sys.mjs:4258

#handleStatusChange resource:///modules/backup/BackupService.sys.mjs:4218

initStatusObservers resource:///modules/backup/BackupService.sys.mjs:4171

init resource:///modules/backup/BackupService.sys.mjs:1251

task resource:///modules/BrowserGlue.sys.mjs:1287

runIdleTasks resource:///modules/BrowserGlue.sys.mjs:1023

BackupService.sys.mjs:1223:23

BackupService: There was... [truncated]

09:22 - Sign2Speech

404

09:22 - Sign2Speech

[Request interrupted by user for tool use]

09:22 - Sign2Speech

continue

09:24 - Sign2Speech

8s

20s

20s

0s

Run ls -la dist/sign-translate/browser/ | head -20

ls -la dist/sign-translate/browser/ | head -20

shell: /usr/bin/bash -e ***0***

```
env:
  BUN_INSTALL: /home/runner/.bun
ls: write error: Broken pipe
total 9284
drwxr-xr-x 4 runner runner  4096 Jan 12 09:24 .
drwxr-xr-x 4 runner runner  4096 Jan 12 09:24 ..
-rw-r--r-- 1 runner runner 86605 Jan 12 09:24 app-5RU6Q2TR.css
-rw-r--r-- 1 runner runner 155192 Jan 12 09:24 app-5RU6Q2TR.css.map
drwxr-xr-x 7 runner runner  4096 Jan 12 09:24 assets
-rw-r--r-- 1 runner runner   588 Jan 12 09:24 chunk-37CIOIFX.js
-rw-r--r-- 1 runner runner  3503 Jan 12 09:24 chunk-37CIOIFX.js.map
-rw-r--r-- 1 runner runner  3512 Jan 12 09:24 chunk-3MF5ZBLK.js
-rw-r--r-- 1 runner runner 59446 Jan 12 09:24 chunk-3MF5ZBLK.js.map
-rw-r--r-- 1 runner runner   142 Jan 12 09:24 chunk-6ZRCJLM7.js
-rw-r--r-- 1 runner runner   452 Jan 12 09:24 chunk-6ZRCJLM7.js.map
-rw-r--r-- 1 runner runner  1065 Jan 12 09:24 chunk-7GQKLK7V.js
-rw-r--r-- 1 runner runner  6818 Jan 12 09:24 chunk-7GQKLK7V.js.map
-rw-r--r-- 1 runner runner  58527 Jan 12 09:24 chunk-AQMYMMQE.js
-rw-r--r-- 1 runner runner 266627 Jan 12 09:24 chunk-AQMYMMQE.js.map
-rw-r--r-- 1 runner runner   146 Jan 12 09:24 chunk-CBTCPHC5.js
-rw-r--r-- 1 runner runner   743 Jan 12 09:24 chunk-CBTCPHC5.js.map
-rw-r--r-- 1 runner runner  1016 Jan 12 09:24 chunk-CCGRD7QR.js
-rw-r--r-- 1 runner runner   5578 Jan 12 09:24 chunk-CCGRD7QR.js.map
0s
Run ls -la dist/sign-translate/browser/ | head -20
ls -la dist/sign-translate/browser/ | head -20
shell: /usr/bin/bash -e ***0***
env:
  BUN_INSTALL: /home/runner/.bun
ls: write error: Broken pipe
total 9284
drwxr-xr-x 4 runner runner  4096 Jan 12 09:24 .
drwxr-xr-x 4 runner runner  4096 Jan 12 09:24 ..
-rw-r--r-- 1 runner runner 86605 Jan 12 09:24 app-5RU6Q2TR.css
-rw-r--r-- 1 runner runner 155192 Jan 12 09:24 app-5RU6Q2TR.css.map
drwxr-xr-x 7 runner runner  4096 Jan 12 09:24 assets
-rw-r--r-- 1 runner... [truncated]
```

09:27 - Sign2Speech

works now how to get the backend connected

09:28 - Sign2Speech

can firebase cloud function work?

09:28 - Sign2Speech

need free

09:29 - Sign2Speech

can i keep the notebook running 24/7?

09:29 - Sign2Speech

orcale cloud?

09:34 - Sign2Speech

wont let me use revolut

09:35 - Sign2Speech

what does github codespaces do exactly

09:35 - Sign2Speech

ok i want to use this

09:35 - Sign2Speech

[Request interrupted by user]

09:36 - Sign2Speech

i want to use codespaces

09:37 - Sign2Speech

do i have these .sh files?

09:47 - Sign2Speech

(base) @chufakiks ? /workspaces/Sign2Speech (master) \$ cd backend

(base) @chufakiks ? /workspaces/Sign2Speech/backend (master) \$ conda activate sign2speech

(sign2speech) @chufakiks ? /workspaces/Sign2Speech/backend (master) \$ python main.py

Traceback (most recent call last):

File "/opt/conda/envs/sign2speech/lib/python3.11/site-packages/pose_format/utils/holistic.py", line 10, in <module>
import mediapipe as mp

File "/opt/conda/envs/sign2speech/lib/python3.11/site-packages/mediapipe/__init__.py", line 16, in <module>
import mediapipe.python.solutions as solutions
~~~~~

File "/opt/conda/envs/sign2speech/lib/python3.11/site-packages/mediapipe/python/solutions/\_\_init\_\_.py", line 17, in <module>

import mediapipe.python.solutions.drawing\_styles

File "/opt/conda/envs/sign2speech/lib/python3.11/site-packages/mediapipe/python/solutions/drawing\_styles.py", line 20, in <module>

from mediapipe.python.solutions.drawing\_utils import DrawingSpec

File "/opt/conda/envs/sign2speech/lib/python3.11/site-packages/mediapipe/python/solutions/drawing\_utils.py", line 20, in <module>

import cv2

File "/opt/conda/envs/sign2speech/lib/python3.11/site-packages/cv2/\_\_init\_\_.py", line 181, in <module>  
bootstrap()

File "/opt/conda/envs/sign2speech/lib/python3.11/site-packages/cv2/\_\_init\_\_.py", line 153, in bootstrap

```
native_module = importlib.import_module("cv2")
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

```
File "/opt/conda/envs/sign2speech/lib/python3.11/importlib/__init__.py", line 126, in import_module
    return _bootstrap._gcd_import(name[level:], package, level)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

ImportError: libGL.so.1: cannot open shared object file: No such file or directory

During handling of the above exception, another exception occurred:

Traceback (most recent call last):

```
File "/workspaces/Sign2Speech/backend/main.py", line 22, in <module>
    from pose_conve... [truncated]
```

---

#### 09:48 - Sign2Speech

```
sudo apt-get install libgl-mesa-glx
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
E: Unable to locate package libgl-mesa-glx
```

---

#### 09:49 - Sign2Speech

```
sudo apt-get install libgl1-mesa-glx
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
E: Unable to locate package libgl1-mesa-glx
```

---

#### 09:49 - Sign2Speech

```
sudo apt-get install libgl1-mesa-glx
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
E: Unable to locate package libgl1-mesa-glx
```

---

#### 09:50 - Sign2Speech

```
sudo apt-get install -y libgl1
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
E: Unable to locate package libgl1
```

---

#### 09:52 - Sign2Speech

```
pip uninstall open-contrib-python -y
WARNING: Skipping open-contrib-python as it is not installed.
```

---

#### 09:53 - Sign2Speech

ERROR: pip's dependency resolver does not currently take into account all the packages that are installed. This

behaviour is the source of the following dependency conflicts.

mediapipe 0.10.5 requires opencv-contrib-python, which is not installed.

opencv-contrib-python-headless 4.12.0.88 requires numpy<2.3.0,>=2; python\_version >= "3.9", but you have numpy 1.26.4 which is incompatible.

---

#### 09:55 - Sign2Speech

what the frontend url again?

---

#### 09:56 - Sign2Speech

Invalid URI. Load of media resource failed. sign2speech-3de59.web.app

I0000 00:00:1768211725.455000 1 gl\_context\_webgl.cc:151] Successfully created a WebGL context with major version 3 and handle 3 holistic\_solution\_simd\_wasm\_bin.js:9:32007

I0000 00:00:1768211725.456000 1 gl\_context.cc:359] GL version: 3.0 (OpenGL ES 3.0 (WebGL 2.0)) holistic\_solution\_simd\_wasm\_bin.js:9:32007

W0000 00:00:1768211725.456000 1 gl\_context.cc:1000] OpenGL error checking is disabled holistic\_solution\_simd\_wasm\_bin.js:9:32007

WebGL warning: drawArraysInstanced: Tex image TEXTURE\_2D level 0 is incurring lazy initialization. 8

? Recording started translate.state.ts:66:13

?? Recording stopped, processing... translate.state.ts:77:13

?? Using SignWriting translation mode translate.state.ts:89:15

? Sending 30 frames to https://api.sign2speech.com/api/translate recording.service.ts:167:13

The resource at ?https://sign2speech-3de59.web.app/assets/flags/1x1/us.svg? preload with link preload was not used within a few seconds. Make sure all attributes of the preload tag are set correctly. sign2speech-3de59.web.app

? Translation failed or recording too short translate.state.ts:111:15

? Recording started translate.state.ts:66:13

?? Recording stopped, processing... translate.state.ts:77:13

?? Using SignWriting translation mode translate.state.ts:89:15

? Sending 52 frames to https://api.sign2speech.com/api/translate recording.service.ts:167:13

XHRPOST

https://api.sign2speech.com/api/translate

[HTTP/1.1 504 Gateway Timeout 0ms]

? Translation failed or recording too short translate.state.ts:111:15

---

#### 09:57 - Sign2Speech

https://shiny-space-carnival-j96wgpv55gr3qw6x-8000.app.github.dev/

---

#### 09:59 - Sign2Speech

commit

---

#### 10:01 - Sign2Speech

(base) @chufakiks ? /workspaces/Sign2Speech/backend (master) \$ conda activate sign2speech

(sign2speech) @chufakiks ? /workspaces/Sign2Speech/backend (master) \$ python main.py

INFO: Started server process [19726]

INFO: Waiting for application startup.

INFO: Application startup complete.

ERROR: [Errno 98] error while attempting to bind on address ('0.0.0.0', 8000): address already in use

INFO: Waiting for application shutdown.

## Claude Code Prompts - December 2025 to Present

INFO: Application shutdown complete.  
(sign2speech) @chufakiks ? /workspaces/Sign2Speech/backend (master) \$ python main.py  
INFO: Started server process [20067]  
INFO: Waiting for application startup.  
INFO: Application startup complete.  
ERROR: [Errno 98] error while attempting to bind on address ('0.0.0.0', 8000): address already in use  
INFO: Waiting for application shutdown.  
INFO: Application shutdown complete.

---

### 10:02 - Sign2Speech

Invalid URI. Load of media resource failed. sign2speech-3de59.web.app  
I0000 00:00:1768211725.455000 1 gl\_context\_webgl.cc:151] Successfully created a WebGL context with major version 3 and handle 3 holistic\_solution\_simd\_wasm\_bin.js:9:32007  
I0000 00:00:1768211725.456000 1 gl\_context.cc:359] GL version: 3.0 (OpenGL ES 3.0 (WebGL 2.0)) holistic\_solution\_simd\_wasm\_bin.js:9:32007  
W0000 00:00:1768211725.456000 1 gl\_context.cc:1000] OpenGL error checking is disabled holistic\_solution\_simd\_wasm\_bin.js:9:32007  
WebGL warning: drawArraysInstanced: Tex image TEXTURE\_2D level 0 is incurring lazy initialization. 8  
? Recording started translate.state.ts:66:13  
?? Recording stopped, processing... translate.state.ts:77:13  
?? Using SignWriting translation mode translate.state.ts:89:15  
? Sending 30 frames to https://api.sign2speech.com/api/translate recording.service.ts:167:13  
The resource at ?https://sign2speech-3de59.web.app/assets/flags/1x1/us.svg? preloaded with link preload was not used within a few seconds. Make sure all attributes of the preload tag are set correctly. sign2speech-3de59.web.app  
? Translation failed or recording too short translate.state.ts:111:15  
? Recording started translate.state.ts:66:13  
?? Recording stopped, processing... translate.state.ts:77:13  
?? Using SignWriting translation mode translate.state.ts:89:15  
? Sending 52 frames to https://api.sign2speech.com/api/translate recording.service.ts:167:13  
XHRPOST  
https://api.sign2speech.com/api/translate  
[HTTP/1.1 504 Gateway Timeout 0ms]  
  
? Translation failed or recording too short translate.state.ts:111:15  
? Recording started translate.state.ts:66:13  
?? Recording stopped, processing... translate.state.ts:77:13  
?? Using SignWriting translation mode translate.state.ts:89:15  
? Sending 50 frames to https://api.sign2speech.com/api/translate recording.service.ts:167:13  
XHRPOST  
https://api.sign2speech.com/api/translate  
[HTTP/1.1 504 Gateway Timeout 0ms]  
  
? Translation failed or recording too sh... [truncated]

---

### 10:04 - Sign2Speech

Invalid URI. Load of media resource failed. sign2speech-3de59.web.app  
I0000 00:00:1768212231.994000 1 gl\_context\_webgl.cc:151] Successfully created a WebGL context with major version 3 and handle 3 holistic\_solution\_simd\_wasm\_bin.js:9:32007  
I0000 00:00:1768212231.995000 1 gl\_context.cc:359] GL version: 3.0 (OpenGL ES 3.0 (WebGL 2.0)) holistic\_solution\_simd\_wasm\_bin.js:9:32007

## Claude Code Prompts - December 2025 to Present

```
W0000 00:00:1768212231.995000          1  gl_context.cc:1000] OpenGL error checking is disabled
holistic_solution_simd_wasm_bin.js:9:32007
WebGL warning: drawArraysInstanced: Tex image TEXTURE_2D level 0 is incurring lazy initialization. 8
? Recording started translate.state.ts:66:13
?? Recording stopped, processing... translate.state.ts:77:13
?? Using SignWriting translation mode translate.state.ts:89:15
? Sending 31 frames to https://shiny-space-carnival-j96wgpv55gr3qw6x-8000.app.github.dev/api/translate
recording.service.ts:167:13
XHROPTIONS
https://shiny-space-carnival-j96wgpv55gr3qw6x-8000.app.github.dev/api/translate
CORS Missing Allow Origin
```

Cross-Origin Request Blocked: The Same Origin Policy disallows reading the remote resource at <https://shiny-space-carnival-j96wgpv55gr3qw6x-8000.app.github.dev/api/translate>. (Reason: CORS header ?Access-Control-Allow-Origin? missing). Status code: 401.

Cross-Origin Request Blocked: The Same Origin Policy disallows reading the remote resource at <https://shiny-space-carnival-j96wgpv55gr3qw6x-8000.app.github.dev/api/translate>. (Reason: CORS request did not succeed). Status code: (null).

? Translation failed or recording too short translate.state.ts:111:15  
The resource at ?<https://sign2speech-3de59.web.app/assets/flags/1x1/us.svg>? preloaded with link preload was not used within a few seconds. Make sure all attributes of the preload tag are set correctly.

---

### 10:04 - Sign2Speech

.....

FastAPI backend for pose conversion, segmentation, and translation.

Endpoints:

- GET /api/health - Health check
- POST /api/segment - Convert landmarks and run segmentation
- POST /api/translate - Full pipeline: segment, transcribe, translate to text
- POST /api/translate-spamo - SpaMo video-to-text translation

.....

```
from fastapi import FastAPI, HTTPException
from fastapi.middleware.cors import CORSMiddleware
from pydantic import BaseModel
from typing import Optional, List
import logging
import tempfile
import os
import base64
import io
from PIL import Image

from pose_converter import frames_to_pose
from segmentation_service import segment
from translation_service import translate_signs
from spamo_service import translate_frames as spamo_translate
```

```
# Configure logging
logging.basicConfig(level=logging.INFO)
logger = logging.getLogger(__name__)

app = FastAPI(
    title="Sign2Speech Backend",
    description="Pose conversion and sign language segmentation API",
    version="1.0.0"
)

# CORS configuration for Angular dev server
# Allow localhost and common local network ranges for development
allow_origins=["*"],

# Allow local network IPs (192.168.x.x) for development
# In production, replace this with specific allowed domains
import re
def is_local_network(origin: str) -> bool:
    return bool(re.match(r"^(http://(192\.168\.d{1,3}\.d{1,3})10\.d{1,3}\.d{1,3}\.d{1,3}):d+$", origin))

app.add_middleware(
    CORSMiddleware,
    allow_origin_regex=r"^(http://(localhost|127\.0\.0\.1|192\.168\.d{1,3}\.d{1,3})10\.d{1,3}\.d{1,3}\.d{1,3}):d+$",
    allow_credentials=True,
    allow_methods=["*"],
    allow_headers=["*"],
)

# Pydantic models for request/response
class Landmark(BaseModel):
    x: float
    y: float
    z: float
    visibility: Optional[float] = 1.0

class PoseFrame(BaseModel):
    poseLandmarks: Optional[list[Landmark]] = None
    faceLandmarks: Optional[list[Landmark]] = None
    leftHandLandmarks: Optional[list[Landmark]] = None
    rightH... [truncated]
```

---

### 10:06 - Sign2Speech

```
Invalid URI. Load of media resource failed. sign2speech-3de59.web.app
I0000 00:00:1768212355.951000      1 gl_context_webgl.cc:151] Successfully created a WebGL context with major
version 3 and handle 3 holistic_solution_simd_wasm_bin.js:9:32007
I0000 00:00:1768212355.952000      1 gl_context.cc:359] GL version: 3.0 (OpenGL ES 3.0 (WebGL 2.0))
holistic_solution_simd_wasm_bin.js:9:32007
W0000 00:00:1768212355.953000      1 gl_context.cc:1000] OpenGL error checking is disabled
```

## Claude Code Prompts - December 2025 to Present

holistic\_solution\_simd\_wasm\_bin.js:9:32007

WebGL warning: drawArraysInstanced: Tex image TEXTURE\_2D level 0 is incurring lazy initialization. 8

? Recording started translate.state.ts:66:13

?? Recording stopped, processing... translate.state.ts:77:13

?? Using SignWriting translation mode translate.state.ts:89:15

? Sending 31 frames to <https://shiny-space-carnival-j96wgpv55gr3qw6x-8000.app.github.dev/api/translate>

recording.service.ts:167:13

XHROPTIONS

<https://shiny-space-carnival-j96wgpv55gr3qw6x-8000.app.github.dev/api/translate>

CORS Missing Allow Origin

OPTIONS

<https://shiny-space-carnival-j96wgpv55gr3qw6x-8000.app.github.dev/api/translate>

Status

401

VersionHTTP/2

Transferred460 B (0 B size)

Referrer Policyorigin

DNS ResolutionSystem

content-length

0

date

Mon, 12 Jan 2026 10:06:00 GMT

ratelimit-limit

HttpRequestRatePerPort:1500/m

ratelimit-remaining

HttpRequestRatePerPort:1499

ratelimit-reset

HttpRequestRatePerPort:20s

strict-transport-security

max-age=31536000; includeSubDomains

vssaas-request-id

5b8c971d-cdc1-4df3-a1e0-15b04216b43f

www-authenticate

tunnel

x-content-type-options

nosniff

X-Firefox-Spdy

h2

x-served-by

tunnels-prod-rel-euw-v3-cluster

Accept

\*/\*

Accept-Encoding

gzip, deflate, br, zstd

Accept-Language

en-US,en;q=0.5

Access-Control-Request-Headers

content-type  
Access-Control-Request-Method  
POST  
Connection  
keep-alive  
Host  
shiny-space-carnival-j96wgpv55gr3qw6x-8000.app.github.dev  
Origin  
https://sign2speech-3de59.web.app  
Priority  
u=4  
Referer  
https://... [truncated]

---

#### 14:01 - Sign2Speech

? Using SpaMo translation mode translate.state.ts:86:15  
? Sending 105 frames to https://shiny-space-carnival-j96wgpv55gr3qw6x-8000.app.github.dev/api/translate-spamo  
recording.service.ts:273:13  
XHRPOST  
https://shiny-space-carnival-j96wgpv55gr3qw6x-8000.app.github.dev/api/translate-spamo  
[HTTP/1.1 500 0ms]

POST  
https://shiny-space-carnival-j96wgpv55gr3qw6x-8000.app.github.dev/api/translate-spamo  
Status  
500  
VersionHTTP/1.1  
Transferred0 B (107 B size)  
Referrer Policyorigin  
Request PriorityHighest  
DNS ResolutionSystem

access-control-allow-credentials  
true  
access-control-allow-origin  
\*  
cache-control  
no-cache,no-store  
content-length  
107  
content-type  
application/json  
date  
Mon, 12 Jan 2026 14:00:50 GMT  
expires  
Thu, 01 Jan 1970 00:00:00 GMT  
pragma  
no-cache  
ratelimit-limit

HttpRequestRatePerPort:1500/m  
ratelimit-remaining  
HttpRequestRatePerPort:1499  
ratelimit-reset  
HttpRequestRatePerPort:57s  
referrer-policy  
same-origin  
strict-transport-security  
max-age=31536000; includeSubDomains  
vssaas-request-id  
7b36c117-edb2-4bbb-85d2-268a28a7c9e7  
x-content-type-options  
nosniff  
X-Firefox-Spdy  
h2  
x-ms-ratelimit-limit  
1500  
x-ms-ratelimit-remaining  
1499  
x-ms-ratelimit-reset  
  
x-ms-ratelimit-used  
1  
x-report-abuse  
<https://msrc.microsoft.com/report/abuse>  
x-robots-tag  
noindex, nofollow  
x-served-by  
tunnels-prod-rel-euw-v3-cluster  
  
Accept  
application/json, text/plain, \*/\*  
Accept-Encoding  
gzip, deflate, br, zstd  
Accept-Language  
en-US,en;q=0.5  
Connection  
keep-alive  
Content-Length  
11718833  
Content-Type  
application/json  
Host  
shiny-space-carnival-j96wgpv55gr3qw6x-8000.app.github.dev  
Origin  
<https://sign2speech-3de59.web.app>  
Referer  
<https://sign2speech-3de59.web.app/>  
Sec-Fetch-Dest  
empty  
Sec-Fetch-Mode  
cors

```

File "/workspaces/Sign2Speech/backend/main.py", line 378, in translate_spamo_endpoint
    result = spamo_translate(pil_frames, request.target_language)
    ~~~~~
File "/workspaces/Sign2Speech/backend/spamo_service.py", line 319, in translate_frames
 vit_extractor = get_vit_extractor()
    ~~~~~
File "/workspaces/Sign2Speech/backend/spamo_service.py", line 271, in get_vit_extractor
    _vit_reader = ViTFeatureExtractor(device=get_device())
    ~~~~~
File "/workspaces/Sign2Speech/backend/spamo_service.py", line 61, in __init__
 from transformers import AutoImageProcessor, CLIPVisionModel
File "/opt/conda/envs/sign2speech/lib/python3.11/site-packages/transformers/__init__.py", line 27, in <module>
 from . import dependency_versions_check
File "/opt/conda/envs/sign2speech/lib/python3.11/site-packages/transformers/dependency_versions_check.py", line 16,
in <module>
 from .utils.versions import require_version, require_version_core
File "/opt/conda/envs/sign2speech/lib/python3.11/site-packages/transformers/utils/__init__.py", line 24, in <module>
 from .auto_docstring import (
 File "/opt/conda/envs/sign2speech/lib/python3.11/site-packages/transformers/utils/auto_docstring.py", line 30, in
<module>
 from .generic import ModelOutput
File "/opt/conda/envs/sign2speech/lib/python3.11/site-packages/transformers/utils/generic.py", line 465, in <module>
 _torch_pytree.register_pytree_node(
    ~~~~~
AttributeError: module 'torch.utils._pytree' has no attribute 'register_pytree_node'
INFO: 62.198.135.53:0 - "POST /api/translate-spamo HTTP/1.1" 500 Internal Server Error

```

update the environment with the right opencv-contrib and transformers

share the change to commit the backend and then the rest

you push

commit the rest of the backend

## Page 100

yes

---

**14:08 - Sign2Speech**

commit the index.html and .workflow file

---

**14:09 - Sign2Speech**

[Request interrupted by user for tool use]

---

**14:09 - Sign2Speech**

i need these spamo files to be pushed as well

---

**14:10 - Sign2Speech**

do i even use index.html

---

**17:37 - SLTevaluation**

sum up total video duration

---

## Wednesday, January 14, 2026

### 19:08 - Sign2Speech

fix text to speech

---

### 19:10 - home

i need a pdf document with all prompts send to claude code and claude code web from december 1 to now

---

### 19:11 - Sign2Speech

anyway to translate the text for german?

---

### 19:13 - home

[Request interrupted by user for tool use]

---

### 19:13 - home

i need a pdf document with all prompts I sent to claude code and claude code web from december 1 to now

---

### 19:17 - SLTevaluation

how is model latency measured?

---

### 19:22 - SLTevaluation

can we change to both using the same

---

### 19:22 - SLTevaluation

[Request interrupted by user]

---

### 19:23 - SLTevaluation

what is the difference between the two

---

### 19:30 - SLTevaluation

why do we need synchronize

---

### 19:40 - home

some look like this

---

### 21:51 - home

delete prompts that are just error messages

---

### 21:55 - home

undo this

---