
# Module 02: Vectors and Matrices

#### **Chul Min Yeum**

Assistant Professor
Civil and Environmental Engineering
University of Waterloo, Canada





cvec(2:4) = rvec

a = [rvec cvec']

b = rvec(2:5)

Given code

(c)

(d)

(e)

```
rvec = [1 \ 2 \ 3];
col = [5; 6];
mat1 = [rvec; [4, col']]
mat2 = [rvec; [4; col]']
mat3 = [[1;4] [2;5] [3;6]]
mat4 = [1 2; 3 4; 5 6]
```



```
mat1 = [1 2 3 4; 5 6 7 8];
mat1 = mat1';
mat1(:, 1) = mat1(:, 2);
mat1([1 2],:) = mat1([2 1], :);
mat1(:, end) = 10;
             10
                                         5
  6
     10
                 10
                         10
                             6
  5
              3
     10
                 4
                         10
                             15
                                     2
                                         6
  7
     10
              5
                         10
                             7
                                     3
  8
     10
                         10
                             8
                                     10
                                        10
```

```
A = [1 \ 2 \ 3];
 = [4;5;6;7];
C = [1 \ 2 \ 3 \ 4; \ 4 \ 5 \ 6 \ 7; \ 7 \ 8 \ 9 \ 10];
(a)
       mat1 = C*A;
(b)
       mat2 = C*B;
(c)
       mat3 = B*C;
(d)
       mat4 = A*C;
(e)
       mat5 = A*B;
```

```
mat1 = [1 2 3 4; 5 6 7 8];
rvec = [1 \ 2 \ 3]
mat1 = mat1';
mat1(rvec,:) = 2;
mat1(rvec) = 3;
mat1(end,:) = [];
```



```
n = 5;
v1 = (1:n).*(1:n);
v2 = n:-1:1;
v3 = 1:2:n;
vec1 = [v1 \ v2 \ v3];
(A) [1 2 3 4 5 5 4 3 2 1 1 3 5]
```

(C) [1 4 9 16 25 1 2 3 4 5 2 4] (D) [1 4 9 16 25 5 4 3 2 1 1 3 5]

(B) [1 4 6 8 10 5 4 3 2 1 2 4]

```
Char
                                         Char
                                                         Char
v1 = [49 50 49];
                                              66
v2 = 'CIVE';
                                                         C
v3 = 121;
v4 = [67 73 86 69];
v5 = 121';
                                                       105
                                      57
                                                       106
                                                       197
                                                       108
         [v2 v5]
(a)
(b)
         [char(v4) v3]
(c)
         char([v4 v1])
         [v2 char(v3)]
(d)
```

```
char vec org = 'ehs';
char d = double(char vec org);
char d = char d + [-2 1 3];
char vec = char(char d);
char vec(end+1) = 'e';
```



### M02-Q1: Which of the following scripts have errors?

#### Given code

(b)

rvec = [1 2 3 4];cvec = [5; 6; 7; 8];



(a) a = rvec(5)

cvec(5) = 10

(c) cvec(2:4) = rvec

(d) a = [rvec cvec']

(e) b = rvec(2:5)

## M02-Q2: Which of a matrix has a different value compared to the other three?

```
rvec = [1 2 3];
col = [5; 6];

mat1 = [rvec; [4, col']]
mat2 = [rvec; [4; col]']
mat3 = [[1;4] [2;5] [3;6]]
mat4 = [1 2; 3 4; 5 6]
```

### M02-Q3: What value is assigned to mat1?

(b)

(a)

```
mat1 = [1 2 3 4; 5 6 7 8];
mat1 = mat1';
mat1(:, 1) = mat1(:, 2);
mat1([1 2],:) = mat1([2 1],:);
mat1(:, end) = 10;
                                      5
  6
     10
            10
                10
                       10
                           6
  5
     10
             3
                4
                       10
                           15
                                      6
  7
             5
     10
                       10
  8
     10
                8
                       10
                           8
                                  10
                                      10
```

(c)

(d)

# M02-Q4: Which of the following scripts have NO errors?

(e)

mat5 = A\*B;

## M02-Q5: What is a value at mat1(4) after executing this script?

```
mat1 = [1 2 3 4; 5 6 7 8];
rvec = [1 2 3]

mat1 = mat1';
mat1(rvec,:) = 2;
mat1(rvec) = 3;
mat1(end,:) = [];
```

M02-Q6: : What is the array finally assigned to vec1?

```
n = 5;
v1 = (1:n).*(1:n);
v2 = n:-1:1;
v3 = 1:2:n;
vec1 = [v1 v2 v3];
```

- (A) [1 2 3 4 5 5 4 3 2 1 1 3 5]
- (B) [1 4 6 8 10 5 4 3 2 1 2 4]
- (C) [1 4 9 16 25 1 2 3 4 5 2 4]
- (D) [1 4 9 16 25 5 4 3 2 1 1 3 5]

### M02-Q7: Which of the following scripts generating 'CIVE121'?

```
= [49 50 49];
   = 'CIVE';
v3 = 121;
v4 = [67 73 86 69];
                                                    103 g
v5 = 121';
                                                    105 i
                                                    107 k
                                            77
                                                    109 m
(a)
         [v2 v5]
                                            79
                                                    111 0
(b)
         [char(v4) v3]
                                                    115 s
                                               U
                                                    117 u
(c)
        char([v4 v1])
                                                    119 W
                                                    121 y
        [v2 char(v3)]
(d)
                                                     **
```

### M02-Q8: Find a character vector assigned to *char\_vec*.

```
char_vec_org = 'ehs';
char_d = double(char_vec_org);
char_d = char_d + [-2 1 3];

char_vec = char(char_d);
char_vec(end+1) = 'e';
```