

GSN Community Setup Pack: What to Set Up, What It Does, and How to Use It (2026-09-14)

Document date: 2026-09-14

Pack: GSN Community Setup Pack

Authenticity mark: GSN Original Community Setup Material | Source-controlled in gmfn_mvp/docs | Document date: 2026-09-14

Version: verified draft from repository audit on 2026-09-13

GSN is built around a simple truth: the user sets up the real-world basics, then GSN records and presents evidence from what actually happens. GSN does not guarantee a person, approve credit, prove every claim, or replace the judgement of a buyer, community, lender, sponsor, or organisation.

Use this guide in four parts:

- A. What you must set up or create.
- B. What you do only when needed.
- C. What GSN produces or updates automatically.
- D. Advanced opportunity capabilities that become useful after enough foundations, evidence, and permissions exist.

A. What You Must Set Up Or Create

Member account, profile, and personal GSN identity

Status: LIVE. Setup requirement: FOUNDATIONAL_REQUIRED.

Status: LIVE. Behaviour: USER_CONFIGURES_OR_CREATES.

Where to go: Existing Member Sign In; My GSN Identity; Settings.

Before it works: User must create or sign in to an account.

What feeds or creates it: Signup/login record, profile fields, phone/identity evidence where supplied, selected community context.

Empty or stale state: Incomplete profile evidence shows as evidence still building or prompts to complete settings.

Recovery: Return to Profile or Settings, correct fields, repeat verification if asked.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Create community or join existing community

Status: LIVE. Setup requirement: FOUNDATIONAL_REQUIRED.

Status: LIVE. Behaviour: USER_CONFIGURES_OR_CREATES.

Where to go: Community Home; Set up Community Domain; Join marketplace; Owner approvals; Review Join Requests.

Before it works: Signed-in member and invite or owner intent to create.

What feeds or creates it: Community record, invite code/link/QR context, join request, approval votes, selected community.

Empty or stale state: No marketplace communities yet; invite code or join link needed; request may remain pending.

Recovery: Use latest invite link/code, ask owner/admin to review, or return to Community Home/Dashboard.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Community Domain setup and administration

Status: PARTIAL. Setup requirement: FOUNDATIONAL_REQUIRED.

Status: PARTIAL. Behaviour: USER_CONFIGURES_OR_CREATES.

Where to go: Community Domain; Check domain; Create draft; Open my Community Domains; Set up Community Domain.

Before it works: Existing community or owner authority; domain name/template choice.

What feeds or creates it: Domain draft, profile, templates, package quote, setup evidence, governance settings, response channels.

Empty or stale state: Domain can be draft/unavailable; marketplace community may not be linked yet.

Recovery: Check another name, open/create base community first, delegate editor, or return to Community Home.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Community Bulletin / official notice board

Status: LIVE. Setup requirement: OPTIONAL_CONFIGURATION.

Status: LIVE. Behaviour: USER_CONFIGURES_OR_CREATES.

Where to go: Community Bulletin; Bulletin tools; Post; Submit; Contact; Open QR link; Read full notice.

Before it works: Selected community; posting permission according to notice policy.

What feeds or creates it: Community notice events, notice settings, public code, attachments, acknowledgement/availability responses.

Empty or stale state: No active notice or no public bulletin ready; member submission may wait for review.

Recovery: Open Bulletin tools, check policy, submit again with required length, or ask admin to decide.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Shop setup

Status: LIVE. Setup requirement: FOUNDATIONAL_REQUIRED.

Status: LIVE. Behaviour: USER_CONFIGURES_OR_CREATES.

Where to go: Shop Control; Save; WhatsApp number; Manage Products; Analytics.

Before it works: Signed-in member with community membership and shop feature enabled.

What feeds or creates it: Shop/business name, category, description, contact/WhatsApp, community visibility, owner GSN ID.

Empty or stale state: Shop record not ready; open Shop Control first if the shop has not been created.

Recovery: Return to Shop Control, save details, check listing policy, wait for approval if required.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Product/service public blocks and images

Status: LIVE. Setup requirement: FOUNDATIONAL_REQUIRED.

Status: LIVE. Behaviour: USER_CONFIGURES_OR_CREATES.

Where to go: Manage Products; Public Items; Public shop blocks; No vault items yet; Price on request.

Before it works: Shop exists; media meets file rules; public slots available.

What feeds or creates it: Product title, detail, price/currency, category, availability, public/private visibility, image/video media.

Empty or stale state: Empty slot or no media link; public shop hides missing media rather than broken links.

Recovery: Open Shop Assets or Manage Products, replace slot, add media, archive duplicate/old block.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Contact information for shop and DemandBox

Status: LIVE. Setup requirement: FOUNDATIONAL_REQUIRED.

Status: LIVE. Behaviour: USER_CONFIGURES_OR_CREATES.

Where to go: WhatsApp; WhatsApp number; Contact.

Before it works: User consents to show a contact path for shop/request.

What feeds or creates it: WhatsApp number, phone/contact fields, request contact path, owner contact visibility.

Empty or stale state: No WhatsApp/contact path means chat/call action cannot open from that surface.

Recovery: Add or update contact in Shop Control or request details; retry contact action.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Private Vault offers and access links

Status: LIVE. Setup requirement: OPTIONAL_CONFIGURATION.

Status: LIVE. Behaviour: USER_CONFIGURES_OR_CREATES.

Where to go: Private Vault; Create a link; Share access; No private offer is ready yet; No access link is ready yet.

Before it works: Shop and at least one private offer.

What feeds or creates it: Private product/offer records, access-link recipient, expiry/extension/revocation state.

Empty or stale state: No private offer ready or no access link ready.

Recovery: Add private offer first, create access link, extend/revoke as needed.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Free Spotlight publisher

Status: LIVE. Setup requirement: OPTIONAL_CONFIGURATION.

Status: LIVE. Behaviour: USER_CONFIGURES_OR_CREATES.

Where to go: Free Spotlight; Publish; Your Spotlight; Show Spotlight screen; WhatsApp.

Before it works: Shop exists, product/media/message eligible, daily free quota available.

What feeds or creates it: Shop/product details, Spotlight message/body, media, owner identity, eligible owner communities.

Empty or stale state: No live Spotlight for you; last Spotlight ended; quota may be exhausted.

Recovery: Open Spotlight tasks, check media/message, wait for daily quota reset, or use paid route.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Subscription Spotlight and paid Network Repost

Status: PARTIAL. Setup requirement: OPTIONAL_CONFIGURATION.

Status: PARTIAL. Behaviour: USER_CONFIGURES_OR_CREATES.

Where to go: Subscription Spotlight; Spotlight credits; Generate payment code; Copy payment details; Publish Subscription Spotlight; Network Spotlight.

Before it works: Shop/product exists; payment/credit instruction generated and usable credit confirmed.

What feeds or creates it: Paid Spotlight credit bundle, payment instruction, target community, selected public block, credit usage.

Empty or stale state: Publisher: Waiting; active paid Spotlight may already exist; no target community suggestion may be ready.

Recovery: Generate/refresh payment status, pick one public block, check target community ID, wait for credit confirmation.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

B. What You Do Only When Needed

Share public shop, product, Spotlight, or bulletin link

Status: LIVE. Setup requirement: NONE.

Status: LIVE. Behaviour: USER_TRIGGERS_ON_DEMAND.

Where to go: Share; Copy; Copy Bulletin Message; Share to WhatsApp; Open QR link.

Before it works: A public output must already exist.

What feeds or creates it: Already-created public shop/product/Spotlight/bulletin URL and public-safe summary.

Empty or stale state: No public link/output ready.

Recovery: Create or publish the underlying shop/product/notice/Spotlight first, then share again.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

QR and public verification links

Status: LIVE. Setup requirement: NONE.

Status: LIVE. Behaviour: USER_TRIGGERS_ON_DEMAND.

Where to go: QR; TrustSlip Verify; Open QR link; Live ID card.

Before it works: Underlying public record exists and is current.

What feeds or creates it: Invite/public notice/TrustSlip/public shop code or URL.

Empty or stale state: No public QR verification path or expired/stale code.

Recovery: Ask holder/admin to refresh code, resend latest QR/link, or use manual code fallback.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

DemandBox post, response, close, and cancellation

Status: LIVE. Setup requirement: NONE.

Status: LIVE. Behaviour: USER_TRIGGERS_ON_DEMAND.

Where to go: DemandBox; Post demand; Posting...; Open my demand; Open community demand; Fulfilled; Cancelled; Open your DemandBox.

Before it works: Signed-in member and selected community; DemandBox feature enabled.

What feeds or creates it: Demand title, description, community ID, requester GSN ID/contact, status, response path.

Empty or stale state: No community available; no extra detail yet; feature may be off while existing requests remain visible.

Recovery: Create/join a community, add a title if validation responds, reopen DemandBox, or contact requester.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Ask Community through DemandBox

Status: LIVE. Setup requirement: NONE.

Status: LIVE. Behaviour: USER_TRIGGERS_ON_DEMAND.

Where to go: Ask Community; Community question posted in DemandBox; Community Ask; Post a direct need or ask the community first.

Before it works: Signed-in member and selected community; DemandBox enabled.

What feeds or creates it: Question text, community context, category Community Ask, requester/contact path.

Empty or stale state: If community missing, user must create/join first; post button gives validation feedback.

Recovery: Choose community, write question/title, post again, use DemandBox response or contact path.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

TrustSlip generation, sharing, and recipient verification

Status: LIVE. Setup requirement: NONE.

Status: LIVE. Behaviour: USER_TRIGGERS_ON_DEMAND.

Where to go: TrustSlip; TrustSlip Verify; Public Decision Pack; Read evidence; Ask community.

Before it works: Holder has account and enough eligible evidence for requested purpose/context.

What feeds or creates it: Existing eligible identity/community/trust evidence, selected purpose/Decision Pack, public code, validity window.

Empty or stale state: Expired, missing, stale, or not enough evidence; verifier may ask holder to refresh.

Recovery: Holder refreshes/generates current TrustSlip, selects correct purpose, shares latest QR/code/link.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Community confirmation and witness response

Status: PARTIAL. Setup requirement: NONE.

Status: PARTIAL. Behaviour: USER_TRIGGERS_ON_DEMAND.

Where to go: Community Confirmation; Confirm membership; Ask community; Review witnesses.

Before it works: Public TrustSlip/community evidence context and configured response permissions.

What feeds or creates it: TrustSlip/community confirmation request, public token, eligible response pool, witness responses, review case.

Empty or stale state: Request can remain pending or response pool unavailable.

Recovery: Use inbox/policy screens, ask community only when code/response pool ready, review evidence before relying.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Community Domain Bulletin Bridge

Status: LIVE. Setup requirement: NONE.

Status: LIVE. Behaviour: USER_TRIGGERS_ON_DEMAND.

Where to go: Community Domain Bulletin Bridge; Broadcast approved public bulletins.; Copy Bulletin Message; Share to WhatsApp; No public bulletin ready; Output only; No internal tools; No WhatsApp scraping.

Before it works: A public Community Domain bulletin/notice already exists.

What feeds or creates it: Latest already-published public Community Bulletin notice link and public-safe message.

Empty or stale state: No public bulletin ready.

Recovery: Post/approve a public bulletin first, return to bridge, copy message or share manually.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

C. What GSN Produces Or Updates Automatically

GS ID / GSN ID assignment and display

No separate setup is required, but the reading is only meaningful when the feeding records exist.

Status: LIVE. Behaviour: SYSTEM_DERIVES_OR_UPDATES.

Where to go: GSN ID; GSN ID visible; Trust Identity.

Before it works: Account/member record exists and approval/activation produced an ID.

What feeds or creates it: User/community identity records and approval/activation flow.

Empty or stale state: No community ID yet or no GSN ID yet until activation/record creation completes.

Recovery: Complete activation/join approval/profile setup; ask owner/admin if ID not issued.

What it does not prove: it does not prove future behaviour, legal identity, payment release, credit approval, product quality, or organisational approval unless the live record explicitly contains that evidence and the receiving party accepts it.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Shop Control automatic status and owner board

No separate setup is required, but the reading is only meaningful when the feeding records exist.

Status: LIVE. Behaviour: SYSTEM_DERIVES_OR_UPDATES.

Where to go: Shop Control; Analytics; Public Items; Vault; Spotlights; Followers; Shared links; Visitors; Product opens; Contact taps.

Before it works: Shop exists; richer reading needs activity.

What feeds or creates it: Shop, product slots, Vault offers, Spotlight state, follower count, share/attention events, trade records.

Empty or stale state: No active spotlight; no followers yet; no tracked share action yet; no source breakdown yet.

Recovery: Create public items, publish/share, wait for activity, then reopen Analytics; correct source records in owning feature.

What it does not prove: it does not prove future behaviour, legal identity, payment release, credit approval, product quality, or organisational approval unless the live record explicitly contains that evidence and the receiving party accepts it.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Business Analytics and Advanced Analytics snapshot

No separate setup is required, but the reading is only meaningful when the feeding records exist.

Status: PARTIAL. Behaviour: SYSTEM_DERIVES_OR_UPDATES.

Where to go: Business Analytics; Advanced Analytics; Market Intelligence; Advanced Analytics snapshot; Evidence first, next test second; Contact taps.

Before it works: Shop and some measurable activity; advanced reading becomes useful as evidence grows.

What feeds or creates it: Shop activity, Spotlight, DemandBox, trade evidence, follower notices, selected community context.

Empty or stale state: Gathering data; no protected trade record; no source breakdown; no tracked share action.

Recovery: Publish/share/post demand, record outcomes, close loops, then recheck; do not treat early readings as proof.

What it does not prove: it does not prove future behaviour, legal identity, payment release, credit approval, product quality, or organisational approval unless the live record explicitly contains that evidence and the receiving party accepts it.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Market Wisdom

No separate setup is required, but the reading is only meaningful when the feeding records exist.

Status: LIVE. Behaviour: SYSTEM_DERIVES_OR_UPDATES.

Where to go: Market Wisdom; Your Market Wisdom; Market; GSN; Guide; Now.

Before it works: None for public insight; signed-in context improves smart fallback.

What feeds or creates it: Public/backend daily insight, local fallback weighted by identity, support pressure, unread activity, trust pressure, Spotlight and time of day.

Empty or stale state: Backend insight can fall back to local smart wisdom; no proof/guarantee implied.

Recovery: Refresh Dashboard, check backend route/connectivity, use Focus Commitments when relevant.

What it does not prove: it does not prove future behaviour, legal identity, payment release, credit approval, product quality, or organisational approval unless the live record explicitly contains that evidence and the receiving party accepts it.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

TrustEvents and TrustTimeline

No separate setup is required, but the reading is only meaningful when the feeding records exist.

Status: LIVE. Behaviour: SYSTEM_DERIVES_OR_UPDATES.

Where to go: Trust Events; Latest event context; TrustTimeline; Admin Trust Events.

Before it works: Actions/evidence must be recorded by live features or authorized admin/manual event paths.

What feeds or creates it: Recorded community, support, repayment, confirmation, shop/trade, focus, and admin-reviewed evidence events.

Empty or stale state: No trust events yet or no recent event visible yet.

Recovery: Record real activity in owning feature, ask admin/reviewer to correct authorized evidence, or use Identity/Trust recovery.

What it does not prove: it does not prove future behaviour, legal identity, payment release, credit approval, product quality, or organisational approval unless the live record explicitly contains that evidence and the receiving party accepts it.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

TrustPassport

No separate setup is required, but the reading is only meaningful when the feeding records exist.

Status: LIVE. Behaviour: SYSTEM_DERIVES_OR_UPDATES.

Where to go: Trust Passport; Open Trust Passport; fuller personal/private record.

Before it works: Member account and real recorded evidence.

What feeds or creates it: Identity, membership, TrustEvents, community confirmations, repayment/support and evidence-pack summaries.

Empty or stale state: No trust events yet or evidence still building.

Recovery: Correct source evidence, add missing confirmation/identity records, wait for refresh, or use TrustSlip refresh for public proof.

What it does not prove: it does not prove future behaviour, legal identity, payment release, credit approval, product quality, or organisational approval unless the live record explicitly contains that evidence and the receiving party accepts it.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

TrustGraph and Trust Analytics admin views

No separate setup is required, but the reading is only meaningful when the feeding records exist.

Status: ADMIN_ONLY. Behaviour: SYSTEM_DERIVES_OR_UPDATES.

Where to go: Trust Graph; Trust Analytics.

Before it works: Admin/platform permission and existing evidence.

What feeds or creates it: TrustEvents, community/member relationships, exposure/analytics records.

Empty or stale state: No relationship/evidence data yet or admin access unavailable.

Recovery: Use admin Command Center after permission; correct source events instead of editing graph interpretation directly.

What it does not prove: it does not prove future behaviour, legal identity, payment release, credit approval, product quality, or organisational approval unless the live record explicitly contains that evidence and the receiving party accepts it.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Notifications and phone Web Push

No separate setup is required, but the reading is only meaningful when the feeding records exist.

Status: PARTIAL. Behaviour: SYSTEM_DERIVES_OR_UPDATES.

Where to go: Notifications; Action Inbox; Web Push.

Before it works: Browser/device permits notifications and production push environment is configured.

What feeds or creates it: Notice board events, notification rows, service worker subscription, configured push keys, device permission.

Empty or stale state: Notification rows may exist while phone sound/vibration does not happen if browser permission/config missing.

Recovery: Install/permit PWA/browser notifications, verify environment keys, open Action Inbox fallback.

What it does not prove: it does not prove future behaviour, legal identity, payment release, credit approval, product quality, or organisational approval unless the live record explicitly contains that evidence and the receiving party accepts it.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

D. Advanced Opportunity Capabilities

Opportunity / Market Intelligence capability

No separate setup is required for a standalone engine. This capability appears from existing GSN records when the foundations, evidence, and permissions are present.

Status: EXPERIMENTAL. Behaviour: CONDITIONALLY_UNLOCKED.

Where to go: Opportunity Engine / Market Intelligence; Advanced Analytics snapshot; Opportunity reading; Recommended next move; Ask Community; Open DemandBox.

Before it works: Foundational shop/community/evidence setup plus enough activity and permission to read it.

What feeds or creates it: Shop, I Can Help With/capability signals where available, DemandBox needs, Ask Community, Spotlight attention, Repost, Shop Control analytics, Market Wisdom, trust/evidence context.

Empty or stale state: Advanced Analytics shows gathering-data/evidence-first states and blocks wider guidance until records exist.

Recovery: Add a real offer, publish/share, post or answer DemandBox items, close outcomes, and recheck after evidence grows.

What it does not prove: it does not prove future behaviour, legal identity, payment release, credit approval, product quality, or organisational approval unless the live record explicitly contains that evidence and the receiving party accepts it.

Result measurement: watch product opens, contact taps, followers, DemandBox responses, fulfilled/cancelled requests, trade evidence, and repeated engagement.

Boundary: GSN presents evidence or an action outcome. The receiving person or organisation still decides.

Quick Recovery Guide

| Problem | First place to check | What to do next |

|---|---|---|

| No community | Community Home / Join Existing Community | Create or join a community, then retry the feature. |

| Shop not ready | Shop Control | Save shop details and contact path before products or Spotlight. |

| Product/media missing | Shop Assets / Manage Products | Add or replace the product block and media. |

| No public bulletin ready | Community Bulletin / Bulletin Bridge | Post or approve a public bulletin first. |

| DemandBox not posting | DemandBox | Choose community, add required title/question, check feature policy. |

| TrustSlip stale or expired | TrustSlip | Refresh/generate a new current TrustSlip and share the latest code or QR. |

| Analytics feels empty | Shop Control Analytics | Create/share/publish/close real activity, then recheck after responses. |

Screenshots

The screenshot manifest is stored at `GSN\_SCREENSHOT\_MANIFEST.md`. Screenshots use mocked demo records and are safe for demonstration without production data.

Final Evidence Boundary

GSN is an evidence and action system. It helps people set up real records, take structured actions, and show public-safe evidence. It does not secretly decide who is trustworthy. The final decision always belongs to the buyer, community, lender, sponsor, verifier, or organisation receiving the evidence.

GSN ORIGINAL | 2026-09-14

Scan to download this GSN article

What to Set Up, What It Does, and How to Use It



For: Leaders, admins and members

https://raw.githubusercontent.com/chumanwafor216-svg/gmfn-mvp/main/docs/gsn-user-guide/GSN_SELF_SERVICE_USER_GUIDE.pdf

QR access depends on the file being publicly reachable or shared through an approved public mirror.

GSN ORIGINAL | 2026-09-14