CPP 程式設計題

命題者:Zen						
題目	名稱(中文/英文):找點 / Where	is p	oint			
主要	·測試觀念: Structures					
	Basics		Functions			
	C++ BASICS 1		SEPARATE COMPILATION AND NAMESPACES			
	FLOW OF CONTROL		STREAMS AND FILE I/O			
	FUNCTION BASICS		RECURSION			
	PARAMETERS AND OVERLOADING		INHERITANCE			
	ARRAYS		POLYMORPHISM AND VIRTUAL FUNCTIONS			
	STRUCTURES AND CLASSES		TEMPLATES			
	CONSTRUCTORS AND OTHER TOOLS		LINKED DATA STRUCTURES			
	OPERATOR OVERLOADING, FRIENDS, AND REFERENCES		EXCEPTION HANDLING			
	STRINGS		STANDARD TEMPLATE LIBRARY			
	POINTERS AND DYNAMIC ARRAYS		PATTERNS AND UML			

題目說明:

數學習作上要同學計算點分別落在哪些圖形面積中,小明很懶,不想動手算,請你幫他寫一個程式,輸入圖形和點的資訊後,就能得到答案。(點和圖形的數量皆小於 20 個)

輸入說明:

第一行,輸入圖形的數量 n。

接著為 n 行圖形資訊, 一行一個:

矩形為(r x1 y1 x2 y2),用空白隔開,r 代表矩形,矩形的左上座標為(x1,y1),右下座標為(x2,y2);圓形為(c x y R),用空白隔開,c 代表圓形,圓心座標為(x,y),圓半徑為 R。

再來,輸入點的數量 m。

接著為 m 行點的資訊,一行一個:輸入(X V),代表該點的座標。

輸出說明:

輸出該點落於第幾個圖形中,格式如 Sample Output,順序為點輸入的順序。 若該點落在圖形的邊上,也算落在圖形中。

IO 範例:

	Sample Input	Sample Output
	6	Point (2, 2) is contained in figure 3
	r 8. 5 17. 0 25. 5 -8. 5	Point (4.7, 5.3) is contained in figure 3
	c 20. 2 7. 3 5. 8	Point (4.7, 5.3) is contained in figure 5
	r 0.0 10.3 5.5 0.0	Point (6.9, 11.2) is contained in figure 5
第一組	c -5.0 -5.0 3.7	Point (6.9, 11.2) is contained in figure 6
	r 2.5 12.5 12.5 2.5	Point (20, 20) is not contained in any figure
	c 5. 0 15. 0 7. 2	Point (17.6, 3.2) is contained in figure 1
	6	Point (17.6, 3.2) is contained in figure 2
	2. 0 2. 0	Point (-5.2, -7.8) is contained in figure 4

	4. 7 5. 3 6. 9 11. 2 20. 0 20. 0 17. 6 3. 2 -5. 2 -7. 8	
第二組	3 1	Point (1, 1) is contained in figure 1 Point (2, 2) is contained in figure 1 Point (3, 3) is not contained in any figure

附屬資料:

☑解答程式:source.cpp

☑測試資料: input. txt, output. txt

■ 易,僅需用到基礎程式設計語法與結構

□中,需用到多項程式設計語法與結構

□難, 需用到多項程式結構或較為複雜之資料型態或結構

解題時間:10分鐘。

其他註記:

要能接受多組輸入。不用考慮圖形資訊會有錯誤的狀況。