

No.	CUSTOMER	CODE	Physical test of cord											
			Tensile Strength	Elongation at break	Elongation at load	Shrinkage force%	Adhesion force (Peel)	Shrinkage	Twisting Number	Thickness	Denier	Moisture regain	RPU	TSC%
1	BMT	9A-0663L	N3	N3	N3	N1		N3	N3	N3	N1	N1		
		9A-1100L	N3	N3	N3	N1		N3	N3	N3	N1	N1		
		9H-0663L	N3	N3	N3	N1		N3	N3	N3	N1	N1		
		9H-0663SL	N3	N3	N3	N1		N3	N3	N3	N1	N1		
		R10023	N3	N3	N3			N3	N3	N3	N3	N1		
2	Nichirin	4673	N3	N3	N3			N3	N3	N3	N1	N1	N1	N2
		8335	N3	N3	N3			N3	N3	N3	N1	N1	N1	N2
		P1800NB	N3	N3	N3			N3	N3	N3	N1	N1	N1	N2
		P1671N	N3	N3	N3			N3	N3	N3	N1	N1	N1	N2
3	Teitogomu	H1002T	N3	N3	N3			N3	N3	N3	N1	N1		
4	Flexitech	P1100ZFT	N3	N3	N3			N3	N3	N3	N1	N1	N1	N2
5	Bridgestone	KT3S94	N3	N3	N3		N2	N3	N3	N3	N1	N1	N1	N2
		KT3S71	N3	N3	N3		N2	N3	N3	N3	N1	N1	N1	N2
		KT3R16	N3	N3	N3		N2	N3	N3	N3	N1	N1	N1	N2
6	Kosen	P1501T	N3	N3	N3			N3	N3	N3	N1	N1	N1	N2
		P1671T	N3	N3	N3			N3	N3	N3	N1	N1	N1	N2
		H1501T	N3	N3	N3			N3	N3	N3	N1	N1		
		H1671T	N3	N3	N3			N3	N3	N3	N1	N1		
		P1671TT	N3	N3	N3			N3	N3	N3	N1	N1	N1	N2
		P1100TT	N3	N3	N3			N3	N3	N3	N1	N1	N1	N2
		P1670T1R	N3	N3	N3			N3	N3	N3	N1	N1	N1	N2
7	TGRH	P1402TRH	N3	N3	N3			N3	N3	N3	N1	N1	N1	N2