

Java for beginners

## Assignment-14



Saurabh Shukla (MySirG)

Q.1

```
public class Main {
```

```
    public static void main(String[] args) {
```

```
        Person p1 = new Person();
```

```
        p1.setName("Rahul");
```

```
        p1.setAge(35);
```

```
    }
```

```
}
```

```
class Person {
```

```
    private String name;
```

```
    private int age;
```

```
    public  
        setters  
        getters
```

```
}
```

Q. 2

helloworld.java

```
package P1;
```

```
public class HelloWorld {  
    public static void main(String[] args) {
```

```
    }
```

```
}
```

```
class A1 {
```

```
}
```

X.java

```
package P1;
```

```
class B1 {
```

```
    public void f1() {  
    }
```

```
}
```

```
class B2 {
```

```
    public void f2() {  
    }
```

```
}
```


Q.3

```
package P1;  
public class Main {  
    p.s.v.m (String[] args) {  
        Circle c1 = new Circle();  
        c1.setRadius(5);  
        s.o.p(c1.area());  
        s.o.p(c1.circumference());  
    }  
}
```

```
package P1;  
class Circle {  
    private int radius;  
    setters  
    getters  
    public double area() {  
        return 3.14 * radius * radius;  
    }  
    public double circumference() {  
        return 2 * 3.14 * radius;  
    }  
}
```

Q.4

Main



Employee



