```
pointer:0x7f3adf928010
SgSourceFile
root node
SgNode* p_parent : 0x22a6080
```

```
bool p isModified: 1
bool p containsTransformation: 0
Sq File Info* p startOfConstruct: 0x7f3aeb3e7080
SgStringList p_originalCommandLineArgumentList: [pdfGenerator, -c, empty_package.ads]
int p_verbose: 0
bool p_output_warnings: 0
bool p_C_only: 0
bool p_Cxx_only: 0
bool p Fortran only: 0
bool p_CoArrayFortran_only: 0
int p upc threads: 0
bool p_Java_only: 0
bool p_Jovial_only: 0
bool p X10 only: 0
bool p_PHP_only: 0
bool p Python only: 0
bool p_Cuda_only: 0
bool p_OpenCL_only: 0
bool p_Csharp_only: 0
bool p_Ada_only: 1
bool p Cobol only: 0
bool p_requires_C_preprocessor: 0
bool p binary only: 0
SgFile::outputFormatOption enum p inputFormat: 2
SgFile::outputFormatOption_enum p_outputFormat : 2
SgFile::outputFormatOption_enum p_backendCompileFormat : 2
bool p_fortran_implicit_none: 0
bool p_openmp: 0
bool p_openmp_parse_only: 1
bool p_openmp_ast_only: 0
bool p openmp lowering: 0
bool p_openacc: 0
bool p_openacc_parse_only: 0
bool p_openacc_ast_only: 0
bool p_cray_pointer_support: 0
bool p_failsafe: 0
bool p_output_parser_actions: 0
bool p_exit_after_parser : 0
bool p_skip_syntax_check: 0
bool p skip parser: 0
bool p_relax_syntax_check: 0
bool p_skip_translation_from_edg_ast_to_rose_ast: 0
bool p_skip_transformation: 0
bool p_skip_unparse: 0
bool p skipfinalCompileStep: 0
bool p_unparse_includes: 0
bool p_unparse_line_directives: 0
bool p_unparse_function_calls_using_operator_syntax: 0
bool p_unparse_function_calls_using_operator_names: 0
bool p unparse instruction addresses: 1
bool p_unparse_raw_memory_contents: 1
bool p unparse binary file format: 1
SgFile::languageOption_enum p_outputLanguage : 12
SgFile::languageOption_enum p_inputLanguage : 12
std::string p_sourceFileNameWithPath:/home/liao6/workspace/ada-to-cpp-FY21/rose-ast/ada/empty_package.ads
std::string p_sourceFileNameWithoutPath : empty_package.ads
std::string p_unparse_output_filename :
std::string p_objectFileNameWithPath:
std::string p_objectFileNameWithoutPath:
bool p useBackendOnly: 0
```

pointer:0x7f3aeb35e128 SgGlobal /home/liao6/workspace/ada-to-cpp-FY21/rose-ast/ada/empty_package.ads 0:0 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

```
SgNode* p_parent : 0x7f3adf928010
bool p_isModified: 1
bool p_containsTransformation: 0
Sg_File_Info* p_startOfConstruct : 0x7f3aeb3e70f0
Sg_File_Info* p_endOfConstruct : 0x7f3aeb3e7160
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_containsTransformationToSurroundingWhitespace: 0
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 0
SgSymbolTable* p_symbol_table: 0x7f3aeb308170
SgTypeTable* p_type_table: 0x22e0b08
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgPragma* p_pragma: 0
SgDeclarationStatementPtrList p_declarations : [0x7f3adf384010]
```

pointer:0x7f3adf384010 SgAdaPackageSpecDecl Empty_Package.ads 1:1 IsTransformation:0 IsOutputInCodeGeneration:1

Declaration mangled name: ada\$pkg\$Empty_Package

Click here to go to the parent node

SgName p_name : Empty_Package

SgAdaPackageSpec* p_definition: 0x7f3adf89b130 SgScopeStatement* p_scope : 0x7f3aeb35e128

```
SgNode* p_parent : 0x7f3aeb35e128
bool p_isModified: 1
bool p_containsTransformation: 0
Sg_File_Info* p_startOfConstruct : 0x7f3aeb3e7860
Sg_File_Info* p_endOfConstruct : 0x7f3aeb3e78d0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p containsTransformationToSurroundingWhitespace: 0
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 1
unsigned int p_decl_attributes: 0
std::string p_linkage:
SgDeclarationModifier p_declarationModifier: <too long>: <too long>: SgDeclarationModifier(isUnknown() = false isDefault() = true isFrien
bool p_nameOnly: 0
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p_definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0x7f3adf384010
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label :
SgDeclarationScope* p_declarationScope : 0
```

pointer:0x7f3adf89b130 SgAdaPackageSpec transformation 0:0 IsTransformation:1 IsOutputInCodeGeneration:1

Click here to go to the parent node

```
SgNode* p_parent : 0x7f3adf384010
bool p isModified: 1
bool p_containsTransformation: 0
Sg_File_Info* p_startOfConstruct : 0x7f3aeb3e75c0
Sg_File_Info* p_endOfConstruct : 0x7f3aeb3e7630
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_containsTransformationToSurroundingWhitespace: 0
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 2
SgSymbolTable* p_symbol_table: 0x7f3aeb3084e0
SgTypeTable* p_type_table: 0x22e0b80
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgPragma* p_pragma: 0
SgAdaPackageBody* p_body: 0
SgDeclarationStatementPtrList p_declarations : []
```