




SCEC TPV12: Nitsche p=3 200 m (Vista 1098312), Nitsche p=2 200 m (Vista 1098311), Nitsche p=1 100 m (Vista 1086893)
minus DRDG3D at the 10 on-fault stations (blue = early / low)




























SCEC TPV12: dip slip rate at the 10 on-fault stations (rows: x3; columns: x2 = 0 / 4.5 / 12 km)
























DRDG3D — Nitsche p=1 100 m (Vista 1086893) — Nitsche p=2 200 m (Vista 1098311) — Nitsche p=3 200 m (Vista 1098312)


SCEC TPV12 station x2_0_x3_0 (x2 0 km, x3 0 km)
Nitsche p=3 200 m (Vista 1098312) vs DRDG3D: arrival -0.015 s, final slip -0.08 %, peak slip rate -6.1 %















DRDG3D Nitsche p=1 100 m (Vista 1086893) Nitsche p=2 200 m (Vista 1098311) Nitsche p=3 200 m (Vista 1098312)

SCEC TPV12 station x2_4.5_x3_0 (x2 4.5 km, x3 0 km)
Nitsche p=3 200 m (Vista 1098312) vs DRDG3D: arrival -0.009 s, final slip -0.01 %, peak slip rate -3.9 %



SCEC TPV12 station x2_12_x3_0 (x2 12 km, x3 0 km)
Nitsche p=3 200 m (Vista 1098312) vs DRDG3D: arrival -0.003 s, final slip -0.00 %, peak slip rate -1.5 %

(a) dip slip rate (m/s)

(b) dip slip rate (m/s), DRDG3D arrival 3.124 s -0.5 / +2.5 s

(c) dip slip (m)

time (s)

(d) dip shear stress (MPa)

(e) normal stress, compression positive (MPa), autoscaled

(f) strike slip rate (m/s), autoscaled


time (s)

time (s)


DRDG3D
Nitsche p=1 100 m (Vista 1086893)
Nitsche p=2 200 m (Vista 1098311)
Nitsche p=3 200 m (Vista 1098312)

SCEC TPV12 station x2_0_x3_1.5 (x2 0 km, x3 1.5 km)
Nitsche p=3 200 m (Vista 1098312) vs DRDG3D: arrival -0.009 s, final slip +0.06 %, peak slip rate -2.3 %


(a) dip slip rate (m/s)



(b) dip slip rate (m/s), DRDG3D arrival 1.962 s -0.5 / +2.5 s




(c) dip slip (m)




time (s)


(d) dip shear stress (MPa)



(e) normal stress, compression positive (MPa), autoscaled





(f) strike slip rate (m/s), autoscaled




DRDG3D Nitsche p=1 100 m (Vista 1086893) Nitsche p=2 200 m (Vista 1098311) Nitsche p=3 200 m (Vista 1098312)


SCEC TPV12 station x2_0_x3_3 (x2 0 km, x3 3 km)
Nitsche p=3 200 m (Vista 1098312) vs DRDG3D: arrival -0.002 s, final slip -0.02 %, peak slip rate -1.8 %









time (s)









DRDG3D
Nitsche p=1 100 m (Vista 1086893)
Nitsche p=2 200 m (Vista 1098311)
Nitsche p=3 200 m (Vista 1098312)

SCEC TPV12 station x2_0_x3_4.5 (x2 0 km, x3 4.5 km)
Nitsche p=3 200 m (Vista 1098312) vs DRDG3D: arrival -0.001 s, final slip -0.01 %, peak slip rate -2.6 %


(a) dip slip rate (m/s)



(b) dip slip rate (m/s), DRDG3D arrival 1.431 s -0.5 / +2.5 s




(c) dip slip (m)




time (s)


(d) dip shear stress (MPa)



(e) normal stress, compression positive (MPa), autoscaled




(f) strike slip rate (m/s), autoscaled



DRDG3D Nitsche p=1 100 m (Vista 1086893) Nitsche p=2 200 m (Vista 1098311) Nitsche p=3 200 m (Vista 1098312)

SCEC TPV12 station x2_0_x3_7.5 (x2 0 km, x3 7.5 km)
Nitsche p=3 200 m (Vista 1098312) vs DRDG3D: arrival +0.007 s, final slip -0.02 %, peak slip rate -1.7 %



SCEC TPV12 station x2_4.5_x3_7.5 (x2 4.5 km, x3 7.5 km)
Nitsche p=3 200 m (Vista 1098312) vs DRDG3D: arrival +0.003 s, final slip -0.21 %, peak slip rate +1.2 %

(a) dip slip rate (m/s)

(b) dip slip rate (m/s), DRDG3D arrival 1.361 s -0.5 / +2.5 s

(c) dip slip (m)

time (s)

(d) dip shear stress (MPa)

(e) normal stress, compression positive (MPa), autoscaled

(f) strike slip rate (m/s), autoscaled


time (s)

time (s)


DRDG3D
Nitsche p=1 100 m (Vista 1086893)
Nitsche p=2 200 m (Vista 1098311)
Nitsche p=3 200 m (Vista 1098312)

SCEC TPV12 station x2_12_x3_7.5 (x2 12 km, x3 7.5 km)
Nitsche p=3 200 m (Vista 1098312) vs DRDG3D: arrival -0.090 s, final slip -0.36 %, peak slip rate -13.2 %


(a) dip slip rate (m/s)



(b) dip slip rate (m/s), DRDG3D arrival 3.703 s -0.5 / +2.5 s




(c) dip slip (m)




time (s)


(d) dip shear stress (MPa)



(e) normal stress, compression positive (MPa), autoscaled




(f) strike slip rate (m/s), autoscaled




DRDG3D
Nitsche p=1 100 m (Vista 1086893)
Nitsche p=2 200 m (Vista 1098311)
Nitsche p=3 200 m (Vista 1098312)

SCEC TPV12 station x2_0_x3_12 (x2 0 km, x3 12 km)
Nitsche p=3 200 m (Vista 1098312) vs DRDG3D: arrival -0.000 s, final slip +0.25 %, peak slip rate +1.3 %


(a) dip slip rate (m/s)



(b) dip slip rate (m/s), DRDG3D arrival 0.000 s -0.5 / +2.5 s




(c) dip slip (m)




time (s)


(d) dip shear stress (MPa)



(e) normal stress, compression positive (MPa), autoscaled



(f) strike slip rate (m/s), autoscaled



DRDG3D Nitsche p=1 100 m (Vista 1086893) Nitsche p=2 200 m (Vista 1098311) Nitsche p=3 200 m (Vista 1098312)