
SCEC TPV31: p = 3 (Vista 1096106), p = 2 (Vista 1096105), p = 1 gold (Vista 1085893) minus SeisSol at the 30 on-fault stations (blue = early / low)



SCEC TPV31 station x2_0_x3_0 (strike 0 km, depth 0 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.039 s, final slip -0.48 %, peak slip rate -0.6 %
p = 2 (Vista 1096105) vs SeisSol: arrival +0.018 s, final slip -0.52 %, peak slip rate +1.9 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.029 s, final slip -0.12 %, peak slip rate -6.3 %

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), SeisSol arrival 3.817 s -0.5 / +2.5 s

(c) strike slip (m)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa)

(f) shear / normal stress

time (s)

time (s)

time (s)

SeisSol
EQdyna
p = 1 gold (Vista 1085893)
p = 2 (Vista 1096105)
p = 3 (Vista 1096106)

SCEC TPV31 station x2_0_x3_0.2 (strike 0 km, depth 0.2 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.009 s, final slip -0.16 %, peak slip rate -11.5 %
p = 2 (Vista 1096105) vs SeisSol: arrival +0.032 s, final slip -0.30 %, peak slip rate +10.7 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.024 s, final slip +0.10 %, peak slip rate +5.2 %

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), SeisSol arrival 3.710 s -0.5 / +2.5 s

(c) strike slip (m)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa)

(f) shear / normal stress


time (s)

time (s)


time (s)

SeisSol EQdyna p = 1 gold (Vista 1085893) p = 2 (Vista 1096105) p = 3 (Vista 1096106)


SCEC TPV31 station x2_0_x3_0.5 (strike 0 km, depth 0.5 km)
p = 3 (Vista 1096106) vs SeisSol: arrival +0.036 s, final slip -0.17 %, peak slip rate +2.2 %
p = 2 (Vista 1096105) vs SeisSol: arrival +0.001 s, final slip -0.08 %, peak slip rate -0.1 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.068 s, final slip +0.29 %, peak slip rate -8.0 %



SCEC TPV31 station x2_0_x3_1 (strike 0 km, depth 1 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.005 s, final slip -0.90 %, peak slip rate +3.4 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.011 s, final slip -0.96 %, peak slip rate +5.5 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.093 s, final slip -0.76 %, peak slip rate -18.0 %



SCEC TPV31 station x2_0_x3_2.4 (strike 0 km, depth 2.4 km)
p = 3 (Vista 1096106) vs SeisSol: arrival +0.005 s, final slip -0.29 %, peak slip rate +0.6 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.002 s, final slip -0.39 %, peak slip rate -4.5 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.040 s, final slip -0.51 %, peak slip rate -19.0 %



SCEC TPV31 station x2_0_x3_3 (strike 0 km, depth 3 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.017 s, final slip -0.75 %, peak slip rate -2.8 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.012 s, final slip -0.80 %, peak slip rate -2.5 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.026 s, final slip -0.88 %, peak slip rate -20.4 %

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), SeisSol arrival 2.096 s -0.5 / +2.5 s

(c) strike slip (m)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa)

(f) shear / normal stress

time (s)

SeisSol EQdyna p = 1 gold (Vista 1085893) p = 2 (Vista 1096105) p = 3 (Vista 1096106)

SCEC TPV31 station x2_0_x3_5 (strike 0 km, depth 5 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.010 s, final slip -0.02 %, peak slip rate +2.5 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.024 s, final slip -0.11 %, peak slip rate +6.3 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.056 s, final slip -0.56 %, peak slip rate -13.6 %

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), SeisSol arrival 1.024 s -0.5 / +2.5 s

(c) strike slip (m)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa)

(f) shear / normal stress


time (s)


time (s)

time (s)


SeisSol
EQdyna
p = 1 gold (Vista 1085893)
p = 2 (Vista 1096105)
p = 3 (Vista 1096106)


SCEC TPV31 station x2_0_x3_7.5 (strike 0 km, depth 7.5 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.005 s, final slip -1.67 %, peak slip rate +0.7 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.005 s, final slip -1.79 %, peak slip rate +0.7 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.005 s, final slip -3.26 %, peak slip rate -6.9 %


















SeisSol
EQdyna
p = 1 gold (Vista 1085893)
p = 2 (Vista 1096105)
p = 3 (Vista 1096106)


SCEC TPV31 station x2_0_x3_10 (strike 0 km, depth 10 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.003 s, final slip -1.59 %, peak slip rate -6.2 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.005 s, final slip -1.75 %, peak slip rate -4.1 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.020 s, final slip -2.84 %, peak slip rate -18.3 %
















SeisSol
EQdyna
p = 1 gold (Vista 1085893)
p = 2 (Vista 1096105)
p = 3 (Vista 1096106)


SCEC TPV31 station x2_0_x3_12 (strike 0 km, depth 12 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.045 s, final slip -0.45 %, peak slip rate -2.4 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.005 s, final slip -1.46 %, peak slip rate +5.1 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.067 s, final slip -2.97 %, peak slip rate -11.1 %




SCEC TPV31 station x2_6_x3_0 (strike 6 km, depth 0 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.015 s, final slip -0.34 %, peak slip rate +2.9 %
p = 2 (Vista 1096105) vs SeisSol: arrival +0.017 s, final slip -0.49 %, peak slip rate +0.6 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.075 s, final slip -0.82 %, peak slip rate -25.3 %





SCEC TPV31 station x2_6_x3_0.2 (strike 6 km, depth 0.2 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.003 s, final slip +0.34 %, peak slip rate -8.2 %
p = 2 (Vista 1096105) vs SeisSol: arrival +0.015 s, final slip +0.18 %, peak slip rate +4.1 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.117 s, final slip +0.21 %, peak slip rate -11.2 %





SCEC TPV31 station x2_6_x3_0.5 (strike 6 km, depth 0.5 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.008 s, final slip +0.21 %, peak slip rate -0.2 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.002 s, final slip -0.07 %, peak slip rate -0.0 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.174 s, final slip +0.04 %, peak slip rate +0.2 %




















SCEC TPV31 station x2_6_x3_1 (strike 6 km, depth 1 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.009 s, final slip +0.19 %, peak slip rate +7.0 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.023 s, final slip +0.02 %, peak slip rate -1.9 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.157 s, final slip -0.13 %, peak slip rate -28.9 %





SCEC TPV31 station x2_6_x3_2.4 (strike 6 km, depth 2.4 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.001 s, final slip -0.25 %, peak slip rate -0.0 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.072 s, final slip -0.38 %, peak slip rate -3.5 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.149 s, final slip -0.87 %, peak slip rate -28.9 %














SCEC TPV31 station x2_6_x3_3 (strike 6 km, depth 3 km)
p = 3 (Vista 1096106) vs SeisSol: arrival +0.006 s, final slip -0.09 %, peak slip rate -1.8 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.002 s, final slip -0.42 %, peak slip rate -9.3 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.206 s, final slip -0.81 %, peak slip rate -29.3 %

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), SeisSol arrival 3.291 s -0.5 / +2.5 s

(c) strike slip (m)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa)

(f) shear / normal stress


time (s)

time (s)


time (s)

SeisSol EQdyna p = 1 gold (Vista 1085893) p = 2 (Vista 1096105) p = 3 (Vista 1096106)

SCEC TPV31 station x2_6_x3_5 (strike 6 km, depth 5 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.003 s, final slip -0.46 %, peak slip rate -0.1 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.012 s, final slip -0.61 %, peak slip rate -5.4 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.102 s, final slip -1.16 %, peak slip rate -18.4 %



SCEC TPV31 station x2_6_x3_7.5 (strike 6 km, depth 7.5 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.007 s, final slip -0.54 %, peak slip rate -2.4 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.013 s, final slip -0.92 %, peak slip rate -5.8 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.109 s, final slip -1.50 %, peak slip rate -23.2 %



SCEC TPV31 station x2_6_x3_10 (strike 6 km, depth 10 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.008 s, final slip -1.09 %, peak slip rate -1.6 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.010 s, final slip -1.35 %, peak slip rate -1.0 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.059 s, final slip -2.41 %, peak slip rate -17.3 %

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), SeisSol arrival 3.008 s -0.5 / +2.5 s

(c) strike slip (m)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa)

(f) shear / normal stress

time (s)

SeisSol
EQdyna
p = 1 gold (Vista 1085893)
p = 2 (Vista 1096105)
p = 3 (Vista 1096106)

SCEC TPV31 station x2_6_x3_12 (strike 6 km, depth 12 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.019 s, final slip -1.02 %, peak slip rate -2.6 %
p = 2 (Vista 1096105) vs SeisSol: arrival +0.001 s, final slip -2.06 %, peak slip rate -5.1 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.077 s, final slip -3.41 %, peak slip rate -20.1 %

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), SeisSol arrival 3.608 s -0.5 / +2.5 s

(c) strike slip (m)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa)

(f) shear / normal stress


time (s)

time (s)


time (s)

SeisSol
EQdyna
p = 1 gold (Vista 1085893)
p = 2 (Vista 1096105)
p = 3 (Vista 1096106)


SCEC TPV31 station x2_12_x3_0 (strike 12 km, depth 0 km)
p = 3 (Vista 1096106) vs SeisSol: arrival +0.009 s, final slip -0.76 %, peak slip rate -2.0 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.002 s, final slip -1.59 %, peak slip rate -17.0 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.138 s, final slip -4.82 %, peak slip rate -25.6 %




SCEC TPV31 station x2_12_x3_0.2 (strike 12 km, depth 0.2 km)
p = 3 (Vista 1096106) vs SeisSol: arrival +0.010 s, final slip -0.38 %, peak slip rate -3.5 %
p = 2 (Vista 1096105) vs SeisSol: arrival +0.007 s, final slip -1.14 %, peak slip rate -17.4 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.181 s, final slip -3.09 %, peak slip rate -25.4 %





SCEC TPV31 station x2_12_x3_0.5 (strike 12 km, depth 0.5 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.007 s, final slip +0.11 %, peak slip rate -2.5 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.010 s, final slip -1.14 %, peak slip rate -9.1 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.229 s, final slip -3.01 %, peak slip rate -30.0 %














SeisSol
EQdyna
p = 1 gold (Vista 1085893)
p = 2 (Vista 1096105)
p = 3 (Vista 1096106)

SCEC TPV31 station x2_12_x3_1 (strike 12 km, depth 1 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.048 s, final slip +0.58 %, peak slip rate +6.7 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.036 s, final slip -0.08 %, peak slip rate -7.3 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.252 s, final slip -3.06 %, peak slip rate -41.7 %

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), SeisSol arrival 6.031 s -0.5 / +2.5 s

(c) strike slip (m)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa)

(f) shear / normal stress


time (s)

time (s)


time (s)

SeisSol
EQdyna
p = 1 gold (Vista 1085893)
p = 2 (Vista 1096105)
p = 3 (Vista 1096106)

SCEC TPV31 station x2_12_x3_2.4 (strike 12 km, depth 2.4 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.047 s, final slip -0.56 %, peak slip rate -3.0 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.096 s, final slip -0.94 %, peak slip rate -15.8 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.314 s, final slip -2.91 %, peak slip rate -46.1 %



SCEC TPV31 station x2_12_x3_3 (strike 12 km, depth 3 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.015 s, final slip -0.37 %, peak slip rate -7.6 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.020 s, final slip -0.91 %, peak slip rate -21.1 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.289 s, final slip -1.97 %, peak slip rate -44.9 %



SCEC TPV31 station x2_12_x3_5 (strike 12 km, depth 5 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.042 s, final slip -0.88 %, peak slip rate -1.4 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.010 s, final slip -1.18 %, peak slip rate -3.3 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.164 s, final slip -2.58 %, peak slip rate -28.3 %

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), SeisSol arrival 4.919 s -0.5 / +2.5 s

(c) strike slip (m)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa)

(f) shear / normal stress


time (s)


time (s)


time (s)


SeisSol EQdyna p = 1 gold (Vista 1085893) p = 2 (Vista 1096105) p = 3 (Vista 1096106)


SCEC TPV31 station x2_12_x3_7.5 (strike 12 km, depth 7.5 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.001 s, final slip -0.01 %, peak slip rate +0.3 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.003 s, final slip -1.11 %, peak slip rate -6.2 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.155 s, final slip -2.84 %, peak slip rate -32.6 %














SeisSol
EQdyna
p = 1 gold (Vista 1085893)
p = 2 (Vista 1096105)
p = 3 (Vista 1096106)

SCEC TPV31 station x2_12_x3_10 (strike 12 km, depth 10 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.004 s, final slip -1.56 %, peak slip rate -1.1 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.010 s, final slip -2.06 %, peak slip rate -11.3 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.153 s, final slip -4.46 %, peak slip rate -36.2 %

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), SeisSol arrival 5.036 s -0.5 / +2.5 s

(c) strike slip (m)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa)

(f) shear / normal stress

time (s)

SeisSol EQdyna p = 1 gold (Vista 1085893) p = 2 (Vista 1096105) p = 3 (Vista 1096106)

SCEC TPV31 station x2_12_x3_12 (strike 12 km, depth 12 km)
p = 3 (Vista 1096106) vs SeisSol: arrival -0.008 s, final slip +0.04 %, peak slip rate +3.1 %
p = 2 (Vista 1096105) vs SeisSol: arrival -0.010 s, final slip -1.08 %, peak slip rate -5.5 %
p = 1 gold (Vista 1085893) vs SeisSol: arrival -0.227 s, final slip -2.40 %, peak slip rate -31.1 %

