

SCEC TPV205, strike slip rate at the sixteen on-fault stations (rows: depth 0 / 3 / 7.5 / 12 km; columns: strike -12 / -7.5 / -4.5 / 0 / 4.5 / 7.5 / 12 km)




SCEC TPV205 station x2_-12_x3_0 (strike -12 km, depth 0 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.084 s slip -4.01% peak -38.5%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 5.115 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference



(f) dip slip rate (m/s), autoscaled



DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)

SCEC TPV205 station x2_-7.5_x3_0 (strike -7.5 km, depth 0 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.010 s slip -2.46% peak -1.1%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 4.275 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference

(f) dip slip rate (m/s), autoscaled

time (s)

DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)

SCEC TPV205 station x2_-4.5_x3_0 (strike -4.5 km, depth 0 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.021 s slip -1.60% peak -28.1%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 3.783 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference


(f) dip slip rate (m/s), autoscaled

time (s)


DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)

SCEC TPV205 station x2_0_x3_0 (strike 0 km, depth 0 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.008 s slip -1.45% peak -23.7%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 3.462 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference



(f) dip slip rate (m/s), autoscaled



DRDG3D 100 m O4 DRDG3D 200 m O4 MFEM mixed-flux RK45 p=2 (gold) Nitsche p=1 200 m (Vista 1076378)

SCEC TPV205 station x2_4.5_x3_0 (strike 4.5 km, depth 0 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.021 s slip -0.62% peak -25.3%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 3.781 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

time (s)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference

time (s)

(f) dip slip rate (m/s), autoscaled

time (s)

DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)

SCEC TPV205 station x2_7.5_x3_0 (strike 7.5 km, depth 0 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.013 s slip -1.20% peak -14.7%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 4.268 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

time (s)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference

time (s)

(f) dip slip rate (m/s), autoscaled

time (s)

DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)

SCEC TPV205 station x2_12_x3_0 (strike 12 km, depth 0 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.058 s slip -2.82% peak -28.7%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 5.108 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference


(f) dip slip rate (m/s), autoscaled


time (s)

time (s)

DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)


SCEC TPV205 station x2_0_x3_3 (strike 0 km, depth 3 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.053 s slip -0.92% peak -20.2%









time (s)







DRDG3D 100 m O4 | DRDG3D 200 m O4 | MFEM mixed-flux RK45 p=2 (gold) | Nitsche p=1 200 m (Vista 1076378)

SCEC TPV205 station x2_-12_x3_7.5 (strike -12 km, depth 7.5 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.068 s slip -4.73% peak -12.1%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 4.052 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference

(f) dip slip rate (m/s), autoscaled

time (s)

DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)

SCEC TPV205 station x2_-7.5_x3_7.5 (strike -7.5 km, depth 7.5 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.029 s slip -1.16% peak -11.7%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 2.616 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference


(f) dip slip rate (m/s), autoscaled

time (s)


DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)

SCEC TPV205 station x2_-4.5_x3_7.5 (strike -4.5 km, depth 7.5 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.071 s slip -1.27% peak -19.0%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 1.691 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference




(f) dip slip rate (m/s), autoscaled




DRDG3D 100 m O4 DRDG3D 200 m O4 MFEM mixed-flux RK45 p=2 (gold) Nitsche p=1 200 m (Vista 1076378)

SCEC TPV205 station x2_0_x3_7.5 (strike 0 km, depth 7.5 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.000 s slip -1.37% peak   -7.8%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 0.001 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference




(f) dip slip rate (m/s), autoscaled




DRDG3D 100 m O4 DRDG3D 200 m O4 MFEM mixed-flux RK45 p=2 (gold) Nitsche p=1 200 m (Vista 1076378)

SCEC TPV205 station x2_4.5_x3_7.5 (strike 4.5 km, depth 7.5 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.141 s slip -1.62% peak -18.4%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 1.690 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference



(f) dip slip rate (m/s), autoscaled



DRDG3D 100 m O4 | DRDG3D 200 m O4 | MFEM mixed-flux RK45 p=2 (gold) | Nitsche p=1 200 m (Vista 1076378)

SCEC TPV205 station x2_7.5_x3_7.5 (strike 7.5 km, depth 7.5 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.135 s slip -1.37% peak -19.6%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 3.829 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference

(f) dip slip rate (m/s), autoscaled

time (s)

DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)

SCEC TPV205 station x2_12_x3_7.5 (strike 12 km, depth 7.5 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.060 s slip -5.40% peak -34.9%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 5.262 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference

(f) dip slip rate (m/s), autoscaled


time (s)

time (s)


DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)

SCEC TPV205 station x2_0_x3_12 (strike 0 km, depth 12 km)
Nitsche p=1 200 m (Vista 1076378) vs DRDG3D 100 m: dt -0.032 s slip -1.47% peak -18.5%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 2.112 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference



(f) dip slip rate (m/s), autoscaled



DRDG3D 100 m O4 DRDG3D 200 m O4 MFEM mixed-flux RK45 p=2 (gold) Nitsche p=1 200 m (Vista 1076378)