

SCEC TPV205, strike slip rate at the sixteen on-fault stations (rows: depth 0 / 3 / 7.5 / 12 km; columns: strike -12 / -7.5 / -4.5 / 0 / 4.5 / 7.5 / 12 km)




SCEC TPV205 station x2_-12_x3_0 (strike -12 km, depth 0 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt +0.010 s slip -0.23% peak -18.6%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 5.115 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference




(f) dip slip rate (m/s), autoscaled




DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)

SCEC TPV205 station x2_-7.5_x3_0 (strike -7.5 km, depth 0 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt +0.021 s slip -0.49% peak -2.6%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 4.275 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference




(f) dip slip rate (m/s), autoscaled




DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)

SCEC TPV205 station x2_-4.5_x3_0 (strike -4.5 km, depth 0 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt +0.002 s slip -0.30% peak -1.1%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 3.783 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference





(f) dip slip rate (m/s), autoscaled



DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)


SCEC TPV205 station x2_0_x3_0 (strike 0 km, depth 0 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt -0.018 s slip -0.24% peak +0.2%









time (s)









DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)

SCEC TPV205 station x2_4.5_x3_0 (strike 4.5 km, depth 0 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt +0.008 s slip -0.30% peak -2.6%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 3.781 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference



(f) dip slip rate (m/s), autoscaled



DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)

SCEC TPV205 station x2_7.5_x3_0 (strike 7.5 km, depth 0 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt +0.021 s slip -0.29% peak -4.9%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 4.268 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference

(f) dip slip rate (m/s), autoscaled

time (s)

time (s)

DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)

SCEC TPV205 station x2_12_x3_0 (strike 12 km, depth 0 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt +0.012 s slip -0.27% peak -3.3%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 5.108 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference

(f) dip slip rate (m/s), autoscaled


time (s)

time (s)


DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)

SCEC TPV205 station x2_0_x3_3 (strike 0 km, depth 3 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt +0.013 s slip -0.22% peak +2.0%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 2.115 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference




(f) dip slip rate (m/s), autoscaled




DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)

SCEC TPV205 station x2_-12_x3_7.5 (strike -12 km, depth 7.5 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt +0.030 s slip -0.60% peak +2.7%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 4.052 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference



(f) dip slip rate (m/s), autoscaled



DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)

SCEC TPV205 station x2_-7.5_x3_7.5 (strike -7.5 km, depth 7.5 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt +0.015 s slip -0.08% peak -0.2%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 2.616 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference

(f) dip slip rate (m/s), autoscaled


time (s)

time (s)


DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)

SCEC TPV205 station x2_-4.5_x3_7.5 (strike -4.5 km, depth 7.5 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt +0.006 s slip -0.21% peak +0.7%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 1.691 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference



(f) dip slip rate (m/s), autoscaled



DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)

SCEC TPV205 station x2_0_x3_7.5 (strike 0 km, depth 7.5 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt -0.000 s slip -0.21% peak +1.2%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 0.001 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference

(f) dip slip rate (m/s), autoscaled


time (s)

time (s)


DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)

SCEC TPV205 station x2_4.5_x3_7.5 (strike 4.5 km, depth 7.5 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt +0.010 s slip -0.09% peak +0.6%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 1.690 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference




(f) dip slip rate (m/s), autoscaled




DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)

SCEC TPV205 station x2_7.5_x3_7.5 (strike 7.5 km, depth 7.5 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt +0.041 s slip -0.09% peak +1.2%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 3.829 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference



(f) dip slip rate (m/s), autoscaled



DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)

SCEC TPV205 station x2_12_x3_7.5 (strike 12 km, depth 7.5 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt +0.031 s slip -0.61% peak -1.4%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 5.262 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference


(f) dip slip rate (m/s), autoscaled


time (s)

time (s)


DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)


SCEC TPV205 station x2_0_x3_12 (strike 0 km, depth 12 km)
Nitsche p=3 200 m (Vista 1080361) vs DRDG3D 100 m: dt +0.030 s slip -0.46% peak +3.1%














DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)
Nitsche p=3 200 m (Vista 1080361)